

Corrigendum to Enquiry no. F5A1S91593 NIT 50878

Date: 24.01.2020

1. There is typographical error in clause#5 of specification FP50692.

Please note that the chemical composition of the material shall comply to that of Grade 4A mentioned in Table 2 of ASTM A890. That is as follows:

Element		C	Si	Mn	Cr	Ni	Mo	S	P	N	Cu
Ladle Analysis	Min	-	-	-	21.00	4.50	2.50	-	-	0.10	
	Max.	0.03	1.00	1.50	23.50	6.50	3.50	0.02	0.04	0.30	1.00

2. Due date is extended from 11.00 Hrs IST on 24.01.2020 to 11.00 Hrs IST on 31.01.2020.