

Schedule for PR-0139913189 dated 27.01.2025

PR Item No			Vendor Confirmation
10	Short Description	S120 ALM 3Ø 400VAC, 600VDC/133A/80KW, BS	-
	Technical Parameters		
	INPUT:	3AC 380-480V, 50/60HZ	
	OUTPUT:	DC 600V, 133A, 80KW	
	FRAME SIZE:	BOOKSIZE	
	COOLING TYPE:	INTERNAL AIR COOLING	
	ACCESSORIES INCLUDED:	DRIVE-CLIQ CABLE	
	MLFB:	6SL3130-7TE28-0AA3	

Schedule for PR-0139913189 dated 27.01.2025

PR Item No			Vendor Confirmation
20	Short Description	S120 SMM 600VDC, 3Ø 400VAC/132A, BS	-
	Technical Parameters		
	INPUT:	DC 600V	
	OUTPUT:	3AC 400V, 132A	
	FRAME SIZE:	BOOKSIZE	
	COOLING TYPE:	INTERNAL AIR COOLING	
	ACCESSORIES INCLUDED:	DRIVE-CLIQ CABLE	
		OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS	
	MLFB:	6SL3120-1TE31-3AA3	

Schedule for PR-0139913189 dated 27.01.2025

PR Item No			Vendor Confirmation
30	Short Description	S120 SMM 600VDC, 3Ø 400VAC/18A, BS	-
	Technical Parameters		
	INPUT:	DC 600V	
	OUTPUT:	3AC 400V, 18A	
	FRAME SIZE:	BOOKSIZE	
	COOLING TYPE:	INTERNAL AIR COOLING	
	ACCESSORIES INCLUDED:	DRIVE-CLIQ CABLE	
		OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS	
	MLFB:	6SL3120-1TE21-8AD0	