



Requirement of item as per enquiry number 2780106E/28.04.2018

SL No	Material code	Item Description	Quantity (No)	Quoted/Not Quoted
01	IMSA86508500	Trolley for controller movement	04	

Sl no	Pre-Qualification Criteria	Submitted/Not Submitted
1.	The Vendor should have supplied a minimum of 05 numbers of trolleys in any reputed institutes or firms in last 3 years. Supplier shall submit the proof of previous supply.	

Signature and Office Seal of Vendor



TECHNICAL SPECIFICATION FOR MANUALLY MOVABLE TROLLEY

The proposed material handling trolley is intended to be used in lab and production area for electronic controller movement. It should have the following features:

1. Length 1000 mm
2. Width 500mm
3. Height 1000mm
4. Platform trolley (figure 1 attached) –
 - Material –MS with powder coated (yellow colour) finish suitable for industrial usage (RAL1003).
 - Thickness of Platform (MS sheet) - 1.5mm.
 - With three sides (front, rear & one side) closed by MS wires mesh or tubes and detachable fold down mid-way on one side.
5. 150 mm Dia Rubber wheel operated (two with metal stopper & another two without stopper)
6. Two SS Handrails at the top (front & back) for pulling and pushing from both ends.
7. Handled weight 75 to 100 kg.

The vendor shall submit manufacturing drawing for vetting during enquiry.

Inspection of the item at vendors store can be done by BHEL/ BHEL representatives.

Signature and Office Seal of Vendor




FIG:1 TROLLEY