

**Corrigendum -3 Dated Oct 05, 2017 to Tender specification BHEL: PSSR: SCT 1684**

Sl. No	Published in	Existing			Revised as		
1	Corrigendum -2 dated Sep 19, 2017 to Tender specification BHEL: PSSR: SCT 1684 issued with reference to Techno commercial bid Volume – I Book – I Notice Inviting Tender Clause no 1.0 (iv) to Clause no 1.0 (vi)	1.0 (iv)	Issue of Tender Documents	<u>Sale</u> Closes: <b>Oct 06, 2017</b> , Time :15.00 Hrs	1.0 (iv)	Issue of Tender Documents	<u>Sale</u> Closes: <b>Oct 26, 2017</b> , Time :15.00 Hrs
		1.0 (v)	Due date & time of offer submission	Date : <b>Oct 07, 2017</b> , Time :15.00Hrs	1.0 (v)	Due date & time of offer submission	Date : <b>Oct 27, 2017</b> , Time :15.00Hrs
		1.0 (vi)	Opening of tender	Date : <b>Oct 07, 2017</b> , Time :15.30Hrs	1.0 (vi)	Opening of tender	Date : <b>Oct 27, 2017</b> , Time :15.30Hrs

All other conditions of the tender specification remain unchanged.

Bidders are requested to consider this corrigendum as part of tender specification and quote accordingly.

-Sd-  
S P. Sethuraman  
Sr.Manager / Sub contracts