

### General Note: BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE: 0431-2574111 GRAMS: BHARATELEC FAX NO: 0431-2520719

Page:1/9

E-mail : Web :

429-002/A

Collective No.	Enquiry Date	Due Date For Quotation
1802500267	31.07.2025	11.08.2025

### **OFFICE COPY**

Please quote Enquiry No, Date and due date in all correspondences.

This is only a request for quotation and not an order

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	L183416520001001  36INCH(ID) INLET, 7FT CEN DISCRAV FEED  36 inch Inlet, 7 feet Centre Distance Electron weighing Zip-Belt type Gravimetric Feeder (Micropro processor base control) as per Specification GF-371/Rev.03, Annexures-II, and IV to specification and as per TDC:TCI:BOI FEEDER C&I: LARA/REV 00.	onic ed III	18.000	9.00	25.05.26 25.09.26
20	L183416520001002  SPECIAL TOOLS & TACKLES FOR FEEDER.  Special tools and tackles for Gravimetric Fee as per specification GF-371/Rev.03.  (a) Test weight for calibration - 1 no. per feeder b) Shear pin (COC) - 2 nos.per feeder c) Sh pin Hub (COC) - 1 no. per feeder d) Bar- Pulley lift assembly - 1 no. p boiler. e) Turn buckle assembly - 1 no. per boiler f) Pulley removal tool - 1 no.per boiler g) Re extension -RH - 1 no.per boiler h) Rail extension #LH - 1 no.p boiler i) Checking bar - 2 nos.per boiler j) Shim se for calibration - 2 sets per boiler etc.).	near er ail er	2.000	1.00	25.05.26 25.09.26
30	L183416520001003 FEEDER REVERSE ROTATION EMPTYING CHUTE Feeder reverse rotation emptying chute for bunker emptying as per Specification GF-371/Rev.03.	NO	4.000	2.00	25.05.26 25.09.26

The offers should reach us 30 minutes before the time of opening of tenders.

The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE (FOSSIL BOILERS)

### Page:2/9

For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

## BHARAT HEAVY ELECTRICALS LIMITED



( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

80	2500267 / 31.07.2025			23505	
40	L1834S6599704001  GR. FEEDER BELT FEEDER BELT FEEDER BELT SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.	SET	6.000	6.00	06.11.25
50	L1834S6599704002	NO	2.000	2.00	06.11.25
	BELT DRIVE REDUCER & MILL FEEDER MOTOR BELT DRIVE REDUCER & MILL FEEDER MOTOR(MAIN DRIVE WITH GEAR REDUCER) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.	10	2.000	2.00	00.11.2
50	L1834S6599704003	NO	2.000	2.00	06.11.25
	CLEAN OUT CONVEYOR REDUCER & COC MOTOR CLEAN OUT CONVEYOR REDUCER & COC MOTOR SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
70	L1834S6599704004	NO	2.000	2.00	06.11.25
	COUNTER ASSEMBLY (COMPLETE) COUNTER ASSEMBLY (COMPLETE)- SCRAPER ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
30	L1834S6599704005	NO	2.000	2.00	06.11.25
	HEAD PULLEY ASSEMBLY (COMPLETE) HEAD PULLEY ASSEMBLY (COMPLETE) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
90	L1834S6599704006	NO	2.000	2.00	06.11.25
	WEIGHING ROLL WEIGHING ROLL SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
00	L1834S6599704007	NO	2.000	2.00	06.11.25
	WEIGHING SPARE ROLLER ASSEMBLY WEIGHING SPARE ROLLER ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT				

The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender

opening.Late and delayed offers are liable to be rejected.

### Page:3/9

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

# BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

180	2500267 / 31.07.2025			23505	5
	GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
110	L1834S6599704008	NO	2.000	2.00	06.11.25
	DRAG LINK ASSEMBLY DRAG LINK ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
L20	L1834S6599704009	NO	2.000	2.00	06.11.25
	TENSION ROLL ROLL - TENSION (TENSION ROLL ASSEMBLY) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
L30	L1834S6599704010	NO	2.000	2.00	06.11.25
	WORM WORM SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
140	L1834S6599704011	NO	3.000	3.00	06.11.25
	WORM WHEEL WORM WHEEL SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
150	L1834S6599704012	SET	1.000	1.00	06.11.25
	MAND.SPARE OF C&I ELECTRICAL			_,,,	
	COMPONENETS MANDATORY SPARE OF C&I ELECTRICAL COMPONENTS SHALL BE AS PER ANNEXURE-V ENCLOSED WITH THIS INDENT AND THE SPARE ITEMS SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
160	L184016520001001	NO	16.000	8.00	25.10.26
	36INCH(ID) INLET, 7FT CEN DIST GRAV FEED 36 inch Inlet, 7 feet Centre Distance Electronic weighing Zip-Belt type Gravimetric Feeder (Micropro processor based control) as per Specification GF-371/Rev.03, Annexures- II, III and IV to specification and as per TDC:TCI:BOI FEEDER C&I: SINGRAULI /REV 00.				
				8.00	23.02.27
					23.02.27

tenderers who have submitted their offer and who may like to be present for the tender

opening.Late and delayed offers are liable to be rejected.

### Page:4/9

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

# 

## BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

	2500267 / 31.07.2025 			23505		
170	L184016520001002  SPECIAL TOOLS & TACKLES FOR FEEDER. Special tools and tackles for Gravimetric Feeder as per specification GF-371/Rev.03. (a) Test weight for calibration - 1 no. per feeder b) Shear pin (COC) - 2 nos.per feeder c) Shear pin Hub (COC) - 1 no. per feeder d) Bar- Pulley lift assembly - 1 no. per feeder d) Bar- Pulley lift assembly - 1 no. per boiler. e) Turn buckle assembly - 1 no. per boiler f) Pulley removal tool - 1 no.per boiler g) Rail extension -RH - 1 no.per boiler h) Rail extension #LH - 1 no.per boiler i) Checking bar - 2 nos.per boiler j) Shim set for calibration - 2 sets per boiler etc.).	SET	2.000	1.00	25.10.26	
				1.00	23.02.27	
180	L184016520001003 FEEDER REVERSE ROTATION EMPTYING CHUTE Feeder reverse rotation emptying chute for bunker emptying as per Specification GF-371/Rev.03.	NO	4.000	2.00	25.10.26	
190	L1840S6599703001	SET	6.000	6.00	25.11.26	
	GR. FEEDER BELT FEEDER BELT SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.					
200	L1840S6599703002	NO	2.000	2.00	25.11.26	
	BELT DRIVE REDUCER & MILL FEEDER MOTOR BELT DRIVE REDUCER & MILL FEEDER MOTOR(MAIN DRIVE WITH GEAR REDUCER) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.					
210	L1840S6599703003	NO	2.000	2.00	25.11.26	
	CLEAN OUT CONVEYOR REDUCER & COC MOTOR CLEAN OUT CONVEYOR REDUCER & COC MOTOR SHALL BE EXACTLY SAME AS					

### Page:5/9

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

# BHARAT HEAVY ELECTRICALS LIMITED

opening.Late and delayed offers are liable to be rejected.

( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

80	2500267 / 31.07.2025			23505	
	APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
20	L1840S6599703004	NO	2.000	2.00	25.11.26
	COUNTER ASSEMBLY (COMPLETE) COUNTER ASSEMBLY (COMPLETE)- SCRAPER ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
30	L1840S6599703005	NO	2.000	2.00	25.11.26
	HEAD PULLEY ASSEMBLY (COMPLETE) HEAD PULLEY ASSEMBLY (COMPLETE) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
ł 0	L1840S6599703006	NO	2.000	2.00	25.11.26
	WEIGHING ROLL WEIGHING ROLL SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
50	L1840S6599703007	NO	2.000	2.00	25.11.26
	WEIGHING SPARE ROLLER ASSEMBLY WEIGHING SPARE ROLLER ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
0	L1840S6599703008	NO	2.000	2.00	25.11.26
	DRAG LINK ASSEMBLY DRAG LINK ASSEMBLY SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
70	L1840S6599703009	NO	2.000	2.00	25.11.26
	TENSION ROLL ROLL - TENSION (TENSION ROLL ASSEMBLY) SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
30	L1840S6599703010	NO	2.000	2.00	25.11.26
	WORM WORM SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET				

### Page:6/9

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

# 

opening.Late and delayed offers are liable to be rejected.

## BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

180	2500267 / 31.07.2025			23505	
	CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.				
290	L1840S6599703011  WORM WHEEL  WORM WHEEL SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.	NO	3.000	3.00	25.11.26
300	MAND.SPARE OF C&I ELECTRICAL COMPONENETS MANDATORY SPARE OF C&I ELECTRICAL COMPONENTS SHALL BE AS PER ANNEXURE-V ENCLOSED WITH THIS INDENT AND THE SPARE ITEMS SHALL BE EXACTLY SAME AS APPLICABLE FOR 36 INCH INLET, 7 FEET CENTRE DISTANCE, ELECTRONIC WEIGHING ZIP-TYPE BELT GRAVIMETRIC FEEDER INDENTED VIDE PGMA 65-200.	SET	1.000	1.00	25.11.26
310	L185616520003001 36INCH(ID) INLET, 7FT CEN DIST GRAV FEED 36 inch Inlet, 7 feet Centre Distance Electronic weighing Zip-Belt type Gravimetric Feeder (Micropro processor based control) as per Specification GF-371/Rev.03, Annexures- II, III and IV to specification and as per TDC:TCI:BOI FEEDER C&I: SIPAT /REV 00.	NO	9.000	9.00	25.03.27
320	L185616520003002  SPECIAL TOOLS & TACKLES FOR FEEDER. Special tools and tackles for Gravimetric Feeder as per specification GF-371/Rev.03. (a) Test weight for calibration - 1 no. per feeder b) Shear pin (COC) - 2 nos.per feeder c) Shear pin Hub (COC) - 1 no. per feeder d) Bar- Pulley lift assembly - 1 no. per boiler. e) Turn buckle assembly - 1 no. per boiler f) Pulley removal tool - 1 no.per boiler g) Rail extension -RH - 1 no.per boiler h) Rail extension #LH - 1 no.per boiler i) Checking bar - 2 nos.per boiler j) Shim set for calibration - 2 sets per boiler etc.).	SET	1.000	1.00	25.03.27
330	L185616520003003 FEEDER REVERSE ROTATION EMPTYING CHUTE Feeder reverse rotation emptying chute for	NO	2.000	2.00	25.03.27

#### Page:7/9

### BHARAT HEAVY ELECTRICALS LIMITED



( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

1802500267 / 31.07.2025

23505

bunker emptying as per Specification GF-371/Rev.03.

#### General Note:

### Enclosures:

"LD clause has to be confirmed without fail."

The bidder along with its associate / collaborators / sub-contractors / sub-vendors / consultants /service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

PR Links					
Material.	PR.No	PR.Item.	Quanity	Acc. Assign	Customer Number
L183416520001001	143277340	00010		U8/1834-SY-690-1-65-200	U8/1834
			9.000		
L183416520001001	143277341	00010		U8/1835-SY-690-1-65-200	U8/1835
			9.000		
L183416520001002	143277340	00020		U8/1834-SY-690-1-65-200	U8/1834
			1.000		
L183416520001002	143277341	00020		U8/1835-SY-690-1-65-200	U8/1835
			1.000		
L183416520001003	143277340	00030		U8/1834-SY-690-1-65-200	U8/1834
			2.000		
L183416520001003	143277341	00030		U8/1835-SY-690-1-65-200	U8/1835
			2.000		
L1834S6599704001	143369744	00010		U8/1834-SY-701-S-65-997	U8/1834
			6.000		
L1834S6599704002	143369744	00020		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704003	143369744	00030		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704004	143369744	00040		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704005	143369744	00050		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704006	143369744	00060		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704007	143369744	00070		U8/1834-SY-701-S-65-997	U8/1834
			2.000		
L1834S6599704008	143369744	08000		U8/1834-SY-701-S-65-997	U8/1834
1					

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

### Page:8/9

## BHARAT HEAVY ELECTRICALS LIMITED



( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

1802500267 / 3	31.07.202	5	23505		
Material.	PR.No	PR.Item.	Quanity	Acc. Assign	Customer Number
			2.000		
L1834S6599704009	143369744	00090	2.000	U8/1834-SY-701-S-65-997	U8/1834
L1834S6599704010	143369744	00100		U8/1834-SY-701-S-65-997	U8/1834
L1834S6599704011	143369744	00110	2.000	U8/1834-SY-701-S-65-997	U8/1834
L1834S6599704012	143369744	00120	3.000	U8/1834-SY-701-S-65-997	U8/1834
			1.000		
L184016520001001	143277342	00010	8.000	U8/1840-SY-701-1-65-200	U8/1840
L184016520001001	143277343	00010	8.000	U8/1841-SY-701-1-65-200	U8/1841
L184016520001002	143277342	00020		U8/1840-SY-701-1-65-200	U8/1840
L184016520001002	143277343	00020	1.000	U8/1841-SY-701-1-65-200	U8/1841
L184016520001003	143277342	00030	1.000	U8/1840-SY-701-1-65-200	U8/1840
			2.000		
L184016520001003	143277343	00030	2.000	U8/1841-SY-701-1-65-200	U8/1841
L1840S6599703001	143369745	00090	6.000	U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703002	143369745	00100	2.000	U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703003	143369745	00110		U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703004	143369745	00010	2.000	U8/1840-SY-657-S-65-997	U8/1840
		00000	2.000		
L1840S6599703005	143369745	00020	2.000	U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703006	143369745	00030	2.000	U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703007	143369745	00040	2.000	U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703008	143369745	00050		U8/1840-SY-657-S-65-997	U8/1840
L1840S6599703009	143369745	00060	2.000	U8/1840-SY-657-S-65-997	U8/1840
			2.000		

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED** 

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,

### Page:9/9

### BHARAT HEAVY ELECTRICALS LIMITED



( A Government of India Undertaking )
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

1802500267 / 3	31.07.202	5	23505		
Material.	PR.No	PR.Item.	Quanity	Acc. Assign	Customer Number
L1840S6599703010	143369745	00070		U8/1840-SY-657-S-65-997	U8/1840
			2.000		
L1840S6599703011	143369745	08000		U8/1840-SY-657-S-65-997	U8/1840
			3.000		
L1840S6599703012	143369745	00120		U8/1840-SY-657-S-65-997	U8/1840
			1.000		
L185616520003001	143277088	00010		U8/1856-SY-657-1-65-200	U8/1856
			9.000		
L185616520003002	143277088	00020		U8/1856-SY-657-1-65-200	U8/1856
			1.000		
L185616520003003	143277088	00030		U8/1856-SY-657-1-65-200	U8/1856
			2.000		

list of suppliers

RFQ-5200009863

Open Tender Dummy Code

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED** 

MANAGER / PURCHASE (FOSSIL BOILERS) Yours faithfully,