



# BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )  
HIGH PRESSURE BOILER PLANT  
PURCHASE DEPARTMENT - FOSSIL BOILERS  
THIRUCHIRAPALLI - 620014  
TAMILNADU (INDIA)

PHONE :0431-2577419  
GRAMS : BHARATELEC  
FAX NO: 0431-2520719  
E-mail: cmuthuvel@bhel.in  
Web:


Page  
1/5

| Enquiry No                                                                                                                                                                                                                                                                                                                                                                                                     | Enquiry Date | Due Date for Quotation |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| 2001900106 - 73                                                                                                                                                                                                                                                                                                                                                                                                | 25.07.2019   | 17.08.2019             |
| Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order.<br><b>Bid should be submitted in two parts. 1.Techno-commercial bid (Part-I) and 2.Price bid(Part-II) in a separate sealed cover and both covers must be placed in a third cover and sealed. Our Enquiry No., Enq. date &amp; Enq. Due date must be written on all three covers.</b> |              |                        |

| Item | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit | Quantity | Delivery Quantity | Schedule Date |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-------------------|---------------|
| 10   | Watt transducer (Power transducer)<br>Specification for Watt transducer (Power transducer):<br>Type : To measure active power in 3 phase 3 wire system (3PT, 2CT)-<br>Unbalanced.<br>Input : Current 1A or Both 1A & 5A in same transducer<br>Voltage 110V, Frequency 50 Hz.<br>PF range : cos'Ø' unity to '0' lead and lag.<br>Output : 4 to 20 mA.<br>Aux. Power supply: 230VAC / Self power.<br>Burden : Better than 0.5 VA.<br>Accuracy : ± 0.25 % for full range.<br>Response time : Better than 500 msec to 99 % output.<br>Circuit : Solid state.<br>Capacity : Maximum withstand capacity of 10 sec at 10 times rated current and 5 times rated voltage.<br>Terminals : Screwed terminals for easy connection. Protective cover for terminals to be provided.<br>Housing : Fire proof and intrinsically safe casing to be provided.<br>Operating temp : 0 °C to 50 °C<br>Humidity : Operating humidity 20% to 80%<br>Standard : As per IS 14570:2012 and IEC 60688:2002.<br>Weight : Less than 1.5 kg. | NO   | 25.000   | 25.00             | 17.09.19      |
| 20   | Multimeter<br>Specification for Multimeter:<br>Type : Portable.<br>Display : LCD/LED - 9999 digit.<br>Measurement range : Volt DC 0 to 1000V,<br>Accuracy ± 0.25%.<br>Volt AC 0 to 1000V,<br>Accuracy ± 0.75%.<br>Current DC 0 to 10A,<br>Accuracy ± 1%.<br>Current AC 0 to 10A,<br>Accuracy ± 1%.<br>Additional facility to be provided :<br>1) Provision for                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | NO   | 2.000    | 2.00              | 19.09.19      |

The offers should reach us 30 minutes before the time of opening of tenders.  
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,  
For **BHARAT HEAVY ELECTRICALS LIMITED**

  
MANAGER / PURCHASE  
(FOSSIL BOILERS)  
Yours faithfully,  
For **BHARAT HEAVY ELECTRICALS LIMITED**  
**R. K. VALAVAN**  
Senior Engineer  
PURCHASE / PSS / MM  
BHEL, TRICHY - 620 014.



## BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )  
HIGH PRESSURE BOILER PLANT  
PURCHASE DEPARTMENT - FOSSIL BOILERS  
THIRUCHIRAPALLI - 620014  
TAMILNADU (INDIA)

PHONE :0431-2577419  
GRAMS : BHARATELEC  
FAX NO: 0431-2520719  
E-mail: cmuthuvel@bhel.in  
Web:

Page  
2/5

2001900106 / 25.07.2019

23505

Resistance measurement.  
2) Provision for  
Frequency measurement.  
3) Data storage  
facility.  
Sampling rate : 2reading/sec  
Protection type : Automatic terminal blocking  
sockets for mA/A/Volt.  
IP 50 for housing, IP 20 for  
connection terminals  
according to DIN VDE 0470  
Part 1/EN 60529.  
Fuse : Instrument shall contains a fuse for all  
the ranges of current.  
Operating temperature : 0°C to 50°C.  
Humidity : Operating humidity 20% to 80 %.  
Meter power : Internal battery operated.  
Note: Attached compliance report must be  
submitted along with offer.

### General Note:

#### GENERAL NOTE:

1. The enquiry terms & conditions are enclosed.
2. Special Instruction: The provision for MSE clause is included in the tender.
3. Tenders/ Quotations should not be sent on any individual's name but sent only to the following address:  
Tender opening cell / MM,  
Room No. 26,  
24 Building (Ground floor),  
Bharat Heavy Electricals Limited,  
Tiruchirappalli - 620014.

Email offers should be sent to: tender\_cell@bhel.in

4. Any communication regarding clarifications of tender should be addressed to the following:

The DGM / MM / PSS,  
Materials Management,  
24 Building (4th floor),  
Bharat Heavy Electricals Limited,  
Tiruchirappalli - 620014.

Email: pgavictor@bhel.in  
Phone: 0431-2577645.

All the tenders may be addressed to the following address:

The offers should reach us 30 minutes before the time of opening of tenders.  
The offers will be opened at 14.30 hrs on the due date of tender in the presence of  
tenderers who have submitted their offer and who may like to be present for the tender  
opening. Late and delayed offers are liable to be rejected.

Yours faithfully,  
For BHARAT HEAVY ELECTRICALS LIMITED

*R. K. K. K.*  
MANAGER / PURCHASE  
R. K. K. K.  
Senior Engineer  
PURCHASE / PSS / MM  
BHEL, TRICHY - 620 014.



# BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )  
HIGH PRESSURE BOILER PLANT  
PURCHASE DEPARTMENT - FOSSIL BOILERS  
THIRUCHIRAPALLI - 620014  
TAMILNADU (INDIA)

PHONE :0431-2577419  
GRAMS : BHARATELEC  
FAX NO: 0431-2520719  
E-mail: cmuthuvel@bhel.in  
Web:

Page  
3/5

2001900106 / 25.07.2019

23505

The Tender Opening Cell / MM  
Room No: 26, Building 24, Ground Floor  
Bharat Heavy Electricals Limited  
TIRUCHIRAPALLI 620014

In case personal delivery of the offer, it shall be dropped into the respective box kept in Room No: 26, after duly entering the data in the system.

Offers will be accepted only up to 14.00 Hrs on the due date. Therefore, vendors shall ensure to submit the offers well before this time. All due date extension requirements should be addressed to the respective Purchase mail IDs. All the due date extension requests from vendors will be considered only up to 48 hours before the due date and time.

Vendors are requested to avoid submission of offers through e mail / fax. In case of any unavoidable situation, offers shall be sent through e mail to the following mail ID only tender\_cell@bhel.in

As tenders are being opened by Common Tender Opening Cell, offer covers should be sealed with tenderer's distinctive seal and super scribed with correct Tender No. item of supply and due date of opening.

The offers will be opened at 14.30 hrs on the due date of the tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.

## Goods and Service Tax (GST)

### Indigenous suppliers:

1. Response to Tenders for Indigenous supplier will be entertained only if the vendor has a valid GST registration no which should clearly have mentioned in the offer. If any specific exemption is available, a declaration with due supporting documents need to be furnished for considering the offer. Supplier shall mention the HSN code for each item quoted by them in the offer.
2. Supplier shall mention their GSTN registration number in all their invoices and invoices shall be in the format as specified/prescribed under GST laws. Invoices shall necessarily contain Invoice number (in case of multiple numbering system is being followed for billing like SAP invoice no, commercial invoice no etc., then the Invoice No which is linked/uploaded in GSTN network shall be clearly indicated), item description as per PO, Quantity, Rate, Value, applicable

The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,  
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE  
(FOSSIL BOILERS)  
R. K. K. K. K. K.  
Senior Engineer  
PURCHASE / PSS / MM  
BHEL, TRICHY - 620 014.



## BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )  
HIGH PRESSURE BOILER PLANT  
PURCHASE DEPARTMENT - FOSSIL BOILERS  
THIRUCHIRAPALLI - 620014  
TAMILNADU (INDIA)

PHONE :0431-2577419  
GRAMS : BHARATELEC  
FAX NO: 0431-2520719  
E-mail: cmuthuvel@bhel.in  
Web:

Page  
4/5

2001900106 / 25.07.2019

23505

taxes with nomenclature (like IGST, SGST, CGST & UTGST) separately, HSN/ SAC Code, etc.

3. All invoices shall bear the HSN Code for each item separately (Harmonized System of Nomenclature)/ SAC code

(Services Accounting Code).

4. A declaration to the effect that all invoice particulars are/were uploaded in the GSTN network/ portal & all tax liability

as per GST rules and regulations have been and will be discharged, shall be mentioned in the invoice. If not mentioned in

the invoice, a separate declaration shall be submitted as per the requirement of BHEL.

5. All documents like Mill Test Certificate, LR copy, Guarantee/Warrantee certificate, work completion certificate, any

other document mentioned in PO, shall be sent along with the vehicle/consignment. For all consignments received within

the calendar month, input credit will be availed within that month in line with monthly returns filing cycle. In case of any

discrepancy in the document or non-submission of documents mentioned in the PO, then BHEL will not be able to accept

or account the material, in such case availing of tax credit will be deferred to next month or so.

6. In case of discrepancy in the data uploaded by supplier in the GSTN portal or in case of any shortages or rejection in

the supply, then BHEL will not be able to avail the tax credit and will notify the supplier of the same.

Supplier has to

rectify the data discrepancy in the GSTN portal or issue credit note (details to be uploaded in GSTN portal) for the

shortages or rejections in the supplies, within the calendar month notified by BHEL.

7. For any such delay in availing of tax credit for reasons attributable to supplier (as mentioned above), interest

(calculated @ SBI Base Rate + 6%) along with penalty if any will be deducted for the delayed period i.e. from the month

of receipt till the month tax credit is availed, from the running bills.

### Import Suppliers:

1. Supplier shall mention the HSN code of each item quoted by them in the offer. The HSN shall be mentioned in the

Invoice also for each item without fail.

For this procurement, Public Procurement (Preference to Make in India), Order 2017 dated 15.06.2017 & 28.0.2018 and subsequent Orders issued by the respective Nodal Ministry shall be applicable even if issued after issue of this NIT but before finalization of contract / PO / WO against this NIT.

In the event of any Nodal Ministry prescribing higher or lower percentage of purchase and / or local content in respect of this procurement, same shall be applicable.

Default purchase preference shall be 20% to local suppliers with default minimum local content of 50%.

The bidder along with its associate / collaborators / sub-contractors / sub-vendors / consultants / Service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.

The offers should reach us 30 minutes before the time of opening of tenders.  
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,  
For BHARAT HEAVY ELECTRICALS LIMITED

  
MANAGER / PURCHASE  
R. K. KILIVAN  
Senior Engineer  
PURCHASE / FOS / MM  
BHEL, TRICHY - 620 014.



429-002/A

# BHARAT HEAVY ELECTRICALS LIMITED

( A Government of India Undertaking )  
HIGH PRESSURE BOILER PLANT  
PURCHASE DEPARTMENT - FOSSIL BOILERS  
THIRUCHIRAPALLI - 620014  
TAMILNADU (INDIA)

PHONE :0431-2577419  
GRAMS : BHARATELEC  
FAX NO: 0431-2520719  
E-mail: cmuthuvel@bhel.in  
Web:

Page  
5/5

2001900106 / 25.07.2019

23505

## Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.  
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,  
For BHARAT HEAVY ELECTRICALS LIMITED

*R. Killivalavan*  
MANAGER / PURCHASE  
(FOSSIL BOILERS)  
Yours faithfully,  
**R. KILLIVALAVAN**  
Senior Engineer  
PURCHASE / PSS / MM  
BHEL, TRICHY - 620 014.

## COMPLIANCE REPORT

**PR.No.: 125555990 Date: 17/06/2019**

**Item: Watt transducer (Power transducer)**

| BHEL SPECIFICATION |                   |                                                                                          | VENDOR 'S CONFIRMATION<br>OFFER | DEVIATION IF ANY |
|--------------------|-------------------|------------------------------------------------------------------------------------------|---------------------------------|------------------|
| 1                  | Type              | To measure active power in 3 phase 3 wire system (3PT, 2CT) – unbalanced                 |                                 |                  |
| 2                  | Input             | Current 1A or Both 1A & 5A in same transducer, Voltage 110 V, Frequency 50 Hz            |                                 |                  |
| 3                  | PF range          | cos 'φ' Unity to '0' lead and lag                                                        |                                 |                  |
| 4                  | Output            | 4 to 20 mA                                                                               |                                 |                  |
| 5                  | Aux. power supply | 230VAC / Self power                                                                      |                                 |                  |
| 6                  | Burden            | Better than 0.5 VA                                                                       |                                 |                  |
| 7                  | Accuracy          | ±0.25% for full range                                                                    |                                 |                  |
| 8                  | Response time     | Better than 500 msec to 99 % output                                                      |                                 |                  |
| 9                  | Circuit           | Solid state                                                                              |                                 |                  |
| 10                 | Capacity          | Maximum withstand capacity of 10 sec at 10 times rated current and 5 times rated voltage |                                 |                  |
| 11                 | Terminals         | Screwed terminals for easy connection. Protective cover for terminals to be provided.    |                                 |                  |
| 12                 | Housing           | Fire proof and intrinsically safe casing to be provided                                  |                                 |                  |
| 13                 | Operating temp    | 0 °C to 50 °C                                                                            |                                 |                  |
| 14                 | Humidity          | Operating humidity 20 to 80 %                                                            |                                 |                  |
| 15                 | Standard          | As per IS 14570:2012 and IEC 60688:2002                                                  |                                 |                  |
| 16                 | Weight            | Less than 1.5 kg                                                                         |                                 |                  |

Note: Vendor has to fill and submit this form separately against all the model for which they are submitting offer.  
For each model, vendor has to submit separate form.

 **MANISH KUMAR RAJ**  
Deputy Manager  
Field Engineering Services (FB)  
BHEL, TRICHY - 620 014

## COMPLIANCE REPORT

Multimeter ✓

PR.No. 125579676 date 19/06/2019

| BHEL SPECIFICATION |                              |                                                                                                                                                                              | VENDOR 'S CONFIRMATION OFFER | DEVIATION IF ANY |
|--------------------|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------|
| 1                  | Type                         | Portable                                                                                                                                                                     |                              |                  |
| 2                  | Display                      | LCD/LED - 9999 digit                                                                                                                                                         |                              |                  |
| 3                  | Measurement range & accuracy | Volt DC 0 to 1000V, Accuracy $\pm 0.25\%$<br>Volt AC 0 to 1000V, Accuracy $\pm 0.75\%$<br>Current DC 0 to 10A, Accuracy $\pm 1\%$<br>Current AC 0 to 10A, Accuracy $\pm 1\%$ |                              |                  |
| 4                  | Additional facility          | 1) Provision for Resistance measurement<br>2) Provision for Frequency measurement<br>3) Data storage facility                                                                |                              |                  |
| 5                  | Sampling rate                | 2reading/sec                                                                                                                                                                 |                              |                  |
| 6                  | Protection type              | Automatic terminal blocking sockets for mA/A/Volt.<br>IP 50 for housing, IP 20 for connection terminals according to DIN VDE 0470 Part 1/EN 60529.                           |                              |                  |
| 7                  | Fuse                         | Instrument shall contains a fuse for all the ranges of current                                                                                                               |                              |                  |
| 8                  | Operating temperature        | 0°C to 50° C                                                                                                                                                                 |                              |                  |
| 9                  | Humidity                     | Operating humidity 20% to 80 %                                                                                                                                               |                              |                  |
| 10                 | Meter power                  | Internal battery operated                                                                                                                                                    |                              |                  |

Note: Vendor has to fill and submit this form separately against all the model for which they are submitting offer.

For each model, vendor has to submit separate form.



**MANISH KUMAR RAJ**  
Deputy Manager  
Field Engineering Services (FB)  
BHEL, TRICHY - 620 014

**BHARAT HEAVEY ELECTRICALS LIMITED**

(A GOVT.OF INDIA UNDERTAKING)

**HIGH PRESSURE BOILER PLANT**

**TIRUCHIRAPPALLI-620 014**

**TERMS AND CONDITIONS OF THE ENQUIRY (TWO PART BID)**

**1. The tender will be operated on two part bid basis i.e. (I). Techno-Commercial Bid & (II). Price Bid. Sample should be submitted along with Techno-Commercial Bid where sample is insisted in the Enquiry, if sample is not received for the Enquiry where BHEL is insisted, that offer will be summarily rejected. If sample is insisted in the enquiry, then the sample should be super scribed with the enquiry sl. no for identification and evaluation. Samples without the identification will not be considered and offer will be rejected**

**2. Techno-Commercial Bid:** Containing Technical details, specifications, commercial terms, delivery terms, delivery schedule, validity of offer, payment terms (except price details), GST Percentage, HSN Code, Acceptance for LD clause, etc. as per ANNEXURE-A (submitted in your company letter head) shall be put in a cover (1) and super scribed as "Techno-Commercial Bid" for Enquiry No: .....Dt: ..... Due Dt.: .....

**3. Price Bid:** Containing the price details shall be put in a separate cover (2) and superscribed as "Price Bid "for Enquiry No: ..... Dt.: ..... Due Dt.: ..... as per ANNEXURE -B (submitted in your company letter head)

**4. You are requested to put the above two envelopes (Techno-Commercial Bid & Price Bid) inside a separate larger sealed envelope and this envelope shall be super scribed as "Techno-Commercial Bid and Price Bid" for Enquiry No: .....Dt: .....Due Dt.: .....**

**Your Quotations should be sent to:**

*Tender opening cell/ MM,  
Room No.26,  
24 Building (Ground Floor),  
Bharat Heavy Electricals Limited,  
Tiruchirappalli - 620 014.*

**5. Tender should not be addressed to any individual's name but only by designation.**

**6. Tenders should be free from CORRECTION AND ERASURES. Corrections if any must be attested; all amounts shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall only be considered.**

**7. Please submit point wise compliance to our specifications, terms and conditions. Otherwise it will be presumed that you are accepting BHEL's terms and conditions.**

**8. Offer/s received after due date and time: 02:00 pm will not be considered under any circumstances. Any techno commercial clarifications/request for tender due date extensions with valid acceptable reasons to be addressed to BHEL prior to 48 hours of tender due date. BHEL reserves the rights to extend the due date as per their discretion.**

**9. Validity of quoted rates should be maintained for 90 days from the date of Tender opening for ordering (Technical Bid). The quoted/Finalized rates shall be Firm till completion of the supplies.**

**10. The rates are to be quoted on F.O.R. destination basis (Inclusive of Packing, Forwarding, and Freight and Transit Insurance charges to supplier account). All the items should be supplied at our stores, BHEL / TRICHY-14 at your own cost. Offers with any other delivery conditions will be rejected.**

**IMPORTANT NOTE: (I) Delivery condition like Ex-works / Ex-godown / Transportation of materials through transport carriers from your works up to the transport carrier's office at Tiruchy and taking delivery of goods by BHEL from such office of transport carriers is not acceptable to us)**

**11. Unloading at BHEL Site has to be done by the suppliers and BHEL will not be in a position to provide any handling/ unloading facilities.**

**12. Payment Terms (Indigenous)**

Payment term is 100% direct payment **after 60 days** from the date of receipt and acceptance of materials.

**Any deviation in the above payment terms, any other conditions in Payment terms or any other payment terms will not be accepted.**

**13. Liquidated Damages / Penalty:**

Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.

**Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).**

**14. If Guarantee / Warranty period is applicable as per tender specification, no deviation permitted and deviated offers are liable for rejection.**

**15. IMPORTANT NOTE: BHEL WILL CONSIDER THE RANKING AFTER THE LOADING IS APPLIED AS REFERRED ABOVE WHEREVER DEVIATIONS ARE OBSERVED.**

**16. No revision of prices will be entertained at any circumstances after tenders are opened.**

**17. GST:**

For supplies after implementation of GST i.e. after 30.06.2017, the following conditions will apply and supplier shall fully comply to the below points.

**Indigenous suppliers:**

- I. Response to Tenders for Indigenous supplier will be entertained only if the vendor has a valid GST registration no which should clearly mention in the offer. If any specific exemption is available, a declaration with due supporting documents need to be furnished for considering the offer.
- II. Supplier shall mention their GSTN registration number in all their invoices and invoices shall be in the format as specified/prescribed under GST laws. Invoices shall necessarily contain Invoice number (in case of multiple numbering system is being followed for billing like SAP invoice no, commercial invoice no etc., then the Invoice No which is linked/uploaded in GSTN network shall be clearly indicated), item description as per PO, Quantity, Rate, Value, applicable taxes with nomenclature (like IGST, SGST, CGST & UTGST) separately, HSN/ SAC Code, etc.
- III. All invoices shall bear the HSN Code for each item separately (Harmonized System of Nomenclature)/ SAC code (Services Accounting Code).
- IV. A declaration to the effect that all invoice particulars are/were uploaded in the GSTN network/ portal & all tax liability as per GST rules and regulations have been and will be discharged, shall be mentioned in the invoice. If not mentioned in the invoice, a separate declaration shall be submitted as per the requirement of BHEL.
- V. All documents like Mill Test Certificate, LR copy, Guarantee/Warrantee certificate, work completion certificate, any other document mentioned in PO, shall be sent along with the vehicle/consignment. For all consignments received within the calendar month, input credit will be availed within that month in line with monthly returns filing cycle. In case of any discrepancy in the document or non-submission of documents mentioned in the PO, then BHEL will not be able to accept or account the material, in such case availing of tax credit will be deferred to next month or so.
- VI. In case of discrepancy in the data uploaded by supplier in the GSTN portal or in case of any shortages or rejection in the supply, then BHEL will not be able to avail the tax credit and will notify the supplier of the same. Supplier has to rectify the data discrepancy in the GSTN portal or issue credit note (details to be uploaded in GSTN portal) for the shortages or rejections in the suppliers, within the calendar month notified by BHEL.
- VII. For any such delay in availing of tax credit for reasons attributable to supplier (as mentioned above), interest (calculated @ SBI Base Rate + 6%) along with penalty if any will be deducted for the delayed period i.e. from the month of receipt till the month tax credit is availed, from the running bills.
- VIII. Under GST regime, BHEL has to discharge GST liability on LD recovered from suppliers/contractors. Hence applicable GST shall also be recoverable from suppliers/contractors on LD amount. For this Debit note will be issued by BHEL indicating the respective supply invoice number.

**18. On the due date of tender opening, only the technical bids will be opened. Technical bids will be evaluated by us and clarifications required, if any, will be called for from the bidders on technical and commercial points. The price bids of techno-commercially suitable bidders will be opened at a later date with prior intimation to respective suitable bidders.**

**19. Ranking L-1, L-2 etc. shall be done generally on each individual items for the techno-commercially acceptable offers on landed cost to BHEL, Trichy basis and BHEL reserves the right to place order for individual items with different vendors. At special circumstance ranking shall be done on compatible basis which will be indicated through Enquiry special instruction General Notes.**

20. BHEL reserves the right to increase or decrease the tender quantity and split up the tender quantity among more than one vendor at the lowest acceptable price to BHEL and place order accordingly in any proportion at our own discretion.

21. Lowest price received against BHEL tenders need not be the technically acceptable one and in that case BHEL reserves the right not to consider the same. The purchaser shall be under no obligation to accept the lowest or any other tender and shall be entitled to accept or reject any tender in part or full without assigning any reason whatsoever.

22. BHEL reserves the right to negotiate or refloat the tender opened, if L1 price is not the lowest acceptable price to BHEL due to inter-alia other reasons.

23. **PACKING AND MARKING:** The supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit.

24. **RISK PURCHASE:** Alternatively, the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the previous supplier has failed to deliver or dispatch within the time stipulated as aforesaid or if the same were not available, the best and the nearest available substitutes therefore. The new supplier shall be liable for any loss, which the purchaser may sustain by reason of such risk purchases in addition to penalty at the rate mentioned in our LD clause.

25. The Tender Due date falling on public holiday due to any circumstances, the tender will be opened on next working day.

26. Any other conditions which might have been quoted by the seller and are in contravention to the terms prescribed in the order and which have not been specifically accepted by purchaser in written will not be applicable to the contract.

27. **VENDORS CURRENTLY NOT REGISTER WITH BHEL TRICHY & WISH TO PARTICIPATE TO IN THIS ENQUIRY SHOULD FURNISH THE FOLLOWING DOCUMENTRY PROOF / INFORMATION ALONG WITH OFFER.**

- a) Complete postal address with Pin Code.
- b) Contact Person /s , Phone No, Mobile No, FAX No, Email ID etc.
- c) Copy of statutory documents – VAT / TIN / EXICISE REGISTRATION / SERVICE TAX REGISTRATION / GST REGISTRATION etc

28. Special Provisions for Micro and Small Enterprises (MSE) bidders registered as per MSME act:

i. Payments for MSE Indigenous vendors will be as MSMED Act, 2006.

ii. 25% of the tendered quantity is earmarked for MSE Vendors (**Manufacturers only and not for the Traders/Dealers of Service Category - Vide Office Memorandum circular of Micro, Small & Medium Enterprises, Clause – i, dt: 09.02.17**) in this tender. If L1 offer is from a Micro / Small enterprise, this provision is not applicable.

iii. Out of the 25% tendered quantity reserved for MSE suppliers, 6.25% shall be earmarked for procurement from MSE owned by SC / ST entrepreneurs. In event of failure of such Micro and Small enterprises to participate in the tender process or meet the tender requirements and the L1 price, the 6.25% sub-target for procurement ear-marked MSE owned by SC / ST entrepreneurs shall be met with other MSE enterprise/s.

iv. Out of the 25% tendered quantity reserved for MSE suppliers, 3% shall be earmarked for procurement from MSE owned by women entrepreneurs. In event of failure of such Micro and Small enterprises to participate in the tender process or meet the tender requirements and the L1 price, the 3% sub-target for procurement ear-marked MSE owned by women entrepreneurs shall be met with other MSE enterprise/s.

v) In case MSE vendor participating in the tender quotes within the price band of L1 + 15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.

iv) MSE Category Vendors Should Submit the Udyog Aadhaar Memorandum(UAM) And Latest CA Certificate Along with the Offer.

v) Date to be reckoned for determining the deemed validity will be the last date of technical bid submission. Non submission of such documents will lead to consideration of their bids at par with other bidders and MSE status of such suppliers shall be shifted to Non MSE supplier till the supplier submits these documents. This provision for MSE will apply subject to the condition that the participating MSE meets the tender requirements.

vi) In case of any change in the MSE status of the bidder, it shall be the responsibility of the bidder to notify the change as a part of the bid document. If at a later date it comes to the knowledge of BHEL, that the change in the status has not been intimated by the bidder and the order is obtained under the premise of an MSE then BHEL would cancel the pending order against this tender and take necessary steps for suspension of the business dealing with the bidder as per the procurement policy of BHEL.

vii) In case after the bid opening it is seen that no MSE has become L1, then depending on the nature of the item, if it is not possible to split the tendered items / quantities on account of reasons like customer contract requirements of supplying one make for a given project or technical reasons like tendered items being a system etc., then BHEL would not counter offer the L1 prices even though there may be MSE bidders within the +15% band of L1.

**29.** For verification of data submitted towards evaluation of bidder's capability, BHEL may decide to visit the bidder(s) works. Any fact found deviating from submitted data shall make the bidder liable to be disqualified.

**30.** In the event of more than one vendor becoming L1 for any of the item / items, the enquiry quantity for those item / items will be shared equally among all the L1 vendors.

**31.** The correspondence between the bidder and BHEL through email is considered as valid document Legally though not signed. It is treated as valid confirmations made on behalf of the respective company and comes under the legal ambit of the business transaction and hence binding on both the parties.

**32.** Any corrigendum related to the enquiry will be hosted in the BHEL website only, Bidders should visit the website(s) to keep themselves updated.

**33.** The Enquiry Number and Due Date which is super scribed on the outer cover of "Techno-Commercial Bid and Price Bid" should be same as per our enquiry number and due date, otherwise BHEL will not be considered that offer for opening and further process.

**34.** Delivery goods/ items should be securely and suitably packed to avoid transit damages.

**35.** Documents submitted with the offer shall be signed and stamped in each page by authorized representative of the bidder.

**36. COMMERCIAL TERMS CONFIRMATION REQUIRED FROM THE SUPPLIER (TO BE SUBMITTED IN COVER NO: 1).**  
The techno- commercial terms both in the offer and our enclosed format (clause 36) should be same and if any deviation/s in between the offers and enclosed format (clause 36) is found, the commercial terms as per our enclosed format will only be considered.

**ANNEXURE –A**

**COMMERCIAL TERMS CONFIRMATION REQUIRED FROM THE SUPPLIERS (SUBMITTED IN COVER NO: 1)**

| SL NO | DESCRIPTION                                                                 | BHEL REQUIREMENTS                                                             | SUPPLIER CONFIRMATION/DEVIATION<br>(STRIKE OUT WHICHEVER IS NOT APPLICABLE) |
|-------|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| 1     | VALIDITY                                                                    | 90 Days from Date of technical bid opening                                    | NON DEVIATABLE                                                              |
| 2     | PRICE QUOTED SHOULD BE INCLUSIVE OF PACKING & FORWARDING ,FRIHT & INSURANCE | FOR-DESTINATION BHEL STORES TRICHY -620014                                    | NON DEVIATABLE                                                              |
| 3     | GST PERCENTAGE                                                              | CGST                                                                          | EXTRA _____ %                                                               |
|       |                                                                             | SGST                                                                          | EXTRA _____ %                                                               |
|       |                                                                             | IGST                                                                          | EXTRA _____ %                                                               |
| 4     | HSN CODE                                                                    | SUPPLIER HAS TO MENTION                                                       |                                                                             |
| 5     | DEIVERY SCHEDULE                                                            | AS PER TENDER SCHEDULE                                                        |                                                                             |
| 6     | PAYMENT TERMS                                                               | As per <b>Clause 12</b> of Terms and Conditions of the Enquiry (Two Part Bid) | NON DEVIATABLE                                                              |
| 7     | LD CLAUSE                                                                   | As per <b>Clause 13</b> of Terms and Conditions of the Enquiry (Two Part Bid) | NON DEVIATABLE                                                              |
| 8     | CONTACT PERSON DETAILS                                                      | NAME:<br>MOBILE NO:<br>EMAIL :                                                | TO BE FILLED BY VENDOR COMPULSORY                                           |
| 9     | GUARANTEE / WARRANTY                                                        | REQUIRED/<br>NOT REQUIRED                                                     |                                                                             |
| 10    | TEST CERTIFICATE                                                            | REQUIRED/<br>NOT REQUIRED                                                     |                                                                             |
| 11    | SAMPLE                                                                      | REQUIRED/<br>NOT REQUIRED                                                     |                                                                             |
| 12    | <b>UAM CERTIFICATE</b>                                                      | To be attached                                                                | ATTACHED / NOT ATTACHED                                                     |

**Vendors Seal & Signature**

**ANNEXURE –B**

**PRICE BID FORMAT OF ALL QUOTED ITEMS, IF ANY ITEM YOUR ARE NOT QUOTED SIMPLY YOU SHOULD MENTION AS “NOT QUOTED” AGAINST THAT ENQ SL NO. (SUBMITTED IN SEPARATE COVER NO: 2)**

| ENQ SL NO | BHEL<br>SPECIFICATIONS | VENDOR<br>SPECIFICATIONS | UOM | QUANTITY | BASIC PRICE IN RS |
|-----------|------------------------|--------------------------|-----|----------|-------------------|
| 10        |                        |                          |     |          |                   |

**Vendors Seal & Signature**

**Certificate by Chartered Accountant on letter head**

This is to Certify that M/S .....  
(hereinafter referred to as 'company') having its registered office at .....  
is registered under MSMED Act 2006, (Entrepreneur  
Memorandum No (Part-II) ..... dtd:.....  
Category: ..... (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as per the latest audited financial year ..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises:** Investment in plant and machinery (i.e. original cost excluding land and building and the items specified by the Ministry of Small Scale Industries vide its notification No.S.O.1722(E) dated October 5, 2006 :  
Rs.....Lacs
2. **For Service Enterprises:** Investment in equipment (original cost excluding land and building and furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED Act, 2006:  
Rs.....Lacs

**(Strike off whichever is not applicable)**

The above investment of Rs.....Lacs is within permissible limit of Rs.....Lacs for .....Micro / Small (Strike off which is not applicable) Category under MSMED Act 2006.

Or

The company has been graduated from its original category (Micro/ Small) (Strike off which is not applicable) and the date of graduation of such enterprise from its original category is ..... (dd/mm/yyyy) which is within the period of 3 years from the date of graduation of such enterprise from its original category as notified vide S.O. No. 3322(E) dated 01.11.2013 published in the gazette notification dated 04.11.2013 by Ministry of MSME.

Date:



(Signature)

Name -

Membership number -

Seal of Chartered Accountant