

Bharat Heavy Electricals Limited

(High Pressure Boiler Plant)
Tiruchirappalli – 620014, TAMIL NADU, INDIA
CAPITAL EQUIPMENT/ MATERIALS MANAGEMENT

ENQUIRY

Phone: +91 431 257 7771

Fax: +91 431 252 0719 Email: rpmuthu@bheltry.co.in

NOTICE INVITING TENDER

Web : www.bhel.com

TWO PART BID

Enquiry Date:

Due date for submission of quotation:

2631000067

21.07.2010

23.08.2010

You are requested to quote the Enquiry number, date and due date in all your correspondences. This is only a request for quotation and not an order.

Please note that under any circumstances both delayed offer and late offers will not be considered. Hence vendors are requested to ensure that the offer is reaching physically our office before 14.00 hrs on the Date of tender opening.

Item	Description	Quantity
10	RUST PREVENTIVE FLUID COATING SYSTEM as per the technical specification, BHEL commercial terms & conditions applicable (to be downloaded from web	1 No.
	site www.bhel.com or http://tenders.gov.in)	

Important points to be taken care during submission of offer

1. Checklist to be duly filled and enclosed along with your offer, failing which the offer will not be considered for evaluation.

BHEL's General guidelines / instructions including bank guarantee formats and list of consortium banks, commercial terms check-list can be downloaded from BHEL web site http://www.bhel.com or from the Government tender website http://tenders.gov.in (public sector units) Bharat Heavy Electricals Limited page) under Enquiry reference "2631000067".

Tenders should reach us before 14:00 hours on the due date Tenders will be opened at 14:30 hours on the due date Tenders would be opened in presence of the tenderers who have submitted their offers and who may like to be present Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

Dy.Manager / MM / Capital Equipment

BHARAT HEAVY ELECTRICALS LIMITED



429-002/A

ENQUIRY (INDIGENOUS)

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE: 2577771 GRAMS: BHARATELEC FAX NO: 2520719

E-mail: rpmuthu@bheltry.co.in

Page 1/2

Web:

·	Enquiry No	Enquiry Date	Due Date for Quotation
	2631000067	21.07.2010	23.08.2010

Please quote Enquiry No, Date and due date in all correspondences.

This is only a request for quotation and not an order

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10		NO	1.000	1.00	30.10.10

Rust Preventive Fluid Coating System (Specification Enclosed) Rust Preventive Fluid Coat System-SSTP

General Note:

COMMERCIAL TERMS AND CONDITIONS

Bhel commercial terms & conditions with Price Bid and Bank Guarantee formats along with technical specifications can be download from BHEL web site http://www.bhel.com or from the Government tender website http://tenders.gov.in (public sector units>Bharat Heavy Electricals limited page) under Enquiry reference "2631000067".

1,,QUOTATIONS

The Bidders shall submit the offer in TWO INNER ENVELOPES as indicated below which shall be sealed in one outer envelope.

Envelope I This sealed envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and commercial bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Envelope II This sealed envelope should contain price details. This envelope should be clearly marked "Part II - Price bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Both the envelopes (Part I & II) shall be put in one cover, duly sealed, superscribing as Part I and Part II of Enquiry No., due date of opening and the address and reference of the Bidder.

The above offer should reach this office on or before the due date by 14.00 Hrs (IST).Late offers will not be considered.

POINT TO POINT CONFIRMATION TO BHEL'S SPECIFICATION AND COMMERCIAL

The offers should reach us before the time of opening of tenders. The offers will be opened at 14:30 hours on the due date in the presence of the tenderers who may like to be present.

Late tenders are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

R PACHAMUTHU MANAGER / PURCHASE (FDSSIV BOILDINGS)

BHEL, TRICHY - 620 014.



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE: 2577771 GRAMS: BHARATELEC FAX NO: 2520719

E-mail: rpmuthu@bheltry.co.in

Page

Web:

2631000067 / 21.07.201	2631	.000067 /	21.07.	.2010
------------------------	------	-----------	--------	-------

TERMS AND CONDITIONS SHOULD BE PROVIDED IN THE ENCLOSED SHEET.

3. DETAILED CATALOGUE AND DRAWINGS SHOULD BE SENT ALONG WITH YOUR TECHNICAL OFFER.

Enclosures:

"LD clause has to be confirmed without fail."

"Payment to vendors will be made only thro E-Payment mode"

The offers should reach us before the time of opening of tenders. The offers will be opened at 14:30 hours on the due date in the presence of the tenderers who may like to be present. Late tenders are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGEA HOMENASE

FORBY, MANAGER

MINE Confession Begins on the Confess



COLD MILL / SSTP, BHEL, Tiruchirapallli-14 Rust Preventive Fluid Coating system for Cold Mill - SSTP

Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010

Page 1 of 6

1. GENERAL:

- 1.1 This document deals with requirements for submitting offers and executing the order on placement of Purchase order / Contract for the subject item. The equipment under this specification are required for rust preventive fluid coating of seamless steel tubes being manufactured in SSTP/BHEL, having diameter between 19 and 133 mm and thickness between 2 and 12.5 mm and length between 3 and 20 meters.
- 1.2 Bidders have to submit the offers as below by filling in the "Vendor's response" column with relevant information against each point in the respective sections below by providing information on model no, parameters etc.
- 1.3 Note: A just 'CONFIRMED' or 'COMPLIED' or 'YES' or 'NO-DEVIATION' or similar words in the "Vendor's response" column is not acceptable and may lead to disqualification of the Technical Offer.
- 1.4 Brand and model No. of the items offered must be indicated in the offer
- 1.5 The offer shall Consist of Sections:
- 1.5.1 Part A:
 - a. General Requirements
 - b. Technical offer
 - c. Commercial terms and conditions
 - d. Un-priced Price bid as per Part B (i.e. Price bid as per list shown in Part B of this Specification with the <u>price value blanked</u>)
- 1.5.2 Part B: Price bid for all items with split of major components:

SI.No	Particulars	Qty	Rate
01			
02		****	
03			
04			
05	-		
06			
07			

- 1.6 Necessary Documents, records, drawings, catalogues as required shall also be referenced in the response column and attached with the offer.
- 1.7 The supplier may visit SSTP and understand the requirements before bidding.
- 1.8 The requirements to be met for submitting the offer and the execution of the order are laid out below.

DM/CM/MECH



COLD MILL / SSTP, BHEL, Tiruchirapa...i-14

Page 2 of 6

Rust Preventive Fluid Coating system for Cold Mill - SSTP Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010 Page 2 of 6

Technical Requirements:-

1				
SI.NO		SSIP/BHEL KEQUIKEMENIS	Vendor's Conformation	Deviation, if any
7	Job Details	The state of the s		
	Seam less steel tubes man	Seam less steel tubes manufactured will be traveling on a	1 100	777.0
	tube conveyor (as shown ir	tube conveyor (as shown in sketch on last page) one by one		
-	with a gap between each tu	with a gap between each tube of about 200 to 1000mm. As		
	the tube travels on this cor	the tube travels on this conveyor, a Rust Preventive Fluid		
	Coating is to be applied by	Coating is to be applied by an automatic system. After the		
	end of the coating, the tube	e will be ejected automatically		
-	from the conveyor and rolls	from the conveyor and rolled down a sloping table to a trough		
, <u>.</u>	where the tubes will be coll	where the tubes will be collected in to bundles and strapped		
	together and moved for shipment.	ipment.		
2.1	Job Dimensions and marking details	larking details	THE PROPERTY OF THE PROPERTY O	
<u> </u>	Tube sizes to be coated:	OD 19 to 133 mm.		
·	Thickness of tubes:	2 mm to 12.5 mm		
	Length of tubes:	3 to 20 meters.		
	speed of tube travel:	30 M/min. for OD:133 mm to		
		60 M/Min for OD 19mm		
		dependent on the OD		
	Coating thickness	20-30 microns.		
	Paint Medium:	Quick drying Rust preventive		
		fluid as per Specification: PR:		
		CHEM: 09 - 04 / 03. attached		
		in Annexure A		
	Solvent :	NC thinner as per IS5667.		
	Rate of output:	1000 tubes per shift of 8 Hrs.		
		(operation in 2 or 3 shifts)		
m	Scope of supply		The state of the s	
3.1	Supply, installation & comm	Supply, installation & commissioning of automatic Rust	7.	
	Preventive Finia Coating System. This may consist of:	stem. Inis may consist or:		



COLD MILL / SSTP, BHEL, Tiruchirapa...i-14

Rust Preventive Fluid Coating system for Cold Mill - SSTP Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010

	п		
	Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010	Page 3 of 6	
SI.No	SSTP/BHEL REQUIREMENTS	Vendor's Conformation	Deviation, if any
3.1.1	Oil tank with diaphragm type pump, solvent tank, piping from	THE TAX AND ADDRESS OF THE TAX A	- Opposite Annual Control
	booth, spray booth complete with spray chamber and oil flow		
	arrester with exhaust blower, high pressure airless spraying		
	pump of reputed model with non return valve, three way		
. ,	valve, ball valves, HP ball valves, HP diaphragm type		
	pressure gauge, nr riller, injet oil neater of required power ration low pressure filter. Dump in required not with Suction		-
* .	capacity with pump, filter and valves and required set of		
	spares like hoses, pump heaters and nozzles.		
3.1.2	PLC Based Control system with necessary sensors, control		
	valves, proximity / limit switch etc. to detect entry and exit		
	of tube and start / stop paint system accordingly. This may		
	include necessary controls for operation of reservoir, control		
	valves etc.		
3.2	Since the system involves quick drying fluid, the technology		
	and mechanics for preventing clogging of tubing, nozzles,		
	filters paint gun etc. and ensure intermittent and continuous		
	operation of the system in automatic mode shall be provided.		
ლ ლ	Any arrangement required to dry the Coated fluid before tube		
	is transferred to the roll down trough from the conveyor may		
	also be included.		
4 4			
	commissioned by the supplier and tested for performance as		
	per this specification.		
**	General requirements:		
4.1	The floor space requirement and foot print layout, schematic		
	drawing and operational features shall be provided in the		
	offer		
4.2	_		
	model no. and maker along for major items like motor,		
	Priedmatic Cylinder, Soletiold Valves, miters, guns etc.	1.7778.00.10.00.00.00.00.00.00.00.00.00.00.00.	



COLD MILL / SSTP, BHEL, Tiruchirapa...i-14
Rust Preventive Fluid Coating system for Cold Mill - SSTP

	Musi Fievellive Fluid Coali	Aust rievenitive fillid Coaling system for Cold Mill - 331P
11/1	Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010	Page 4 of 6
.No	SSTP/BHEL REQUIREMENTS	Vendor's Conformation
۳	Supplier shall prepare quality plan covering major items	

 4.3 Supplier shall prepare quality plan covering major items indicating critical quality characteristics, method of measurement, reference standard, acceptance norms and submit to BHEL before starting the manufacturing activities. 4.4 With respect to point 3 above, proof of performance of the offered system shall be provided in the offer based on similar systems supplied to other customers by way of certification of performance or by spot visit. The supplier shall be in the business of carrying out supply and installation of mechanised coating and painting systems at least for 3 years. 4.5 The system performance shall be checked at BHEL after installation on a set of tubes of 3 different Diameters covering the entire range of tube sizes. Parameters like uniformity, coating thickness etc. has to be demonstrated for a period of at least 2 shifts continuously. 4.6 Service shall be provided by the supplier during guarantee period and also later through AMC. The system supplied must be supported by way of spares, availability and service for a minimum period of 10 years. 4.7 List of spares with part identification no. (Tools, Mechanical, Electrical & Electronics) to be maintained for ensuring continuous operation with least delay time shall be provided in the offer with price. 1 set of nozzles if applicable must be included as spare in the price list. 4.8 Supply of required commissioning spares for proving the performance of the m/C at SSTP is supplier's scope 	S	SI.No	SSTP/BHEL REQUIREMENTS	Vendor's Conformation	Deviation, if any	
indicating critical quality characteristics, methor measurement, reference standard, acceptance submit to BHEL before starting the manufacturing With respect to point 3 above, proof of perform offered system shall be provided in the offer basystems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like to coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if application ded as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc	4	3	Supplier shall prepare quality plan covering major items		W	
measurement, reference standard, acceptance submit to BHEL before starting the manufacturi. With respect to point 3 above, proof of perform offered system shall be provided in the offer basystems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like ustallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like ustallation at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application berformance of the m/c at SSTP is supplier's so			indicating critical quality characteristics, method of			
submit to BHEL before starting the manufacturing with respect to point 3 above, proof of perform offered system shall be provided in the offer basystems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diamythe entire range of tube sizes. Parameters like to coating thickness etc. has to be demonstrated fat least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applical included as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc			measurement, reference standard, acceptance norms and			
With respect to point 3 above, proof of perform offered system shall be provided in the offer ba systems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like u coating thickness etc. has to be demonstrated fat least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc			submit to BHEL before starting the manufacturing activities.			
offered system shall be provided in the offer ba systems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like to coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if application ded as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc	4	4	With respect to point 3 above, proof of performance of the			
systems supplied to other customers by way of performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like to coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for preperformance of the m/c at SSTP is supplier's so			offered system shall be provided in the offer based on similar			
performance or by spot visit. The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like use to entire range of tube sizes. Parameters like use the entire range of tube sizes. Parameters like use least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application of required commissioning spares for properformance of the m/c at SSTP is supplier's sc			systems supplied to other customers by way of certification of			
The supplier shall be in the business of carrying and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like to coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if applicating the offer with price. 1 set of nozzles if applicating of required commissioning spares for properformance of the m/c at SSTP is supplier's so	· · · ·		performance or by spot visit.			
and installation of mechanised coating and pain at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like use coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application continued as spare in the price list. Supply of required commissioning spares for propertormance of the m/c at SSTP is supplier's so			The supplier shall be in the business of carrying out supply			
at least for 3 years. The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like used the entire range of tube sizes. Parameters like used the entire range of tube sizes. Parameters like used thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application the offer with price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's so			and installation of mechanised coating and painting systems			
The system performance shall be checked at Bhinstallation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like u coating thickness etc. has to be demonstrated fat least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for preformance of the m/c at SSTP is supplier's sc			at least for 3 years.			
installation on a set of tubes of 3 different Diam the entire range of tube sizes. Parameters like used togating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc	4	ห๋	The system performance shall be checked at BHEL after			
the entire range of tube sizes. Parameters like used the coating thickness etc. has to be demonstrated for at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application of the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc			installation on a set of tubes of 3 different Diameters covering			
coating thickness etc. has to be demonstrated f at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for pr performance of the m/c at SSTP is supplier's sc	<u> </u>		the entire range of tube sizes. Parameters like uniformity,			
at least 2 shifts continuously. Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for preformance of the m/c at SSTP is supplier's sc			coating thickness etc. has to be demonstrated for a period of			
Service shall be provided by the supplier during period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for encontinuous operation with least delay time shall in the offer with price. 1 set of nozzles if application the offer with price. 1 set of nozzles if application continued as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sca	,		at least 2 shifts continuously.			
period and also later through AMC. The system be supported by way of spares, availability and minimum period of 10 years. List of spares with part identification no. (Tools, Electrical & Electronics) to be maintained for en continuous operation with least delay time shall in the offer with price. 1 set of nozzles if applica included as spare in the price list. Supply of required commissioning spares for properformance of the m/c at SSTP is supplier's sc	4	9:	Service shall be provided by the supplier during guarantee			
		•				
			minimum period of 10 years.			
	4	.7				
			Electrical & Electronics) to be maintained for ensuring			
			continuous operation with least delay time shall be provided			
included as spare in the price list. Supply of required commissioning spares for properties of the m/c at SSTP is supplier's sca		-	in the offer with price. 1 set of nozzles if applicable must be			
performance of the m/c at SSTP is supplier's scope	4	ထ	Supply of required commissioning spares for proving the			
			performance of the m/c at SSTP is supplier's scope			



COLD MILL / SSTP, BHEL, Tiruchirapallli-14 Rust Preventive Fluid Coating system for Cold Mill - SSTP Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010


Page 50f 6

Annexure A

1	Specific Gravity at ambient	0.85 - 0.95
h. l	temperature	
2	Flash Point C (min)	40
3	Drying time:	1/2
r10	Surface Dry (Hours, max)	
	Tack free (Hours, max)	4
4	Dry film thickness (Microns) per coatmin	20
5	Ford cup Viscosity (No.4) seconds at ambient temperature	25 ± 5
6	Odour	No objectionable Odour
7	Film type Transparent/Translucent	Transparent
8	Application Method	Brush/Spray.
<i>-</i>)	% Non- Volatiles by mass	55 ± 5
10	Temperature Resistance of RPF film at 50 C (for 6 hrs)	To pass test.
11	Corrosion Protection under conditions of condensation for 300 hours.	No sign of corrosion.
12	Liebermann –Storch test for the detection of natural resin & its	No development of pink colour – indicating absence of natural resin.
	derivatives	
13	Salt spray test for 72 hours	No sign of corrosion.
14	Outdoor durability	The coating shall not crack or turn
		opaque when exposed to out door, unsheltered condition for 1 year.
15	Scratch Hardness test (Under load of 1000 g as per IS 101 (Latest)	To pass test
16	Compatibility with Alkyd /Lacquer based paints.	Compatible.
17	Keeping Property – Months (Shelf life) min.	12
18	General conformance to I.S Specification	IS 1153 (Latest)
19	Packing standard/marking .	Supply in 200/20/10 Lt. Barrels as per PO indicating the following. Rust Preventive fluid for BHEL use only. Supplier's Name: Batch No: Date Quantity: Shelf Life: BHEL Specn.PR:CHEM:09-04 (latest)
20	Test certificate .	The supplier shall furnish test certificate for the above requirements SI.No.1 to 16 in duplicate.

Rust Preventive Fluid Coating system for Cold Mill - SSTP Document no: SSTP:CM/MTCE:2010: 002 / 02 Dt. 10.07.2010 COLD MILL / SSTP, BHEL, Tiruchilapallli-14

Page 6 of 6





GENERAL TERMS AND CONDITIONS OF RA

- Against this enquiry for the subject item/system with detailed scope of supply as per enquiry specifications, BHEL may resort to "REVERSE AUCTION PROCEDURE" i.e., ON LINE BIDDING ON INTERNET.
- For the proposed RA, technically and commercially acceptable bidders only shall be eligible to participate.
- In case of RA, BHEL will engage the services of a service provider for conduct of the RA who will provide all necessary training and assistance to the bidders before commencement of on line bidding on internet.
- Business rules governing the RA will be communicated to the bidders through service provider for compliance.
- Vendors have to fax the Compliance form in the prescribed format (provided by Service provider) before start of RA. Without the compliance, the vendor will not be eligible to participate in the event.
- BHEL will provide a sample calculation sheet (in EXCEL format) which would help the bidders to arrive at "Net Cash outflow to BHEL" considering various price / cost elements like Packing & forwarding charges, Taxes and Duties, Freight charges, Insurance, Service Tax for Services and loading factors (for non-compliance to BHEL standard Commercial terms & conditions) etc. for each of the bidders to enable them to arrive at "Net Cash outflow to BHEL" which is the amount the bidder would be bidding during the RA.
- RA will be conducted on scheduled date & time and at the end of event, the lowest bidder value will be known on the network.
- The lowest bidder has to Fax the duly signed "Price Break-up" in prescribed format as provided on case-to-case basis to BHEL through Service provider within 24 hours of Auction without fail.
- Any variation between the on-line bid value and the signed document will be considered as sabotaging the tender process and will invite disqualification of vendor to conduct further business with BHEL, as per the prevailing procedure.
- BHEL reserves the right to negotiate if need be, with the "L1" vendor of the Reverse Auction

MM:CAPITAL EQUIPMENT

Bharat Heavy Electricals Limited, Trichirapalli – 620 014 (To be filled and submitted along with offer)

Date:21-07-10

BHEL Enquiry No. 2631000067

	furnished along with offer copy (or) Technical Bid Copy (Part No - I)
Technical confirmation to BHEL's Specification as called for in BHEL Format shall be furnished. If needed additional sheets shall be used.	
Prices shall be quoted item wise only as per the model format enclosed.	
Prices shall be quoted on "FIRM PRICE" basis only. The prices should by only on F.O.R / Despatching station basis inclusive of Packing & Forwarding charges if any. Applicable	
percentage of ED & Sales Tax (VAT) should be clearly indicated.	
Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
Delivery period from the date of Letter of Intent shall be clearly mentioned in the offer.	
Liquidated damages @ ½% per week subject to a maximum of 15% of the order value shall be applicable for delay in deliveries.	
Following Risk Purchase clause shall be applicable:	
The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time	
stipulated or if the same were not available, the best and the nearest available substitute therefore. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.	
Submission of Performance Bank Guarantee (PBG):	
Vendor should provide a performance bank guarantee(PBG) for 10% of the total	
Purchase order value valid for a period of 12 months from the date of commissioning (or) 18 months from the date of dispatch whichever is later with an	
additional claim period of 2 months. This PBG shall form one of the documents for	
effecting payment. The PBG shall be submitted in non-judicial stamp paper value of not less than Rs.80/- issued by any one of the following banks who is a member	
bank in our consortium of banks.	
1) State Bank of India, 2) State Bank of Hyderabad, 3) State Bank of Travancore, 4) State Bank of Mysore, 5) Canara bank, 6) Bank of Baroda, 7)	
Punjab National bank, 8) Deutsche Bank, 9) HDFC Bank, 10) Standard	
Chartered Bank, 11) Citi Bank, 12) Standard Chartered Grindlays Bank 13) Bank of America and 14) Any one of the Nationalised banks.	
Payment terms for supply portion:	
 100% payment will be made within 45 to 90 days after receipt and acceptance / commissioning of goods at BHEL. against submission of PBG for 10% of Order value with required validity. (or) 80% value of the goods will be paid within 45 to 90 days against dispatch documents negotiated through bank. Balance 20% will be 	
paid within 45 to 90 days from the date of commissioning / acceptance of goods against submission of supplementary invoice and also against submission of PBG for 10% of Order value with required validity. All bank charges are to vendor's account only. NOTE:	
	
All direct Payment of more than one lakh will be made through E-mode Payment . As per BHEL e-mode Format, which will be given at time of	
ordering along with order copy. (Original filled E-mode payment format is	
to be get it signed by the both vendor's authorized signatory and their banker's along with a copy of cheque leaf / cancelled cheque leaf for the	
respective account number and forward the original hard copy to	
BHEL/Trichy to process invoices for making payment, after supplies are	1

Page No.2

Erection / commissioning:	
Erection / commissioning shall be done at free of cost.	
The equipment shall be guaranteed for a period of 12 months from the date of	
commissioning.	
Equipment will be inspected and proved at vendor's works prior to dispatch.	
However final inspection and acceptance of equipment will be after installation at	
BHEL, Trichy.	
The vendor shall provide necessary drawings, Test Certificates and Operating	
Maintenance Manuals etc., as called for in the Technical Specification, in the	
required number of copies at no extra cost.	
Any warranty replacement during warranty period shall be supplied free of	
charge on FOR BHEL, Trichy basis.	
Offers should be submitted only in sealed cover super-scribing clearly the	
Enquiry reference and due date.	

NOTE:-

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) Your specific acceptance to the BHEL Payment terms, LD, Risk Purchase Clause & Submission of PBG for 10% of the order value are essential for consideration of your offer. Other wise your offer is liable for rejection.

Signature & Office Seal of the vendor

	BHEL Enquiry No. & Date	Vendor's Offer Ref No. & Date			
	2631000067 & DT:21-07-10				
	MODEL PRICE BID FORMAT FOR INDIGE VENDORS	ENOUS			
SI No.	Description	Unit	Qty	Rate in Rs	Value in Rs
1	'		,		
2					
3					
4					
5					
6					
7					
8					
	Total Ex-works Value in Rs				
	Add Packing & Forwarding Charges if extra				
	FOR- Despatching Station Value in Rs				
	% of Excise Duty (If Extra or If inclusive)				
	% of Excise Duty (If inclusive)				
	% Sales Tax - CST against "C" Form (If extra)				
	% Sales Tax - CST With out "C" Form (if extra)				
	% VAT (if extra)				
	% VAT (if inclusive)				
	Approximate Freight Charges in Rs				
	Approximate Transit Insurance Charges in Rs				
	Installation / Commissioning Charges in Rs.				
	(If extra applicable) % Service Tax (if extra applicable)				
	Consignment Package Details				
	Approximate Net / Gross Weight in Kgs				
	Dimension of Consignment				
		Signature & Sea		eal of Vendor	
	NOTE:				

MM: CAPITAL EQUIPMENT

Bharat Heavy Electricals Limited, Trichirapalli – 620 014 (To be filled and submitted along with Offer)

Date: 21-07-10

BHEL Enquiry No. 2631000067

BHEL Commercial Terms and Conditions for	Vendor's
IMPORT SUPPLIES	Confirmation / Comments
Technical confirmation to BHEL's Specification as called for in BHEL Format shall be furnished. If needed additional sheets shall be used.	To be furnished along with offer (or) Technical Bid – Part No. I
Prices shall be quoted item wise only as per the model format enclosed.	
Prices shall be quoted on "FIRM PRICE" basis only. The prices should be only on FOB/FCA basis inclusive of Packing & Forwarding charges if any.	
Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
Delivery period from the date of Letter of Intent shall be clearly mentioned in the offer.	
Liquidated damages @ ½% per week subject to a maximum of 15% of the order value shall be applicable for delay in deliveries.	
Following Risk Purchase clause shall be applicable: The Purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.	
Payment terms for Foreign vendor (Principal): 80% value of the goods will be paid through an irrevocable Letter of Credit established by our bankers. Balance 20% will be paid against acceptance / commissioning of goods for which supplementary invoice and PBG for 10% of total Purchase order value shall be submitted. All bank charges outside India are to vendor's account only.	
Payment terms for Indian Agent: Indian Agency commission, if any, shall be clearly specified in the offer and the same will be paid in Indian Rupees against acceptance / commissioning of the equipment.	
Erection / commissioning: Erection / commissioning shall be done at free of cost.	
Submission of Performance Bank Guarantee (PBG): Vendor should provide a performance bank guarantee(PBG) for 10% of the total Purchase order value valid for a period of 12 months from the date of commissioning (or) 18 months from the date of dispatch whichever is later with an additional claim period of 2 months. This PBG shall form part one of the documents for effecting the balance 20% payment.	
Part Shipment or Transhipment is not permissible In case of any short shipment in the main equipment / spares, where separate rates are not available in the contract, the customs duty levied on such supplies , shall be borne by the supplier / Indian agent.	
Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy basis.	
Equipment will be inspected and proved at vendor's works prior to dispatch. However final inspection and acceptance of equipment will be after installation at BHEL,Trichy.	
The equipment shall be guaranteed for a period of 12 months from the date of commissioning. The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost.	
Offers should be submitted only in sealed cover super-scribing clearly the Enquiry reference and due date.	

NOTE:-

- a) It is confirmed that all the terms and conditions stipulated in the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- b) The prices are to be offered only on FOB/FCA basis, inclusive of Packing & Forwarding charges if
- c) Your specific acceptance to BHEL <u>Payment terms, LD, Risk Purchase Clause & Submission of PBG</u> for 10% of the order value are essential for consideration of your offer. Other wise your offer is liable for rejection.

	BHEL Enquiry No. & Date		Vendor's Offer Ref No. & Date			
	2631000067 & 21-07-10					
	MODEL PRICE BID FORMAT FO	R IMP	ORT			
SI No.	Description	Unit	Qty	Rate Currency	Value Currency	
1 2						
3						
4						
5 6						
7						
8						
9						
10						
	Total Ex-works Value in currency					
	Add Packing & Forwarding Charges if e OR FOB /FCA Charges if extra	xtra				
	FOR / FCA Malue in Common ou					
	FOB / FCA Value in Currency					
	Approximate Freight Charges in Currency					
	Approximate Transit Insurance Charges	in Cu	rrency			
	Installation / Commissioning Charges in Currency	<u> </u>				
	(If extra applicable)					
	% Service Tax (if extra applicable)					
	Consignment Package Details					
	Approximate Net / Gross Weight in Kgs					
	Dimension of Consignment					
		Signature & Seal of Vendor				
	NOTE:					
	The Price Bid should be submitted strictly in line with the above FORMAT					

PERFORMANCE BANK GUARANTEE

undertaking, a company incorporated under the Companies Act 1956 having its Registered Office at "BHEL House", SIRI Fort, New Delhi 110 049) through its High Pressure Boiler Plant Division located at Tiruverumbur, Tiruchirapalli- 620 014 (hereinafter called 'the Company') having entered into a contract with Company') having entered into a contract with company's having entered into a contract or which term includes 'suppliers' for the purpose of this Bond and under the terms and conditions of the contract No	In accordance of M/s. Bharat Heavy Electricals Limited (A Government of India
Plant Division located at Tiruverumbur, Tiruchirapalli- 620 014 (hereinafter called 'the Company') having entered into a contract with the Company') having entered into a contract with the Company's having entered into a contract with the Company's having entered into a contract with the Company's having entered into a contract with the Contractor of the Company and under the terms and conditions of the contract No	undertaking, a company incorporated under the Companies Act 1956 having its Registered
Plant Division located at Tiruverumbur, Tiruchirapalli- 620 014 (hereinafter called the Company') having entered into a contract with the Company') having entered into a contract with the Company's having entered into a contract with the Company's for the purpose of this Bond and under the terms and conditions of the contract No	Office at "BHEL House", SIRI Fort, New Delhi 110 049) through its High Pressure Boiler
'the Company') having entered into a contract with	Plant Division located at Tiruverumbur, Tiruchirapalli- 620 014 (hereinafter called
which term includes 'suppliers' for the purpose of this Bond and under the terms and conditions of the contract No	'the Company') having entered into a contract with
which term includes 'suppliers' for the purpose of this Bond and under the terms and conditions of the contract No	
BHEL, Trichy and as per the contract, the contractor / supplier is to furnish a performance BHEL, Trichy and as per the contract, the contractor / supplier is to furnish a performance BHEL, Trichy and as per the contract, the contractor / supplier is to furnish a performance Bank guarantee for Rs	which term includes 'suppliers' for the purpose of this Bond and under the terms and
BHEL, Trichy and as per the contract, the contractor / supplier is to furnish a performance Bank guarantee for Rs	conditions of the contract No
Bank guarantee for Rs	BHEL, Trichy and as per the contract, the contractor / supplier is to furnish a performance
supplied under the above referred contract and for the fulfillment of all the terms and conditions of the contract, We	Bank guarantee for Rs for the due performance of the equipment to be
conditions of the contract, We	supplied under the above referred contract and for the fulfillment of all the terms and
atter referred to as the bank) at the request of	conditions of the contract. We
by undertake to pay the company an amount not exceeding Rs	after referred to as the bank) at the request of (Contractor(s)) do have
loss or damage caused to or suffered or would be caused to or suffered by the company by reason of any breach by the said contractor (s) of any of the terms and conditions contained in the said agreement. 2. We	by undertake to pay the company an amount not exceeding Re
reason of any breach by the said contractor (s) of any of the terms and conditions contained in the said agreement. 2. We	loss or damage caused to or suffered or would be caused to or suffered by the caused
2. We	reason of any breach by the said contractor (s) of any of the towns and any life company by
2. We	in the said agreement
undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the Company stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Company by reason of breach by the said Contractor(s) of any of the terms and conditions contained in the said Agreement or by the reason of the contractor(s) 'failure to perform' the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. 3. We undertake to pay unconditionally to the Company any money so demanded notwithstanding any dispute(s) raised by the Contractor in any suit, or proceedings pending before any Court or Tribunal or Arbitration or before any other authority relating thereto our liability under this present being absolute and unequivocal. The payment under this guarantee would not wait till the disputes have been decided by any Court or Tribunal or in the arbitration proceedings or by any other authority. The payment so made by us under this Bond shall be a valid discharge of liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment. 4. We	in the said agreement.
Agreement or by the reason of the contractor(s) 'failure to perform' the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. 3. We undertake to pay unconditionally to the Company any money so demanded notwithstanding any dispute(s) raised by the Contractor in any suit, or proceedings pending before any Court or Tribunal or Arbitration or before any other authority relating thereto our liability under this present being absolute and unequivocal. The payment under this guarantee would not wait till the disputes have been decided by any Court or Tribunal or in the arbitration proceedings or by any other authority. The payment so made by us under this Bond shall be a valid discharge of liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment. 4. We	undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the Company stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Company by reason of
before any Court or Tribunal or Arbitration or before any other authority relating thereto our liability under this present being absolute and unequivocal. The payment under this guarantee would not wait till the disputes have been decided by any Court or Tribunal or in the arbitration proceedings or by any other authority. The payment so made by us under this Bond shall be a valid discharge of liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment. 4. We	Agreement or by the reason of the contractor(s) 'failure to perform' the said agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee
guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the Company under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or tillOffice / Department/ Division of the Company certifies that the terms and conditions of the said Agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this	notwithstanding any dispute(s) raised by the Contractor in any suit, or proceedings pending before any Court or Tribunal or Arbitration or before any other authority relating thereto our liability under this present being absolute and unequivocal. The payment under this guarantee would not wait till the disputes have been decided by any Court or Tribunal or in the arbitration proceedings or by any other authority. The payment so made by us under this Bond shall be a valid discharge of liability for payment thereunder and the
.	guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the Company under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or tillOffice / Department/ Division of the Company certifies that the terms and conditions of the said Agreement have been fully

	1 age-2
5. (I) the	Unless a demand or claim under this guarantee is made on us in writing on or before we shall be discharged from all the liability under this
guara	antee thereafter. But where such claim or demand has been preferred by the
Comp	pany with the Bank before the expiry of the said date, the claim shall be enforceable ithstanding the fact that the said enforcement is effected after the said date.
(ii)	For the purpose of this clause, any letter making demand on the Bank by M/s. BHEL dispatched by Registered Post with Ack.Due or by Telegram or by any Electronic media addressed to the above mentioned address of the Bank shall be deemed to be the claim / demand in writing referred to above irrespective of the fact as to whether and when the said letter reaches the Bank, as also any letter containing the said demand or claim is lodged with the bank personally.
t	We(indicate the name of Bank), further agree with the company hat the Company shall have the fullest liberty without our consent and without

- 7. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).
- 8. It shall not be necessary for the company to proceed against the contractor before proceeding against the guarantor-bank and the guarantee herein contained shall be enforceable against them notwithstanding any security, which the company may have obtained or obtain from the Contractor shall, at the time when proceedings are taken against the guarantor hereunder be outstanding or unrealised.
- 9. Any claim or dispute arising under the terms of this document shall only be enforced or settled in the Courts at Tiruchirapalli.
- 10. The guarantor hereby declare that it has power to execute this guarantee and the executant has full powers to do so on its behalf under the proper authorities granted to him/them by the guarantor.
- 11. We(indicate the name of Bank) lastly undertake not to revoke this guarantee during its currency except with the previous consent of the company in writing.

In witness whereof we	, (indicate the nam	e of Bank) have hereunto
setout Bank Seal the	day	month 200
BANK E-MAIL ID:	,	***************************************
BANK PHONE NO.		
BANK FAX NO:		

MM: CAPITAL EQUIPMENT

COMMERCIAL TERMS AND CONDITIONS

1.0 QUOTATIONS

The Bidders shall submit the offer in TWO INNER ENVELOPES as indicated below which shall be sealed in one outer envelope.

Envelope I This scaled envelope should contain all the copies of technical bid together with un-priced commercial bid. This envelope should be clearly marked "Part I - Technical and commercial bid", indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Envelope II This scaled envelope should contain <u>Price Details</u>. This envelope should be clearly marked <u>"Part II - Price Bid"</u>, indicating Enquiry No., Due Date and Address & Reference of the Bidder.

Both the envelopes (Part I & II) shall be put in one cover, duly sealed, superscribing as Part I and Part II of Enquiry No., due date of opening and the address and reference of the Bidder.

The above offer should reach this office on or before the due date by 14.00 Hrs (IST). Late offers will not be considered.

Tender should not be addressed to any Individual's name but only by designation to:

SR.MANAGER / MM /CAPITAL EQUIPMENT BHARAT HEAVY ELECTRICALS LIMITED HIGH PRESSURE BOILER PLANT TIRUCHIRAPALLI - 620 014 TAMIL NADU, INDIA

Contd 2/-

Tenders should be free from CORRECTION AND ERASURES, Corrections if any, must be attested. All amount shall be indicated both in words as well as in figures. Where there is difference between amount quoted in words and figures, amount quoted in words shall prevail.

Offers should be in ENGLISH and accompanied by detailed technical literature, catalogue and detailed dimensional drawings in ENGLISH or otherwise, the offers will not be considered.

2.0 PART I (TECHNICAL & COMMERCIAL BID)

2.1 Technical

This part shall include / indicate the following:

- 2.1.1. Offer should contain complete scope of supply with all technical details, specifications, delivery and other commercial terms and conditions.
- 2.1.2. Point by point confirmation for the Technical Specification enclosed to be provided if there are any deviation, the same should be clearly specified. Offers received without confirmation to our specification will be rejected.
- 2.1.3. List of customers to whom same or similar equipment have been supplied along with performance certificates to be enclosed.
- 2.1.4. Relevant catalogues to be attached
- 2.1.5. List of spares parts (with part numbers) for two years operation and maintenance should be attached.
- 2.1.6. Information on shipping weight and cubage (length, width & height) to be provided.
- 2.1.7. Incase of foreign bidder offer, the Principal's technical offer should be enclosed.

2.2 Commercial

This part shall include / indicate the following:

- 2.2.1. Port of shipment / Station of despatch
- 2.2.2. Terms of payment
- 2.2.3. Taxes & duties applicable.
- 2.2.4. Delivery Schedule

- 2.2.5. Offer validity
- 2.2.6. Country of origin
- 2.2.7. Percentage of agency commission if any along with a copy of Agency agreement.
- 2.2.8. A copy of "Un-Priced Part II" i.e., a copy of the Price Bid without the price details to be enclosed.

3.0 PART II (PRICE-BID)

This part should contain the schedule of price particulars and to be co-related to the technical details provided in Part I.

4.0 OPENING OF TENDERS

The Part I - Technical & commercial bid alone would be opened on the Tender opening date.

The Part II - Price bid of Technically suitable Bidders alone would be opened. The Technically suitable Bidders would be informed about the tender opening date.

Clarifications if any required by BHEL for Technical evaluation would be sought from Bidders before opening of Part II - price bid.

5.0 GENERAL

- 5.1. Incomplete offers will not be considered.
- 5.2. Fixed Price: Prices quoted by the bidder shall be fixed and not subject to any escalation whatsoever during the period of bid validity and execution of the Purchase Order. A bid submitted with an adjustable price will be treated as non-responsive and rejected. Prices shall be written in words and figures. In the event of difference, the price in words shall be valid and binding. Unit prices shall be considered correct in the event of any discrepancy with regard to total price.
- 5.3. Bid Currency: Indian bidders should submit the prices only in Indian Rupees. Foreign bidders may submit their bid in their home currency.
- 5.4. Terms of Delivery: Bidders are required to quote their best delivery period. Foreign Bidders should submit their offer for net FOB / FCA Nearest Sea / Air Port. Indian Bidders should submit their offer for FOR Despatching Station.

Contd 4/-

- 5.5. Taxes and Duties: All Taxes and Duties payable as extra to the quoted price should be specifically stated in offers along with CST & VAT / Tariff No. etc., failing which the purchaser will not be liable for payment of such Taxes and Duties.
- 5.6. Validity: The offers for main equipment and spares shall be kept open for acceptance for 120 days (one hundred and twenty days) from the date of opening of the tender (Part I).
- 5.7. Terms of Payment:
- 5.7.1. Indian Bidders
- 5.7.1.1. The preferred payment terms are indicated below:
- 5.7.1.2. 100% payment, within 45 to 90 days, after receipt / acceptance / commissioning of equipment at BHEL, Tiruchi, against submission of 10% Performance Bank Guarantee on total order value.

01

5.7.1.3. 80% payment against documents through bank within 45 to 90 days, (after predespatch inspection) and balance 20% payment after receipt / acceptance / commissioning of the equipment 45 to 90 days, 45 to 90 days against submission of 10% Performance Bank Guarantee on total order value.

5.7.2. Foreign Bidders

An Irrevocable Letter of Credit shall be established for 80% of the value of the goods. Balance 20% shall be paid on receipt / acceptance / commissioning of the goods at BHEL against submission of Performance Bank Guarantee for 10% on total order value. All bank charges outside India are to Vendor's account.

5.8. Performance Bank Guarantee (PBG): The Bidder, in the event of an order, should furnish a bank Guarantee from an Indian Bank approved by BHEL, at no extra cost in a proforma prescribed by BHEL, along with the order, for an amount equivalent to 10% (Ten Percent) of the value of the contract. The PBG shall be valid for period of 18 months from the date of dispatch or 12 months from the date of receipt / acceptance / commissioning of the equipment at BHEL, Tiruchi whichever is earlier with additional claim period of 2 months.

Contd 5/-

The Performance Bank Guarantee shall be obtained from any one of the following banks who is a member bank in our consortium of banks.

- State Bank of India, 2) State Bank of Hyderabad, 3) State Bank of Travancore,
 State Bank of Mysore, 5) Canara Bank, 6) Bank of Baroda, 7) Punjab National Bank, 8) Deutsche Bank, 9) HDFC Bank, 10) Standard Chartered Bank, 11) Citi Bank, 12) Standard Chartered Grindlays Bank, & 13) Bank of America or any other Nationalised Bank
- 5.9. Liquidated damages: It is clearly understood among the parties to the contract the "Time is the essence of the contract". Therefore, the delivery of the goods specified in the purchase order should be made within the time prescribed. Where the seller supplies or despatches the goods, beyond the delivery period specified the purchaser will have no obligation to accept the goods. If accepted liquidated damages at the rate of 1/2% of the value of goods delayed for each week of delay subject to a maximum of 15% of the order value will be levied.
- 5.10. Risk Purchase: Alternatively the purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or despatch within the time stipulated as aforesaid or if the same were not available, the best and the nearest available substitute therefor. The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases.
- 5.11. Indian Agency Commission: In case of Foreign Bidders, agency commission if any, payable to their Indian Agents, shall shown separately in the Offer. This will be paid by us in India, in Indian Rupecs, on satisfactory completion of the Contract. Copies of current Agency Agreement / Authorization Letter in respect of Agency Commission shall be furnished alongwith offer. For calculation of Rupee equivalent of Agency Commission, exchange rate as prevailing on the date of offer will be taken.

NOTE:-

To curb possible manipulation by agents, it is desirable that as far as possible BHEL discourage in dealing with agents of OEMs. (Original Equipment Manufacture)s.

- i) When it is not possible to directly deal with OEMs and the involvement of agents become unavoidable, BHEL is made it clear to OEMs that while appointing Indian agents, it is responsibility to ensure that the agents are not representing other OEMs in the same tender.
- ii) OEMs should also ensure that banned agents / employees of banded agents are not engaged by them in any capacity. An undertaking to this effect should be taken by OEMs and provided for each tender. It is also made it clear that if at any stage it is found that the OEM has appointed an agent who
 - a. is banned by BHEL or
 - b. is an employee of a banned agent or
 - c. is found to be representing more that one OEM in the same tender the OEM (s) shall be disqualified
- 5.12. Test Certificates / Operating and Maintenance Manuals: The Bidders shall clearly mention in their offer, that Test Certificates and Operating Maintenance Manuals, etc., as called for in the Technical Specification, in the required number of copies will be provided at no extra cost.
- 5.13. Modvat Credit: (for Indian Bidders only) If any Excise Duty is payable, the chapter head / sub-head reference and the rate of the duty should be quoted. If the tender is availing MODVAT credit for his input materials, the effect of proforma credit should be passed on to the purchaser.
- 5.14. Packing and Marking: The Supplier shall arrange for securely protecting and packing the stores to avoid loss or damages during transit.
- 5.15. BHEL shall be at liberty to reject or accept any tender, part or in full, at their own discretion and any such action is not liable for any question or claim against BHEL.