



An ISO 9001
Company

Bharat Heavy Electricals Limited

(High Pressure Boiler Plant)

Tiruchirappalli – 620014, TAMIL NADU, INDIA

CAPITAL EQUIPMENT / MATERIALS MANAGEMENT

ENQUIRY

NOTICE INVITING TENDER

Phone: +91 431 257 7740 / 7653

Email : skaruna@bheltry.co.in,

prince@bheltry.co.in

Web : www.bhel.com

TWO PART BID

Enquiry Number:

Enquiry Date:

Due date for submission of
quotation:

Tender to be submitted in two Parts

2631700007

01.06.2017

01.07.2017

You are requested to quote the Enquiry number date and due date in all your correspondence. This is only a request for quotation and not an order.

Please note that under any circumstances both delayed offer and late offers will not be considered. Hence vendors are requested to ensure that the offer is reaching physically our office before 14.00 hrs on the Date of tender opening.

Item	Description	Quantity	(Indigenous Vendors) Matl. Will be delivered to
10	Hand held Portable Electric Band saw machine as per the technical specification & commercial conditions applicable (to be downloaded from web site www.bhel.com or http://tenders.gov.in)	47 nos.	FOR, BHEL, stores, High Pressure Boiler Plant, Tiruchirappalli - 620014

Important points to be taken care during submission of offer

1. Material shall be delivered to (by Indigenous vendors): as stated above.
2. By Foreign vendors: CFR Chennai Seaport / Airport
3. Delivery period required is 4 months from the date of P.O.
4. Commissioning and performance prove out shall be done at BHEL Trichy by the supplier
5. Time period required for commissioning and performance prove out shall be 3 weeks from the date of intimation by BHEL
6. EMD for this tender Rs. 60,000/-
7. Compliance Form No: TRY/IMP/02 & TRY/IND/02A to be filled and enclosed along with the offer failing which, the offer will not be considered for evaluation.
8. All updates, amendments, corrigenda, etc., (if any), for each tender will be posted only on the above websites from time to time, as and when required, until each tender is opened. There will be no publication of such updates, amendments, corrigenda, etc., through newspapers or any other media.

BHEL's General guidelines / instructions (refer MM/CE/GENL/001- EMD), compliance form and technical specification can be downloaded from BHEL web site <http://www.bhel.com> or from the Government tender website <http://tenders.gov.in> (public sector units > Bharat Heavy Electricals Limited page) under Enquiry reference.

Tenders should reach us before 14:00 hours on the due date.
Tenders will be opened at 14:30 hours on the due date.
Tenders would be opened in presence of the tenderers who have submitted their offers and who may like to be present.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS

PRINCE DEVASI
Engineer

MM / Capital Equipment
BHEL, Tiruchirappalli - 620014, MM

HAND HELD PORTABLE ELECTRIC BAND SAW MACHINE PART A

SECTION – I: QUALIFYING CRITERIA

The BIDDER has to compulsorily meet the following requirements to get qualified for considering the technical offer:

S.No.	REQUIREMENTS	Vendor's Response
1.0	Only those vendors (OEMs), who have supplied and commissioned at least 25 HAND HELD PORTABLE ELECTRIC BAND SAW MACHINES with 1. Saw motor power of 550 Watts or more and 2. Cutting capacity of 120 mm Dia in the past ten years are only eligible to quote. Such supplied machine should currently be working satisfactorily for a minimum period of one year counted reverse from the date of opening of this Tender. One Performance Certificate for one such machine should be submitted to qualify for this tender. The performance certificate must contain the details indicated in section-IV at the end of this specification (Part-A)	
2.0	Name, designation email and contact details of the contact person of the customer where similar machine is supplied.	
3.0	Month and Year of commissioning of the machine.	
4.0	BHEL reserves the right to verify the information provided by vendor. In case the information provided by vendor is found to be false/ incorrect, the offer shall be rejected.	

SECTION – I I

The BIDDER / VENDOR are requested to provide the following information:

S. No.	REQUIREMENTS	Vendor's Response
5.0	The BIDDER/VENDOR to furnish Reference List of Customers, with full address, details of contact person, where BANDSAW MACHINES have been supplied in the past.(Max 20 references)	
6.0	Details of BANDSAW MACHINES supplied to other BHEL units, if any. (Year of commissioning, Saw motor power and cutting Size).	
7.0	Details on SERVICE-AFTER-SALES Set-up in India including the Address of Agents / Service Centers in South India.	
8.0	Any Additional Data to supplement the manufacturing capability of the BIDDER for the subject equipment.	

SECTION – III

The BIDDER to note:

S. No.	PARTICULARS	Vendor's Response
9.0	The BIDDER / VENDOR shall submit the offer in TWO PARTS. 1. Technical Offer [with PART A & PART B] 2. Commercial offer & Price Bid.	
10.0	The Technical Offer shall contain a comparative statement of Technical Specifications demanded by BHEL and Offer Details submitted by the Bidder , against each clause. A just 'CONFIRMED' or 'COMPLIED' or 'YES' or 'NO-DEVIATION' or similar words in the technical comparative statement may lead to disqualification of the Technical Offer.	
11.0	The Technical Offer shall be supported by product Catalogues & Data Sheets and also technical details of Bought-Out-Items with copies of Product Catalogue to the extent possible.	
12.0	The Commercial Offer (given with the Technical Offer) shall contain the Scope of Supply and the Un-Priced Part of the Price-Bid, for confirmation.	

SECTION – IV

The performance certificate should be **on Customer's Letter Head** and submitted along with the offer.

PERFORMANCE CERTIFICATE

1. Supplier of the machine			
2. Make & Model of the M/C			
3. Month & Year of Commissioning			
4. Application for which M/C is used			
5	a) Saw Motor Power in HP b) Max Cutting Size in mm c) Blade Size(LxWxT)		
6. Performance of the Equipment (Tick whichever is applicable)		Satisfactory	
		Not Satisfactory	
7. Service after sales (Tick whichever is applicable)		Satisfactory	
		Not Satisfactory	
Signature & Seal of the Authority Issuing the Performance Certificate			
Date:			

Technical Specification for HAND HELD PORTABLE ELECTRIC BAND SAW MACHINE

Part B:

S.No	DESCRIPTION	SPECIFICATION	VENDOR'S OFFER
01	Machine type	Heavy duty Portable Band saw machine suitable for cutting tubes, pipes and Rods (Maximum Diameter 120 mm, Sections of Maximum size 120 x 115 mm etc. The machine should be able to operate on AC single phase 230 V, 50 HZ. The machine shall be supplied with one 14 TPI bimetal band saw blade- M42 grade fitted on it. The machine shall have the following provisions 1. Lock Button for Trigger Switch 2. Control knob for speed change	
02	Machine Construction	Body and Frame shall be able to withstand impact load / force while handling. Motor shall be located on the top frame.	
03	Application	The machine shall be used for Cold cutting without the use of coolant.	
04	Cutting range (maximum)	Tubes, Pipes and Rods: Maximum Diameter 120 mm. Sections: Maximum size 120 x 115 mm.	
05	Motor Power rating	Electrical motor having a minimum power of 650 W. Input: AC 230 V, 50 Hz	
06	Input power cable	Around 3 meter long cable suitable plug compatible to Indian Standard.	
07	Lock Button for trigger switch	Provision to keep the Band Saw running continuously without holding the switch trigger in "ON"	
08	Control Knob	Knob / switch for changing the blade speed from low to High	
09	Cutting Blade Speed	Blade speed at high power: 80 meters /min. (minimum) Blade Speed at low power: 55 metres /min. (Minimum)	
10	Bimetal Band Saw Blade size	Blade length= 1140 mm Blade Width = 12.7 mm / 13 mm Blade thickness= 0.65 mm	
11	Pitch of blades used for Cutting	10 teeth per Inch of blade length & 14 teeth per Inch of blade length.	

S.No	DESCRIPTION	SPECIFICATION	VENDOR'S OFFER																														
12	Accessories	The following Bimetal Band Saw blades of M42 grade are to be supplied in addition to one 14 TPI blade fitted on the machine. 1. Blades with pitch 10 TPI – 2 Nos. per machine (Total 94 Nos for 47 machines) 2. Blades with pitch 14 TPI - 2 Nos. per machine (Total 94 Nos for 47 machines) All Blades shall be packed in separate boxes.																															
13	Machine Bearings	The Bearings used shall be lubricated and sealed type																															
14	Machine Weight	Limited to 7.5 Kg																															
15	Machine Spares	The following spares shall be supplied. The unit price of each spare should be quoted item wise with quantity in the sealed price bid.<table><tr><th>S.No</th><th>Spare part description</th><th>Qty</th></tr><tr><td>a</td><td>Armature—230 V</td><td>14 Nos</td></tr><tr><td>b</td><td>Electrical field assembly—230V</td><td>7 Nos</td></tr><tr><td>c</td><td>Carbon Brush</td><td>141 Nos</td></tr><tr><td>d</td><td>Bearing</td><td>14 Nos</td></tr><tr><td>e</td><td>Blade Guide roller</td><td>14 sets</td></tr><tr><td>f</td><td>Work stop / Job guide</td><td>7 Nos</td></tr><tr><td>g</td><td>Handle</td><td>7 Nos</td></tr><tr><td>h</td><td>Speed change Knob/switch</td><td>14 Nos</td></tr><tr><td>i</td><td>Rubber tire</td><td>188 Nos</td></tr></table>	S.No	Spare part description	Qty	a	Armature—230 V	14 Nos	b	Electrical field assembly—230V	7 Nos	c	Carbon Brush	141 Nos	d	Bearing	14 Nos	e	Blade Guide roller	14 sets	f	Work stop / Job guide	7 Nos	g	Handle	7 Nos	h	Speed change Knob/switch	14 Nos	i	Rubber tire	188 Nos	
S.No	Spare part description	Qty																															
a	Armature—230 V	14 Nos																															
b	Electrical field assembly—230V	7 Nos																															
c	Carbon Brush	141 Nos																															
d	Bearing	14 Nos																															
e	Blade Guide roller	14 sets																															
f	Work stop / Job guide	7 Nos																															
g	Handle	7 Nos																															
h	Speed change Knob/switch	14 Nos																															
i	Rubber tire	188 Nos																															
16	Warranty	Warranty for a period of 12 months from the date of commissioning at BHEL.																															
17	Inspection	The test certificate shall be submitted to BHEL, prior to dispatch of the machine.																															
18	Delivery	4 Months																															
19	Commissioning	The Band saw Machine shall be commissioned by the supplier’s representative at BHEL Works by demonstrating the cutting ability of the machine. Necessary operating instructions and inputs are to be provided to operators.																															
20	Documentation	Operation & Maintenance Manual or Instruction Manual with Trouble Shooting Chart (in English Language) - One number per machine shall be supplied along with machine. A soft copy also to be provided in Pen drive.																															

21	Scope of supply	1. Each Band saw machine fitted with one 14TPI Bimetal Band saw Blade- M42 grade 2. Blades 94 Nos (10 TPI) – specification as per Sl.No.11 and 12 3. Blades 94 Nos (14 TPI) – Specification as per Sl.No.11 and 12 4. O& M manual- one per machine 5. Test Certificate of each machine prior to dispatch. 6. Essential Spares as indicated below to be supplied for total 47 machines <table><tr><th>S.No</th><th>Spare part description</th><th>Qty</th></tr><tr><td>a</td><td>Armature—230 V</td><td>14 Nos</td></tr><tr><td>b</td><td>Electrical field assembly—230V</td><td>7 Nos</td></tr><tr><td>c</td><td>Carbon Brush</td><td>141 Nos</td></tr><tr><td>d</td><td>Bearing</td><td>14 Nos</td></tr><tr><td>e</td><td>Blade Guide roller</td><td>14 sets</td></tr><tr><td>f</td><td>Work stop / Job guide</td><td>7 Nos</td></tr><tr><td>g</td><td>Handle</td><td>7 Nos</td></tr><tr><td>h</td><td>Speed change Knob/switch</td><td>14 Nos</td></tr><tr><td>i</td><td>Rubber tire</td><td>188 Nos</td></tr></table>	S.No	Spare part description	Qty	a	Armature—230 V	14 Nos	b	Electrical field assembly—230V	7 Nos	c	Carbon Brush	141 Nos	d	Bearing	14 Nos	e	Blade Guide roller	14 sets	f	Work stop / Job guide	7 Nos	g	Handle	7 Nos	h	Speed change Knob/switch	14 Nos	i	Rubber tire	188 Nos	
S.No	Spare part description	Qty																															
a	Armature—230 V	14 Nos																															
b	Electrical field assembly—230V	7 Nos																															
c	Carbon Brush	141 Nos																															
d	Bearing	14 Nos																															
e	Blade Guide roller	14 sets																															
f	Work stop / Job guide	7 Nos																															
g	Handle	7 Nos																															
h	Speed change Knob/switch	14 Nos																															
i	Rubber tire	188 Nos																															
22	General	1. The Supplier shall provide point by point reply with appropriate details or confirmation wherever applicable. 2. The offer shall contain technical catalogue for the offered Band Saw Machine & the blow-up Diagram of parts. 3. The offer shall be submitted in two parts. The Price Bid shall contain item wise price list for all items offered. 4. Offer which is not complete with respect to the above points are liable for rejection.																															