



TRICHY, BHEL, TRICHY, POSTAL CODE :620014, TIRUCHIRAPALLI, TAMIL NADU, INDIA

RFQ/NIT HEADER DETAIL

ORGANIZATION NAME	TRICHY, BHEL	RFQ FLOATED UNDER THE	PURCHASE POLICY
RFQ/NIT REFERENCE	2661700483	POLICY	
CODE/ENQUIRY NO		RFQ OWNER/NIT	MR SURAJ KUMAR(SR.ENGR/PUR)
RFQ/NIT TYPE	OPEN TENDER	OFFICER/ENQUIRY OWNER	
NUMBER OF ITEMS ALREADY	4		
ATTACHED			
CURRENCY	ANY		
DESCRIPTION	INDUSTRIAL THREE PHASE PLUG AND SOCKETS (16A & 63A)		
DETAILED DESCRIPTION	INDUSTRIAL THREE PHASE PLUG AND SOCKETS (16A & 63A)		
NUMBER OF BID PART(S)	2		

ATTRIBUTE(S)

ATTRIBUTE NAME	ATTRIBUTE VALUE
Delivery at	BHEL TRICHY STORES
Inspection By	BHEL OFFICALLS
Validity of the Offer	PRICE SHOULD BE FIXED AND VALID FOR 4 MONTHS FROM THE DATE OF TENDER OPENING
Inspection	AT BHEL TRICHY

DATE-TIME DETAIL(S)

BID START DATE	14 Aug , 2017 4:40:12 PM	BID DUE DATE	4 Sep , 2017 2:00:00 PM
BID OPEN DATE	4 Sep , 2017 2:30:00 PM		
(SCHEDULED)			

PRE-BID DISCUSSION DETAILS

PRE-BID DISCUSSION TYPE NOT REQUIRED

ALTERNATE BID DECRYPTOR(S)

USER DETAILS
MR Admin SANJEEVI B(SDGM/PUR)
MR SURAJ KUMAR(SR.ENGR/PUR)
MR NAVANEETHAKUMAR S(SM/PUR)

SELLER DETAIL(S)

CODE	ORGANIZATION NAME
023505	TEST (Mr test ot test)

TERM AND CONDITION DETAIL(S) - SPECIAL TERM(S)

SL. NO.	CATEGORY	DESCRIPTION
---------	----------	-------------



1	SPECIAL TERM(S)	SPECIAL TERM(S) General Note: 1.POINT-BY-POINT CONFIRMATION TO BHEL'S SPECIFICATIONS, COMMERCIAL TERMS & CONDITIONS ARE TO BE PROVIDED BY THE VENDORS IN "ANNEXURE A. 2. FILL UP ANNEXURE A. PLEASE ENSURE THAT ALL TERMS & CONDITIONS SHOULD BE INDICATED IN THE UN-PRICED BID TO BE ATTACHED WITH THE TECHNO-COMMERCIAL BID POSITIVELY. 3. VALIDITY OF THE OFFER SHOULD NOT BE LESS THAN 120 DAYS. 4. THE BIDDER SHALL MEET PRE-QUALIFICATION CRITERIA 4. WHEREVER FOR SPLITTING OF ORDER AS PER ANNEXURE II CLAUSE 27,IF SPLITTED QUANTITY COMES OUT <1 ,THE SPLITTING OF ORDER WILL NOT BE FEASIBLE. (For MSE vendors) 5. TENDER WILL BE EVALUATED AN CUMULATIVE FOR 10&30,20&40 , also itemwise for the other items & ordewr will be placed accordingly. Open tender EPS general note other points regarding offer submission 6. BHEL reserves its right to reject a tender due to unsatisfactory past performance in the execution of a contract at any of BHEL projects / Units You are requested to contact us at 033-6601 1717 (From 9:30AM to 5:30PM) 9163348283-86 / 8584008116 (From 5:30PM to 8:30PM) or email us at eps.customercare@mjunction.in for further assistance. Kindly submit your offer in two part bid system (Technical bid + Price bid) in the E-Procurement portal only i.e. Part (I).Techno-Commercial Bid containing point wise confirmation of Technical details, specifications, drawings if any, Prequalification criteria, commercial terms and conditions Annexure-A(a), A(b) , Annexure-VI &Part (II).Price Bid in EPS portal. Scan copy of the filled Annexure-A, Tender documents etc., uploaded in the EPS portal. E-Tender Participation requirements: Either Principal or authorized agent shall register their Digital Signature Certificate (DSC) (Class 3- SHA2- 2048 BIT- SIGNING & ENCRYPTION). Suppliers are advised to go through the FAQ available in the web portal (https://bheleps.buyjunction.in). DSC shall be registered for the authorized person and all transaction done using that DSC against our tenders shall be taken as valid communication and shall be binding on principal/agent and is valid legally. For foreign Principal In case of Principal (being foreigner), they may apply for DSC through Indian embassy at their country and can register with us for participating in E-tenders. Details of the applicable procedure is available in the webpage http://www.cca.gov.in/cca/. For Indian agent In case of agents participating/registering their DSC (of authorized person), it will be at the sole authorization of principal to their agents to participate on their behalf and all transactions done using that DSC against our tenders shall be known as valid communication and shall binding on principal and is legally valid. The bidder shall submit his response through bid submission to the tender on e-procurement platform at https://bheleps.buyjunction.in. The bidder would be required to register on the e-procurement market place https://bheleps.buyjunction.in and submit their bids online. SEALED COVER BIDS / E-MAILS / FAX / MANUAL OFFERS WILL NOT BE ACCEPTED. LIST OF ATTACHMENTS: 1.PRE QUALIFICATION CRITERIA. 2. ANNEXURE-II TERMS AND CONDITIONS OF THE ENQUIRY. (TWO PART-BID)
---	-----------------	--



	3. ANNEXURE-V- CA certificate format(as per MSMED act 2006) to be furnished , if applicable -Refer ANNEXURE II CLAUSE 27 (For MSE vendors) 4.ANNEXURE-A CHECK LIST FOR TECHNICAL & COMMERCIAL TERMS CONFIRMATION-TO BE FILLED BY THE SUPPLIER. 5. ANNEXURE-VI CHECK LIST TO BE SUBMITTED ALONG WITH OFFER 6.SCHEDULE F. The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ serviceproviders shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.
--	---

RFQ/NIT ITEM DETAILS

SL. NO.	CODE	DESCRIPTION	QUANTITY	RFQ/NIT U.O.M	OFFER U.O.M
---------	------	-------------	----------	---------------	-------------



10	76ELECSPR_NO	16AMPS 3PHASE SWITCHED INTERLOCKED SOCKETSpecification of the Item.Item: 16A, 3Phase Switched interlocked socket outlet withmetal/thermoplastic enclosure.Switch safety interlock type: Mechanical (Switch should be in OFFposition to either plug or unplug the outgoing Plug top).Current rating : 16AVoltage (V) : 380-415V ACFrequency (Hz) : 50HzNo. of Terminals/Poles : Four (3P+E)Terminal marking : Ground, Phase L1, L2, L3.Ingress Protection : IP44 (Splash Proof)Standards : IEC 60309Materials:1.Enclosure : High quality Aluminium /Steel/Thermoplastic.2.Non-metallic parts : Polyamide (PA) or Thermoplastic Polyester (PBT)or Polycarbonate (PC).3.Terminals/poles : High quality Brass4.External Screws : stainless steelCable entry holes (enclosure) : 2 x M25 + 2 x M32Cable cross section area (at connector terminal): 1.5 to 4sq. mm.Compatibility to other manufacturers# plugs: The pre-wired IECreceptacle (socket) should accept all manufacturers# IEC 60309-2 plugs.Makes: ABB, Schneider, Siemens, Larsen&Turbo, Legrand, Havells, CromptonGreaves, General Electric are only acceptable to BHEL.Note: Item Sl Nos.10 and 30 shall be procured from a single source dueto compatibility issues.PRE-QUALIFICATION CRITERIAThe BIDDER has to compulsorily meet all the following requirements andsupporting documents should be furnished with out which the offer willnot be considered for technical evaluation.1)Only those vendors who have supplied similar or higher capacityindustrial plugs and sockets to industries should quote.2) The vendor should submit following details which are necessary forqualifying their offer.a) Name, postal address, contact phone numbers and email address of thecustomer or company where similar item supplied.b) Documentary evidence of Previous Purchase Orders.c) Authorization certificate from the Principal Supplier should besubmitted in case of Dealers16AMPS 3PHASE SWITCHED INTERLOCKED SOCKET	35.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME MATERIAL CODE: MATERIAL GROUP: KILOGRAM PER UNIT: Cenvatable (Yes / No) Delivery Location Vatable (Yes / No) Delivery Date (i) : Delivery Qty (i) :	ATTRIBUTE VALUE 76ELECSPR_NO 76ELECSPR 0.0 Yes TAMIL NADU Yes 31-AUG-2017 35		



20	76ELECSPR_NO	63AMPS 3PHASE SWITCHED INTERLOCKED SOCKESpecification of the Item.Item: 63A, 3Phase Switched interlocked socket outlet with metal/thermoplastic enclosure.Switch safety interlock type: Mechanical (Switch should be in OFFposition to either plug or unplug the outgoing Plug top).Current rating : 63AVoltage (V) : 380-415V ACFrequency (Hz) : 50HzNo. of Terminals/Poles : Four (3P+E)Terminal marking : Ground, Phase L1, L2, L3.Ingress Protection : IP44 (Splash Proof)Standards : IEC 60309Materials:1.Enclosure : High quality Aluminium /Steel/Thermoplastic.2.Non-metallic parts : Polyamide (PA) or Thermoplastic Polyester (PBT)or Polycarbonate (PC).3.Terminals/poles : High quality Brass4.External Screws : stainless steelCable entry holes (enclosure) : 4 x M40.Cable cross section area (at connector terminal): 6 to 25sq. mm.Compatibility to other manufacturers# plugs: The pre-wired IECreceptacle (socket) Should accept all manufacturers# IEC 60309-2 plugs.Model: ABB Make (Model No:363MM6; Order code:2CMA168036R1000) or itsequivalent in following makes acceptable to BHEL.Makes: ABB, Schneider, Siemens, Larsen&Turbo, Legrand, Havells, CromptonGreaves, General Electric are only acceptable to BHELNote: Item Sl Nos.20 and 40 shall be procured from a single source dueto compatibility issues.QTY:Bldg 108 - 15 NosBldg 117 - 5 NosBldg 107 - 15 Nos63AMPS 3PHASE SWITCHED INTERLOCKED SOCKE	35.00	NUMBER	NUMBER
ATTRIBUTE DETAILS	ATTRIBUTE NAME		ATTRIBUTE VALUE		
	MATERIAL CODE:		76ELECSPR_NO		
	MATERIAL GROUP:		76ELECSPR		
	KILOGRAM PER UNIT:		0.0		
	Cenvatable (Yes / No)		Yes		
	Delivery Location		TAMIL NADU		
	Vatable (Yes / No)		Yes		
	Delivery Date (i) :		31-AUG-2017		
	Delivery Qty (i) :		35		



30	76ELECSPR_NO	16AMPS PLUG TOPItem : 16A 3Phase Plug top with plastic body/enclosure.Current rating : 16AVoltage (V) : 380-415V ACFrequency (Hz) : 50HzNo. of Terminals/Poles : Four (3P+E)Terminal marking : Ground, Phase L1, L2, L3.Ingress Protection : IP44 (Splash Proof)Standards : IEC 60309Materials:1.Enclosure : High quality Aluminium /Steel/Thermoplastic.2.Non-metallic parts : Polyamide (PA) or Thermoplastic Polyester (PBT)or Polycarbonate (PC).3.Terminals/poles : High quality Brass4.External Screws : stainless steelCable entry : with compression gland.Cable cross section area (at connector terminal): 1 to 2.5sq. mm.Makes: ABB, Schneider, Siemens, Larsen&Turbo, Legrand, Havells, CromptonGreaves, General Electric are only acceptable to BHELQTY:Bldg 108 - 10 NosBldg 117 - 5 NosBldg 107 - 25 Nos16AMPS PLUG TOP	40.00	NUMBER	NUMBER
	ATTRIBUTE DETAILS	ATTRIBUTE NAME	ATTRIBUTE VALUE		
		MATERIAL CODE:	76ELECSPR_NO		
		MATERIAL GROUP:	76ELECSPR		
		KILOGRAM PER UNIT:	0.0		
		Cenvatable (Yes / No)	Yes		
		Delivery Location	TAMIL NADU		
		Vatable (Yes / No)	Yes		
		Delivery Date (i) :	31-AUG-2017		
		Delivery Qty (i) :	40		
40	76ELECSPR_NO	63AMPS PLUG TOPItem : 63A 3Phase Plug top with plastic body/enclosure.Current rating : 63AVoltage (V) : 380-415V ACFrequency (Hz) : 50HzNo. of Terminals/Poles : Four (3P+E)Terminal marking : Ground, Phase L1, L2, L3.Ingress Protection : IP44 (Splash Proof)Standards : IEC 60309Materials:1.Enclosure : High quality Aluminium /Steel/Thermoplastic.2.Non-metallic parts : Polyamide (PA) or Thermoplastic Polyester (PBT)or Polycarbonate (PC).3.Terminals/poles : High quality Brass4.External Screws : stainless steelCable entry : with compression gland.Cable cross section area (at connector terminal): 4 to 16sq. mm.Model: ABB Make (Model No:363-P6; Order code:2CMA166752R1000) or itsequivalent in following makes acceptable to BHEL.Makes: ABB, Schneider, Siemens, Larsen&Turbo, Legrand, Havells, CromptonGreaves, General Electric are only acceptable to BHELQTY:Bldg 108 - 10 NosBldg 117 - 5 NosBldg 107 - 25 Nos63AMPS PLUG TOP	40.00	NUMBER	NUMBER



ATTRIBUTE DETAILS	ATTRIBUTE NAME	ATTRIBUTE VALUE
	MATERIAL CODE:	76ELECSPR_NO
	MATERIAL GROUP:	76ELECSPR
	KILOGRAM PER UNIT:	0.0
	Cenvatable (Yes / No)	Yes
	Delivery Location	TAMIL NADU
	Vatable (Yes / No)	Yes
	Delivery Date (i) :	31-AUG-2017
	Delivery Qty (i) :	40

IMPORTANT NOTICE

PLEASE READ THE FOLLOWING ATTACHMENT(S)[SEPARATELY DOWNLOADABLE] ALONG WITH THIS RFQ/NIT/ENQUIRY .

RFQ/NIT/ENQUIRY - ATTACHMENTS

LABEL	FILE NAME
General conditions	General conditions .pdf
schedule-F gateway airport	schedule-F gateway airport.PDF
Copy of Copy of GST INFO	Copy of Copy of GST INFO.pdf
GST ack AA3306170074586 BHEL	GST ack AA3306170074586 BHEL.pdf
GST HELP	GST HELP.pdf



Details of Gateway Airport with applicable Foreign Currency

Sch. No.	Country	CUR Code	Gateway Airport/s
D01	UK	GBP	London (Heathrow)
D02	UK	GBP	New Castle
D03	UK	GBP	Oxford, Chetlam
D04	UK	GBP	Bristol, Wellingborough
D05	UK	GBP	Birmingham
D06	UK	GBP	East Midlands
D07	UK	GBP	Manchester
D08	UK	GBP	Leeds
D09	UK	GBP	Glasgow
D10	France	EURO	Paris (Roissy) & Lyon
D11	Sweden	EURO	Stockholm
D12	Sweden	EURO	Gothenberg & Malmo
D13	Italy	EURO	Rome, Milan
D14	Italy	EURO	Turin, Bologna, Florence
D15	Netherlands	EURO	Amsterdam, Rotterdam
D16	Austria	EURO	Vienna, Linz, Graz
D17	Belgium	EURO	Antwerp, Brussels
D18	Denmark	DKK	Copenhagen
D19	Japan	JPY	Tokyo, Osaka
D20	Singapore	SGD	Singapore
D21	Canada	CAD	Toronto
D22	Canada	CAD	Montreal
D23	USA	USD	New York, Boston
D24	USA	USD	Chicago
D25	USA	USD	San Francisco, Los Angeles
D26	USA	USD	Atlanta, Houston
D27	Germany	EURO	Munich, Koln, Dusseldorf, Hannover, Hamburg, Stuttgart, Damstadt, Manihem, Nurnberg
D28	Germany	EURO	Frankfurt
D29	Germany	EURO	Berlin
D30	Switzerland	SFR	Basle, Zurich, Geneva
D31	Spain	EURO	Barcelona
D32	Australia	AUD	Sydney
D33	Australia	AUD	Melbourne
D34	Australia	AUD	Perth
D35	Czech	EURO	Prague
D36	Hong Kong	HKD	Hong Kong
D37	New Zealand	NZD	Auckland
D38	Russia	USD	Moscow
D39	South Korea	USD	Kimpo International, Incheon
D40	Finland	EURO	Helsinki
D41	Romania	EURO	Bucharest
D42	Norway	EURO	Oslo
D43	Ireland	EURO	Dublin
D44	Israel	USD	Tel Aviv
D45	UAE	USD	Dubai
D46	Oman	USD	Muscat
D47	Egypt	USD	Cairo
D48	Taiwan	USD	Taipei
D49	Ukraine	USD	Kiev
D50	China	USD	Shanghai, Shenzhen
D51	Philippines	USD	Manila
D52	Malaysia	USD	Kualalumpur, Pe Nang
D53	Cyprus	USD	Larnaca
D54	South Africa	USD	Johannesberg, Durban
D55	Slovakia	EURO	Bartislova
D56	Saudi Arabia	SAR	Riyadh
D57	Turkey	EURO	Istanbul
D58	Thailand	USD	Bangkok
D59	Brazil	USD	Sao Paulo, Rio De Janeiro

[illegible]

Acknowledgment

Form GST- "Application for Enrolment of Existing Tax Payer" has been filed against Application Reference Number (ARN) AA3306170074586.


Form Description	:	Application for Enrolment of Existing Taxpayer
Date of Filing	:	03/06/2017
Taxpayer Trade Name	:	BHARAT HEAVY ELECTRICALS LIMITED
Taxpayer Legal Name	:	BHARAT HEAVY ELECTRICALS LTD
Provisional ID Number	:	33AAACB4146P2ZL

- It is a system generated acknowledgement and does not require any signature.

- 1) To generate User ID & Password refer Page No. 4, 5, 6 of (Link available on Home Page)

Steps for filling the Application Form

- 2) Dashboard after Login



- 3) GST CERTIFICATE UPLOAD

DASHBOARD **GST CERTIFICATE DATA** **ISR CODE INPUT** **OTHER CERTIFICATE DATA** **REQUEST STATUS** **LOGOUT**

****To reduce the size of PDF scan the document at lower resolution or use free Online software to reduce the size****

****For Clarifications related to GST details updation - please contact 0431-2577757, 7641, 7616, 7047****

[GST Certificate](#)

Only pdf upload is allowed

Maximum Upload file size 2 KB

Select Supplier Code

Site designed & maintained by BHEL Trichy. For suggestions mail to mm@bheltry.co.in/majiravi@bheltry.co.in
For queries mail to supplier.query@bhel.in

4) Select The Supplier Code to enter the details

http://localhost:8080/corp/certificate_gst.jsp Vendor Certificates BH&L SUPPLIER REGISTRAT... supplier.bhel.in

File Edit View Favorites Tools Help

BH&L - TRICHY BH&L Trichy Intranet Employment News Flipbook NCERT Learnin... BH&L SUPPLIER REGISTRA... Google (3) Google Finance Track you... Indian Railway IRCTC JQuery UI

Find: SCMPGGF Previous Next Options

DASHBOARD GST CERTIFICATE DATA HSN CODE INPUT OTHER CERTIFICATE DATA REJECT STATUS LOGOUT

****To reduce the size of PDF scan the document at lower resolution or use free Online software to reduce the size**

****For more than one pages use free software available online to Merge the PDF pages**

****For Clarifications related to GST details updation - please contact 0431-2577757, 7641, 7616, 7047**

GST Certificate

***Only pdf upload is allowed**

***Maximum Upload file size 2 KB**

Select Supplier Code 18509-KONE ELEVATOR INDIA PVT LTD.

Address(as available with BH&L) 3RD FLOOR,
SANKALP SQUARE DRIVE-IN,
GURUKUL ROAD, MEMNAGAR,
Region:GJ

Owner Mobile No. Business Contact Mobile No. PAN Certificate

Owner Mail Id. Business Mail Id. Number: Upload:

GST UPLOAD
*a) Registration certificate provided by the Government(indicating GSTIN/or
*b) Screen shot of the GST website displaying your GSTIN No or
*c) PDF of the email received from the Government providing provisional GSTIN No.

Provisional GSTIN No. for State from where material/Service is supplied to BH&L,Trichy

GST Reg No Code 1 : ARN(Application Reference No.) 1 : Address 1 : ADD REMOVE
Upload: *For more GST Uploads Click on 'ADD'

submit

Site designed & maintained by BH&L Trichy . For suggestions mail to mm@bh<ry.co.in/majiravi@bh<ry.co.in
For queries mail to supplier.query@bh&l.in

6:03 PM 22-May-17

5) Confirm the data after verifying else delete it and re-enter the details

http://localhost:8080/corp/certificate_gst.jsp Vendor Certificates BH&L SUPPLIER REGISTRAT... supplier.bhel.in

File Edit View Favorites Tools Help

BH&L - TRICHY BH&L Trichy Intranet Employment News Flipbook NCERT Learnin... BH&L SUPPLIER REGISTRA... Google (3) Google Finance Track you... Indian Railway IRCTC JQuery UI

Find: SCMPGGF Previous Next Options

DASHBOARD GST CERTIFICATE DATA HSN CODE INPUT OTHER CERTIFICATE DATA REJECT STATUS LOGOUT

****To reduce the size of PDF scan the document at lower resolution or use free Online software to reduce the size**

****For more than one pages use free software available online to Merge the PDF pages**

****For Clarifications related to GST details updation - please contact 0431-2577757, 7641, 7616, 7047**

GST Certificate

Select Supplier Code 18509-KONE ELEVATOR INDIA PVT LTD.

Address(as available with BH&L) 3RD FLOOR,
SANKALP SQUARE DRIVE-IN,
GURUKUL ROAD, MEMNAGAR,
Region:GJ

Owner Mobile No:1111111111 Owner Mail ID: majiravi@bh<ry.co.in

Business Contact Mobile No: Business Mail ID:

PAN Certificate AAACK2567P [Click to view Uploaded file](#)

	GST No. & Upload	ARN	Address
GST 1	XXAAACK2567PXXX Click to view Uploaded file	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX

***Verify the certificate Details and attachments again**
* If all the Certificates attached by you are correct then click on **commit**
* If the Certificates attached by you are wrong then click on **delete**

delete commit

Site designed & maintained by BH&L Trichy . For suggestions mail to mm@bh<ry.co.in/majiravi@bh<ry.co.in
For queries mail to supplier.query@bh&l.in

6:05 PM 22-May-17

6) Enter The HSN Code using the TAB “HSN CODE INPUT”

Note **1) Input is mandatory for all the material available in Select.

The screenshot shows the BHEL Supplier Registration portal. The top navigation bar includes links for DASHBOARD, GST CERTIFICATE DATA, HSN CODE INPUT (selected), OTHER CERTIFICATE DATA, REJECT STATUS, and LOGOUT. Below the navigation bar, there is a section for "HSN Code for the Goods Supplied". A dropdown menu for "Select Supplier Code" is set to "18509-KONE ELEVATOR INDIA PVT LTD.". Below this, there is a table with columns: Group Item Code & Description, Vendor Group Item Description, HSN Code, and Excise Tarrif Head. The first row shows "97LIF - ELEVATOR-PASSENGER &". There are "add" and "delete" buttons for each row. An "UPDATE" button is at the bottom right of the table. A footer message states: "Site designed & maintained by BHEL Trichy . For suggestions mail to mm@bheltry.co.in/majjiravi@bheltry.co.in For queries mail to supplier.query@bhel.in".

7) Provision available to enter Other Certificate data

The screenshot shows the "Certificates of Registration" section of the BHEL Supplier Registration portal. It includes a dropdown for "Select Supplier Code" set to "18509-KONE ELEVATOR INDIA PVT LTD.". Below this, there is a form with fields for Ownership, Firm Type, SC/ST, and PF CODE. The form also includes a table for "Certificate" with columns for "Description & File" and "Upload". The table rows include: MSME (Part 2) NSIC, MSME/NTSC Dated, MSME/NTSC Valid Upto, CA Upload, PF, ESI Certificate, SC/ST Certificate, and Letter Of Declaration. Each row has a "Number" field and an "Upload" button. A "submit" button is at the bottom right of the form. A footer message states: "Site designed & maintained by BHEL Trichy . For suggestions mail to mm@bheltry.co.in/majjiravi@bheltry.co.in For queries mail to supplier.query@bhel.in".