



BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :0431-2577938
GRAMS : BHARATELEC
FAX NO: 0431-2520719
E-mail: tvenkat@bheltry.co.in
Web:

Page
1/2

Enquiry No	Enquiry Date	Due Date for Quotation
2681700018	16.10.2017	11.11.2017
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order. Bid should be submitted in two parts. 1.Techno-commercial bid (Part-I) and 2.Price bid(Part-II) in a separate sealed cover and both covers must be placed in a third cover and sealed. Our Enquiry No., Enq. date & Enq. Due date must be written on all three covers.		

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	3T Trolley Assembly SPECIFICATION FOR 3 T TROLLEY ASSEMBLY WITH HOIST & CT MECHANISM FOR SEMIGANTRY CRANE as per the Qualifying Criteria in ANNEXURE I and Specification & Scope of work in ANNEXURE II.	SET	1.000	1.00	31.03.18
20	LT Mechanism for 3T SG SPECIFICATION FOR LT MECHANISM COMPONENTS FOR 3T SEMIGANTRY CRANE as per the Qualifying Criteria in ANNEXURE I and Specification & Scope of work in ANNEXURE III.	SET	1.000	1.00	31.03.18

General Note:

GENERAL NOTE:

PLEASE SUBMIT YOUR OFFER IN TWO PART BID SYSTEM

ENCLOSURES:

ANNEXURE I,II,III,IV,V,VI,VII,VIII & DRAWINGS

All the tenders may be addressed to the following address:

**The Tender Opening Cell / MM
Room No: 26, Building 24, Ground Floor
Bharat Heavy Electricals Limited
TIRUCHIRAPALLI 620014**

In case personal delivery of the offer, it shall be dropped into the respective box kept in Room No: 26, after duly entering the data in the system.

Offers will be accepted only up to 14.00 Hrs on the due date. Therefore, vendors shall ensure to submit the offers well before this time. All due date extension requirements should be addressed to the respective Purchase mail IDs. All the due date extension requests from vendors will be considered only up to 48 hours before the due date and time.

Vendors are requested to avoid submission of offers through e mail / fax. In case of any unavoidable situation, offers shall be sent through e mail to the following mail ID only tender_cell@bheltry.co.in.

As tenders are being opened by Common Tender Opening Cell, offer covers should be sealed with

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For **BHARAT HEAVY ELECTRICALS LIMITED**

V. CHELLIAH
MANAGER / PURCHASE
(FOSSIL BOILERS)
BHEL, TRICHY 620 014



429-002/A

BHARAT HEAVY ELECTRICALS LIMITED

(A Government of India Undertaking)
HIGH PRESSURE BOILER PLANT
PURCHASE DEPARTMENT - FOSSIL BOILERS
THIRUCHIRAPALLI - 620014
TAMILNADU (INDIA)

PHONE :0431-2577938
GRAMS : BHARATELEC
FAX NO: 0431-2520719
E-mail: tvenkat@bheltry.co.in
Web:

Page
2/2

2681700018 / 16.10.2017

23505

tenderer's distinctive seal and super scribed with correct Tender No. item of supply and due date of opening.

The offers will be opened at 14.30 hrs on the due date of the tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

The bidder along with its associate/ collaborators/ sub-contractors/ sub-vendors/ consultants/ service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL management about any fraud or suspected fraud as soon as it comes to their notice.

The supplier shall submit EI/EII forms to BHEL time to time as indicated by the BHEL and in case of inordinate delay in issuing EI/EII forms, then BHEL reserves the right to deduct 5% of the value of the supplied items against which EI/EII forms pending to be issued

Enclosures:

"LD clause has to be confirmed without fail."

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening. Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED


V. CHELLIAH
Manager / Purchase
(FOSSIL BOILERS)
BHEL, TRICHY - 620 014

ANNEXURE - I

SUPPLY OF TROLLEY ASSEMBLY WITH HOIST & CT MECHANISM, and COMPONENTS FOR 3T SEMIGANTRY CRANE

QUALIFICATION CRITERIA		
S.No	Description	Vendor to specify details
1	Only those vendors, who have Supplied 3TON OR HIGHER CAPACITY, 14 M OR HIGHER SPAN DOUBLE GIRDER SEMI-GANTRY / GANTRY CRANE within the past five years and such machine should be working satisfactorily for a minimum period of one year after completion of commissioning, as on the date of opening of this tender.	
2	The vendor should submit following details which are necessary for qualifying their offer.	
2.1	Name and postal address of the customer / company where similar equipment commissioned.	
2.2	Name and designation of the contact person of the customer.	
2.3	Phone, FAX no and email address of the contact person of the customer.	
2.4	Along with Technical offer, the Vendor should submit performance certificate from minimum one customer for the satisfactory performance of the same, supplied to them in the customers letter head.	
3	BH&EL reserves the right to verify the information provided by vendor. In case the information provided by vendor is found to be false / incorrect, the offer shall be rejected.	

ANNEXURE - II

SUPPLY OF TROLLEY ASSEMBLY WITH HOIST & CT MECHANISM, and COMPONENTS FOR 3T SEMIGANTRY CRANE

	SPECIFICATION & SCOPE OF WORK	
S.No	Description	Vendor to specify details
	SPECIFICATION FOR 3 T TROLLEY ASSEMBLY WITH HOIST & CT MECHANISM FOR SEMIGANTRY CRANE	
	APPLICATION: The trolley assembly is required to replace in the existing indoor semi gantry crane.	
	SCOPE OF SUPPLY: Trolley assembly with hoist & CT mechanism.	
1.0	CT MECHANISM DETAIL:	
1.1	CT speed : 20 Mtrs / min	
1.2	Wheel gauge / span : 1270 mm	
1.3	Wheel base : 1400 mm	
1.4	Wheel size : 200 mm	
1.5	CT rail size : 60 Lbs / yard	
1.6	Wheel assembly : As per BHEL drawing 3-M-02R07-12456.	
1.7	CT Gear box type & size : Vertical VR 275	
1.8	CT motor : 2.4 KW, 840 RPM 3Ph 415V 50hz 150 st/hr	
1.9	Type of motor : Slipring	
1.10	Resistance Box to get 3 step speed of suitable capacity to be provided along with supply.	
1.11	CT BRAKE : 100 mm 18 KG thruster brake.	
1.12	Between motor & gearbox - Full gear coupling.	
1.13	Between gearbox & wheel - Half gear coupling	
2.0	HOIST MECHANISM DETAIL:	
2.1	Hoist speed 10 m/min	
2.2	Height of lift: 5 Mtrs	
2.3	Hoist Motor: 7kw, 920 RPM 3Ph 415V 150 st/hr	
2.4	Hoist Motor type: Slipring	
2.5	Gear box size: Horizontal HR400	
2.6	Hoist rope size & falls: 10MM 4 falls.	
2.7	Hook shall be with safety latch.	
2.8	<u>Between gearbox & rope drum</u> - Half geared rope drum coupling.	
2.9	<u>Between motor & gearbox</u> - Full gear coupling.	
2.10	Resistance Box to get 3 step speed of suitable capacity to be provided along with supply.	
2.11	Rotary Limit switch and Counter-weight Limit Switches to be provided in Hoist Mechanism.	
2.12	Hoist Brake: 200 mm Electromagnetic Brake	
2.13	Scope of supply includes DC brake panel	
2.14	Handrail & Spring Buffer are to be provided.	
3.0	RESISTANCE BOX: Punched steel of continuous rating.	

	Note: No Control panels required. Only DC brake panel and Resistance box need to be supplied.	
4.0	GEARBOX: gearbox casing shall be of fabricated type and gears in all stage shall be of helical.	
5.0	Handrail & Spring Buffer are to be provided.	
6.0	Standard to be followed IS:3177/1999 & IS:807.	
7.0	Painting color of trolley frame: Deep orange.	
8.0	Drawings to be submitted, as soft copy in AutoCAD format, for approval before manufacture	
9.0	MAKES OF COMPONENTS:	
9.1	MOTOR : GEC / Bharat Bijlee / Siemens / KEC / MARATHAN.	
9.2	RESISTANCE BOX : OHMARK / BCH.	
9.3	HOIST BRAKE : BCH DCEM BRAKE WITH PANEL	
9.4	THRUSTER BRAKE : ELECTROMAG / SPEED-O-CONTROL / OMEGA	
9.5	GRAVITY TYPE LIMIT SWITCH: SIEMENS / INDUSTRIAL SYNDICATE / BCH / SKC / SOC.	
9.6	ROTARY LIMIT SWITCH: SIEMENS / OMEGA / SOC / INDUSTRIAL SYNDICATE.	
9.7	BEARINGS : SKF / ZKL / TIMKEN / NBC / FAG.	
9.8	COUPLINGS : KOP-FLEX / FENNER / LOVE-JOY / ESCO / ALLFLEX / SKF.	
10.0	Materials shall be offered for Inspection at vendor works prior to despatch.	
11.0	3 sets of Drawings, Test Certificates and O&M manuals to be supplied at the time of material delivery.	

ANNEXURE - III

SUPPLY OF TROLLEY ASSEMBLY WITH HOIST & CT MECHANISM, and COMPONENTS FOR 3T SEMIGANTRY CRANE



	SPECIFICATION & SCOPE OF WORK	
S.No	Description	Vendor to specify details
	SPECIFICATION FOR LT MECHANISM COMPONENTS FOR 3T SEMIGANTRY CRANE.	
	APPLICATION: The LT mechanism components are required to replace in the existing indoor semi gantry cranes.	
1.0	SCOPE OF SUPPLY: One set consist of:	
1.1	Drive wheel assembly with coupling fitted - 2 Nos	
1.2	Non-drive wheel assembly - 2 Nos	
1.3	Gear box assembly with coupling & brake drum fitted in input shaft and coupling in output shaft-2 nos(Right & left handed each 1)	
1.4	Motor with coupling fitted - 2 Nos	
1.5	Brake unit-2 nos.	
1.6	Resistance Box to get 3 step speed of suitable capacity to be provided along with supply.	
2.0	Specification details:	
2.1	LT speed: 40 Mtrs / min.	
2.2	Wheel dia.: 400 mm.	
2.3	Rail size:90 lbs/ yd. (For reference only)	
2.4	Wheel assembly: As per BHEL drawing :3-M-02R00-11993.	
2.5	Gear box type & size: VR 450 (Vertical)	
2.6	LT motor: 3kW,960RPM, 3Ph 415V 50hz 150 st/hr	
2.7	Type of motor: Slip ring induction motor.	
3.0	COUPLINGS:	
3.1	Between motor & gearbox: Full gear coupling 101 / 102.	
3.2	Between wheel & gearbox: Full gear coupling size 103.	
3.3	Brake unit: 160 mm dia 18 KG thruster brake.	
4.0	Resistance type: Punched steel of continuous rating.	
	Note: No Control panels required. Only DC brake panel and Resistance box need to be supplied.	
5.0	GEARBOX: gearbox casing shall be of fabricated type and gears in all stage shall be of helical.	
6.0	Standard to be followed: IS 3177 / 1999.	
7.0	Drawings to be submitted, as soft copy in AutoCAD format, for approval before manufacture	
8.0	MAKES OF COMPONENTS:	
8.1	MOTOR : GEC / Bharat Bijlee / Siemens / KEC / MARATHAN.	
8.2	RESISTANCE BOX : OHMARK / BCH.	
8.3	THRUSTER BRAKE : ELECTROMAG / SPEED-O-CONTROL / OMEGA	
8.4	BEARINGS : SKF / ZKL / TIMKEN / NBC / FAG.	

8.5	COUPLINGS : KOP-FLEX / FENNER / LOVE-JOY / ESCO / ALLFLEX / SKF.	
9.0	Materials shall be offered for Inspection at vendor works prior to despatch.	
10.0	3 sets of Drawings, Test Certificates and O&M manuals to be supplied at the time of material delivery.	

CAUTION: THIS DRAWING IS OUR SOLE PROPERTY AND SHOULD NOT BE USED IN ANY FORM FOR ANY PURPOSE WITHOUT THE WRITTEN PERMISSION OF BHARAT HEAVY ELECTRICALS LIMITED TRICHYAPALLI - 620 014.

ALL DIMENSIONS ARE IN MM

16	800/850	CR-100 CR-120	190	450	80	210	150	152	140	130	212	255	32	32x18x130	687	588	20	150	80	107	22330 150x320x108	870.00 845.00		
15		CR-80	168	420	80	180	110	152	125	110	212	255	32	28x16x115	687	588	20	150	80	106	22330 150x320x108	796.00 775.00		
14	710/750	CR-100 CR-120	190	450	80	210	150	152	140	130	212	255	32	32x18x130	642	588	20	150	80	107	22330 150x320x108	808.00 784.00		
13		CR-100 CR-120	180	420	71	210	150	132	125	110	180	224	32	28x16x115	607	517	20	130	80	106	22326 130x280x93	728.50 711.50		
12		CR-80	180	400	71	180	110	132	125	110	180	224	32	28x16x115	607	517	20	130	80	106	22326 130x280x93	653.00 636.00		
11	630/680	CR-80/CR-100 & CR-120	180	420	71	210	150	132	125	110	180	224	32	28x16x115	567	517	20	130	80	106	22326 130x280x93	629.00 611.50		
10		90-105 Lbs/Yd CR-80	150	365	60	180	105	111	110	90	160	190	26	25x14x100	547	462	20	120	60	105	22322 110x240x80	448.00 434.50		
9	500/550	CR-80 CR-100	160	375	60	180	125	111	110	90	160	190	26	22x14x100	482	462	20	120	60	105	22322 110x240x80	253.00 245.50		
8		CR-80	150	360	50	180	125	91	105	80	125	160	26	22x14x90	445	395	20	100	50	104	22318 90x190x64	389.00 378.00		
7		60/75/90 & 105 Lbs/Yd	150	360	50	180	105	91	105	80	125	160	26	22x14x90	445	395	20	100	50	104	22318 90x190x64	301.00 294.00		
6	400/450	CR-80 CR-100	150	360	50	180	125	91	105	80	125	160	26	22x14x90	395	395	20	100	50	104	22318 90x190x64	253.00 245.50		
5		90 Lbs/Yd 105 Lbs/Yd	145	315	40	180	105	76	85	70	112	140	22	20x12x75	375	345	16	90	50	103	22315 75x160x55	197.00 192.00		
4	320/370	75 / 90 & 105 Lbs/Yd CR-80	145	315	40	180	105	76	85	70	112	140	22	20x12x75	345	345	16	90	50	103	22315 75x160x55	162.00 157.00		
3		50 SQ.BAR 60 Lbs/Yd 75 Lbs/Yd	112.5	260	40	125	85	61	65	55	85	112	17	16x10x55	312	287	16	80	50	102	22312 60x130x46	118.50 118.00		
2	250/280	50 SQ.BAR 60 / 90 & 105 Lbs/Yd	105	250	32	125	85	61	65	55	76	100	17	16x10x55	254	249	12	60	40	102	22212 60x110x28	66.00 63.00		
1	200/230	30 Lbs/Yd 50 SQ.BAR 60 Lbs/Yd	95	220	32	100	67	46	55	40	71	95	17	12x8x45	239	232	12	65	40	101	22309 45x100x36	51.00 50.00		
SL. No.	O.D. (WHEEL DIA) IN MM	RAIL SIZE	DIMENSIONS																			COUPLING No.	SKF BRG No. & BRG. SIZE	TOTAL WEIGHT IN Kg. FOR DRIVE & IDLE
			A	B	D	E	F	ØG	H	ØJ	K	L	Ød	M (KEY)	N	P	Q	S	R					





MATERIAL:- SHAFT - 45CB/IS:7283.
WHEEL - 55CB/IS:5513.
FORGED.
TREAD PORTION WHEEL HARDNESS 300 TO 350 (BHN)

No. of Pieces	DESCRIPTION	MATERIAL	STANDARD	NET.WT. IN KGS.	DRAWING No.	ITEM No.
REFERENCE:			COMPONENT CODE: 29	EQUIPMENT CODE: 00		
SCALE	DRAWN	CHECKED	APPROVED	DATE	ALTERATIONS:	DCN REF DATE SIGN. INDEX
				20-10-2000		
MACHINE: CRANE WHEEL ASSY				TYPE: GENERAL		
TITLE: STANDARD CRANE WHEEL ASSY				DRAWING No: 3-M-02R-11993		
No. of Sheets:				Sheet No:		

ALL DIMENSIONS ARE IN MM

068 k6

3.2/1.6/0.8



WHEEL DIA	SKF SPHERICAL ROLLER BEARING	A	B	C	D1	D2	D3	D4	E	F	G	H	I	J	K	L	M	N
200	22309	109	91	131	M-12	40	50	235	100	84	71	100	72	62	25	80		
250	22312	140	96	142	M-16	50	65	295	125	105	89	100	72	72	32	80		
320	22314	154	106	155	M-20	56	80	355	147	122	109	112	72	77	32	92		
400	22318	185	120	176	M-20	65	100	445	172	147	129	125	86	94	50	105		
500	22322	210	140	206	M-20	90	120	555	206	180	155	150	92	110	50	120		
630	22326	240	160	237	M-24	110	140	690	232	202	184	170	120	127	93	140		
710	22330	284	186	270	M-24	125	160	780	260	230	200	210	140	142	75	150	640	280

MATL:-

SHAFT - 45CB IS: 7283

WHEEL - 55CB IS: 5517
[FORGED]

TREAD PORTION WHEEL HARDNESS 300 TO 350(BHN)

ALL DIMENSIONS ARE IN MM

No. of Pieces		DESCRIPTION		MATERIAL	STANDARD	NET.WT. IN KGS.	DRAWING No.	ITEM No.
REFERENCE		ALTERATIONS		DCN REF	DATE	SIGN.	INDEX	
SCALE	DRAWN	P.A.ROSS						
	CHECKED	R. Ramamurthy						
1:2	APPROVED	[Signature]						
	DATE	17-05-04						
MACHINE: CRANES WHEEL				TYPE: 070				
TITLE:				DRAWING No:		C.D.00		REV.
WHEEL ASSY				3M02R0712456				
Sheet No:				No. of Sheets:				

Annexure for Techno Commercial Bid

Check List - to be filled and submitted along with Technical Bid

BHEL Commercial Terms and Conditions for Indigenous Supplies	Vendor's Confirmation / Comments
Technical confirmation to BHEL's Specification as called for in BHEL Format shall be furnished. If needed additional sheets shall be used.	
Prices shall be quoted item wise only as per the model format enclosed	
Prices shall be quoted on " FIRM PRICE " basis only The prices should be only on F.O.R / Despatching station basis with Packing & Forwarding charges if any. Applicable % of ED & Sales Tax, Freight & Insurance, Installation & Commissioning Charges should be clearly Indicated	
Validity of offer shall be for a minimum period of 120 days from the date of Tender opening	
Delivery period from the date of Letter of Intent / Purchase order shall be clearly mentioned in the offer	
Liquidated damages @ '0.5% per week subject to a maximum of 10% of the order value shall be applicable for delay in deliveries For Details Refer Annexure- v	
Following Risk Purchase clause shall be applicable The purchaser at his option will be entitled to terminate the contract and to purchase elsewhere at the risk and cost of the seller either the whole of the goods or any part which the supplier has failed to deliver or dispatch within the time stipulated or if the same were not available, the best and the nearest available substitute therefore The supplier shall be liable for any loss which the Purchaser may sustain by reason of such risk purchases	
Payment term for supply portion: Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials For details Refer Annexure- v	
Erection / commissioning: (if applicable only) Erection / commissioning charges if any has been mentioned in the offer or else confirmation that Erection / commissioning shall be done at free of cost is available in the offer,	
The equipment shall be guaranteed for a period of 12 months from the date of commissioning	
Final inspection and acceptance of equipment will be after installation at BHEL, Trichy	
The vendor shall provide necessary drawings, Test Certificates and Operating Maintenance Manuals etc., as called for in the Technical Specification, in the required number of copies at no extra cost	
Any warranty replacement during warranty period shall be supplied free of charge on FOR BHEL, Trichy basis.	
Offers should be submitted only in sealed cover super-scribing clearly the Enquiry reference and due date.	
GST in % Kindly mention the HSN code for all tender items	
Packing & Forwarding Charges (if any in % only)	
Percentage of Freight& transit insurance charges, if any Freight charges from Dispatching station to BHEL, Tiruchirappalli • Supplier should quote for F.O.R-BHEL Trichy Stores.	
As per Commercial terms and conditions, acceptance for participation in Reverse auction (RA).Yes/No to be indicated	
Name of the person for participating reverse auction	
Land Line Number	
Fax Number	
Mobile Number	
E-mail ID	

NOTE:-

- It is confirmed that all the terms and conditions stipulated In the Enquiry have been fully understood by us and all clarifications & details have been obtained.
- Your specific acceptance to our Payment terms, LD & Risk Purchase Clause are essential for consideration of your offer. Other wise your offer is liable for rejection.
- No row shall be left blank. Please indicate NA, in case the item is "not applicable"

Annexure For Price Bid

Bharat Heavy Electricals Limited TIRUCHIRAPPALLI
MODEL PRICE BID FORMAT FOR INDIAN BIDDERS

CAPITAL PURCHASE
Annexure-V

Enquiry No. & Date:
Bidder's Offer No. & Date:

Sl No	Description of item	Unit	Quantity	Rate in Rs.	Value in Rs.
	TOTAL VALUE IN RS.				
	Packing & Forwarding charges in % if any				
	Freight & Insurance Charges In % if freight charges are not mentioned it will be considered as FOR-BHEL TRICHY.				
	GST (indicate in %)				
	Approximate Net weight of the total consignment				
	Approximate Gross weight of the total consignment				
	Approximate Dimensions of the Consignment				
	The price indicated shall be inclusive of all accessories, spares etc. as given in the scope of supply. Individual item-wise break-up price shall be attached as an annexure to this price bid format.				

Signature & Seal of Vendor

NOTE:

1. The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable"
2. Prices shall be quoted item-wise only as per the above format.

Payment Term (Indigenous)	
If materials are receivable at Stores/Trichy without PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials.
If materials are receivable at Stores/Trichy with PBG	Payment term is 100% direct payment after 45 days from the date of receipt and acceptance of materials and against 10% PBG valid for the warranty period.
Any deviation in the above payment term will attract loading as mentioned below. “Base rate of SBI (as applicable on the date of bid opening. Techno-commercial bid opening in case of two part bids) + 6% shall be considered for loading for the period of relaxation sought by bidders.	

Payment through Bank is not preferred. In case of Payment through Bank is opted by Supplier, BHEL prefers documents submission through bank with copy of LR and door delivery of Goods to Site/Stores with Consignee copy attached. In this case Loading will be 3% on the offered value.

Offers of indigenous Suppliers with payment terms as LC/Advance Payment are liable for rejection.

Liquidated Damages / Penalty -

Liquidated damages shall be 0.5% of the total order value per week or part thereof subject to a maximum of 10% of the total order value.

For staggered delivery schedule, LD shall be 0.5% of the undelivered portion per week of the delay or part thereof subject to a maximum of 10% of the total order value.

Any deviation from the above LD clause, loading will be applied to the extent to which it is not agreed by the bidder (at offered value).

Guarantee / Warranty Period – (if applicable)

Normally No deviation permitted and the deviated offers are liable for rejection.

Ranking-

BHEL will consider the ranking after the loading is applied as referred above wherever deviations are observed.

Performance Bank Guarantee – (if applicable)

Normally No deviation permitted and the deviated offers are liable for rejection.

NOTE:-

1. If the due date of tender opening happens to be a holiday, the tenders will be opened on the next working day.
2. BHEL reserves the right to go for a reverse auction (RA) instead of opening the submitted sealed bid which will be decided after technical evaluation. Information and general terms and conditions covering RA are given in commercial terms and conditions.
3. Corrigendum if any, with respect to this tender will be hosted only in the website <http://www.bhel.com> or <http://tenders.gov.in>. You are requested to visit the website regularly for updates.

Special Provisions for Micro and Small Enterprises (MSE)

1. 20% of the tendered quantity is earmarked for MSE suppliers in this tender.
2. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC/ST entrepreneurs.
3. Incase MSE vendor participating in the tender quotes within the price band of L1+15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.
4. "MSE suppliers can avail the intended benefits only if they submit along with the offer, attested copies of either EM II certificate having deemed validity (five years from the date of issue of acknowledgement in EM-II) or valid NSIC certificate or EM II certificate along with attested copy of a CA certificate (Format enclosed at Annexure -VII where deemed validity of EM II certificate of five Years has expired) applicable for the relevant financial year (latest audited). Date to be reckoned for determining the deemed validity will be the date of bid opening (Part 1 in case of two part bid). Non submission of such documents will lead to consideration of their bid at par with other bidders. No benefit shall be applicable for this enquiry if any deficiency in the above required documents are not submitted before price bid opening. If the tender is to be submitted through e-procurement portal, then the above required documents are to be uploaded on the portal. Documents should be notarized or attested by a Gazetted officer."

Certificate by Chartered Accountant on letter head

This is to Certify that M/S
(hereinafter referred to as 'company') having its registered office at
is registered under MSMED Act 2006, (Entrepreneur
Memorandum No (Part-II) dtd:.....,
Category: (Micro/Small)). (Copy enclosed).

Further verified from the Books of Accounts that the investment of the company as on
date..... as per MSMED Act 2006 is as follows:

1. **For Manufacturing Enterprises:** Investment in plant and machinery (i.e. original cost
excluding land and building and the items specified by the Ministry of Small Scale Industries vide its
notification No.S.O.1722(E) dated October 5, 2006 :
Rs.....Lacs
2. **For Service Enterprises:** Investment in equipment (original cost excluding land and building and
furniture, fittings and other items not directly related to the service rendered or as may be notified under the MSMED
Act, 2006:
Rs.....Lacs

The above investment of Rs.....Lacs is within permissible limit of
Rs.....Lacs forMicro / Small (Strike off which is not applicable)
Category under MSMED Act 2006.

Date:

(Signature)

Name -

Membership number -

Seal of Chartered Accountant