

ANNEXURE-VI

BOQ & PRICE DISTRIBUTION FORMAT

Work: - Replacement of Asbestos sheet with Colour coated Galvalume sheet on the roof & walls of old Production shop (OPS), old Administrative building (OAB), Renewal Energy Group (erstwhile Business Development cell) & Quality office, Central Stores and parking shed at CFP Rudrapur.

Sl.No.	Description of Item	Make	Quantity	Unit	Distribution of price in percentage (%) of total basic Quote
1a	SUPPLY OF COLOR COATED GALVALUME STEEL PROFILE SHEET OF 0.50MM (Min) +0.05% TCT HIGH STRENGTH 550MPA (MIN) CONFORMING TO IS 14246:2013 & HAVING ZINC COATING OF MIN 120GM/M2 AS PER IS 277:2018, 5-7 MICRONS EPOXY PRIMER ON BOTH SIDE & POLYESTER TOP COAT 15-18 MICRONS HAVING PLASTIC PROTECTIVE FILM 25 MICRONE (MIN) TO AVOID DAMAGE DURING TRANSPORTATION	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	3797	Sq.m.	
1b	REMOVAL OF EXISTING ASBESTOS SHEETS AND INSTALLATION OF NEW GALVALUME SHEETS ITEM NO. 1a AS PER SCOPE OF WORK ANNEXURE-I	-	3797	Sq.m.	
2a	SUPPLY OF COLOR COATED GALVALUME STEEL SHEET GUTTERS 600MM OVER ALL GIRTH, 0.50MM (Min) +0.05% TCT ZINC COATING 120GSM AS PER IS 277:2018 IN 550MPA (MIN) STEEL GRADE, 5-7 MICRONS EPOXY PRIMER ON BOTH SIDE & POLYESTER TOP COAT 15-18 MICRONS CONFORMING TO IS 14246:2013	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	971	RM	
2b	REMOVAL OF EXISTING GUTTERS AND INSTALLATION OF NEW GUTTERS (REFER TO ITEM NO. 2a) AS PER SCOPE OF WORK ANNEXURE-I	-	971	RM	
3a	SUPPLY OF COLOR COATED GALVALUME STEEL SHEET RIDGE 600MM OVER ALL GIRTH, 0.50MM (Min) +0.05% TCT ZINC COATING 120GSM AS PER IS 277:2018 IN 550MPA (MIN) STEEL GRADE, 5-7 MICRONS EPOXY PRIMER ON BOTH SIDE & POLYESTER TOP COAT 15-18 MICRONS CONFORMING TO IS 14246:2013	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	500	RM	
3b	REMOVAL OF EXISTING RIDGE AND INSTALLATION OF NEW RIDGE (REFER TO ITEM NO. 3a) AS PER SCOPE OF WORK ANNEXURE-I	-	500	RM	
4a	SUPPLY OF COLOR COATED GALVALUME STEEL SHEET DOWN TAKE PIPES OF GIRTH 400MM SQUIRE CONSTRUCTION, 0.50MM (Min) +0.05% TCT ZINC COATING 120GSM AS PER IS 277:2018 IN 550MPA (MIN) STEEL GRADE, 5-7 MICRONS EPOXY PRIMER ON BOTH SIDE & POLYESTER TOP COAT 15-18 MICRONS CONFORMING TO IS 14246:2013	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	385	RM	
4b	REMOVAL OF EXISTING DOWNTAKE PIPES AND INSTALLATION OF NEW DOWNTAKE PIPES (REFER TO ITEM NO. 4a) AS PER SCOPE OF WORK ANNEXURE-I	-	385	RM	
5a	SUPPLY OF DAY LIGHT PROFILE PANEL (FRP) OF 2MM (MIN) THICKNESS CONFORING TO IS 12866:2007 SIZE, SHAPE & PITCH OF TRAPEZOIDAL PROFILE FRP SHEET SHOULD MATCH WITH PROFILE OF SL. NO.1a	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	714	Sq.m.	
5b	REMOVAL OF EXISTING SHEETS AND INSTALLATION OF NEW FRP SHEETS (REFER TO ITEM NO. 5a) AS PER SCOPE OF WORK ANNEXURE-I	-	714	Sq.m.	
6a	SUPPLY OF POLYURETHANE FOAM (PUF) OF 30 MM (Min) TCT CONFORMING TO IS 12436:1988 HAVING COLOR COATED GALVALUME STEEL OF 0.50MM (Min)+0.05% TCT HIGH STRENGTH 550MPA (MIN) AT TOP & BOTTOM SHEET CONFORMING TO IS 14246:2013 & SHALL HAVE ZINC COATING OF MIN 120GSM AS PER IS 277:2018 HAVING PLASTIC PROTECTIVE FILM 25 MICRONE (MIN)	JINDAL, JSW, TATA, EVEREST, BHUSHAN STEEL, ESSAR, CHARMINAR, KAMDHENU	660	Sq.m.	
6b	REMOVAL OF EXISTING SHEETS AND INSTALLATION OF NEW PUF SHEETS (REFER TO ITEM NO. 6a) AS PER SCOPE OF WORK ANNEXURE-I	-	660	Sq.m.	
7a	SUPPLY OF 24 INCH TURBO VENTILATOR ALONG WITH FRP BASE SHEET OF LENGTH 1800MM (MIN) WIDTH 1200MM (MIN) SHAPE & PITCH OF TRAPEZOIDAL PROFILE OF BASE SHEET SHOULD MATCH WITH PROFILE OF SL. NO.1a	AIR CREATIONS INDIA, JSW, GISCO, EVEREST, KANSAL COLOUR & SHRIYA FRP BRANDS	26	No.	
7b	REMOVAL OF EXISTING ARRANGEMENTS AND INSTALLATION OF NEW TURBO VENTILATORS (REFER TO ITEM NO. 7a) AS PER SCOPE OF WORK ANNEXURE-I	-	26	No.	
TOTAL					100

This format shall be submitted as part of technical bid. % value against each line item shall essentially be mentioned. In case, value of % is not mentioned, left blank, mentioned as 'Nil', 'included', zero etc., the bidder's offer shall be technically rejected (Ref. Clause of Annexure-II)

SHYAM SUNDER PAL
Dy. Mgr. (MNT- / CIVIL / DTS)
B.H.E.L., Rudrapur
Uttarakhand-263153

SHYAM SUNDER PAL
Dy. Mgr. (MNT- / CIVIL / DTS)
B.H.E.L., Rudrapur
Uttarakhand-263153