

18

PRE QUALIFICATION CRITERIA (P.Q.C) FOR REFRACTORINESS UNDER LOAD (RUL) TESTER
(INDENT NO-20180171)

S.N.	Description	Instruction	Vendor's Response
1	Vendor should be original manufacturer (OEM) or authorized dealer /distributor of OEM.	Enclose the OEM/authorization certificate.	
2	Vendor must have well functioning service center in India Details to be submitted.Overview about OEM (when established, Product Range,market etc.)to be submitted	Details to be furnished along with offer.	
3	Only those vendor shall quote, who or their principal have supplied and commissioned at least one number of RUL tester for temperature range of 1650 ⁰ C or more capacity,for similar applications, within last 5 years from the date of tender enquiry for this item.The following documents shall be furnished along with technical bid to support this qualification criteria: The list of supplied RUL tester having following information : Make & Model ,Capacity,Month & year of supply , Customer Name ,Customer Address,Customer contact person ,Customer content Nos, Email ID details Minimum one number copy of Purchase order of equipment supplied.	Enclose one no of P.O.of RUL tester (Temp.range 1650 ⁰ C or higher) with all details as mentioned along with offer.	
4	Minimum one number of performance Certificate (issued by customer for satisfactory performance of at least one year) of RUL tester supplied in the temp range of 1650 ⁰ C or more capacity.	Enclose one no of performance Certificate of RUL tester along with offer.	


SDGM(SFQC& RMI)


(Sanjay Hembrom)
Dy Manager, QM