DP:FEX-F08 REV. NO. 00

ANNEXURE-IV

MAINTENANCE CHECK LIST SCHEDULE OF DAILY ROUTINE CHECKING (CRANE WISE)

SITE: MONTH: CRANE MODEL: CRANE SL NO.: SL. **IDENTIFICATION CHECKING METHOD CHECK ITEM REMARKS** NO. Fuel and Hydraulic Damage or Leakage, Supply Visual Check 1 System Hose Fuel If Required in Fuel Tank. Starting ,Leak, Unusual Engine starting, Check by Hearing 2 Noise, Check Engine Oil Level-Fill If required Check Coolant Level- Fill If Visual Check - Both Radiator Tank Radiator 3 Required by Soft water and Sub Tank Hvdraulic oil Tank Check Oil Level- Add Hydraulic Visual Check 4 oil If Required Visual Check Hose , Piping , Oil Leak 5 Connector

Damage, Deformation, Wear

Cable Roller

22

23

Bearing and Hook Latch of Hook

Visual Check - For insert boom &

Block for damage.

upper boom.

DP:FEX-F08 **REV. NO. 00 ANNEXURE-IV MAINTENANCE CHECK LIST** SCHEDULE OF WEEKLY ROUTINE CHECKING (CRANE WISE) SITE: MONTH: CRANE MODEL: CRANE SL NO.: SL. **CHECK ITEM IDENTIFICATION CHECKING METHOD REMARKS** NO. Fuel Pre Filter Water Level Visual Check-Drain Water 1 From Fuel Pre Filter Apply Extreme Pressure Drum Lock (Front, Rear, Third, Greasing 2 **Boom Drums**) Grease (EPG) Hydraulic Oil Tank Drain the Hydraulic Oil Tank Drain 3 Apply Extreme Pressure **Slewing Ring Bearing** Grease 4 Grease (EPG) **Slewing Ring gear** Grease Apply molybdenum 5 Disulphide Grease (MDG) Check Oil Lower Roller, Idler Roller Apply Gear Oil 6 Level Check oil level **Upper Roller** Apply Gear Oil 7 Lower Spreader Frame, Hook Grease Apply Extreme Pressure Grease (EPG) Sheave / pulley, Hook Bearing, 8 Ball Hook Bearing, Luffing Jib **Drum Lock, Guide Sheave**

DP:FEX-F08 REV. NO. 00

ANNEXURE-IV

MAINTENANCE CHECK LIST								
SCHEDULE OF MONTHLY ROUTINE CHECKING (CRANE WISE)								
SITE: MONTH:								
	NE MODEL:		CRANE SL NO.:					
SL. NO.	IDENTIFICATION	CHECK ITEM	CHECKING METHOD	REMARKS				
1	Fan Belt	Looseness , Damage	Visual Check- Push with Finger, Defle -ction of 10 to 15 mm					
2	Engine Mounting Bolt, Rubber Mount	Looseness, damage	Visual Check,Test Hammer					
3	Radiator, Oil Cooler	Oil Leak, damage	Visual Check- Clean the Radiator Core					
4	Power Divider Hydraulic motor , Reduction unit	Oil Leak, Unusual noise	Visual Check, Check by hearing					
5	Hydraulic Pump	Oil Leak, Unusual Sound	Visual Check, Check by hearing					
6	Valve etc.	Oil Leak	Visual Check					
7	Gantry Cylinder ,mast Arm Cylinder, Drum Lock	wear	Visual Check					
8	Fuel Supply Pump & hose	· ·	Operation Should be normal, Visual Check the damage					
9	Swing Alarm Lamp	Alarm Sound , Filament is gone	Operation, Visual Check - Flasher fuction properly or not					
10	Swivel Joint	Oil Leak	Visual Check					
11	Slewing Ring Bearing	unusual Noise	Check by Hearing					
12	Crawler shoe	Extension , Damage, Wear	Visual Check- Slackening of 10 to 20 mm					
13	Main Hoist Wire Rope, Auxilliary hoist,luffing Jib Hoist, (All Wire Ropes), Boom Guy Line, Luffing Jib Guy Line, Jib Guy Line.	All to be Lubricate	Apply Extreme EPG-Pressure Multipurpose grese (Lithium Base Grease or Cardium compound as applicable.)					

				DP:FEX-F08	
				REV. NO. 00	
				ANNEXURE-IV	
		MAINTENAN	CE CHECK LIST		
	SCHEDULE (OF QUARTERLY RO	OUTINE CHECKING (CRANE WIS	SE)	
SITE:			DATE:-		
•	MODEL:-		CRANE SL. NO.:		
SL. NO.	IDENTIFICATION	CHECK ITEM	CHECKING METHOD	REMARKS	
1	Drive Sprocket, Crawler Idler, Upper & Lower Rollers	Oil Leak, Damage	Visual Check-Inspect Oil leak & Damage		
2	Slewing ring Bearing Mounting Bolt	Looseness, Fallimg Off	Visual Check-Any Missing / damage, Clean and Secure		
3	Winch Reduction Unit (Front, Rear, Boom)	Check Oil Level	If Oil Level is below the red mark add with lub oil Gear Oil as per OEM recommendation		
4	Engine	Replace oil	Replace with Engine Oil as per OEM recommendation - Change the Oil Filters also.		
5	Battery inspection	Check up Charge Condition	Check Battery Electrolyte Level. Add If Required.		

DP:FEX-F08 **REV. NO. 00 ANNEXURE-IV** MAINTENANCE CHECK LIST SCHEDULE OF HALF-YLY &YLY ROUTINE CHECKING (CRANE WISE) SITE: DATE:-CRANE SL. NO.: CRANE MODEL: HALF YEARLY SL **IDENTIFICATION CHECK ITEM CHECKING METHOD** REMARKS NO. Oil Leak, Damage Accumulator Visual Check-inspect for Oil Leak 2 Frame Visual Check-Inspect Car Body & damage & Crack Crawler Frame for Crack Loosen the Drain Plug, Drain 3 Fuel Tank Drain water & Sediment From Tank YEARLY SL **IDENTIFICATION CHECK ITEM CHECKING METHOD** REMARKS NO. Radiator Replace Coolant Drain after cool- replace by Soft Water Replace with Gear Oil as per OEM 2 **Swing reduction Unit** Replace Oil recommendation Replace with Gear Oil as per OEM Winch Reduction Unit Replace Oil (Front, Rear, Boom) recommendation Power Divider Replace Oil Replace with Gear Oil as per OEM 4 recommendation Hydraulic Oil Tank Replace Oil Replace with Gear Oil as per OEM recommendation **Propel Reduction Unit** 6 Replace Oil Replace with Gear Oil as per OEM recommendation Replace with Gear Oil as per OEM Winch Reduction Unit (Fly Replace Oil jib Drum) recommendation All Sheaves, Mast Point Apply Extreme **EPG-**Pressure All to be Grease Sheaves, Cable roller, Multipurpose grease (Lithium Auxilliary Sheave, Boom & **Base Grease)** jib point Sheaves, Guide Sheaves, Guide Roller, Strit Point Sheaves, **Counter Weight Handling** Apply Extreme **EPG-**Pressure Lubricate Link. Multipurpose grease (Lithium Base Grease)