

TD-106-1 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0 Rev No. 00 PAGE 1 of 38
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED, It must not be used directly or indirectly in any way detrimental to the interest of the company.		MANUFACTURE AND SUPPLY OF FLY ASH INTERMEDIATE SILO AND STRUCTURES FOR MAITREE 2X660 STPP 1. OBJECTIVE: The objective of this specification is to manufacture and supply of FLY ASH INTERMEDIATE SILO AND STRUCTURES for 2x660 STPP Maitree project, Bangladesh. 2. SCOPE: The scope comprises of material procurement and manufacturing as per drawings, quality plan, marking, packaging and dispatch to Chennai port. Manufacturing scope comprises of fabrication of silos, support structure, platforms and staircase, welding of SS liner for conical portion of silo, inspection (as per approved quality plan) grit blasting and painting of all components. Scope includes procurement of HSFG fasteners etc. Manufacture of transport crates as per BHEL drawings including raw material procurement of crate is also part of vendor scope. Gratings, handrails is not in vendor's scope of supply. Detailed fabrication Drawings and part lists will be provided by BHEL. Vendor to manufacture exactly as per BHEL drawings and all material specification shall be as per BHEL part list. Nothing in this specification shall be construed to relieve the Vendor of his responsibility for compliance with the applicable documents/standards. Any conflict between the applicable documents and this specification shall be brought to the attention of BHEL Engineering for resolution. 3. BHEL SPECIFICATIONS AND DOCUMENTATION - Plate and rolled section material specification – HY10170 - Fly ash intermediate silo GA & Marking Drawing – 19611010001 - Quality plan for AHP/CHP structures - QP NO.: MAIT:C&AHP: R4R5-R4R6 - Quality plan for AHP Silos - QP NO.: MAIT:AHP SILO: R4R5-R4R6 - Painting schedule - PS:MAIT:PG:R676&R4R5 - High Strength Friction Grip Fasteners – TDC:6:388 - Customer Approved vendor list for Structural steel material -. QA:AS:MAIT:01 - Packing Crate drawings – Refer Annexure I - Detailed fabrication drawings- Refer Annexure II			
		Ref. Doc	Revisions : Refer to record of revisions :	Prepared : Karthike	Approved : Rajeev Kumar

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0		
			Rev No. 00		
			PAGE 2 of 38		

COPYRIGHT AND CONFIDENTIAL
 The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
 It must not be used directly or indirectly in any way detrimental to the interest of the company.

4. FABRICATION DETAIL REQUIREMENTS:

- a) Trial assembly of segments of cylindrical shell and cone shell as per QAP.
- b) Trial assembly of Columns as per the QAP.
- c) SS liner shall be welded to MS conical shell segments
- d) Segments of cylindrical shell, cone shall be strengthened with transport stiffeners to avoid distortion during transportation. Vendor should use ERW Tube 50NB as transport stiffeners for segments.

5. MATERIALS

Materials used in the fabrication of Fly ash intermediate silo of Maitree project shall be new, clean, rust free and straightened if necessary before being worked.

- a) All structural steel material – E350GR SA/IS 2062 as per BHEL standard HY10170.
- b) Chequered plate – DIN 5922 / BS EN 10363 or Equivalent
- c) SS liner - STAINLESS STEEL AISI 304, FINISH GRADE 2B (Cold rolled, annealed, pickled & Skin Passed)

Customer Approved vendor list for above Material (a,b): Refer Doc. QA:AS:MAIT:01

- d) All high strength structural bolts shall be of property class 10.9 conforming to BS EN 14399-3 or equivalent for dimension & BS EN ISO 898-1 or equivalent for mechanical properties.
- e) All nuts & washers for high strength bolts (H.S.F.G.) shall be of property class 10 conforming to BS EN 14399-3 or equivalent & BS EN 14399-5 or equivalent respectively.
- f) Transport stiffeners – ERW TUBE 50NB , IS1239 or equivalent

6. GRIT BLASTING AND PAINTING OF ALL STRUCTURES: As per following table

a. For all structural elements, Packing crates, Transport stiffeners								
Surface preparation & surface profile	Primer coat		Intermediate coat		Finish coat			Total DFT μ (min)
	Paint	No of coats/ DFT	Paint	No of coats	Paint	No of coats	Sha de	
Blast cleaning to Sa 2½	Epoxy zinc phosphate IS 13238	01/ DFT=80μ/ coat	Epoxy based polyamide cured MIO pigmented intermediate coat	02/ DFT= 80μ/ Coat Total= 160μ	Two component Aliphatic acrylic polyurethane paint IS 13213 #	01/ DFT= 50 μ/ coat; #	Wind ows grey (RAL 7040)	290
#- To be applied at site (Finish coat paint not in Vendor scope) As per Sl no: 05 of MAITREE-0-BFA-FF-100000-GEN, Rev.03								

Ref. Doc

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0 Rev No. 00 PAGE 3 of 38
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		b. Fasteners, Foundation Bolts- & Threaded portion for structures. Temporary rust preventive oil dry type (**)- DFT- 40μ (**)- Sea worthy rust preventive oil as per PRQA 524 (Non-threaded portion of Foundation bolts (If applicable) - Red oxide can be applied; DFT- 30μ) Customer approved Paint suppliers for structural works follow as : 1) M/s Shalimar Paints 2) M/s Jenson and Nicholson 3) M/s Kansai Nerolac 4) M/s Akzo Nobel 5) M/s Asian paints 7. LIST OF DRAWINGS: Refer Annexure -I 8. LIST OF DISPATCH UNITS (DU): Refer corresponding Annexure in Variant Table 9. SUBMITTALS The vendor shall supply the following documentation to BHEL after the job completion a. One set of complete manufacturing inspection records that include material test certificates (after completion of manufacture) as per enclosed quality plan. b. Deviation, if any, resulting in a material or process substitution shall be submitted to BHEL Engineers for review and approval. c. One set of dispatch documents after dispatch. 10. WELDING a) Welders carrying out the fabrication activities, shall be AWS D1.1(Latest revision)-qualified b) Welding procedures shall be qualified as per AWS D1.1(Latest revision)-PQR, WQR, WPS. c) Full penetration welds/ Butt Welds shall undergo RT/UT as per QAP. d) Fillet welds shall undergo LPI/MPI as per QP. 11. MARKING, PACKAGING AND SHIPPING Marking- a) DU number and erection mark shall be marked by hard punching and also by painting at both ends of each DU. b) Structural elements which cannot be marked as above shall have metal tags with the necessary markings on them. The metal tags shall be securely attached to the packages with strong steel binding wire. Each piece shipped separately shall be labelled or tagged properly		
Ref. Doc				

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 56110																																																															
			Rev No. 00																																																															
			PAGE 4 of 38																																																															
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.	Packaging – c) DU's which are less than 1.6MT should be packed in crates. Crates shall be manufactured as per BHEL drawings. d) Packing list should contain detailed contents of the package. e) Two 50mm wide Green & Red touching bands around perimeter of package positioned at two locations should be provided. Shipping- f) Material should be dispatched to Chennai Port. 12. WARRANTY By acceptance of a purchase order based on this specification, the supplier represents that he has examined and evaluated this specification and that all the information needed for the manufacture and supply of “Fly Ash intermediate silo” is included in this specification. If the supplier needs more technical information he will contact, in writing, BHEL Engineering or the concerned BHEL Purchase officer. While installing the component(s) at customer works, any problem arises due to poor workmanship, vendor has to rectify or replace the component(s) free of cost. <u>TABLE OF COMPLIANCE: OE56110</u> Vendor to fill up table of compliance, attest and submit along with technical bid. <table border="1"> <thead> <tr> <th>CLAUSE NO</th> <th>CONFIRMS (YES/NO)</th> <th>REMARKS</th> </tr> </thead> <tbody> <tr><td>1.0</td><td></td><td></td></tr> <tr><td>2.0</td><td></td><td></td></tr> <tr><td>3.0)a</td><td></td><td></td></tr> <tr><td>3.0)b</td><td></td><td></td></tr> <tr><td>3.0)c</td><td></td><td></td></tr> <tr><td>3.0)d</td><td></td><td></td></tr> <tr><td>3.0)e</td><td></td><td></td></tr> <tr><td>3.0)f</td><td></td><td></td></tr> <tr><td>3.0)g</td><td></td><td></td></tr> <tr><td>3.0)h</td><td></td><td></td></tr> <tr><td>3.0)i</td><td></td><td></td></tr> <tr><td>4.0)a</td><td></td><td></td></tr> <tr><td>4.0)b</td><td></td><td></td></tr> <tr><td>4.0)c</td><td></td><td></td></tr> <tr><td>4.0)d</td><td></td><td></td></tr> <tr><td>5.0)a</td><td></td><td></td></tr> <tr><td>5.0)b</td><td></td><td></td></tr> <tr><td>5.0)c</td><td></td><td></td></tr> <tr><td>5.0)d</td><td></td><td></td></tr> <tr><td>5.0)f</td><td></td><td></td></tr> </tbody> </table>			CLAUSE NO	CONFIRMS (YES/NO)	REMARKS	1.0			2.0			3.0)a			3.0)b			3.0)c			3.0)d			3.0)e			3.0)f			3.0)g			3.0)h			3.0)i			4.0)a			4.0)b			4.0)c			4.0)d			5.0)a			5.0)b			5.0)c			5.0)d			5.0)f		
	CLAUSE NO	CONFIRMS (YES/NO)	REMARKS																																																															
	1.0																																																																	
	2.0																																																																	
	3.0)a																																																																	
	3.0)b																																																																	
	3.0)c																																																																	
	3.0)d																																																																	
	3.0)e																																																																	
	3.0)f																																																																	
	3.0)g																																																																	
	3.0)h																																																																	
	3.0)i																																																																	
	4.0)a																																																																	
	4.0)b																																																																	
	4.0)c																																																																	
	4.0)d																																																																	
	5.0)a																																																																	
5.0)b																																																																		
5.0)c																																																																		
5.0)d																																																																		
5.0)f																																																																		
Ref. Doc																																																																		

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0																																																																				
			Rev No. 00																																																																				
			PAGE 5 of 38																																																																				
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.	<table border="1"> <tr><td>6.0)a</td><td></td><td></td></tr> <tr><td>6.0)b</td><td></td><td></td></tr> <tr><td>7.0</td><td></td><td></td></tr> <tr><td>8.0</td><td></td><td></td></tr> <tr><td>9.0)a</td><td></td><td></td></tr> <tr><td>9.0)b</td><td></td><td></td></tr> <tr><td>9.0)c</td><td></td><td></td></tr> <tr><td>10.0)a</td><td></td><td></td></tr> <tr><td>10.0)b</td><td></td><td></td></tr> <tr><td>10.0)c</td><td></td><td></td></tr> <tr><td>10.0)d</td><td></td><td></td></tr> <tr><td>11.0)a</td><td></td><td></td></tr> <tr><td>11.0)b</td><td></td><td></td></tr> <tr><td>11.0)c</td><td></td><td></td></tr> <tr><td>11.0)d</td><td></td><td></td></tr> <tr><td>11.0)e</td><td></td><td></td></tr> <tr><td>11.0)f</td><td></td><td></td></tr> <tr><td>12.0</td><td></td><td></td></tr> </table>				6.0)a			6.0)b			7.0			8.0			9.0)a			9.0)b			9.0)c			10.0)a			10.0)b			10.0)c			10.0)d			11.0)a			11.0)b			11.0)c			11.0)d			11.0)e			11.0)f			12.0															
	6.0)a																																																																						
6.0)b																																																																							
7.0																																																																							
8.0																																																																							
9.0)a																																																																							
9.0)b																																																																							
9.0)c																																																																							
10.0)a																																																																							
10.0)b																																																																							
10.0)c																																																																							
10.0)d																																																																							
11.0)a																																																																							
11.0)b																																																																							
11.0)c																																																																							
11.0)d																																																																							
11.0)e																																																																							
11.0)f																																																																							
12.0																																																																							
<u>PRODUCT VARIANT TABLE</u> <table border="1"> <thead> <tr> <th>VAR</th> <th>DESCRIPTION</th> <th>MATERIAL CODE</th> <th>WEIGHT (KG)</th> <th>SCOPE</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>SHELL PARTS ALONG WITH LINER-FA SILO1</td> <td>OE9756110015</td> <td>67,407</td> <td>ANNEXURE III</td> </tr> <tr> <td>02</td> <td>SHELL PARTS ALONG WITH LINER-FA SILO2</td> <td>OE9756110023</td> <td>67,407</td> <td>ANNEXURE IV</td> </tr> <tr> <td>03</td> <td>COLUMNS OF FA SILO 1</td> <td>OE9756110031</td> <td>110,909</td> <td>ANNEXURE V</td> </tr> <tr> <td>04</td> <td>COLUMNS OF FA SILO 2</td> <td>OE9756110040</td> <td>76,262</td> <td>ANNEXURE VI</td> </tr> <tr> <td>05</td> <td>MISCELLANEOUS PARTS OF FA SILO1</td> <td>OE9756110058</td> <td>106,676</td> <td>ANNEXURE VII</td> </tr> <tr> <td>06</td> <td>MISCELLANEOUS PARTS OF FA SILO2</td> <td>OE9756110066</td> <td>71,116</td> <td>ANNEXURE VIII</td> </tr> </tbody> </table> <u>ANNEXURE I- PACKING CRATE DRAWINGS</u> <table border="1"> <thead> <tr> <th>SL.No.</th> <th>PACKING CRATE</th> <th>DRAWING No.</th> </tr> </thead> <tbody> <tr><td>1</td><td>STEEL BOX 3X2.5X1.5m CAP.10MT</td><td>1-35-390-25157</td></tr> <tr><td>2</td><td>STEEL BOX 6X2.5X1.5M CAP.20MT</td><td>1-35-390-25159</td></tr> <tr><td>3</td><td>STEEL BOX 13X2.5X1.5M CAP.25MT</td><td>1-35-390-25161</td></tr> <tr><td>4</td><td>OPEN STEEL CRATE 12.5X2.5X2.0M CAP.25MT</td><td>1-35-390-30655</td></tr> <tr><td>5</td><td>OPEN STEEL CRATE 12.5X2.5X2.5M CAP.25MT</td><td>1-35-390-30656</td></tr> <tr><td>6</td><td>STEEL BASE FRAME 12.5X2.5M CAP.25MT</td><td>1-35-390-27066</td></tr> <tr><td>7</td><td>STEEL BASE FRAME 13.6X3.7Mtrs CAP.25MT</td><td>1-52-220-03132</td></tr> <tr><td>8</td><td>STEEL BOX 5.5X2.7X2.35M CAP.20MT</td><td>1-52-220-03133</td></tr> <tr><td>9</td><td>STEEL BASE FRAME 9X2.5Mtrs CAP.20MT</td><td>1-TS-000-01080</td></tr> <tr><td>10</td><td>STEEL BOX(Crate)10.5X3.6X2.5Mtrs CAP.25MT</td><td>1-79-000-07045</td></tr> </tbody> </table>				VAR	DESCRIPTION	MATERIAL CODE	WEIGHT (KG)	SCOPE	01	SHELL PARTS ALONG WITH LINER-FA SILO1	OE9756110015	67,407	ANNEXURE III	02	SHELL PARTS ALONG WITH LINER-FA SILO2	OE9756110023	67,407	ANNEXURE IV	03	COLUMNS OF FA SILO 1	OE9756110031	110,909	ANNEXURE V	04	COLUMNS OF FA SILO 2	OE9756110040	76,262	ANNEXURE VI	05	MISCELLANEOUS PARTS OF FA SILO1	OE9756110058	106,676	ANNEXURE VII	06	MISCELLANEOUS PARTS OF FA SILO2	OE9756110066	71,116	ANNEXURE VIII	SL.No.	PACKING CRATE	DRAWING No.	1	STEEL BOX 3X2.5X1.5m CAP.10MT	1-35-390-25157	2	STEEL BOX 6X2.5X1.5M CAP.20MT	1-35-390-25159	3	STEEL BOX 13X2.5X1.5M CAP.25MT	1-35-390-25161	4	OPEN STEEL CRATE 12.5X2.5X2.0M CAP.25MT	1-35-390-30655	5	OPEN STEEL CRATE 12.5X2.5X2.5M CAP.25MT	1-35-390-30656	6	STEEL BASE FRAME 12.5X2.5M CAP.25MT	1-35-390-27066	7	STEEL BASE FRAME 13.6X3.7Mtrs CAP.25MT	1-52-220-03132	8	STEEL BOX 5.5X2.7X2.35M CAP.20MT	1-52-220-03133	9	STEEL BASE FRAME 9X2.5Mtrs CAP.20MT	1-TS-000-01080	10	STEEL BOX(Crate)10.5X3.6X2.5Mtrs CAP.25MT	1-79-000-07045
VAR	DESCRIPTION	MATERIAL CODE	WEIGHT (KG)	SCOPE																																																																			
01	SHELL PARTS ALONG WITH LINER-FA SILO1	OE9756110015	67,407	ANNEXURE III																																																																			
02	SHELL PARTS ALONG WITH LINER-FA SILO2	OE9756110023	67,407	ANNEXURE IV																																																																			
03	COLUMNS OF FA SILO 1	OE9756110031	110,909	ANNEXURE V																																																																			
04	COLUMNS OF FA SILO 2	OE9756110040	76,262	ANNEXURE VI																																																																			
05	MISCELLANEOUS PARTS OF FA SILO1	OE9756110058	106,676	ANNEXURE VII																																																																			
06	MISCELLANEOUS PARTS OF FA SILO2	OE9756110066	71,116	ANNEXURE VIII																																																																			
SL.No.	PACKING CRATE	DRAWING No.																																																																					
1	STEEL BOX 3X2.5X1.5m CAP.10MT	1-35-390-25157																																																																					
2	STEEL BOX 6X2.5X1.5M CAP.20MT	1-35-390-25159																																																																					
3	STEEL BOX 13X2.5X1.5M CAP.25MT	1-35-390-25161																																																																					
4	OPEN STEEL CRATE 12.5X2.5X2.0M CAP.25MT	1-35-390-30655																																																																					
5	OPEN STEEL CRATE 12.5X2.5X2.5M CAP.25MT	1-35-390-30656																																																																					
6	STEEL BASE FRAME 12.5X2.5M CAP.25MT	1-35-390-27066																																																																					
7	STEEL BASE FRAME 13.6X3.7Mtrs CAP.25MT	1-52-220-03132																																																																					
8	STEEL BOX 5.5X2.7X2.35M CAP.20MT	1-52-220-03133																																																																					
9	STEEL BASE FRAME 9X2.5Mtrs CAP.20MT	1-TS-000-01080																																																																					
10	STEEL BOX(Crate)10.5X3.6X2.5Mtrs CAP.25MT	1-79-000-07045																																																																					
Ref. Doc																																																																							

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0																																																																																																															
			Rev No. 00																																																																																																															
			PAGE 6 of 38																																																																																																															
ANNEXURE II LIST OF DRAWINGS: <table border="1"> <thead> <tr> <th>Sl.No</th> <th>DESCRIPTION</th> <th>DRAWING NUMBER</th> </tr> </thead> <tbody> <tr><td>1</td><td>GA & MARKING ARRANGEMENT</td><td>19611010001</td></tr> <tr><td>2</td><td>DETAIL OF COLUMN, MKD. B/1 & B/8</td><td>19611010002</td></tr> <tr><td>3</td><td>DETAIL OF COLUMN, MKD. D/4</td><td>19611010003</td></tr> <tr><td>4</td><td>DETAIL OF COLUMN, MKD. C/2 & C/7</td><td>19611010004</td></tr> <tr><td>5</td><td>DETAIL OF COLUMN, MKD. A/2 & A/7</td><td>19611010005</td></tr> <tr><td>6</td><td>DETAIL OF COLUMN, MKD. C/3 & C/6</td><td>19611010006</td></tr> <tr><td>7</td><td>DETAIL OF COLUMN, MKD. A/3 & A/6</td><td>19611010007</td></tr> <tr><td>8</td><td>DETAIL OF COLUMN, MKD. D/5</td><td>19611010008</td></tr> <tr><td>9</td><td>GRATINGS AT EL.(+)10.500M (T.O.S) SILO # 1&2</td><td>19611010009</td></tr> <tr><td>10</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB1 TO FB6</td><td>19611010010</td></tr> <tr><td>11</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB7 TO FB13</td><td>19611010011</td></tr> <tr><td>12</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB14 TO FB20</td><td>19611010012</td></tr> <tr><td>13</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB21 TO FB25</td><td>19611010013</td></tr> <tr><td>14</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB26 TO FB45</td><td>19611010014</td></tr> <tr><td>15</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB46 TO FB53</td><td>19611010015</td></tr> <tr><td>16</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB54 TO FB56</td><td>19611010016</td></tr> <tr><td>17</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB57 TO FB59</td><td>19611010017</td></tr> <tr><td>18</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB60 TO FB66</td><td>19611010018</td></tr> <tr><td>19</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB67 TO FB70</td><td>19611010019</td></tr> <tr><td>20</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB71 & FB77</td><td>19611010020</td></tr> <tr><td>21</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB72 TO FB79</td><td>19611010021</td></tr> <tr><td>22</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB80,81,83,84,87 & 88</td><td>19611010022</td></tr> <tr><td>23</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB82,85,86& HANDRAIL</td><td>19611010023</td></tr> <tr><td>24</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB1,1A,2&3</td><td>19611010024</td></tr> <tr><td>25</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB4&5</td><td>19611010025</td></tr> <tr><td>26</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB6&7</td><td>19611010026</td></tr> <tr><td>27</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB8&9</td><td>19611010027</td></tr> <tr><td>28</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB10 TO 20</td><td>19611010028</td></tr> <tr><td>29</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB21 TO 39</td><td>19611010029</td></tr> <tr><td>30</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB40,40A TO 43</td><td>19611010030</td></tr> <tr><td>31</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB44 & 45</td><td>19611010031</td></tr> <tr><td>32</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB46,47 & 48</td><td>19611010032</td></tr> <tr><td>33</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB49 & 50</td><td>19611010033</td></tr> <tr><td>34</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB51 TO 57</td><td>19611010034</td></tr> <tr><td>35</td><td>DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB58 TO 75</td><td>19611010035</td></tr> <tr><td>36</td><td>DETAIL OF TIE BEAM, MKD. TB1 TO TB13</td><td>19611010036</td></tr> </tbody> </table>				Sl.No	DESCRIPTION	DRAWING NUMBER	1	GA & MARKING ARRANGEMENT	19611010001	2	DETAIL OF COLUMN, MKD. B/1 & B/8	19611010002	3	DETAIL OF COLUMN, MKD. D/4	19611010003	4	DETAIL OF COLUMN, MKD. C/2 & C/7	19611010004	5	DETAIL OF COLUMN, MKD. A/2 & A/7	19611010005	6	DETAIL OF COLUMN, MKD. C/3 & C/6	19611010006	7	DETAIL OF COLUMN, MKD. A/3 & A/6	19611010007	8	DETAIL OF COLUMN, MKD. D/5	19611010008	9	GRATINGS AT EL.(+)10.500M (T.O.S) SILO # 1&2	19611010009	10	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB1 TO FB6	19611010010	11	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB7 TO FB13	19611010011	12	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB14 TO FB20	19611010012	13	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB21 TO FB25	19611010013	14	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB26 TO FB45	19611010014	15	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB46 TO FB53	19611010015	16	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB54 TO FB56	19611010016	17	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB57 TO FB59	19611010017	18	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB60 TO FB66	19611010018	19	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB67 TO FB70	19611010019	20	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB71 & FB77	19611010020	21	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB72 TO FB79	19611010021	22	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB80,81,83,84,87 & 88	19611010022	23	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB82,85,86& HANDRAIL	19611010023	24	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB1,1A,2&3	19611010024	25	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB4&5	19611010025	26	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB6&7	19611010026	27	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB8&9	19611010027	28	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB10 TO 20	19611010028	29	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB21 TO 39	19611010029	30	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB40,40A TO 43	19611010030	31	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB44 & 45	19611010031	32	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB46,47 & 48	19611010032	33	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB49 & 50	19611010033	34	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB51 TO 57	19611010034	35	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB58 TO 75	19611010035	36	DETAIL OF TIE BEAM, MKD. TB1 TO TB13	19611010036
Sl.No	DESCRIPTION	DRAWING NUMBER																																																																																																																
1	GA & MARKING ARRANGEMENT	19611010001																																																																																																																
2	DETAIL OF COLUMN, MKD. B/1 & B/8	19611010002																																																																																																																
3	DETAIL OF COLUMN, MKD. D/4	19611010003																																																																																																																
4	DETAIL OF COLUMN, MKD. C/2 & C/7	19611010004																																																																																																																
5	DETAIL OF COLUMN, MKD. A/2 & A/7	19611010005																																																																																																																
6	DETAIL OF COLUMN, MKD. C/3 & C/6	19611010006																																																																																																																
7	DETAIL OF COLUMN, MKD. A/3 & A/6	19611010007																																																																																																																
8	DETAIL OF COLUMN, MKD. D/5	19611010008																																																																																																																
9	GRATINGS AT EL.(+)10.500M (T.O.S) SILO # 1&2	19611010009																																																																																																																
10	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB1 TO FB6	19611010010																																																																																																																
11	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB7 TO FB13	19611010011																																																																																																																
12	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB14 TO FB20	19611010012																																																																																																																
13	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB21 TO FB25	19611010013																																																																																																																
14	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB26 TO FB45	19611010014																																																																																																																
15	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB46 TO FB53	19611010015																																																																																																																
16	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB54 TO FB56	19611010016																																																																																																																
17	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB57 TO FB59	19611010017																																																																																																																
18	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB60 TO FB66	19611010018																																																																																																																
19	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB67 TO FB70	19611010019																																																																																																																
20	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB71 & FB77	19611010020																																																																																																																
21	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB72 TO FB79	19611010021																																																																																																																
22	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB80,81,83,84,87 & 88	19611010022																																																																																																																
23	DETAIL OF FLOOR BEAM AT EL.(+) 7.000M MKD., FB82,85,86& HANDRAIL	19611010023																																																																																																																
24	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB1,1A,2&3	19611010024																																																																																																																
25	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB4&5	19611010025																																																																																																																
26	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB6&7	19611010026																																																																																																																
27	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB8&9	19611010027																																																																																																																
28	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB10 TO 20	19611010028																																																																																																																
29	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB21 TO 39	19611010029																																																																																																																
30	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB40,40A TO 43	19611010030																																																																																																																
31	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB44 & 45	19611010031																																																																																																																
32	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB46,47 & 48	19611010032																																																																																																																
33	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB49 & 50	19611010033																																																																																																																
34	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB51 TO 57	19611010034																																																																																																																
35	DETAIL OF FLOOR BEAM AT EL.(+) 10.000M MKD., FB58 TO 75	19611010035																																																																																																																
36	DETAIL OF TIE BEAM, MKD. TB1 TO TB13	19611010036																																																																																																																
Ref. Doc																																																																																																																		

COPYRIGHT AND CONFIDENTIAL
 The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
 It must not be used directly or indirectly in any way detrimental to the interest of the company.

TD-106-2 Rev No. 5		Form No.	बी एच ई एल BHEL	PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0 Rev No. 00 PAGE 7 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.				37	DETAIL OF TIE BEAM, MKD. TB14 TO TB24,SP1&SP2	19611010037	
				38	DETAIL OF COLUMN BRCG., MKD. CBR1 TO CBR5	19611010038	
				39	DETAIL OF COLUMN BRCG., MKD. CBR6 TO CBR10	19611010039	
				40	DETAIL OF COLUMN BRCG., MKD. CBR11 TO CBR30	19611010040	
				41	DETAIL OF COLUMN BRCG., MKD. CBR31 TO CBR39	19611010041	
				42	DETAIL OF GRATINGS AT EL.(+)7.000M (T.O.S) SILO # 1	19611010042	
				43	DETAIL OF STAIRCASE, MKD. ST1 & ST2	19611010043	
				44	DETAIL OF STAIRCASE, MKD. ST3 & ST4	19611010044	
				45	DETAIL OF STAIRCASE, MKD. ST5 & ST6	19611010045	
				46	DETAIL OF STAIRCASE, MKD. ST7 & ST8	19611010046	
				47	DETAIL OF STAIRCASE, MKD. ST9 & ST10	19611010047	
				48	DETAIL OF STAIRCASE, MKD. ST11 & ST12	19611010048	
				49	DETAIL OF COLUMN BRCG., MKD. CBR40 TO CBR47	19611010049	
				50	DETAIL OF COLUMN BRCG., TIE BEAM & SHORT POST	19611010050	
				51	DETAIL OF FLOOR BEAM AT EL. (+) 9.000M	19611010051	
				52	DETAIL OF CHQD, PL. AT EL. (+) 9.000M	19611010052	
				53	DETAIL OF PIPE SUPPORT BEAM & BRACKET	19611010053	
				54	DETAIL OF PIPE SUPPORT BEAM & BRACKET	19611010054	
				55	DETAIL OF COLUMN, MKD. B/4 & B/5	19611010055	
				56	DETAIL OF BOTTOM BEAM AT EL.(+)13.498M MKD., BB1,BB2&BB3	19611010056	
				57	DETAIL OF BOTTOM BEAM AT EL.(+)13.498M MKD., BB4,BB5&BB6	19611010057	
				58	DETAIL OF BOTTOM BEAM AT EL.(+)13.498M MKD., BB7 TO BB28	19611010058	
				59	DETAIL OF BOTTOM BEAM AT EL.(+)13.498M MKD., BB29 TO BB33	19611010059	
				60	DETAIL OF BOTTOM BEAM AT EL.(+)13.498M MKD., BB34 TO BB37	19611010060	
				61	DETAIL OF BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	19611010061	
				62	DETAIL OF GRATINGS AT EL.(+)7.000M (T.O.S) SILO # 2	19611010062	
				63	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010063	
				64	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010064	
65	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010065					
66	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010066					
67	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010067					
68	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010068					
69	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010069					
70	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010070					
71	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010071					
72	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010072					
73	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010073					
74	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010074					
75	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010075					
76	DETAIL OF FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M (T.O.SILO)	19611010076					
77	DETAIL OF FRAME AT EL.(+)27.784M (T.O.SILO)	19611010077					

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0		
			Rev No. 00		
			PAGE 8 of 38		

COPYRIGHT AND CONFIDENTIAL
 The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
 It must not be used directly or indirectly in any way detrimental to the interest of the company.

78	DETAIL OF PLATFORM AT EL.(+)27.784M (T.O.SILO)	19611010078
79	DETAIL OF CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	19611010079
80	DETAIL OF HANDRAILS AT EL.(+)27.784M (T.O.SILO)	19611010080
81	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010081
82	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010082
83	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010083
84	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010084
85	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010085
86	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010086
87	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010087
88	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010088
89	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010089
90	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010090
91	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010091
92	DETAIL OF FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	19611010092
93	DETAIL OF CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	19611010093
94	DETAIL OF COLUMN BRG., MKD. CBR5,6A,22,25,26,27,28,29 &30	19611010094
95	DETAIL OF RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	19611010095
96	DETAIL OF PLATFORM AT EL.(+)27.784M (T.O.SILO)	19611010096
97	FABRICATION DETAIL OF SHELL PL.	19611010097
98	FABRICATION DETAIL OF LINER PL.	19611010098

ANNEXURE III - OE9756110015 SHELL PARTS ALONG WITH LINER-SILO1

A. FABRICATION ITEMS – TOTAL WEIGHT 67261 KG

DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	DRAWING
96110-1	SHELL PLATE WITH LINER	P1A	1483.60	1	19611010097
96110-2	SHELL PLATE WITH LINER	P1B	1483.60	1	19611010097
96110-3	SHELL PLATE WITH LINER	P1C	1483.60	1	19611010097
96110-4	SHELL PLATE WITH LINER	P2A	1663.21	1	19611010097
96110-5	SHELL PLATE WITH LINER	P2B	1663.21	1	19611010097
96110-6	SHELL PLATE WITH LINER	P2C	1663.21	1	19611010097
96110-7	SHELL PLATE WITH LINER	P3A	1558.03	1	19611010097
96110-8	SHELL PLATE WITH LINER	P3B	1558.03	1	19611010097
96110-9	SHELL PLATE WITH LINER	P3C	1558.03	1	19611010097
96110-10	SHELL PLATE WITH LINER	P3D	1558.03	1	19611010097

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD				OE 5 6 1 1 0		
							Rev No. 00		
							PAGE 9 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-11	SHELL PLATE WITH LINER	P4A	1916.16	1	19611010097	
			96110-12	SHELL PLATE WITH LINER	P4B	1916.16	1	19611010097	
			96110-13	SHELL PLATE WITH LINER	P4C	1916.16	1	19611010097	
			96110-14	SHELL PLATE WITH LINER	P4D	1916.16	1	19611010097	
			96110-15	SHELL PLATE WITH LINER	P5A	5720.96	1	19611010097	
			96110-16	SHELL PLATE WITH LINER	P5B	5720.96	1	19611010097	
			96110-17	SHELL PLATE WITH LINER	P5C	5720.96	1	19611010097	
			96110-18	SHELL PLATE WITH LINER	P5D	5720.96	1	19611010097	
			96110-19	SHELL PLATE WITH LINER	P6A	1670.89	1	19611010097	
			96110-20	SHELL PLATE WITH LINER	P6B	1670.89	1	19611010097	
			96110-21	SHELL PLATE WITH LINER	P6C	1670.89	1	19611010097	
			96110-22	SHELL PLATE WITH LINER	P6D	1670.89	1	19611010097	
			96110-23	SHELL PLATE WITH LINER	P7A	1735.02	1	19611010097	
			96110-24	SHELL PLATE WITH LINER	P7B	1735.02	1	19611010097	
			96110-25	SHELL PLATE WITH LINER	P7C	1735.02	1	19611010097	
			96110-26	SHELL PLATE WITH LINER	P7D	1735.02	1	19611010097	
			96110-27	SHELL PLATE WITH LINER	P8A	1635.91	1	19611010097	
			96110-28	SHELL PLATE WITH LINER	P8C	1635.91	1	19611010097	
			96110-29	SHELL PLATE WITH LINER	P8B	1564.42	1	19611010097	
			96110-30	SHELL PLATE WITH LINER	P8D	1564.42	1	19611010097	
			96110-31	LINER PLATE	01	97.99	3	19611010098	
			96110-32	LINER PLATE	07	6.53	8	19611010098	
			96110-33	LINER PLATE	08	15.17	8	19611010098	
			96110-34	LINER PLATE	09	12.72	4	19611010098	
			96110-35	LINER PLATE	10	11.34	3	19611010098	
			96110-36	LINER PLATE	11	15.47	5	19611010098	
			96110-37	LINER PLATE	12	42.44	3	19611010098	
			96110-38	LINER PLATE	13	34.93	3	19611010098	
			96110-39	LINER PLATE	14	28.54	3	19611010098	
			96110-40	LINER PLATE	15	22.71	3	19611010098	
			Ref. Doc						

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0	
			Rev No. 00	
			PAGE 10 of 38	

B. LIST OF FASTENERS TOTAL WEIGHT – 146 Kg
(To be supplied As per TDC:6:388)

DU NO	DESCRIPTION	ERECTION MARK	WEIGHT (KG.)	QTY
96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	240
96110-F24	NUT	M20	0.297	240
96110-F28	WASHER	A22	0.0164	240

ANNEXURE IV -OE9756110023 SHELL PARTS ALONG WITH LINER-SILO2

A. FABRICATION ITEMS – TOTAL WEIGHT 67261 KG

DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	DRAWING
96110-41	SHELL PLATE WITH LINER	P1A	1483.60	1	19611010097
96110-42	SHELL PLATE WITH LINER	P1B	1483.60	1	19611010097
96110-43	SHELL PLATE WITH LINER	P1C	1483.60	1	19611010097
96110-44	SHELL PLATE WITH LINER	P2A	1663.21	1	19611010097
96110-45	SHELL PLATE WITH LINER	P2B	1663.21	1	19611010097
96110-46	SHELL PLATE WITH LINER	P2C	1663.21	1	19611010097
96110-47	SHELL PLATE WITH LINER	P3A	1558.03	1	19611010097
96110-48	SHELL PLATE WITH LINER	P3B	1558.03	1	19611010097
96110-49	SHELL PLATE WITH LINER	P3C	1558.03	1	19611010097
96110-50	SHELL PLATE WITH LINER	P3D	1558.03	1	19611010097
96110-51	SHELL PLATE WITH LINER	P4A	1916.16	1	19611010097
96110-52	SHELL PLATE WITH LINER	P4B	1916.16	1	19611010097
96110-53	SHELL PLATE WITH LINER	P4C	1916.16	1	19611010097
96110-54	SHELL PLATE WITH LINER	P4D	1916.16	1	19611010097
96110-55	SHELL PLATE WITH LINER	P5A	5720.96	1	19611010097
96110-56	SHELL PLATE WITH LINER	P5B	5720.96	1	19611010097
96110-57	SHELL PLATE WITH LINER	P5C	5720.96	1	19611010097
96110-58	SHELL PLATE WITH LINER	P5D	5720.96	1	19611010097
96110-59	SHELL PLATE WITH LINER	P6A	1670.89	1	19611010097

COPYRIGHT AND CONFIDENTIAL
 The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
 It must not be used directly or indirectly in any way detrimental to the interest of the company.

Ref. Doc

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD					OE 5 6 1 1 0																																																																																																																															
							Rev No. 00																																																																																																																															
							PAGE 11 of 38																																																																																																																															
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company. <table border="1" style="width: 65%;"> <tr><td>96110-60</td><td>SHELL PLATE WITH LINER</td><td>P6B</td><td>1670.89</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-61</td><td>SHELL PLATE WITH LINER</td><td>P6C</td><td>1670.89</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-62</td><td>SHELL PLATE WITH LINER</td><td>P6D</td><td>1670.89</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-63</td><td>SHELL PLATE WITH LINER</td><td>P7A</td><td>1735.02</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-64</td><td>SHELL PLATE WITH LINER</td><td>P7B</td><td>1735.02</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-65</td><td>SHELL PLATE WITH LINER</td><td>P7C</td><td>1735.02</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-66</td><td>SHELL PLATE WITH LINER</td><td>P7D</td><td>1735.02</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-67</td><td>SHELL PLATE WITH LINER</td><td>P8A</td><td>1635.91</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-68</td><td>SHELL PLATE WITH LINER</td><td>P8C</td><td>1635.91</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-69</td><td>SHELL PLATE WITH LINER</td><td>P8B</td><td>1564.42</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-70</td><td>SHELL PLATE WITH LINER</td><td>P8D</td><td>1564.42</td><td>1</td><td>19611010097</td></tr> <tr><td>96110-71</td><td>LINER PLATE</td><td>01</td><td>97.99</td><td>3</td><td>19611010098</td></tr> <tr><td>96110-72</td><td>LINER PLATE</td><td>07</td><td>6.53</td><td>8</td><td>19611010098</td></tr> <tr><td>96110-73</td><td>LINER PLATE</td><td>08</td><td>15.17</td><td>8</td><td>19611010098</td></tr> <tr><td>96110-74</td><td>LINER PLATE</td><td>09</td><td>12.72</td><td>4</td><td>19611010098</td></tr> <tr><td>96110-75</td><td>LINER PLATE</td><td>10</td><td>11.34</td><td>3</td><td>19611010098</td></tr> <tr><td>96110-76</td><td>LINER PLATE</td><td>11</td><td>15.47</td><td>5</td><td>19611010098</td></tr> <tr><td>96110-77</td><td>LINER PLATE</td><td>12</td><td>42.44</td><td>3</td><td>19611010098</td></tr> <tr><td>96110-78</td><td>LINER PLATE</td><td>13</td><td>34.93</td><td>3</td><td>19611010098</td></tr> <tr><td>96110-79</td><td>LINER PLATE</td><td>14</td><td>28.54</td><td>3</td><td>19611010098</td></tr> <tr><td>96110-80</td><td>LINER PLATE</td><td>15</td><td>22.71</td><td>3</td><td>19611010098</td></tr> </table>									96110-60	SHELL PLATE WITH LINER	P6B	1670.89	1	19611010097	96110-61	SHELL PLATE WITH LINER	P6C	1670.89	1	19611010097	96110-62	SHELL PLATE WITH LINER	P6D	1670.89	1	19611010097	96110-63	SHELL PLATE WITH LINER	P7A	1735.02	1	19611010097	96110-64	SHELL PLATE WITH LINER	P7B	1735.02	1	19611010097	96110-65	SHELL PLATE WITH LINER	P7C	1735.02	1	19611010097	96110-66	SHELL PLATE WITH LINER	P7D	1735.02	1	19611010097	96110-67	SHELL PLATE WITH LINER	P8A	1635.91	1	19611010097	96110-68	SHELL PLATE WITH LINER	P8C	1635.91	1	19611010097	96110-69	SHELL PLATE WITH LINER	P8B	1564.42	1	19611010097	96110-70	SHELL PLATE WITH LINER	P8D	1564.42	1	19611010097	96110-71	LINER PLATE	01	97.99	3	19611010098	96110-72	LINER PLATE	07	6.53	8	19611010098	96110-73	LINER PLATE	08	15.17	8	19611010098	96110-74	LINER PLATE	09	12.72	4	19611010098	96110-75	LINER PLATE	10	11.34	3	19611010098	96110-76	LINER PLATE	11	15.47	5	19611010098	96110-77	LINER PLATE	12	42.44	3	19611010098	96110-78	LINER PLATE	13	34.93	3	19611010098	96110-79	LINER PLATE	14	28.54	3	19611010098	96110-80	LINER PLATE	15	22.71	3	19611010098
96110-60	SHELL PLATE WITH LINER	P6B	1670.89	1	19611010097																																																																																																																																	
96110-61	SHELL PLATE WITH LINER	P6C	1670.89	1	19611010097																																																																																																																																	
96110-62	SHELL PLATE WITH LINER	P6D	1670.89	1	19611010097																																																																																																																																	
96110-63	SHELL PLATE WITH LINER	P7A	1735.02	1	19611010097																																																																																																																																	
96110-64	SHELL PLATE WITH LINER	P7B	1735.02	1	19611010097																																																																																																																																	
96110-65	SHELL PLATE WITH LINER	P7C	1735.02	1	19611010097																																																																																																																																	
96110-66	SHELL PLATE WITH LINER	P7D	1735.02	1	19611010097																																																																																																																																	
96110-67	SHELL PLATE WITH LINER	P8A	1635.91	1	19611010097																																																																																																																																	
96110-68	SHELL PLATE WITH LINER	P8C	1635.91	1	19611010097																																																																																																																																	
96110-69	SHELL PLATE WITH LINER	P8B	1564.42	1	19611010097																																																																																																																																	
96110-70	SHELL PLATE WITH LINER	P8D	1564.42	1	19611010097																																																																																																																																	
96110-71	LINER PLATE	01	97.99	3	19611010098																																																																																																																																	
96110-72	LINER PLATE	07	6.53	8	19611010098																																																																																																																																	
96110-73	LINER PLATE	08	15.17	8	19611010098																																																																																																																																	
96110-74	LINER PLATE	09	12.72	4	19611010098																																																																																																																																	
96110-75	LINER PLATE	10	11.34	3	19611010098																																																																																																																																	
96110-76	LINER PLATE	11	15.47	5	19611010098																																																																																																																																	
96110-77	LINER PLATE	12	42.44	3	19611010098																																																																																																																																	
96110-78	LINER PLATE	13	34.93	3	19611010098																																																																																																																																	
96110-79	LINER PLATE	14	28.54	3	19611010098																																																																																																																																	
96110-80	LINER PLATE	15	22.71	3	19611010098																																																																																																																																	
B. LIST OF FASTENERS TOTAL WEIGHT – 146 Kg (To be supplied As per TDC:6:388) <table border="1" style="width: 100%;"> <thead> <tr> <th>DU NO</th> <th>DESCRIPTION</th> <th>ERECTION MARK</th> <th>WEIGHT (KG.)</th> <th>QTY</th> </tr> </thead> <tbody> <tr> <td>96110-F16</td> <td>H.T.BOLT GR.10.9</td> <td>M20-95 LG.</td> <td>0.297</td> <td>240</td> </tr> <tr> <td>96110-F24</td> <td>NUT</td> <td>M20</td> <td>0.297</td> <td>240</td> </tr> <tr> <td>96110-F28</td> <td>WASHER</td> <td>A22</td> <td>0.0164</td> <td>240</td> </tr> </tbody> </table>									DU NO	DESCRIPTION	ERECTION MARK	WEIGHT (KG.)	QTY	96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	240	96110-F24	NUT	M20	0.297	240	96110-F28	WASHER	A22	0.0164	240																																																																																																										
DU NO	DESCRIPTION	ERECTION MARK	WEIGHT (KG.)	QTY																																																																																																																																		
96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	240																																																																																																																																		
96110-F24	NUT	M20	0.297	240																																																																																																																																		
96110-F28	WASHER	A22	0.0164	240																																																																																																																																		
Ref. Doc																																																																																																																																						

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0	
			Rev No. 00	
			PAGE 12 of 38	

COPYRIGHT AND CONFIDENTIAL
 The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
 It must not be used directly or indirectly in any way detrimental to the interest of the company.

ANNEXURE V -OE9756110031 COLUMNS –SILO1

A. FABRICATION ITEMS – TOTAL WEIGHT 110644 KG

DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	DRAWING
96110-81	COLUMN	B/1/1	8155.85	1	19611010002
96110-82	COLUMN	B/1/2	6174.18	1	19611010002
96110-83	COLUMN	D/4-1	3426.89	1	19611010003
96110-84	COLUMN	D/4-2	3089.98	1	19611010003
96110-85	COLUMN	D/4-3	1557.41	1	19611010003
96110-86	COLUMN	C/2/1	7233.7	1	19611010004
96110-87	COLUMN	C/2/2	6174.18	1	19611010004
96110-88	COLUMN	A/2/1	7234.99	1	19611010005
96110-89	COLUMN	A/2/2	6168.49	1	19611010005
96110-90	COLUMN	C/3/1	7141.9	1	19611010006
96110-91	COLUMN	C/3/2	6160.94	1	19611010006
96110-92	COLUMN	A/3/1	7360.64	1	19611010007
96110-93	COLUMN	A/3/2	6184.03	1	19611010007
96110-94	COLUMN	B/4/1	8491.66	1	19611010055
96110-95	COLUMN	B/4/2	6644.79	1	19611010055
96110-96	COLUMN	B/4/3	2153.94	1	19611010055
96110-97	COLUMN	B/5/1	8491.66	1	19611010055
96110-98	COLUMN	B/5/2	6644.79	1	19611010055
96110-99	COLUMN	B/5/3	2153.94	1	19611010055

B. LIST OF FASTENERS TOTAL WEIGHT – 265 Kg
(To be supplied As per TDC:6:388)

DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/U NIT (KG.)	QTY
96110-F06	H.T.BOLT GR.10.9	M16-55 LG.	0.118	14
96110-F08	H.T.BOLT GR.10.9	M20-100 LG.	0.31	10
96110-F14	H.T.BOLT GR.10.9	M20-70 LG.	0.235	10
96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	38
96110-F18	H.T.BOLT GR.10.9	M24-70 LG.	0.348	56
96110-F20	H.T.BOLT GR.10.9	M24-90 LG.	0.42	330
96110-F21	H.T.BOLT GR.10.9	M24-95 LG.	0.437	56
96110-F23	NUT	M16	0.032	14
96110-F24	NUT	M20	0.061	56
96110-F25	NUT	M24	0.104	440
96110-F27	WASHER	A18	0.0106	14
96110-F28	WASHER	A22	0.0164	56
96110-F29	WASHER	A26	0.0311	440

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0																																																																																																																																																											
			Rev No. 00																																																																																																																																																											
			PAGE 13 of 38																																																																																																																																																											
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company. ANNEXURE VI - OE9756110040 COLUMNS –SILO2 A. FABRICATION ITEMS – TOTAL WEIGHT 76063 KG <table border="1"> <thead> <tr> <th>DU NO</th> <th>DESCRIPTION</th> <th>ERECTION MARK</th> <th>WEIGHT/UNIT (KG.)</th> <th>QTY</th> <th>DRAWING</th> </tr> </thead> <tbody> <tr><td>96110-100</td><td>COLUMN</td><td>B/8/1</td><td>8155.85</td><td>1</td><td>19611010002</td></tr> <tr><td>96110-101</td><td>COLUMN</td><td>B/8/2</td><td>6174.18</td><td>1</td><td>19611010002</td></tr> <tr><td>96110-102</td><td>COLUMN</td><td>C/7/1</td><td>7233.7</td><td>1</td><td>19611010004</td></tr> <tr><td>96110-103</td><td>COLUMN</td><td>C/7/2</td><td>6174.18</td><td>1</td><td>19611010004</td></tr> <tr><td>96110-104</td><td>COLUMN</td><td>A/7/1</td><td>7234.99</td><td>1</td><td>19611010005</td></tr> <tr><td>96110-105</td><td>COLUMN</td><td>A/7/2</td><td>6168.49</td><td>1</td><td>19611010005</td></tr> <tr><td>96110-106</td><td>COLUMN</td><td>C/6/1</td><td>7141.9</td><td>1</td><td>19611010006</td></tr> <tr><td>96110-107</td><td>COLUMN</td><td>C/6/2</td><td>6160.94</td><td>1</td><td>19611010006</td></tr> <tr><td>96110-108</td><td>COLUMN</td><td>A/6/1</td><td>7360.64</td><td>1</td><td>19611010007</td></tr> <tr><td>96110-109</td><td>COLUMN</td><td>A/6/2</td><td>6184.03</td><td>1</td><td>19611010007</td></tr> <tr><td>96110-110</td><td>COLUMN</td><td>D/5-1</td><td>3426.89</td><td>1</td><td>19611010008</td></tr> <tr><td>96110-111</td><td>COLUMN</td><td>D/5-2</td><td>3089.98</td><td>1</td><td>19611010008</td></tr> <tr><td>96110-112</td><td>COLUMN</td><td>D/5-3</td><td>1557.41</td><td>1</td><td>19611010008</td></tr> </tbody> </table> B. LIST OF FASTENERS TOTAL WEIGHT – 199 Kg (To be supplied As per TDC:6:388) <table border="1"> <thead> <tr> <th>DU NO</th> <th>DESCRIPTION</th> <th>ERECTION MARK</th> <th>WEIGHT/UNIT (KG.)</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td>96110-F06</td><td>H.T.BOLT GR.10.9</td><td>M16-55 LG.</td><td>0.118</td><td>12</td></tr> <tr><td>96110-F08</td><td>H.T.BOLT GR.10.9</td><td>M20-100 LG.</td><td>0.31</td><td>8</td></tr> <tr><td>96110-F14</td><td>H.T.BOLT GR.10.9</td><td>M20-70 LG.</td><td>0.235</td><td>8</td></tr> <tr><td>96110-F16</td><td>H.T.BOLT GR.10.9</td><td>M20-95 LG.</td><td>0.297</td><td>28</td></tr> <tr><td>96110-F18</td><td>H.T.BOLT GR.10.9</td><td>M24-70 LG.</td><td>0.348</td><td>42</td></tr> <tr><td>96110-F20</td><td>H.T.BOLT GR.10.9</td><td>M24-90 LG.</td><td>0.42</td><td>248</td></tr> <tr><td>96110-F21</td><td>H.T.BOLT GR.10.9</td><td>M24-95 LG.</td><td>0.437</td><td>42</td></tr> <tr><td>96110-F23</td><td>NUT</td><td>M16</td><td>0.032</td><td>12</td></tr> <tr><td>96110-F24</td><td>NUT</td><td>M20</td><td>0.061</td><td>42</td></tr> <tr><td>96110-F25</td><td>NUT</td><td>M24</td><td>0.104</td><td>330</td></tr> <tr><td>96110-F27</td><td>WASHER</td><td>A18</td><td>0.0106</td><td>12</td></tr> <tr><td>96110-F28</td><td>WASHER</td><td>A22</td><td>0.0164</td><td>42</td></tr> <tr><td>96110-F29</td><td>WASHER</td><td>A26</td><td>0.0311</td><td>330</td></tr> </tbody> </table>					DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	DRAWING	96110-100	COLUMN	B/8/1	8155.85	1	19611010002	96110-101	COLUMN	B/8/2	6174.18	1	19611010002	96110-102	COLUMN	C/7/1	7233.7	1	19611010004	96110-103	COLUMN	C/7/2	6174.18	1	19611010004	96110-104	COLUMN	A/7/1	7234.99	1	19611010005	96110-105	COLUMN	A/7/2	6168.49	1	19611010005	96110-106	COLUMN	C/6/1	7141.9	1	19611010006	96110-107	COLUMN	C/6/2	6160.94	1	19611010006	96110-108	COLUMN	A/6/1	7360.64	1	19611010007	96110-109	COLUMN	A/6/2	6184.03	1	19611010007	96110-110	COLUMN	D/5-1	3426.89	1	19611010008	96110-111	COLUMN	D/5-2	3089.98	1	19611010008	96110-112	COLUMN	D/5-3	1557.41	1	19611010008	DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	96110-F06	H.T.BOLT GR.10.9	M16-55 LG.	0.118	12	96110-F08	H.T.BOLT GR.10.9	M20-100 LG.	0.31	8	96110-F14	H.T.BOLT GR.10.9	M20-70 LG.	0.235	8	96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	28	96110-F18	H.T.BOLT GR.10.9	M24-70 LG.	0.348	42	96110-F20	H.T.BOLT GR.10.9	M24-90 LG.	0.42	248	96110-F21	H.T.BOLT GR.10.9	M24-95 LG.	0.437	42	96110-F23	NUT	M16	0.032	12	96110-F24	NUT	M20	0.061	42	96110-F25	NUT	M24	0.104	330	96110-F27	WASHER	A18	0.0106	12	96110-F28	WASHER	A22	0.0164	42	96110-F29	WASHER	A26	0.0311	330
DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY	DRAWING																																																																																																																																																									
96110-100	COLUMN	B/8/1	8155.85	1	19611010002																																																																																																																																																									
96110-101	COLUMN	B/8/2	6174.18	1	19611010002																																																																																																																																																									
96110-102	COLUMN	C/7/1	7233.7	1	19611010004																																																																																																																																																									
96110-103	COLUMN	C/7/2	6174.18	1	19611010004																																																																																																																																																									
96110-104	COLUMN	A/7/1	7234.99	1	19611010005																																																																																																																																																									
96110-105	COLUMN	A/7/2	6168.49	1	19611010005																																																																																																																																																									
96110-106	COLUMN	C/6/1	7141.9	1	19611010006																																																																																																																																																									
96110-107	COLUMN	C/6/2	6160.94	1	19611010006																																																																																																																																																									
96110-108	COLUMN	A/6/1	7360.64	1	19611010007																																																																																																																																																									
96110-109	COLUMN	A/6/2	6184.03	1	19611010007																																																																																																																																																									
96110-110	COLUMN	D/5-1	3426.89	1	19611010008																																																																																																																																																									
96110-111	COLUMN	D/5-2	3089.98	1	19611010008																																																																																																																																																									
96110-112	COLUMN	D/5-3	1557.41	1	19611010008																																																																																																																																																									
DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/UNIT (KG.)	QTY																																																																																																																																																										
96110-F06	H.T.BOLT GR.10.9	M16-55 LG.	0.118	12																																																																																																																																																										
96110-F08	H.T.BOLT GR.10.9	M20-100 LG.	0.31	8																																																																																																																																																										
96110-F14	H.T.BOLT GR.10.9	M20-70 LG.	0.235	8																																																																																																																																																										
96110-F16	H.T.BOLT GR.10.9	M20-95 LG.	0.297	28																																																																																																																																																										
96110-F18	H.T.BOLT GR.10.9	M24-70 LG.	0.348	42																																																																																																																																																										
96110-F20	H.T.BOLT GR.10.9	M24-90 LG.	0.42	248																																																																																																																																																										
96110-F21	H.T.BOLT GR.10.9	M24-95 LG.	0.437	42																																																																																																																																																										
96110-F23	NUT	M16	0.032	12																																																																																																																																																										
96110-F24	NUT	M20	0.061	42																																																																																																																																																										
96110-F25	NUT	M24	0.104	330																																																																																																																																																										
96110-F27	WASHER	A18	0.0106	12																																																																																																																																																										
96110-F28	WASHER	A22	0.0164	42																																																																																																																																																										
96110-F29	WASHER	A26	0.0311	330																																																																																																																																																										
Ref. Doc																																																																																																																																																														

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD	OE 5 6 1 1 0																																																																																																																																																																																					
				Rev No. 00																																																																																																																																																																																					
				PAGE 14 of 38																																																																																																																																																																																					
<u>ANNEXURE VII - OE9756110058 MISCELLANEOUS PARTS OF FA SILO1</u> A. <u>FABRICATION ITEMS</u> – TOTAL WEIGHT <u>104878 KG</u> <table><tr><th>DU NO</th><th>DESCRIPTION</th><th>ERECTION MARK</th><th>WEIGHT (KG.)</th><th>QTY</th></tr><tr><td>96110-113</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-1</td><td>1613.89</td><td>1</td></tr><tr><td>96110-114</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-3</td><td>28.07</td><td>4</td></tr><tr><td>96110-115</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-5</td><td>24.73</td><td>4</td></tr><tr><td>96110-116</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-7</td><td>1209.47</td><td>1</td></tr><tr><td>96110-117</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-8</td><td>11.28</td><td>2</td></tr><tr><td>96110-118</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-10</td><td>58.6</td><td>1</td></tr><tr><td>96110-119</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-12</td><td>84.66</td><td>2</td></tr><tr><td>96110-120</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-14</td><td>58.71</td><td>1</td></tr><tr><td>96110-121</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-15</td><td>58.71</td><td>2</td></tr><tr><td>96110-122</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-17</td><td>51.52</td><td>1</td></tr><tr><td>96110-123</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-18</td><td>73.14</td><td>2</td></tr><tr><td>96110-124</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-21</td><td>58.71</td><td>1</td></tr><tr><td>96110-125</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-22</td><td>58.71</td><td>2</td></tr><tr><td>96110-126</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/BKT-1/1</td><td>43.11</td><td>2</td></tr><tr><td>96110-127</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/BKT-1/2</td><td>15.67</td><td>2</td></tr><tr><td>96110-128</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/BKT-3/1</td><td>46.37</td><td>2</td></tr><tr><td>96110-129</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/BKT-3/2</td><td>15.67</td><td>2</td></tr><tr><td>96110-130</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-23</td><td>251.17</td><td>1</td></tr><tr><td>96110-131</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-26</td><td>4.13</td><td>1</td></tr><tr><td>96110-132</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-27</td><td>10.34</td><td>1</td></tr><tr><td>96110-133</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-28</td><td>40.38</td><td>1</td></tr><tr><td>96110-134</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-29</td><td>37.4</td><td>1</td></tr><tr><td>96110-135</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-30</td><td>28.07</td><td>1</td></tr><tr><td>96110-136</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-31</td><td>8.58</td><td>1</td></tr><tr><td>96110-137</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-32</td><td>5.89</td><td>1</td></tr><tr><td>96110-138</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-33</td><td>4.13</td><td>1</td></tr><tr><td>96110-139</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-34</td><td>10.34</td><td>1</td></tr><tr><td>96110-140</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-35</td><td>40.38</td><td>1</td></tr><tr><td>96110-141</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-36</td><td>38.02</td><td>1</td></tr><tr><td>96110-142</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-37</td><td>28.07</td><td>1</td></tr><tr><td>96110-143</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-38</td><td>8.58</td><td>1</td></tr><tr><td>96110-144</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-39</td><td>5.89</td><td>1</td></tr><tr><td>96110-145</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-40</td><td>6.69</td><td>1</td></tr><tr><td>96110-146</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-41</td><td>3.79</td><td>1</td></tr><tr><td>96110-147</td><td>FLOOR BEAM AT EL.(+) 7.000M</td><td>7/FB-42</td><td>7.99</td><td>4</td></tr></table>						DU NO	DESCRIPTION	ERECTION MARK	WEIGHT (KG.)	QTY	96110-113	FLOOR BEAM AT EL.(+) 7.000M	7/FB-1	1613.89	1	96110-114	FLOOR BEAM AT EL.(+) 7.000M	7/FB-3	28.07	4	96110-115	FLOOR BEAM AT EL.(+) 7.000M	7/FB-5	24.73	4	96110-116	FLOOR BEAM AT EL.(+) 7.000M	7/FB-7	1209.47	1	96110-117	FLOOR BEAM AT EL.(+) 7.000M	7/FB-8	11.28	2	96110-118	FLOOR BEAM AT EL.(+) 7.000M	7/FB-10	58.6	1	96110-119	FLOOR BEAM AT EL.(+) 7.000M	7/FB-12	84.66	2	96110-120	FLOOR BEAM AT EL.(+) 7.000M	7/FB-14	58.71	1	96110-121	FLOOR BEAM AT EL.(+) 7.000M	7/FB-15	58.71	2	96110-122	FLOOR BEAM AT EL.(+) 7.000M	7/FB-17	51.52	1	96110-123	FLOOR BEAM AT EL.(+) 7.000M	7/FB-18	73.14	2	96110-124	FLOOR BEAM AT EL.(+) 7.000M	7/FB-21	58.71	1	96110-125	FLOOR BEAM AT EL.(+) 7.000M	7/FB-22	58.71	2	96110-126	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-1/1	43.11	2	96110-127	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-1/2	15.67	2	96110-128	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-3/1	46.37	2	96110-129	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-3/2	15.67	2	96110-130	FLOOR BEAM AT EL.(+) 7.000M	7/FB-23	251.17	1	96110-131	FLOOR BEAM AT EL.(+) 7.000M	7/FB-26	4.13	1	96110-132	FLOOR BEAM AT EL.(+) 7.000M	7/FB-27	10.34	1	96110-133	FLOOR BEAM AT EL.(+) 7.000M	7/FB-28	40.38	1	96110-134	FLOOR BEAM AT EL.(+) 7.000M	7/FB-29	37.4	1	96110-135	FLOOR BEAM AT EL.(+) 7.000M	7/FB-30	28.07	1	96110-136	FLOOR BEAM AT EL.(+) 7.000M	7/FB-31	8.58	1	96110-137	FLOOR BEAM AT EL.(+) 7.000M	7/FB-32	5.89	1	96110-138	FLOOR BEAM AT EL.(+) 7.000M	7/FB-33	4.13	1	96110-139	FLOOR BEAM AT EL.(+) 7.000M	7/FB-34	10.34	1	96110-140	FLOOR BEAM AT EL.(+) 7.000M	7/FB-35	40.38	1	96110-141	FLOOR BEAM AT EL.(+) 7.000M	7/FB-36	38.02	1	96110-142	FLOOR BEAM AT EL.(+) 7.000M	7/FB-37	28.07	1	96110-143	FLOOR BEAM AT EL.(+) 7.000M	7/FB-38	8.58	1	96110-144	FLOOR BEAM AT EL.(+) 7.000M	7/FB-39	5.89	1	96110-145	FLOOR BEAM AT EL.(+) 7.000M	7/FB-40	6.69	1	96110-146	FLOOR BEAM AT EL.(+) 7.000M	7/FB-41	3.79	1	96110-147	FLOOR BEAM AT EL.(+) 7.000M	7/FB-42	7.99	4
DU NO	DESCRIPTION	ERECTION MARK	WEIGHT (KG.)	QTY																																																																																																																																																																																					
96110-113	FLOOR BEAM AT EL.(+) 7.000M	7/FB-1	1613.89	1																																																																																																																																																																																					
96110-114	FLOOR BEAM AT EL.(+) 7.000M	7/FB-3	28.07	4																																																																																																																																																																																					
96110-115	FLOOR BEAM AT EL.(+) 7.000M	7/FB-5	24.73	4																																																																																																																																																																																					
96110-116	FLOOR BEAM AT EL.(+) 7.000M	7/FB-7	1209.47	1																																																																																																																																																																																					
96110-117	FLOOR BEAM AT EL.(+) 7.000M	7/FB-8	11.28	2																																																																																																																																																																																					
96110-118	FLOOR BEAM AT EL.(+) 7.000M	7/FB-10	58.6	1																																																																																																																																																																																					
96110-119	FLOOR BEAM AT EL.(+) 7.000M	7/FB-12	84.66	2																																																																																																																																																																																					
96110-120	FLOOR BEAM AT EL.(+) 7.000M	7/FB-14	58.71	1																																																																																																																																																																																					
96110-121	FLOOR BEAM AT EL.(+) 7.000M	7/FB-15	58.71	2																																																																																																																																																																																					
96110-122	FLOOR BEAM AT EL.(+) 7.000M	7/FB-17	51.52	1																																																																																																																																																																																					
96110-123	FLOOR BEAM AT EL.(+) 7.000M	7/FB-18	73.14	2																																																																																																																																																																																					
96110-124	FLOOR BEAM AT EL.(+) 7.000M	7/FB-21	58.71	1																																																																																																																																																																																					
96110-125	FLOOR BEAM AT EL.(+) 7.000M	7/FB-22	58.71	2																																																																																																																																																																																					
96110-126	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-1/1	43.11	2																																																																																																																																																																																					
96110-127	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-1/2	15.67	2																																																																																																																																																																																					
96110-128	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-3/1	46.37	2																																																																																																																																																																																					
96110-129	FLOOR BEAM AT EL.(+) 7.000M	7/BKT-3/2	15.67	2																																																																																																																																																																																					
96110-130	FLOOR BEAM AT EL.(+) 7.000M	7/FB-23	251.17	1																																																																																																																																																																																					
96110-131	FLOOR BEAM AT EL.(+) 7.000M	7/FB-26	4.13	1																																																																																																																																																																																					
96110-132	FLOOR BEAM AT EL.(+) 7.000M	7/FB-27	10.34	1																																																																																																																																																																																					
96110-133	FLOOR BEAM AT EL.(+) 7.000M	7/FB-28	40.38	1																																																																																																																																																																																					
96110-134	FLOOR BEAM AT EL.(+) 7.000M	7/FB-29	37.4	1																																																																																																																																																																																					
96110-135	FLOOR BEAM AT EL.(+) 7.000M	7/FB-30	28.07	1																																																																																																																																																																																					
96110-136	FLOOR BEAM AT EL.(+) 7.000M	7/FB-31	8.58	1																																																																																																																																																																																					
96110-137	FLOOR BEAM AT EL.(+) 7.000M	7/FB-32	5.89	1																																																																																																																																																																																					
96110-138	FLOOR BEAM AT EL.(+) 7.000M	7/FB-33	4.13	1																																																																																																																																																																																					
96110-139	FLOOR BEAM AT EL.(+) 7.000M	7/FB-34	10.34	1																																																																																																																																																																																					
96110-140	FLOOR BEAM AT EL.(+) 7.000M	7/FB-35	40.38	1																																																																																																																																																																																					
96110-141	FLOOR BEAM AT EL.(+) 7.000M	7/FB-36	38.02	1																																																																																																																																																																																					
96110-142	FLOOR BEAM AT EL.(+) 7.000M	7/FB-37	28.07	1																																																																																																																																																																																					
96110-143	FLOOR BEAM AT EL.(+) 7.000M	7/FB-38	8.58	1																																																																																																																																																																																					
96110-144	FLOOR BEAM AT EL.(+) 7.000M	7/FB-39	5.89	1																																																																																																																																																																																					
96110-145	FLOOR BEAM AT EL.(+) 7.000M	7/FB-40	6.69	1																																																																																																																																																																																					
96110-146	FLOOR BEAM AT EL.(+) 7.000M	7/FB-41	3.79	1																																																																																																																																																																																					
96110-147	FLOOR BEAM AT EL.(+) 7.000M	7/FB-42	7.99	4																																																																																																																																																																																					
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		Ref. Doc																																																																																																																																																																																							

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 15 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-148	FLOOR BEAM AT EL.(+) 7.000M	7/FB-44	8.03	4
			96110-149	FLOOR BEAM AT EL.(+) 7.000M	7/FB-53	435.73	1
			96110-150	FLOOR BEAM AT EL.(+) 7.000M	7/FB-46	4.82	8
			96110-151	FLOOR BEAM AT EL.(+) 7.000M	7/FB-48	3.79	1
			96110-152	FLOOR BEAM AT EL.(+) 7.000M	7/FB-49	6.69	1
			96110-153	FLOOR BEAM AT EL.(+) 7.000M	7/FB-54	578.95	1
			96110-154	FLOOR BEAM AT EL.(+) 7.000M	7/FB-55	410.01	1
			96110-155	FLOOR BEAM AT EL.(+) 7.000M	7/FB-57	484.31	1
			96110-156	FLOOR BEAM AT EL.(+) 7.000M	7/FB-60	84.66	2
			96110-157	FLOOR BEAM AT EL.(+) 7.000M	7/FB-62	58.71	1
			96110-158	FLOOR BEAM AT EL.(+) 7.000M	7/FB-63	58.71	2
			96110-159	FLOOR BEAM AT EL.(+) 7.000M	7/FB-65	1209.47	1
			96110-160	FLOOR BEAM AT EL.(+) 7.000M	7/FB-67	1613.89	1
			96110-161	FLOOR BEAM AT EL.(+) 7.000M	7/FB-68	251.17	1
			96110-162	FLOOR BEAM AT EL.(+) 7.000M	7/FB-70	251.17	1
			96110-163	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-71	1209.47	1
			96110-164	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-77	616.56	1
			96110-165	FLOOR BEAM AT EL.(+) 7.000M	7/FB-72	58.60	1
			96110-166	FLOOR BEAM AT EL.(+) 7.000M	7/FB-73	84.66	2
			96110-167	FLOOR BEAM AT EL.(+) 7.000M	7/FB-76	58.71	2
			96110-168	FLOOR BEAM AT EL.(+) 7.000M	7/FB-79	399.84	1
			96110-169	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-74	84.66	2
			96110-170	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-75	58.71	1
			96110-171	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-78	580.23	1
			96110-172	FLOOR BEAM AT EL.(+) 7.000M	7/FB-80	435.73	1
			96110-173	FLOOR BEAM AT EL.(+) 7.000M	7/FB-83	85.69	1
			96110-174	FLOOR BEAM AT EL.(+) 7.000M	7/FB-87	10.01	1
			96110-175	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-81	425.79	1
			96110-176	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-84	50.77	1
			96110-177	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-88	10.01	1
			96110-178	FLOOR BEAM AT EL.(+) 7.000M	7/FB-82	484.45	1
			96110-179	FLOOR BEAM AT EL.(+) 7.000M	7/FB-85	167.79	1
			96110-180	FLOOR BEAM AT EL.(+) 7.000M	7/HR-1	22.87	4
96110-181	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-86	167.79	1			
96110-182	FLOOR BEAM AT EL.(+) 7.000M MKD	7/HR-2	107.58	6			
96110-183	FLOOR BEAM AT EL.(+) 10.000M	10/FB-1	278.79	2			
96110-184	FLOOR BEAM AT EL.(+) 10.000M	10/FB-3	439.98	1			
96110-185	FLOOR BEAM AT EL.(+) 10.000M	10/FB-4	432.06	1			
96110-186	FLOOR BEAM AT EL.(+) 10.000M	10/FB-7	557.51	1			
96110-187	FLOOR BEAM AT EL.(+) 10.000M	10/FB-8	573.33	1			
96110-188	FLOOR BEAM AT EL.(+) 10.000M	10/FB-10	222.67	1			
96110-189	FLOOR BEAM AT EL.(+) 10.000M	10/FB-12	78.62	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0	
					Rev No. 00	
					PAGE 16 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-190	FLOOR BEAM AT EL.(+) 10.000M	10/FB-14	11.04	4
		96110-191	FLOOR BEAM AT EL.(+) 10.000M	10/FB-16	11.81	16
		96110-192	FLOOR BEAM AT EL.(+) 10.000M	10/FB-17	5.7	2
		96110-193	FLOOR BEAM AT EL.(+) 10.000M	10/FB-18	10.63	2
		96110-194	FLOOR BEAM AT EL.(+) 10.000M	10/FB-21	182.77	1
		96110-195	FLOOR BEAM AT EL.(+) 10.000M	10/FB-23	10.63	2
		96110-196	FLOOR BEAM AT EL.(+) 10.000M	10/FB-25	10.63	2
		96110-197	FLOOR BEAM AT EL.(+) 10.000M	10/FB-24	5.7	2
		96110-198	FLOOR BEAM AT EL.(+) 10.000M	10/FB-27	22.29	2
		96110-199	FLOOR BEAM AT EL.(+) 10.000M	10/FB-29	31.39	1
		96110-200	FLOOR BEAM AT EL.(+) 10.000M	10/FB-31	15.1	2
		96110-201	FLOOR BEAM AT EL.(+) 10.000M	10/FB-32	14.15	8
		96110-202	FLOOR BEAM AT EL.(+) 10.000M	10/FB-33	8.13	1
		96110-203	FLOOR BEAM AT EL.(+) 10.000M	10/FB-34	21.08	4
		96110-204	FLOOR BEAM AT EL.(+) 10.000M	10/FB-37	6.03	1
		96110-205	FLOOR BEAM AT EL.(+) 10.000M	10/FB-40	5.09	1
		96110-206	FLOOR BEAM AT EL.(+) 10.000M	10/FB-41	439.98	1
		96110-207	FLOOR BEAM AT EL.(+) 10.000M	10/FB-43	31.39	1
		96110-208	FLOOR BEAM AT EL.(+) 10.000M	10/FB-44	432.06	1
		96110-209	FLOOR BEAM AT EL.(+) 10.000M	10/FB-46	579	1
		96110-210	FLOOR BEAM AT EL.(+) 10.000M	10/FB-47	222.67	1
		96110-211	FLOOR BEAM AT EL.(+) 10.000M	10/FB-49	573.33	1
		96110-212	FLOOR BEAM AT EL.(+) 10.000M	10/FB-52	182.77	1
		96110-213	FLOOR BEAM AT EL.(+) 10.000M	10/FB-53	182.77	1
		96110-214	FLOOR BEAM AT EL.(+) 10.000M	10/FB-54	78.62	1
		96110-215	FLOOR BEAM AT EL.(+) 10.000M	10/FB-55	78.62	1
		96110-216	FLOOR BEAM AT EL.(+) 10.000M	10/FB-56	8.13	1
		96110-217	FLOOR BEAM AT EL.(+) 10.000M	10/FB-56A	8.13	1
		96110-218	FLOOR BEAM AT EL.(+) 10.000M	10/FB-57	11.28	1
		96110-219	FLOOR BEAM AT EL.(+) 10.000M	10/FB-58	15.74	1
		96110-220	FLOOR BEAM AT EL.(+) 10.000M	10/FB-60	5.39	1
96110-221	FLOOR BEAM AT EL.(+) 10.000M	10/FB-61	3.7	1		
96110-222	FLOOR BEAM AT EL.(+) 10.000M	10/FB-62	19.73	1		
96110-223	FLOOR BEAM AT EL.(+) 10.000M	10/FB-64	31.39	1		
96110-224	FLOOR BEAM AT EL.(+) 10.000M	10/FB-66	17.17	1		
96110-225	FLOOR BEAM AT EL.(+) 10.000M	10/FB-68	31.39	1		
96110-226	FLOOR BEAM AT EL.(+) 10.000M	10/FB-70	50.77	1		
96110-227	FLOOR BEAM AT EL.(+) 10.000M	10/FB-72	202.64	1		
96110-228	FLOOR BEAM AT EL.(+) 10.000M	10/FB-74	10.01	1		
96110-229	FLOOR BEAM AT EL.(+) 10.000M	10/FB-75	10.01	1		
96110-230	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-60A	5.39	1		
96110-231	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-61A	3.7	1		
Ref. Doc						

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 17 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-232	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-63	14.92	1	
		96110-233	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-65	11.28	1	
		96110-234	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-67	15.74	1	
		96110-235	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-69	11.28	1	
		96110-236	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-71	100.47	1	
		96110-237	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-73	202.64	1	
		96110-238	TIE BEAM	TB-1	161.54	22	
		96110-239	TIE BEAM	TB-14	211.16	1	
		96110-240	TIE BEAM	TB-16	331.46	1	
		96110-241	TIE BEAM	TB-18	223.95	1	
		96110-242	TIE BEAM	TB-20	151.84	1	
		96110-243	TIE BEAM	TB-21	151.84	1	
		96110-244	TIE BEAM	TB-24	50.77	3	
		96110-245	TIE BEAM	SP-1	71.36	2	
		96110-246	TIE BEAM	SP-2	69.79	2	
		96110-247	TIE BEAM	TB-19	223.95	1	
		96110-248	TIE BEAM	TB-22	77.76	1	
		96110-249	TIE BEAM	TB-23	110.74	6	
		96110-250	COLUMN BRCG	CBR-1	865.89	2	
		96110-251	COLUMN BRCG	CBR-1A	857.88	2	
		96110-252	COLUMN BRCG	CBR-3	836.21	12	
		96110-253	COLUMN BRCG	CBR-8	1343.96	4	
		96110-254	COLUMN BRCG	CBR-9	691.85	2	
		96110-255	COLUMN BRCG	CBR-10	675.07	2	
		96110-256	COLUMN BRCG	CBR-11	68.27	2	
		96110-257	COLUMN BRCG	CBR-12	72.05	4	
		96110-258	COLUMN BRCG	CBR-13	71.84	2	
		96110-259	COLUMN BRCG	CBR-14	75.64	4	
		96110-260	COLUMN BRCG	CBR-15	53.92	4	
		96110-261	COLUMN BRCG	CBR-17	60.35	4	
		96110-262	COLUMN BRCG	CBR-32	199.89	1	
		96110-263	COLUMN BRCG	CBR-35	189.48	4	
		96110-264	COLUMN BRCG	CBR-34	179.68	1	
96110-265	COLUMN BRCG	CBR-37	202.39	1			
96110-266	COLUMN BRCG	CBR-36	202.53	3			
96110-267	COLUMN BRCG	CBR-38	68.53	2			
96110-268	COLUMN BRCG	CBR-39	72.11	2			
96110-269	STAIRCASE	ST-1	706.05	1			
96110-270	STAIRCASE	HR-1	43.16	1			
96110-271	STAIRCASE	HR-1A	65.52	1			
96110-272	STAIRCASE	HR-2	87.35	1			
96110-273	STAIRCASE	HR-2A	43.04	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0	
					Rev No. 00	
					PAGE 18 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-274	STAIRCASE	ST-3	1005.28	1
		96110-275	STAIRCASE	HR-3	43.04	1
		96110-276	STAIRCASE	HR-4A	33.36	1
		96110-277	STAIRCASE	ST-5	972.46	1
		96110-278	STAIRCASE	HR-5	33.36	1
		96110-279	STAIRCASE	HR-5A	59.43	1
		96110-280	STAIRCASE	ST-7	978.74	2
		96110-281	STAIRCASE	HR-7	41.37	2
		96110-282	STAIRCASE	HR-7A	88.45	2
		96110-283	STAIRCASE	ST-9	978.77	1
		96110-284	STAIRCASE	HR-9	41.37	1
		96110-285	STAIRCASE	HR-9A	88.45	1
		96110-286	STAIRCASE	HR-10	88.44	1
		96110-287	STAIRCASE	HR-10A	41.37	1
		96110-288	STAIRCASE	HR-11	41.35	1
		96110-289	STAIRCASE	HR-11A	64.71	1
		96110-290	STAIRCASE	ST-12	383.42	1
		96110-291	STAIRCASE	HR-12	29.07	2
		96110-292	STAIRCASE	ST-11	1005.55	1
		96110-293	COLUMN BRCG	CBR-40	253.63	1
		96110-294	COLUMN BRCG	CBR-42	258.22	1
		96110-295	COLUMN BRCG	CBR-44	235.55	1
		96110-296	COLUMN BRCG	CBR-46	164.48	1
		96110-297	COLUMN BRCG	TB-26	39.62	3
		96110-298	COLUMN BRCG	TB-27	45.15	1
		96110-299	COLUMN BRCG	TB-28	50.77	2
		96110-300	COLUMN BRCG	TB-29	110.74	1
		96110-301	COLUMN BRCG	TB-30	152.32	1
		96110-302	COLUMN BRCG	TB-31	152.32	1
		96110-303	COLUMN BRCG	SP-4	47.07	2
		96110-304	COLUMN BRCG	SP-5	35.15	2
		96110-305	COLUMN BRCG., TIE BEAM & SHORT POST	TB-25	85.69	3
		96110-306	COLUMN BRCG., TIE BEAM & SHORT POST	SP-3	37.91	2
96110-307	FLOOR BEAM AT EL. (+) 9.000M	9/FB-1	862.12	1		
96110-308	FLOOR BEAM AT EL. (+) 9.000M	9/FB-7X	7.38	1		
96110-309	CHQD, PL. AT EL. (+) 9.000M	9/CP-1	118.84	1		
96110-310	CHQD, PL. AT EL. (+) 9.000M	9/CP-2	197.33	1		
96110-311	CHQD, PL. AT EL. (+) 9.000M	9/CP-5	192.02	1		
96110-312	CHQD, PL. AT EL. (+) 9.000M	9/CP-10	40.26	1		
96110-313	CHQD, PL. AT EL. (+) 9.000M	9/CP-12	40.26	1		
96110-314	CHQD, PL. AT EL. (+) 9.000M	9/CP-13	86.32	1		
96110-315	CHQD, PL. AT EL. (+) 9.000M	9/FB-8	115.48	1		

96110-316	CHQD, PL. AT EL. (+) 9.000M	9/CP-3	118.84	1
96110-317	CHQD, PL. AT EL. (+) 9.000M	9/CP-11	238.78	1
96110-318	PIPE SUPPORT BEAM & BRACKET	12/PSB-1	191.61	1
96110-319	PIPE SUPPORT BEAM & BRACKET	16/PSB-1	191.61	1
96110-320	PIPE SUPPORT BEAM & BRACKET	19/PSB-1	191.61	1
96110-321	PIPE SUPPORT BEAM & BRACKET	12/PSB-2	182.42	1
96110-322	PIPE SUPPORT BEAM & BRACKET	16/PSB-2	182.42	1
96110-323	PIPE SUPPORT BEAM & BRACKET	19/PSB-2	182.42	1
96110-324	PIPE SUPPORT BEAM & BRACKET	12/BKT-1/1	37.08	1
96110-325	PIPE SUPPORT BEAM & BRACKET	12/BKT-1/2	8.72	1
96110-326	PIPE SUPPORT BEAM & BRACKET	16/BKT-1/1	37.08	1
96110-327	PIPE SUPPORT BEAM & BRACKET	16/BKT-1/2	9.20	1
96110-328	PIPE SUPPORT BEAM & BRACKET	19/BKT-1/1	37.08	1
96110-329	PIPE SUPPORT BEAM & BRACKET	19/BKT-1/2	9.20	1
96110-330	PIPE SUPPORT BEAM & BRACKET	12/BKT-2/1	45.89	1
96110-331	PIPE SUPPORT BEAM & BRACKET	12/BKT-2/2	10.86	1
96110-332	PIPE SUPPORT BEAM & BRACKET	16/BKT-2/1	45.89	1
96110-333	PIPE SUPPORT BEAM & BRACKET	16/BKT-2/2	10.86	1
96110-334	PIPE SUPPORT BEAM & BRACKET	12/PSB-1X	191.61	1
96110-335	PIPE SUPPORT BEAM & BRACKET	19/BKT-2/2	10.86	1
96110-336	PIPE SUPPORT BEAM & BRACKET	23/BKT-2/2	23.59	1
96110-337	PIPE SUPPORT BEAM & BRACKET	26/BKT-2/2	23.59	1
96110-338	PIPE SUPPORT BEAM & BRACKET	27/BKT-2/2	23.59	1
96110-339	PIPE SUPPORT BEAM & BRACKET	23/BKT-1/2	29.74	1
96110-340	PIPE SUPPORT BEAM & BRACKET	26/BKT-1/2	29.74	1
96110-341	PIPE SUPPORT BEAM & BRACKET	27/BKT-1/2	29.74	1
96110-342	PIPE SUPPORT BEAM & BRACKET	19/BKT-2/1	44.87	1
96110-343	PIPE SUPPORT BEAM & BRACKET	23/BKT-2/1	53.12	1
96110-344	PIPE SUPPORT BEAM & BRACKET	26/BKT-2/1	53.12	1
96110-345	PIPE SUPPORT BEAM & BRACKET	27/BKT-2/1	53.12	1
96110-346	PIPE SUPPORT BEAM & BRACKET	23/BKT-1/1	62.36	1
96110-347	PIPE SUPPORT BEAM & BRACKET	26/BKT-1/1	62.36	1
96110-348	PIPE SUPPORT BEAM & BRACKET	27/BKT-1/1	62.36	1
96110-349	PIPE SUPPORT BEAM & BRACKET	23/PSB-2	126.61	1
96110-350	PIPE SUPPORT BEAM & BRACKET	26/PSB-2	126.61	1
96110-351	PIPE SUPPORT BEAM & BRACKET	27/PSB-2	126.61	1
96110-352	PIPE SUPPORT BEAM & BRACKET	23/PSB-1	135.8	1
96110-353	PIPE SUPPORT BEAM & BRACKET	26/PSB-1	135.8	1
96110-354	PIPE SUPPORT BEAM & BRACKET	27/PSB-1	135.8	1
96110-355	PIPE SUPPORT BEAM & BRACKET	26/BKT-1X/1	62.36	1
96110-356	PIPE SUPPORT BEAM & BRACKET	27/BKT-1X/1	62.36	1
96110-357	PIPE SUPPORT BEAM & BRACKET	23/PSB-2X	126.61	1

96110-358	PIPE SUPPORT BEAM & BRACKET	26/PSB-2X	126.61	1
96110-359	PIPE SUPPORT BEAM & BRACKET	27/PSB-2X	126.61	1
96110-360	PIPE SUPPORT BEAM & BRACKET	23/PSB-1X	135.8	1
96110-361	PIPE SUPPORT BEAM & BRACKET	26/PSB-1X	135.8	1
96110-362	PIPE SUPPORT BEAM & BRACKET	27/PSB-1X	135.8	1
96110-363	BOTTOM BEAM AT EL.(+)13.498M	13/BB-1	244.17	1
96110-364	BOTTOM BEAM AT EL.(+)13.498M	13/BB-2	43.67	1
96110-365	BOTTOM BEAM AT EL.(+)13.498M	13/BB-3	40.97	1
96110-366	BOTTOM BEAM AT EL.(+)13.498M	13/BB-5	48.99	1
96110-367	BOTTOM BEAM AT EL.(+)13.498M	13/BB-7	5.72	1
96110-368	BOTTOM BEAM AT EL.(+)13.498M	13/BB-9	5.72	1
96110-369	BOTTOM BEAM AT EL.(+)13.498M	13/BB-11	5.72	1
96110-370	BOTTOM BEAM AT EL.(+)13.498M	13/BB-13	24.89	1
96110-371	BOTTOM BEAM AT EL.(+)13.498M	13/BB-15	4.48	1
96110-372	BOTTOM BEAM AT EL.(+)13.498M	13/BB-16	4.48	1
96110-373	BOTTOM BEAM AT EL.(+)13.498M	13/BB-17	11.51	2
96110-374	BOTTOM BEAM AT EL.(+)13.498M	13/BB-19	4.68	2
96110-375	BOTTOM BEAM AT EL.(+)13.498M	13/BB-21	36.82	1
96110-376	BOTTOM BEAM AT EL.(+)13.498M	13/BB-23	23.25	1
96110-377	BOTTOM BEAM AT EL.(+)13.498M	13/BB-25	22.15	1
96110-378	BOTTOM BEAM AT EL.(+)13.498M	13/BB-27	16.40	1
96110-379	BOTTOM BEAM AT EL.(+)13.498M	13/BB-29	24.51	1
96110-380	BOTTOM BEAM AT EL.(+)13.498M	13/BB-31	23.24	1
96110-381	BOTTOM BEAM AT EL.(+)13.498M	13/BB-31A	23.24	1
96110-382	BOTTOM BEAM AT EL.(+)13.498M	13/BB-32	244.17	1
96110-383	BOTTOM BEAM AT EL.(+)13.498M	13/BB-33	43.67	1
96110-384	BOTTOM BEAM AT EL.(+)13.498M	13/BB-35	245.66	1
96110-385	BOTTOM BEAM AT EL.(+)13.498M	13/BB-36	22.85	1
96110-386	BOTTOM BEAM AT EL.(+)13.498M	13/BB-34	40.97	1
96110-387	BOTTOM BEAM AT EL.(+)13.498M	13/BB-37	22.85	1
96110-388	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	13/BB-38	40.97	1
96110-389	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	RP-1	333.88	2
96110-390	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	CRP-1	239.38	2
96110-391	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-2	223.71	1
96110-392	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-3	1647.58	1
96110-393	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-5	213.49	1
96110-394	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-6	222.04	1
96110-395	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-15	5.87	1
96110-396	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-14	11.93	1
96110-397	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-11	22.06	1
96110-398	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-9	24.02	1
96110-399	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-19	28.95	1

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0									
					Rev No. 00									
					PAGE 21 of 38									
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.								96110-400	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-8	107.71	1		
								96110-401	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-29	3.36	1		
								96110-402	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-26	5.99	1		
								96110-403	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-27	6.03	1		
								96110-404	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-25	7.28	1		
								96110-405	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-32	9.66	1		
								96110-406	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-30	10.65	1		
								96110-407	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-21	28.10	1		
								96110-408	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-43	6.23	1		
								96110-409	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-41	6.29	1		
								96110-410	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-44	7.30	1		
								96110-411	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-42	9.21	1		
								96110-412	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-37	63.24	1		
								96110-413	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-49	3.29	1		
								96110-414	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-46	5.06	1		
								96110-415	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-53	5.78	1		
								96110-416	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-51	5.97	1		
								96110-417	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-48	8.97	1		
								96110-418	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-55	171.44	1		
								96110-419	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-64	5.36	1		
								96110-420	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-72	7.16	1		
								96110-421	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-62	7.67	1		
								96110-422	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-73	8.02	1		
								96110-423	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-75	9.11	1		
								96110-424	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-69	30.66	1		
								96110-425	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-59	40.65	1		
								96110-426	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-82	28.34	1		
								96110-427	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-84	33.89	1		
								96110-428	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-80	71.91	1		
								96110-429	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-86	8.67	1		
								96110-430	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-88	6.14	1		
								96110-431	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-90	6.29	1		
								96110-432	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-92	8.48	1		
								96110-433	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-94	4.16	1		
								96110-434	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-96	9.41	1		
								96110-435	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-98	6.31	1		
								96110-436	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-100	6.33	1		
								96110-437	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-102	98.67	1		
								96110-438	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-110	3.83	1		
								96110-439	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-111	3.97	1		
								96110-440	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-109	6.87	1		
								96110-441	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-113	7.13	1		
								Ref. Doc						

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 22 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-442	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-114	9.92	1	
		96110-443	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-108	15.49	1	
		96110-444	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-106	27.41	1	
		96110-445	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-105	34.44	1	
		96110-446	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-104	62.57	1	
		96110-447	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-115	11.91	1	
		96110-448	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-117	8.27	1	
		96110-449	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-119	4.94	1	
		96110-450	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-121	34.09	1	
		96110-451	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-123	13.13	1	
		96110-452	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-125	3.95	1	
		96110-453	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-127	6.53	1	
		96110-454	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-130	7.36	5	
		96110-455	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/F-1	55.65	1	
		96110-456	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-120	7.43	1	
		96110-457	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-122	41.88	1	
		96110-458	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-124	8.19	1	
		96110-459	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-126	8.63	1	
		96110-460	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-128	12.79	1	
		96110-461	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-129	6.64	1	
		96110-462	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/F-2	50.98	1	
		96110-463	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-131	161.7	1	
		96110-464	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-133	50.77	1	
		96110-465	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-135	31.57	1	
		96110-466	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-137	7.7	1	
		96110-467	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-139	10.64	1	
		96110-468	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-141	9.52	1	
		96110-469	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-143	9.3	1	
		96110-470	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-132	157.56	1	
		96110-471	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-134	113.05	1	
		96110-472	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-136	14.72	1	
		96110-473	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-138	5.54	1	
		96110-474	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-140	9.3	1	
		96110-475	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-142	10.64	1	
		96110-476	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-144	9.52	1	
		96110-477	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	32/TBR-1	36.73	8	
		96110-478	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/5	154.15	1	
		96110-479	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	32/TB-1	167.10	2	
		96110-480	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/3	207.72	1	
		96110-481	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/1	214.68	1	
		96110-482	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/2	214.68	1	
		96110-483	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	MR-1	399.28	2	
		Ref. Doc					

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0	
					Rev No. 00	
					PAGE 23 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.						
Ref. Doc						
		96110-484	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/10	31.42	4
		96110-485	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/9	32.55	4
		96110-486	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/7	75.15	2
		96110-487	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/8	78.29	2
		96110-488	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/5	154.15	1
		96110-489	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/3	207.72	1
		96110-490	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/1	214.68	1
		96110-491	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-1/2	20.71	1
		96110-492	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-3/2	20.71	1
		96110-493	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-5/2	20.71	3
		96110-494	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-4/1	56.00	1
		96110-495	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-3/1	57.30	1
		96110-496	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-1/1	61.03	1
		96110-497	PLATFORM AT EL.(+)27.784M (T.O.SILO)	PF-1	179.74	1
		96110-498	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-5/1	61.03	3
		96110-499	PLATFORM AT EL.(+)27.784M (T.O.SILO)	PF-2	274.06	1
		96110-500	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-145	1637.36	1
		96110-501	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-148	217.28	1
		96110-502	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-149	213.49	1
		96110-503	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-150	222.25	1
		96110-504	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-151	224.58	1
		96110-505	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-152	107.71	1
		96110-506	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-155	22.06	1
		96110-507	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-154	19	1
		96110-508	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-158	11.93	1
		96110-509	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-160	3.93	1
		96110-510	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-161	144.21	1
		96110-511	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-162	65.46	1
		96110-512	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-172	5.78	1
		96110-513	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-166	6.62	1
		96110-514	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-177	6.70	1
		96110-515	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-168	7.56	1
		96110-516	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-175	11.51	1
		96110-517	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-178	30.90	1
		96110-518	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-164	62.45	1
		96110-519	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-187	6.23	1
		96110-520	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-185	6.29	1
		96110-521	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-184	25.37	1
		96110-522	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-183	26.48	1
		96110-523	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-182	26.81	1
		96110-524	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-180	67.53	1
		96110-525	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-179	153.06	1

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 24 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-526	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-189	5.25	1	
		96110-527	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-191	6.23	1	
		96110-528	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-193	3.29	1	
		96110-529	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-195	5.97	1	
		96110-530	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-197	5.78	1	
		96110-531	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-199	171.44	1	
		96110-532	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-201	56.18	1	
		96110-533	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-203	40.65	1	
		96110-534	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-205	5.78	1	
		96110-535	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-207	9.03	1	
		96110-536	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-209	3.54	1	
		96110-537	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-211	7.92	1	
		96110-538	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-213	30.66	1	
		96110-539	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-215	28.6	1	
		96110-540	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-217	8.02	1	
		96110-541	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-219	9.11	1	
		96110-542	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-220	8.49	1	
		96110-543	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-222	4.06	1	
		96110-544	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-223	176.11	1	
		96110-545	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-225	34.97	1	
		96110-546	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-227	29.47	1	
		96110-547	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-229	34.21	1	
		96110-548	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-230	8.67	1	
		96110-549	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-232	6.14	1	
		96110-550	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-234	6.29	1	
		96110-551	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-236	8.48	1	
		96110-552	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-238	4.16	1	
		96110-553	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-240	9.41	1	
		96110-554	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-242	6.31	1	
		96110-555	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-244	6.33	1	
		96110-556	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-246	98.67	1	
		96110-557	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-247	149.79	1	
		96110-558	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-249	34.44	1	
96110-559	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-251	9.75	1			
96110-560	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-253	6.87	1			
96110-561	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-255	3.97	1			
96110-562	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-257	7.13	1			
96110-563	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-259	11.91	1			
96110-564	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-263	4.94	1			
96110-565	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-267	13.13	1			
96110-566	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-269	3.95	1			
96110-567	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-271	6.53	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0	
					Rev No. 00	
					PAGE 25 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-568	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-273	6.64	1
		96110-569	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-260	11.87	1
		96110-570	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-261	8.27	1
		96110-571	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-262	5.54	1
		96110-572	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-264	7.43	1
		96110-573	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-265	34.09	1
		96110-574	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-266	41.88	1
		96110-575	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-268	8.19	1
		96110-576	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-270	8.63	1
		96110-577	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-272	12.79	1
		96110-578	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-274	7.36	5
		96110-579	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/F-3	55.65	1
		96110-580	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/F-4	50.98	1
		96110-581	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-30	2.96	1
		96110-582	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-71	4.09	1
		96110-583	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-67	4.87	1
		96110-584	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-89	5.49	1
		96110-585	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-68	5.94	1
		96110-586	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-53	8.84	1
		96110-587	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-5	9.60	1
		96110-588	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-90	12.35	1
		96110-589	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-130	12.91	1
		96110-590	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-41	13.79	1
		96110-591	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-65	14.00	1
		96110-592	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-111	14.09	1
		96110-593	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-64	14.60	1
		96110-594	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-15	14.83	1
		96110-595	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-88	15.49	1
		96110-596	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-70	16.86	1
		96110-597	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-66	17.00	1
		96110-598	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-92	17.86	1
		96110-599	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-63	18.60	1
		96110-600	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-112	18.99	1
96110-601	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-80	19.41	1		
96110-602	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-45	19.56	1		
96110-603	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-28	20.51	1		
96110-604	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-119	21.43	1		
96110-605	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-27	21.92	1		
96110-606	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-95	22.19	1		
96110-607	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-136	23.06	1		
96110-608	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-8	23.66	1		
96110-609	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-85	24.72	1		

TD-106-2 Rev No. 5		बी एच ई एल 	PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0			
Form No.					Rev No. 00			
					PAGE 26 of 38			
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.								
Ref. Doc								

TD-106-2
Rev No. 5

Form No.

बी एच ई एल



PRODUCT STANDARD

OIL FIELD EQUIPMENT

HYDERABAD

OE 5 6 1 1 0

Rev No. 00

PAGE 27 of 38

COPYRIGHT AND CONFIDENTIAL

The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED .
It must not be used directly or indirectly in any way detrimental to the interest of the company.

96110-652	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-26	38.06	1
96110-653	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-22	38.48	1
96110-654	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-10	39.36	1
96110-655	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-19	39.56	1
96110-656	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-54	41.33	1
96110-657	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-62	43.09	1
96110-658	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-103	43.51	1
96110-659	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-44	43.82	1
96110-660	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-123	45.75	1
96110-661	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-39	48.66	1
96110-662	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-109	49.62	1
96110-663	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-43	49.93	1
96110-664	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-131	53.11	1
96110-665	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-124	60.76	1
96110-666	COLUMN BRCG	CBR-5	1347.14	4
96110-667	COLUMN BRCG	CBR-29	71.75	2
96110-668	COLUMN BRCG	CBR-30	71.7	2
96110-669	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-5	177.14	3
96110-670	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	SG-1	3.26	4
96110-671	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	SG-3	1.68	4
96110-672	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	20/FB-1	686.66	6
96110-673	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-2	65.85	6
96110-674	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	20/FB-2	686.66	6
96110-675	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-7/2	20.71	1
96110-676	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-9/2	20.71	1
96110-677	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-11/2	20.71	3
96110-678	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-8/1	57.3	1
96110-679	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-12/1	57.3	1
96110-680	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-7/1	61.03	1
96110-681	PLATFORM AT EL.(+)27.784M (T.O.SILO)	PF-4	274.06	1
96110-682	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-11/1	61.03	3
96110-683	PLATFORM AT EL.(+)27.784M (T.O.SILO)	PF-3	179.74	1

B. LIST OF FASTENERS

TOTAL WEIGHT – 1798 Kg

(To be supplied As per TDC:6:388)

DU NO	DESCRIPTION	ERECTIONMARK	WEIGHT/UNIT (KG.)	QTY
96110-F01	H.T.BOLT GR.10.9	M12-40LG.	0.053	10
96110-F02	H.T.BOLT GR.10.9	M12-45LG.	0.058	44
96110-F03	H.T.BOLT GR.10.9	M16-40LG.	0.094	308
96110-F04	H.T.BOLT GR.10.9	M16-45LG.	0.102	408

Ref. Doc

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD			OE 5 6 1 1 0																																																																																																																																			
					Rev No. 00																																																																																																																																			
					PAGE 28 of 38																																																																																																																																			
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company. <table border="1" style="width: 65%;"> <tr><td>96110-F05</td><td>H.T.BOLT GR.10.9</td><td>M16-50LG.</td><td>0.11</td><td>186</td></tr> <tr><td>96110-F06</td><td>H.T.BOLT GR.10.9</td><td>M16-55LG.</td><td>0.118</td><td>28</td></tr> <tr><td>96110-F07</td><td>H.T.BOLT GR.10.9</td><td>M16-85LG.</td><td>0.161</td><td>16</td></tr> <tr><td>96110-F09</td><td>H.T.BOLT GR.10.9</td><td>M20-45LG.</td><td>0.173</td><td>1058</td></tr> <tr><td>96110-F10</td><td>H.T.BOLT GR.10.9</td><td>M20-50LG.</td><td>0.186</td><td>418</td></tr> <tr><td>96110-F11</td><td>H.T.BOLT GR.10.9</td><td>M20-55LG.</td><td>0.198</td><td>1136</td></tr> <tr><td>96110-F12</td><td>H.T.BOLT GR.10.9</td><td>M20-60LG.</td><td>0.211</td><td>338</td></tr> <tr><td>96110-F13</td><td>H.T.BOLT GR.10.9</td><td>M20-65LG.</td><td>0.223</td><td>2454</td></tr> <tr><td>96110-F14</td><td>H.T.BOLT GR.10.9</td><td>M20-70LG.</td><td>0.235</td><td>16</td></tr> <tr><td>96110-F15</td><td>H.T.BOLT GR.10.9</td><td>M20-75LG.</td><td>0.248</td><td>6</td></tr> <tr><td>96110-F17</td><td>H.T.BOLT GR.10.9</td><td>M24-65LG.</td><td>0.33</td><td>30</td></tr> <tr><td>96110-F19</td><td>H.T.BOLT GR.10.9</td><td>M24-75LG.</td><td>0.366</td><td>202</td></tr> <tr><td>96110-F22</td><td>NUT</td><td>M12</td><td>0.013</td><td>54</td></tr> <tr><td>96110-F23</td><td>NUT</td><td>M16</td><td>0.032</td><td>966</td></tr> <tr><td>96110-F24</td><td>NUT</td><td>M20</td><td>0.061</td><td>5420</td></tr> <tr><td>96110-F25</td><td>NUT</td><td>M24</td><td>0.104</td><td>232</td></tr> <tr><td>96110-F30</td><td>TAPER WASHER</td><td>M12(MB)</td><td>0.022</td><td>44</td></tr> <tr><td>96110-F31</td><td>TAPER WASHER</td><td>M12(MC)</td><td>0.02</td><td>10</td></tr> <tr><td>96110-F32</td><td>TAPER WASHER</td><td>M16(MB)</td><td>0.0375</td><td>30</td></tr> <tr><td>96110-F33</td><td>TAPER WASHER</td><td>M16(MC)</td><td>0.034</td><td>176</td></tr> <tr><td>96110-F34</td><td>TAPER WASHER</td><td>M20(MB)</td><td>0.067</td><td>68</td></tr> <tr><td>96110-F35</td><td>TAPER WASHER</td><td>M20(MC)</td><td>0.058</td><td>48</td></tr> <tr><td>96110-F26</td><td>WASHER</td><td>A14</td><td>0.0062</td><td>54</td></tr> <tr><td>96110-F27</td><td>WASHER</td><td>A18</td><td>0.0082</td><td>904</td></tr> <tr><td>96110-F28</td><td>WASHER</td><td>A22</td><td>0.0164</td><td>5368</td></tr> <tr><td>96110-F29</td><td>WASHER</td><td>A26</td><td>0.0311</td><td>232</td></tr> </table>							96110-F05	H.T.BOLT GR.10.9	M16-50LG.	0.11	186	96110-F06	H.T.BOLT GR.10.9	M16-55LG.	0.118	28	96110-F07	H.T.BOLT GR.10.9	M16-85LG.	0.161	16	96110-F09	H.T.BOLT GR.10.9	M20-45LG.	0.173	1058	96110-F10	H.T.BOLT GR.10.9	M20-50LG.	0.186	418	96110-F11	H.T.BOLT GR.10.9	M20-55LG.	0.198	1136	96110-F12	H.T.BOLT GR.10.9	M20-60LG.	0.211	338	96110-F13	H.T.BOLT GR.10.9	M20-65LG.	0.223	2454	96110-F14	H.T.BOLT GR.10.9	M20-70LG.	0.235	16	96110-F15	H.T.BOLT GR.10.9	M20-75LG.	0.248	6	96110-F17	H.T.BOLT GR.10.9	M24-65LG.	0.33	30	96110-F19	H.T.BOLT GR.10.9	M24-75LG.	0.366	202	96110-F22	NUT	M12	0.013	54	96110-F23	NUT	M16	0.032	966	96110-F24	NUT	M20	0.061	5420	96110-F25	NUT	M24	0.104	232	96110-F30	TAPER WASHER	M12(MB)	0.022	44	96110-F31	TAPER WASHER	M12(MC)	0.02	10	96110-F32	TAPER WASHER	M16(MB)	0.0375	30	96110-F33	TAPER WASHER	M16(MC)	0.034	176	96110-F34	TAPER WASHER	M20(MB)	0.067	68	96110-F35	TAPER WASHER	M20(MC)	0.058	48	96110-F26	WASHER	A14	0.0062	54	96110-F27	WASHER	A18	0.0082	904	96110-F28	WASHER	A22	0.0164	5368	96110-F29	WASHER	A26	0.0311	232
96110-F05	H.T.BOLT GR.10.9	M16-50LG.	0.11	186																																																																																																																																				
96110-F06	H.T.BOLT GR.10.9	M16-55LG.	0.118	28																																																																																																																																				
96110-F07	H.T.BOLT GR.10.9	M16-85LG.	0.161	16																																																																																																																																				
96110-F09	H.T.BOLT GR.10.9	M20-45LG.	0.173	1058																																																																																																																																				
96110-F10	H.T.BOLT GR.10.9	M20-50LG.	0.186	418																																																																																																																																				
96110-F11	H.T.BOLT GR.10.9	M20-55LG.	0.198	1136																																																																																																																																				
96110-F12	H.T.BOLT GR.10.9	M20-60LG.	0.211	338																																																																																																																																				
96110-F13	H.T.BOLT GR.10.9	M20-65LG.	0.223	2454																																																																																																																																				
96110-F14	H.T.BOLT GR.10.9	M20-70LG.	0.235	16																																																																																																																																				
96110-F15	H.T.BOLT GR.10.9	M20-75LG.	0.248	6																																																																																																																																				
96110-F17	H.T.BOLT GR.10.9	M24-65LG.	0.33	30																																																																																																																																				
96110-F19	H.T.BOLT GR.10.9	M24-75LG.	0.366	202																																																																																																																																				
96110-F22	NUT	M12	0.013	54																																																																																																																																				
96110-F23	NUT	M16	0.032	966																																																																																																																																				
96110-F24	NUT	M20	0.061	5420																																																																																																																																				
96110-F25	NUT	M24	0.104	232																																																																																																																																				
96110-F30	TAPER WASHER	M12(MB)	0.022	44																																																																																																																																				
96110-F31	TAPER WASHER	M12(MC)	0.02	10																																																																																																																																				
96110-F32	TAPER WASHER	M16(MB)	0.0375	30																																																																																																																																				
96110-F33	TAPER WASHER	M16(MC)	0.034	176																																																																																																																																				
96110-F34	TAPER WASHER	M20(MB)	0.067	68																																																																																																																																				
96110-F35	TAPER WASHER	M20(MC)	0.058	48																																																																																																																																				
96110-F26	WASHER	A14	0.0062	54																																																																																																																																				
96110-F27	WASHER	A18	0.0082	904																																																																																																																																				
96110-F28	WASHER	A22	0.0164	5368																																																																																																																																				
96110-F29	WASHER	A26	0.0311	232																																																																																																																																				
<u>ANNEXURE VIII - OE9756110066 MISCELLANEOUS PARTS OF FA SILO2</u> <u>A. FABRICATION ITEMS – TOTAL WEIGHT 69917 KG</u> <table border="1" style="width: 100%;"> <thead> <tr> <th>DU NO</th> <th>DESCRIPTION</th> <th>ERECTION MARK</th> <th>WEIGHT/ UNIT(KG.)</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td>96110-684</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-2</td><td>1613.89</td><td>1</td></tr> <tr><td>96110-685</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-4</td><td>28.07</td><td>4</td></tr> <tr><td>96110-686</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-6</td><td>24.73</td><td>4</td></tr> <tr><td>96110-687</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-9</td><td>11.28</td><td>2</td></tr> <tr><td>96110-688</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-11</td><td>51.52</td><td>1</td></tr> <tr><td>96110-689</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-13</td><td>84.66</td><td>2</td></tr> <tr><td>96110-690</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-16</td><td>1209.47</td><td>1</td></tr> <tr><td>96110-691</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-19</td><td>73.14</td><td>2</td></tr> <tr><td>96110-692</td><td>FLOOR BEAM AT EL.(+) 7.000M MKD</td><td>7/FB-20</td><td>58.6</td><td>1</td></tr> </tbody> </table>							DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/ UNIT(KG.)	QTY	96110-684	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-2	1613.89	1	96110-685	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-4	28.07	4	96110-686	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-6	24.73	4	96110-687	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-9	11.28	2	96110-688	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-11	51.52	1	96110-689	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-13	84.66	2	96110-690	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-16	1209.47	1	96110-691	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-19	73.14	2	96110-692	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-20	58.6	1																																																																																
DU NO	DESCRIPTION	ERECTION MARK	WEIGHT/ UNIT(KG.)	QTY																																																																																																																																				
96110-684	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-2	1613.89	1																																																																																																																																				
96110-685	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-4	28.07	4																																																																																																																																				
96110-686	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-6	24.73	4																																																																																																																																				
96110-687	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-9	11.28	2																																																																																																																																				
96110-688	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-11	51.52	1																																																																																																																																				
96110-689	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-13	84.66	2																																																																																																																																				
96110-690	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-16	1209.47	1																																																																																																																																				
96110-691	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-19	73.14	2																																																																																																																																				
96110-692	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-20	58.6	1																																																																																																																																				
Ref. Doc																																																																																																																																								

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 29 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-693	FLOOR BEAM AT EL.(+) 7.000M MKD	7/BKT-2/1	43.11	2
			96110-694	FLOOR BEAM AT EL.(+) 7.000M MKD	7/BKT-2/2	15.67	2
			96110-695	FLOOR BEAM AT EL.(+) 7.000M MKD	7/BKT-4/1	46.37	2
			96110-696	FLOOR BEAM AT EL.(+) 7.000M MKD	7/BKT-4/2	15.67	2
			96110-697	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-24	251.17	1
			96110-698	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-25	251.17	1
			96110-699	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-26A	4.13	1
			96110-700	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-27A	10.34	1
			96110-701	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-28A	40.38	1
			96110-702	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-29A	37.4	1
			96110-703	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-30A	28.07	1
			96110-704	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-31A	8.58	1
			96110-705	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-32A	5.89	1
			96110-706	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-33A	4.13	1
			96110-707	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-34A	10.34	1
			96110-708	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-35A	40.38	1
			96110-709	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-36A	38.02	1
			96110-710	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-37A	28.07	1
			96110-711	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-38A	8.58	1
			96110-712	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-39A	5.89	1
			96110-713	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-40A	6.69	1
			96110-714	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-41A	3.79	1
			96110-715	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-43	4.82	8
			96110-716	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-45	7.53	4
			96110-717	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-52	616.56	1
			96110-718	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-47	7.99	4
			96110-719	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-48A	3.79	1
			96110-720	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-49A	6.69	1
			96110-721	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-50	8.75	10
			96110-722	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-51	8.93	20
			96110-723	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-56	425.79	1
			96110-724	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-58	1613.89	1
			96110-725	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-59	51.52	1
			96110-726	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-61	84.66	2
96110-727	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-64	58.60	1			
96110-728	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-66	51.52	1			
96110-729	FLOOR BEAM AT EL.(+) 7.000M MKD	7/FB-69	251.17	1			
96110-730	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-1A	279.79	2			
96110-731	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-2	440.33	1			
96110-732	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-5	604.84	1			
96110-733	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-6	579.03	1			
96110-734	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-9	550.43	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0	
					Rev No. 00	
					PAGE 30 of 38	
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-735	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-11	222.67	1
		96110-736	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-13	78.62	1
		96110-737	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-15	11.04	4
		96110-738	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-19	5.7	2
		96110-739	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-20	10.63	2
		96110-740	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-22	182.77	1
		96110-741	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-26	5.7	2
		96110-742	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-28	22.29	2
		96110-743	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-30	11.28	1
		96110-744	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-31A	15.1	2
		96110-745	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-33A	8.13	1
		96110-746	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-35	21.08	4
		96110-747	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-36	19.73	1
		96110-748	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-37A	6.03	1
		96110-749	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-38	14.92	1
		96110-750	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-39	6.6	4
		96110-751	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-40A	5.09	1
		96110-752	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-42	440.33	1
		96110-753	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-45	604.84	1
		96110-754	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-48	222.67	1
		96110-755	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-50	550.43	1
		96110-756	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-51	557.51	1
		96110-757	FLOOR BEAM AT EL.(+) 10.000M MKD	10/FB-59	16.01	1
		96110-758	TIE BEAM	TB-2	157.81	8
		96110-759	TIE BEAM	TB-3	260.01	1
		96110-760	TIE BEAM	TB-3X	260.01	1
		96110-761	TIE BEAM	TB-4	151.85	1
		96110-762	TIE BEAM	TB-5	151.85	1
		96110-763	TIE BEAM	TB-6	147.26	1
		96110-764	TIE BEAM	TB-7	147.26	1
		96110-765	TIE BEAM	TB-8	150.28	1
		96110-766	TIE BEAM	TB-9	150.28	1
		96110-767	TIE BEAM	TB-10	150.34	1
96110-768	TIE BEAM	TB-11	150.34	1		
96110-769	TIE BEAM	TB-12	164.31	1		
96110-770	TIE BEAM	TB-13	164.31	1		
96110-771	TIE BEAM	TB-15	211.16	1		
96110-772	TIE BEAM	TB-17	331.46	1		
96110-773	COLUMN BRCCG	CBR-2	835.89	10		
96110-774	COLUMN BRCCG	CBR-4	1397.1	4		
96110-775	COLUMN BRCCG	CBR-6	829.82	3		
96110-776	COLUMN BRCCG	CBR-7	1396.1	4		

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 56110		
					Rev No. 00		
					PAGE 31 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-777	COLUMN BRCG	CBR-16	83.43	2
			96110-778	COLUMN BRCG	CBR-19	95.26	2
			96110-779	COLUMN BRCG	CBR-18	85.02	2
			96110-780	COLUMN BRCG	CBR-21	98.43	2
			96110-781	COLUMN BRCG	CBR-20	101.75	2
			96110-782	COLUMN BRCG	CBR-23	93.77	2
			96110-783	COLUMN BRCG	CBR-24	100.33	2
			96110-784	COLUMN BRCG	CBR-31	293.91	1
			96110-785	COLUMN BRCG	CBR-33	164.38	1
			96110-786	STAIRCASE	ST-2	987.94	1
			96110-787	STAIRCASE	HR-3A	65.02	1
			96110-788	STAIRCASE	ST-4	974.02	1
			96110-789	STAIRCASE	HR-4	60.61	1
			96110-790	STAIRCASE	ST-6	993.72	1
			96110-791	STAIRCASE	HR-6	65.91	1
			96110-792	STAIRCASE	HR-6A	41.37	1
			96110-793	STAIRCASE	ST-8	978.75	2
			96110-794	STAIRCASE	HR-8	88.44	2
			96110-795	STAIRCASE	HR-8A	41.37	2
			96110-796	STAIRCASE	ST-10	978.78	1
			96110-797	COLUMN BRCG	CBR-41	268.22	1
			96110-798	COLUMN BRCG	CBR-43	243.85	1
			96110-799	COLUMN BRCG	CBR-45	157.76	2
			96110-800	COLUMN BRCG	CBR-47	180.35	1
			96110-801	COLUMN BRCG., TIE BEAM & SHORT POST	CBR-48	186.30	1
			96110-802	COLUMN BRCG., TIE BEAM & SHORT POST	CBR-49	157.69	1
			96110-803	COLUMN BRCG., TIE BEAM & SHORT POST	CBR-50	186.18	1
			96110-804	FLOOR BEAM AT EL. (+) 9.000M	9/FB-2	152.36	1
			96110-805	FLOOR BEAM AT EL. (+) 9.000M	9/FB-2X	152.36	1
			96110-806	FLOOR BEAM AT EL. (+) 9.000M	9/FB-3	120.34	1
			96110-807	FLOOR BEAM AT EL. (+) 9.000M	9/FB-3X	120.34	1
			96110-808	FLOOR BEAM AT EL. (+) 9.000M	9/FB-4	55.99	4
			96110-809	FLOOR BEAM AT EL. (+) 9.000M	9/FB-5	16.26	1
			96110-810	FLOOR BEAM AT EL. (+) 9.000M	9/FB-5X	16.26	1
			96110-811	FLOOR BEAM AT EL. (+) 9.000M	9/FB-6	11.19	1
96110-812	FLOOR BEAM AT EL. (+) 9.000M	9/FB-6X	11.19	1			
96110-813	FLOOR BEAM AT EL. (+) 9.000M	9/FB-7	7.38	1			
96110-814	CHQD, PL. AT EL. (+) 9.000M	9/CP-4	100.46	1			
96110-815	CHQD, PL. AT EL. (+) 9.000M	9/CP-6	86.64	1			
96110-816	CHQD, PL. AT EL. (+) 9.000M	9/CP-7	44.81	1			
96110-817	CHQD, PL. AT EL. (+) 9.000M	9/CP-8	142.91	1			
96110-818	CHQD, PL. AT EL. (+) 9.000M	9/CP-9	44.81	1			
Ref. Doc							

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 32 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-819	PIPE SUPPORT BEAM & BRACKET	16/PSB-1X	191.61	1
			96110-820	PIPE SUPPORT BEAM & BRACKET	19/PSB-1X	191.61	1
			96110-821	PIPE SUPPORT BEAM & BRACKET	12/PSB-2X	182.42	1
			96110-822	PIPE SUPPORT BEAM & BRACKET	16/PSB-2X	182.42	1
			96110-823	PIPE SUPPORT BEAM & BRACKET	19/PSB-2X	182.42	1
			96110-824	PIPE SUPPORT BEAM & BRACKET	12/BKT-1X/1	37.08	1
			96110-825	PIPE SUPPORT BEAM & BRACKET	12/BKT-1X/2	8.72	1
			96110-826	PIPE SUPPORT BEAM & BRACKET	16/BKT-1X/1	37.08	1
			96110-827	PIPE SUPPORT BEAM & BRACKET	16/BKT-1X/2	9.20	1
			96110-828	PIPE SUPPORT BEAM & BRACKET	19/BKT-1X/1	37.08	1
			96110-829	PIPE SUPPORT BEAM & BRACKET	19/BKT-1X/2	9.20	1
			96110-830	PIPE SUPPORT BEAM & BRACKET	12/BKT-2X/1	45.89	1
			96110-831	PIPE SUPPORT BEAM & BRACKET	12/BKT-2X/2	10.86	1
			96110-832	PIPE SUPPORT BEAM & BRACKET	16/BKT-2X/1	45.89	1
			96110-833	PIPE SUPPORT BEAM & BRACKET	16/BKT-2X/2	10.86	1
			96110-834	PIPE SUPPORT BEAM & BRACKET	19/BKT-2X/2	10.86	1
			96110-835	PIPE SUPPORT BEAM & BRACKET	23/BKT-2X/2	23.59	1
			96110-836	PIPE SUPPORT BEAM & BRACKET	26/BKT-2X/2	23.59	1
			96110-837	PIPE SUPPORT BEAM & BRACKET	27/BKT-2X/2	23.59	1
			96110-838	PIPE SUPPORT BEAM & BRACKET	23/BKT-1X/2	29.74	1
			96110-839	PIPE SUPPORT BEAM & BRACKET	26/BKT-1X/2	29.74	1
			96110-840	PIPE SUPPORT BEAM & BRACKET	27/BKT-1X/2	29.74	1
			96110-841	PIPE SUPPORT BEAM & BRACKET	19/BKT-2X/1	44.87	1
			96110-842	PIPE SUPPORT BEAM & BRACKET	23/BKT-2X/1	53.12	1
			96110-843	PIPE SUPPORT BEAM & BRACKET	26/BKT-2X/1	53.12	1
			96110-844	PIPE SUPPORT BEAM & BRACKET	27/BKT-2X/1	53.12	1
			96110-845	PIPE SUPPORT BEAM & BRACKET	23/BKT-1X/1	62.36	1
			96110-846	BOTTOM BEAM AT EL.(+)13.498M	13/BB-4	245.66	1
			96110-847	BOTTOM BEAM AT EL.(+)13.498M	13/BB-6	40.97	1
			96110-848	BOTTOM BEAM AT EL.(+)13.498M	13/BB-8	5.72	1
			96110-849	BOTTOM BEAM AT EL.(+)13.498M	13/BB-10	5.72	1
			96110-850	BOTTOM BEAM AT EL.(+)13.498M	13/BB-12	5.72	1
			96110-851	BOTTOM BEAM AT EL.(+)13.498M	13/BB-14	24.89	1
96110-852	BOTTOM BEAM AT EL.(+)13.498M	13/BB-15A	4.48	1			
96110-853	BOTTOM BEAM AT EL.(+)13.498M	13/BB-16A	4.48	1			
96110-854	BOTTOM BEAM AT EL.(+)13.498M	13/BB-18	11.51	2			
96110-855	BOTTOM BEAM AT EL.(+)13.498M	13/BB-20	4.68	2			
96110-856	BOTTOM BEAM AT EL.(+)13.498M	13/BB-22	36.82	1			
96110-857	BOTTOM BEAM AT EL.(+)13.498M	13/BB-24	23.25	1			
96110-858	BOTTOM BEAM AT EL.(+)13.498M	13/BB-26	22.15	1			
96110-859	BOTTOM BEAM AT EL.(+)13.498M	13/BB-28	16.40	1			
96110-860	BOTTOM BEAM AT EL.(+)13.498M	13/BB-30	24.51	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 33 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-861	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	13/BB-37A	48.99	1
			96110-862	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	CRP-2	212.73	2
			96110-863	BOTTOM BEAM,RING PLATE & CIRCULAR PLATE	CRP-3	238.35	2
			96110-864	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-1	1637.36	1
			96110-865	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-4	217.28	1
			96110-866	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-7	224.76	1
			96110-867	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-16	3.93	1
			96110-868	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-12	6.27	1
			96110-869	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-13	10.77	1
			96110-870	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-10	19.00	1
			96110-871	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-18	65.45	1
			96110-872	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-17	144.21	1
			96110-873	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-28	5.78	1
			96110-874	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-23	6.29	1
			96110-875	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-22	6.62	1
			96110-876	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-33	6.70	1
			96110-877	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-24	7.56	1
			96110-878	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-31	11.51	1
			96110-879	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-34	30.90	1
			96110-880	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-20	62.47	1
			96110-881	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-40	25.37	1
			96110-882	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-39	26.48	1
			96110-883	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-38	26.81	1
			96110-884	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-36	67.53	1
			96110-885	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-35	153.06	1
			96110-886	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-45	5.25	1
			96110-887	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-54	5.95	1
			96110-888	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-52	6.11	1
			96110-889	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-47	6.23	1
			96110-890	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-50	7.33	1
			96110-891	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-58	24.40	1
			96110-892	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-57	56.18	1
			96110-893	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-56	82.88	1
			96110-894	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-65	3.54	1
			96110-895	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-66	5.76	1
			96110-896	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-61	5.78	1
			96110-897	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-74	6.98	1
			96110-898	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-67	7.92	1
			96110-899	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-63	9.03	1
			96110-900	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-60	22.38	1
			96110-901	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-68	28.24	1
			96110-902	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-71	28.60	1

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 34 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-903	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-70	30.79	1
			96110-904	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-78	4.06	1
			96110-905	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-77	7.16	1
			96110-906	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-76	8.49	1
			96110-907	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-83	29.47	1
			96110-908	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-85	34.21	1
			96110-909	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-81	34.97	1
			96110-910	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-79	176.11	1
			96110-911	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-87	5.96	1
			96110-912	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-89	6.63	1
			96110-913	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-91	7.49	1
			96110-914	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-93	5.8	1
			96110-915	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-95	11.17	1
			96110-916	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-97	5.89	1
			96110-917	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-99	11.73	1
			96110-918	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-101	4.07	2
			96110-919	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-107	9.75	1
			96110-920	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-112	13.10	1
			96110-921	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-103	149.79	1
			96110-922	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-116	11.87	1
			96110-923	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-118	5.54	1
			96110-924	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/10	31.42	4
			96110-925	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/9	32.55	4
			96110-926	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	32/TBR-2	55	4
			96110-927	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/7	75.15	2
			96110-928	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/8	78.29	2
			96110-929	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/6	154.15	1
			96110-930	FRAME,TAIE BEAM,BRCG. AT EL.(+)27.784M	FR-1/4	207.72	1
			96110-931	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/6	154.15	1
			96110-932	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/4	207.72	1
			96110-933	FRAME AT EL.(+)27.784M (T.O.SILO)	FR-2/2	214.68	1
			96110-934	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-2/2	20.71	1
			96110-935	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-4/2	20.71	1
			96110-936	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-6/2	20.71	1
			96110-937	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-2/1	57.30	1
			96110-938	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-6/1	57.30	1
			96110-939	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-146	223.71	1
			96110-940	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-147	1647.58	1
			96110-941	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-153	24.02	1
			96110-942	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-157	10.77	1
			96110-943	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-156	6.27	1
			96110-944	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-159	5.87	1

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 35 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-945	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-163	28.95	1
			96110-946	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-173	3.36	1
			96110-947	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-170	5.99	1
			96110-948	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-171	6.03	1
			96110-949	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-167	6.29	1
			96110-950	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-169	7.28	1
			96110-951	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-176	9.66	1
			96110-952	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-174	10.65	1
			96110-953	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-165	28.10	1
			96110-954	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-188	7.3	1
			96110-955	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-186	9.21	1
			96110-956	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-181	63.24	1
			96110-957	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-190	5.06	1
			96110-958	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-192	8.97	1
			96110-959	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-194	7.33	1
			96110-960	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-196	6.11	1
			96110-961	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-198	5.95	1
			96110-962	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-200	82.88	1
			96110-963	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-202	24.4	1
			96110-964	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-204	22.38	1
			96110-965	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-206	7.67	1
			96110-966	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-208	5.36	1
			96110-967	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-210	5.76	1
			96110-968	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-212	28.24	1
			96110-969	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-214	30.79	1
			96110-970	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-216	7.16	1
			96110-971	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-218	6.98	1
			96110-972	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-221	7.16	1
			96110-973	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-224	71.91	1
			96110-974	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-226	28.34	1
			96110-975	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-228	33.89	1
			96110-976	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-231	5.96	1
			96110-977	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-233	6.63	1
			96110-978	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-235	7.49	1
			96110-979	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-237	5.8	1
			96110-980	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-239	11.17	1
			96110-981	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-241	5.89	1
			96110-982	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-243	11.73	1
			96110-983	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-245	4.07	2
Ref. Doc	96110-984	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-248	62.57	1		
	96110-985	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-250	27.41	1		
	96110-986	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-252	15.49	1		

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0		
					Rev No. 00		
					PAGE 36 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.			96110-987	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-254	3.83	1
			96110-988	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-256	13.1	1
			96110-989	FLOOR BEAM AT EL.(+)27.784M (T.O.SILO)	27/FB-258	9.92	1
			96110-990	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-47	3.89	1
			96110-991	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-72	4.49	1
			96110-992	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-105	4.96	1
			96110-993	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-121	5.73	1
			96110-994	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-91	6.36	1
			96110-995	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-32	9.17	1
			96110-996	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-96	11.36	1
			96110-997	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-126	12.40	1
			96110-998	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-79	13.65	1
			96110-999	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-120	13.81	1
			96110-1000	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-139	14.02	1
			96110-1001	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-115	14.40	1
			96110-1002	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-25	14.77	1
			96110-1003	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-34	15.18	1
			96110-1004	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-77	15.84	1
			96110-1005	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-73	16.91	1
			96110-1006	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-69	17.00	1
			96110-1007	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-76	18.17	1
			96110-1008	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-104	18.85	1
			96110-1009	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-61	19.24	1
			96110-1010	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-9	19.49	1
			96110-1011	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-40	20.31	1
			96110-1012	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-84	20.93	1
			96110-1013	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-7	21.62	1
			96110-1014	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-42	21.76	1
			96110-1015	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-78	22.06	1
			96110-1016	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-14	22.70	1
96110-1017	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-31	23.57	1			
96110-1018	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-125	24.10	1			
96110-1019	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-60	25.00	1			
96110-1020	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-81	25.18	1			
96110-1021	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-141	25.50	1			
96110-1022	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-12	25.57	1			
96110-1023	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-48	25.94	1			
96110-1024	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-86	26.36	1			
96110-1025	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-132	26.84	1			
96110-1026	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-135	27.32	1			
96110-1027	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-138	27.41	1			
96110-1028	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-6	27.77	1			

TD-106-2 Rev No. 5	Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD		OE 5 6 1 1 0							
					Rev No. 00							
					PAGE 37 of 38							
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.								96110-1029	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-133	28.47	1
								96110-1030	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-24	28.66	1
								96110-1031	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-97	29.27	1
								96110-1032	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-94	29.72	1
								96110-1033	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-2	29.95	1
								96110-1034	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-128	30.42	1
								96110-1035	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-93	30.91	1
								96110-1036	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-16	31.22	1
								96110-1037	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-107	32.74	1
								96110-1038	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-35	33.19	1
								96110-1039	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-134	33.60	1
								96110-1040	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-20	34.21	1
								96110-1041	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-51	34.48	1
								96110-1042	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-18	34.81	1
								96110-1043	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-1	36.34	1
								96110-1044	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-17	36.92	1
								96110-1045	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-101	37.34	1
								96110-1046	CHQD. PL. AT EL.(+)27.784M (T.O.SILO)	CP-137	37.59	1
								96110-1047	COLUMN BRCG	CBR-6A	829.82	3
								96110-1048	COLUMN BRCG	CBR-22	105.24	2
								96110-1049	COLUMN BRCG	CBR-25	95.52	2
								96110-1050	COLUMN BRCG	CBR-26	102.07	2
								96110-1051	COLUMN BRCG	CBR-27	68.17	2
								96110-1052	COLUMN BRCG	CBR-28	68.12	2
								96110-1053	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-1	301.91	4
								96110-1054	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-3	177.14	3
								96110-1055	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-4	186.35	3
								96110-1056	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	R-6	186.35	3
								96110-1057	RUNNER,SAG ROD & FLOOR BEAM AT EL.(+)20.186M	SG-2	2.47	4
								96110-1058	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-8/2	20.71	1
								96110-1059	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-10/2	20.71	1
								96110-1060	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-12/2	20.71	1
								96110-1061	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-10/1	56	1
								96110-1062	PLATFORM AT EL.(+)27.784M (T.O.SILO)	BKT-9/1	57.3	1
B. LIST OF FASTENERS TOTAL WEIGHT – 1199 Kg (To be supplied As per TDC:6:388)												
Ref. Doc	DU NO	DESCRIPTION	ERECTIONMARK	WEIGHT/UNIT (KG.)	QTY							
	96110-F01	H.T.BOLT GR.10.9	M12-40LG.	0.053	8							
	96110-F02	H.T.BOLT GR.10.9	M12-45LG.	0.058	30							
	96110-F03	H.T.BOLT GR.10.9	M16-40LG.	0.094	206							
	96110-F04	H.T.BOLT GR.10.9	M16-45LG.	0.102	272							

TD-106-2 Rev No. 5 Form No.		PRODUCT STANDARD OIL FIELD EQUIPMENT HYDERABAD				OE 5 6 1 1 0		
						Rev No. 00		
						PAGE 38 of 38		
COPYRIGHT AND CONFIDENTIAL The information on this document is the property of BHARAT HEAVY ELECTRICALS LIMITED . It must not be used directly or indirectly in any way detrimental to the interest of the company.		96110-F05	H.T.BOLT GR.10.9	M16-50LG.	0.11	124		
		96110-F06	H.T.BOLT GR.10.9	M16-55LG.	0.118	18		
		96110-F07	H.T.BOLT GR.10.9	M16-85LG.	0.161	10		
		96110-F09	H.T.BOLT GR.10.9	M20-45LG.	0.173	706		
		96110-F10	H.T.BOLT GR.10.9	M20-50LG.	0.186	278		
		96110-F11	H.T.BOLT GR.10.9	M20-55LG.	0.198	758		
		96110-F12	H.T.BOLT GR.10.9	M20-60LG.	0.211	226		
		96110-F13	H.T.BOLT GR.10.9	M20-65LG.	0.223	1636		
		96110-F14	H.T.BOLT GR.10.9	M20-70LG.	0.235	10		
		96110-F15	H.T.BOLT GR.10.9	M20-75LG.	0.248	4		
		96110-F17	H.T.BOLT GR.10.9	M24-65LG.	0.33	20		
		96110-F19	H.T.BOLT GR.10.9	M24-75LG.	0.366	136		
		96110-F22	NUT	M12	0.013	36		
		96110-F23	NUT	M16	0.032	644		
		96110-F24	NUT	M20	0.061	3614		
		96110-F25	NUT	M24	0.104	154		
		96110-F30	TAPER WASHER	M12(MB)	0.022	30		
		96110-F31	TAPER WASHER	M12(MC)	0.02	8		
		96110-F32	TAPER WASHER	M16(MB)	0.0375	20		
		96110-F33	TAPER WASHER	M16(MC)	0.034	118		
		96110-F34	TAPER WASHER	M20(MB)	0.067	46		
		96110-F35	TAPER WASHER	M20(MC)	0.058	32		
		96110-F26	WASHER	A14	0.0062	36		
		96110-F27	WASHER	A18	0.0082	604		
		96110-F28	WASHER	A22	0.0164	3578		
		96110-F29	WASHER	A26	0.0311	154		
		Ref. Doc						

Ref. Doc.