

PRE-QUALIFICATION CRITERIA

Offer of only those bidders will be considered for evaluation who fulfil the following requirements-

DETAILS OF CRITERIA	Documents mandatorily required	BIDDER'S ACCEPTANCE/ COMPLIANCE
1 Having minimum 20 Ton/Day liquid oxygen manufacturing facility and minimum 40 Ton liquid Oxygen Storage facility. The manufacturing facility should be successfully operational since last three years as on Tender opening date.	Relevant documents proving manufacturing Capacity and Storage facility.	
2 Must have a fleet of minimum three no. of Liquid Oxygen (Cryogenic) Road Tankers with minimum capacity of 8 MT each. OR Bidder should have a valid contract for transportation of Liquid Oxygen for minimum three no. of Liquid Oxygen (Cryogenic) Road Tankers with minimum capacity of 8 MT each as on tender opening date.	Relevant documents proving the capacity for transportation of Liquid Oxygen (Cryogenic) through Road Tankers. OR Valid Contract copy for transportation of Liquid Oxygen.	
3 The bidder must have successfully supplied minimum 10 Lakhs CuM of oxygen in any one Financial Year in last five years as on tender opening date.	PO Copy/ies of PO dates within last 5 years from tender opening date, proving 10 Lakhs SCM supply in a year.	
4 The Annual Turn-Over of the company should not be less than Rs. 80 Lakhs in the last three consecutive Financial Years.	Annual Turnover Reports of last three years i.e. FY:18-19, FY:17-18 & FY:16-17	