

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	14-02-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	14-02-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10340020-tbg, Noida
Total Quantity/कुल मात्रा	1200
Item Category/मद केटेगरी	High Strength Deformed Steel Bars and Wires for concrete reinforcement - as per IS 1786 (Latest) (Q2)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	High Strength Deformed Steel Bars and Wires for concrete reinforcement - as per IS 1786 (Latest)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered

product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (210 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	8
	Nominal mass per meter of individual bars/ wires (kgs)	0.395
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	50.3
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	210	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (120 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	10
	Nominal mass per meter of individual bars/ wires (kgs)	0.617
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	78.6

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	120	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (150 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	12

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Nominal mass per meter of individual bars/ wires (kgs)	0.888
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	113.1
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	150	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (210 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	16
	Nominal mass per meter of individual bars/ wires (kgs)	1.58
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	201.2
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	210	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (180 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	20
	Nominal mass per meter of individual bars/ wires (kgs)	2.47
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	314.3
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	180	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (150 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Genric	Producer Type	Primary Producer

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	25
	Nominal mass per meter of individual bars/ wires (kgs)	3.85
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	491.1
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	150	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (90 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	28
	Nominal mass per meter of individual bars/ wires (kgs)	4.83
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	615.8
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	90	60

High Strength Deformed Steel Bars And Wires For Concrete Reinforcement - As Per IS 1786 (Latest) (90 metric tonne)

(Minimum 35% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Producer Type	Primary Producer
	Conforming to Indian Standard IS 1786 : 2008: latest	Yes
	Product ISI Marked	Yes
Material	Strength Grade of Steel bars and wires	Fe 500D
	Type of steel	Killed
	Type of Raw Material	virgin
Process	Process of manufacture of Steel	hot rolled steel with controlled cooling and tempering
Dimension	Nominal sizes (diameter) of bars/ wires (mm)	32
	Nominal mass per meter of individual bars/ wires (kgs)	6.31
	Nominal cross- sectional area of individual bars/ wires (sq.mm)	804.6
	Nominal Length of Steel bars (metres)	12

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arvind Kumar Tyagi	334001,PGCIL 765/400/220 kV SS, Village – Barjoo, Tehsil – Pugal, Dist. – Bikaner, 334001 (Rajasthan)	90	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any

responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---