



PHONE : 91-44-28158821
GRAMS : BHARATELEC
FAX NO:
E-mail :
Web :

OFFICE COPY	Collective No.	Enquiry Date	Due Date For Quotation
	9631700109	08.07.2017	29.07.2017
Please quote Enquiry No, Date and due date in all correspondences. This is only a request for quotation and not an order			

Item	Description	Unit	Quantity	Delivery Quantity	Schedule Date
10	SP8490103135 GM GATE VALVE (SCREWED) -1/2"BSP GM GATE VALVE WITH SCREWED ENDS AS PER IS:778-1984 SIZE : 1/2"BSP	NO	20.000	20.00	21.08.17
20	SP8490103208 GM GATE VALVE (SCREWED) -3/4"BSP GM GATE VALVE WITH SCREWED ENDS AS PER IS:778-1984 SIZE : 3/4"BSP	NO	30.000	30.00	21.08.17
30	SP8490103259 GM GATE VALVE (SCREWED) -1"BSP GM GATE VALVE WITH SCREWED ENDS AS PER IS:778-1984 SIZE : 1"BSP	NO	25.000	25.00	21.08.17
40	SP8490103313 GM GATE VALVE (SCREWED) -1 1/4"BSP GM GATE VALVE WITH SCREWED ENDS AS PER IS:778-1984 SIZE : 1 1/4"BSP	NO	10.000	10.00	21.08.17
50	SP9110119160 BALL VALVE -SCREWED 3/4" RHF BALL VALVE SIZE:3/4" MATERIAL: BODY - CARBON STEEL BALL - SS304 SEAL - TEFLON END CONNECTION: SCREWED ON BOTH ENDS WORKING PRESSURE - 10KG/SQ.CM FACE TO FACE - 78MM	NO	50.000	50.00	21.08.17
60	SP9110119171 BALL VALVE 1 1/2" RHF & MBHG SINGLE PIECE FULL PORT HAND LEVER OPERATED,FLANGED TYPE BALL VALVE SIZE :1 1/2" BODY :CARBON STEEL BALL AND STEM :SS304 SEAT AND SE ALS :TEFLON FLUID TO BE HANDLE :FURNACE OIL WORKING PRESSURE :10KG/square centimetres WORKING TEMPARATURE :100degree centigrade M AXIMUM TEMPARATURE :200degree centigrade	NO	10.000	10.00	21.08.17
70	SP9110119172 BALL VALVE-1" SCREWED(FUEL OIL LINE) RHF SINGLE PIECE FULL PORT HAND LEVER OPERATED,BOTH ENDS SCREWED TYPE BALL	NO	50.000	50.00	21.08.17

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE
(SSTP)



9631700109 / 08.07.2017

23505


	VALVE. SIZE :1" BSP BODY :CARB ON STEEL BALL AND STEM :SS304 SEAT AND SEALS :TEFLON FLUID TO BE HANDLED :FURNACE OIL WORKING PRESSURE :10Kg/SQ.CENTI METRE				
80	SP9110119173 BALL VALVE-0.5"BSP END CON(4 BOLTED) RHF BALL VALVE CONNECTION:SCREWED 1/2" BSP INTERNAL THREAD. DESIGN: FOUR BOLTED PRESSURE:5-7 BARS TEMPERATURE:75 TO 100 DEGREE C Note:S uitable seals to be provided.	NO	50.000	50.00	21.08.17
90	SP9110191246 FLANGE 1/2" ANSI B16.5 RHF FLANGE SIZE:1/2" TYPE:SLIP ON FLANGE CLASS :150 STANDARD:ANSI B16.5 MATERIAL:CARBON STEEL SURFACE TREATMENT:HOT DIPPED CALVANIZED U SAGE:OIL & WATER	NO	50.000	50.00	21.08.17
100	SP9110191247 FLANGE -3/4" ANSI B16.5 RHF FLANGE SIZE:3/4" TYPE:SLIP ON FLANGE CLASS :150 STANDARD:ANSI B16.5 MATERIAL:CARBON STEEL SURFACE TREATMENT:HOT DIPPED CALVANIZED USAGE:OIL & WATER	NO	100.000	100.00	21.08.17
110	SP9110191248 FLANGE-1" ANSI B16.5 RHF FLANGE SIZE:1" TYPE:SLIP ON FLANGE CLASS :150 STANDARD:ANSI B16.5 MATERIAL:CARBON STEEL SURFACE TREATMENT:HOT DIPPED CALVANIZED US AGE:OIL & WATER	NO	100.000	100.00	21.08.17
120	SP9110191249 FLANGE -1 1/2" ANSI B16.5 RHF FLANGE SIZE:1 1/2" TYPE:SLIP ON FLANGE -CLASS :150 STANDARD:ANSI B16.5 MATERIAL:CARBON STEEL SURFACE TREATMENT:HOT DIPPED CALVANIZ ED USAGE:OIL & WATER	NO	50.000	50.00	21.08.17
130	SP9110191250 FLANGE-2" ANSI B16.5 RHF FLANGE SIZE: 2" TYPE:SLIP ON FLANGE CLASS :150 STANDARD:ANSI B 16.5 MATERIAL:CARBON STEEL SURFACE TREATMENT:HOT DIPPED CALVANIZED USAGE:OIL & WATER	NO	50.000	50.00	21.08.17

The offers should reach us 30 minutes before the time of opening of tenders.
The offers will be opened at 14.30 hrs on the due date of tender in the presence of
tenderers who have submitted their offer and who may like to be present for the tender
opening.Late and delayed offers are liable to be rejected.

Yours faithfully,
For BHARAT HEAVY ELECTRICALS LIMITED

MANAGER / PURCHASE
(SSTP)



9631700109 / 08.07.2017				23505																			
140	SP9110191251	NO	50.000	50.00	21.08.17																		
FLANGE-2 1/2" ANSI B16.5																							
RHF																							
FLANGE SIZE:2 1/2" TYPE:SLIP ON FLANGE																							
CLASS :150 STANDARD:ANSI B16.5																							
MATERIAL:CARBON STEEL SURFACE																							
TREATMENT:HOT DIPPED CALVANI																							
ZED USAGE:OIL & WATER																							
150	SP9110191252	NO	25.000	25.00	21.08.17																		
FLANGE-3" ANSI B16.5																							
RHF																							
FLANGE SIZE: 3" TYPE:SLIP ON FLANGE																							
CLASS :150 STANDARD:ANSI B16.5																							
MATERIAL:CARBON STEEL SURFACE																							
TREATMENT:HOT DIPPED CALVANIZED US																							
AGE:OIL & WATER																							
160	SP9110191253	NO	50.000	50.00	21.08.17																		
FLANGE-3 1/2" ANSI B16.5																							
RHF																							
FLANGE SIZE: 3 1/2 " TYPE:SLIP ON FLANGE																							
CLASS :150 STANDARD:ANSI B16.5																							
MATERIAL:CARBON STEEL SURFACE																							
TREATMENT:HOT DIPPED CALVANI																							
ZED USAGE:OIL & WATER																							
170	SP9110191254	NO	30.000	30.00	21.08.17																		
FLANGE-4 " ANSI B16.5																							
RHF																							
FLANGE SIZE: 4" TYPE:SLIP ON FLANGE																							
CLASS :150 STANDARD:ANSI B16.5																							
MATERIAL:CARBON STEEL SURFACE																							
TREATMENT:HOT DIPPED CALVANIZED U																							
SAGE:OIL & WATER																							
General Note:																							
Enclosures:																							
"LD clause has to be confirmed without fail."																							
The bidder along with its associate / collaborators / sub-contractors / sub-vendors / consultants /service providers shall strictly adhere to BHEL fraud prevention policy displayed on BHEL website http://www.bhel.com and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.																							
PR Links																							
<table><tr><th>Material.</th><th>PR.No</th><th>PR.Item.</th><th>Quantity</th><th>Acc. Assign</th><th>Customer Number</th></tr><tr><td>SP8490103135</td><td>118225575</td><td>00080</td><td>20.000</td><td>/000000</td><td></td></tr><tr><td>SP8490103208</td><td>118225575</td><td>00070</td><td>30.000</td><td>/000000</td><td></td></tr></table>						Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number	SP8490103135	118225575	00080	20.000	/000000		SP8490103208	118225575	00070	30.000	/000000	
Material.	PR.No	PR.Item.	Quantity	Acc. Assign	Customer Number																		
SP8490103135	118225575	00080	20.000	/000000																			
SP8490103208	118225575	00070	30.000	/000000																			
The offers should reach us 30 minutes before the time of opening of tenders. The offers will be opened at 14.30 hrs on the due date of tender in the presence of tenderers who have submitted their offer and who may like to be present for the tender opening.Late and delayed offers are liable to be rejected.				Yours faithfully, For BHARAT HEAVY ELECTRICALS LIMITED  MANAGER / PURCHASE (SSTP)																			