

भारत हेवी इलेक्ट्रिकल्स लिमिटेड
पावर सेक्टर- पश्चिमी क्षेत्र
श्रीमोहिनी काम्पलेक्स, 345 - किंग्सवे
नागपुर- 440 001



Bharat Heavy Electricals Limited
Power Sector-Western Region
Shreemohini complex, 345 - Kingsway
Nagpur -440 001

फोन / Phone 0712- 3048600 TO 604 फेक्स FAX: 0712- 3048698- 699/ 3048605 www.bhelpswr.co.in

Ref: **BHE/PW/PUR/SKT-CHIMNEY/950/AMD-01**

Date 16/01/2012

-----Page 1 of 1-----

To

ALL BIDDERS

Sub: AMENDMENT-01: Change in Specification of item no 23.b of Price bid.

JOB: CONSTRUCTION OF TWIN FLUE RCC CHIMNEY OF HEIGHT 220M WITH BRICK LINERS USING SLIPFORM SHUTTERING EQUIPMENT ETC AT SIKKA THERMAL POWER STATION (EXPANSION PROJECT) GUJARAT STATE ELECTRICITY CORPORATION LIMITED SIKKA, DISTT. JAMNAGAR (GUJARAT).

TENDER SPECIFICATION NO: BHE/PW/PUR/SKT-CHIMNEY/950

Bidder may refer "VOL-II Price Bid- 950" issued against this tender. In BOQ of this price bid, we have now amended specification of one item no-23.b as detailed below.

Item no	Amended Item Description	Remarks
23.b	Three coats of EXTERIOR EMULSION paint conforming to IS: 5410 in alternate bands of colour signal red and pure/bright white as per mfr's specification & approval of Engineer. (The entire outside surface of concrete shell shall be painted with alternate bands of signal red and white color, out of which top 50 m shall be painted with acid and heat resistant polyurethane paint and rest of the outside surface shall be painted with exterior emulsion paint conforming to IS: 5410 in alternate bands of red and white color.) -	The quantity remains same i.e. 11400 SQ.M

Bidders are now requested to quote the rate for item no-23.b with the amended specification in the VOL-II Price Bid- 950. As such existing item description of item no-23 .b of VOL-II -price bid is null & Void. The item description of item no-23 .b is amended as above.

Bidder must enclose copy of this amendment along their offer as a token of acceptance of this amendment duly signed & stamped with their offer.

All other terms & condition of the tender specification shall remain unchanged unless and otherwise expressly amended by BHEL.

Thanking you,

DGM (PURCHASE)