

AMENDMENT-1
To Doc. No. PY51291 (Purchase Specification for Passenger Elevator)

Date: 11.11.17

Customer : Project Engineering & System Division (PE&SD), BHEL-HYDERABAD
Project : Installation of Passenger Elevator in PE&SD building
Item Indented : Passenger Elevator
Reference : BHEL Enquiry No. T7A1Q03042/NIT_35234

With reference to the BHEL's specifications & documents furnished vide original enquiry referred above, bidder shall comply with the below requirements also.

S. No.	Reference in BHEL's enquiry document [Doc. No. PY51291]	Requirement specified in BHEL's enquiry documents	Revised Requirement / Clarification	Remarks
1.	Cl. No. 4.0.0	As per Cl. No. 4.0.0 Car Enclosure material required is Stainless Steel Hairline Finish, whereas as per Cl. No. 5.2.5 & 5.2.6 Material is Mid Steel with Powder Coated Finish.	Stainless Steel Hairline Finish material to be considered for Car Enclosure material, Car Door, Hoist Way.	Clarification
2.	Cl. No. 5.2.5	As per Cl. No. 4.0.0 Car Enclosure material required is Stainless Steel Hairline Finish, whereas as per Cl. No. 5.2.5 & 5.2.6 Material is Mid Steel with Powder Coated Finish.	Stainless Steel Hairline Finish material to be considered for Car Enclosure material, Car Door, Hoist Way.	Clarification
3.	Cl. No. 5.2.6	As per Cl. No. 4.0.0 Car Enclosure material required is Stainless Steel Hairline Finish, whereas as per Cl. No. 5.2.5 & 5.2.6 Material is Mid Steel with Powder Coated Finish.	Stainless Steel Hairline Finish material to be considered for Car Enclosure material, Car Door, Hoist Way.	Clarification
4.	Cl. No. 5.2.6	As per Cl. No. 5.2.6, Clear opening of Hoist Way Door is mentioned as 1200 X 2200.	Clear opening of Hoist Way Door is mentioned as 800 X 2100 as per IS 14665 to be considered.	Amendment
5.	Cl. No. 8	Statutory Approvals in Bidders Scope.	At present, in telangana, No Lift act is applicable. In future, if applicable, same shall be in BHEL Scope.	Amendment

6.	Cl. No. 10a)	Motor Make shall be ABB/Siemens/Alstom/Bharat Bijlee /Crompton Greaves.	Bidder may select motor make as per their manufacturing standard.	Amendment
7.	Cl. No. 10b)	Wire rope to be provided as per approved make mentioned in Cl. No. 10(b).	Wire rope or Flat belt as per manufacturer standard is also acceptable.	Amendment
8.	----	----	There was no QAP attached with earlier specification. Attached QAP (Annexure-5) to be followed for present enquiry.	Amendment

Enclosure: Annexure-5

Rajeev Kumar Jain,
Sr. Engineer,
PE&SD-Mechanical
BHEL, Hyderabad.
040-23182874