

# बीएचई एन

# NAME OF PROJECT: 2X660 MW BIFPCL MAITREE KHULNA STPP, BANGLADESH

### NAME OF PACKAGE: ELECTROMAGNETIC FLOW METERS: MAIN SUPPLY + SUPERVISION OF E & C + MANDATORY SPARES

# ANNEXURE - I TO ENQUIRY NO. PE/PG/BIF/E-6605/2020 DTD. 12.02.2021

SI no.	Item / Service Description	KKS number	HSN CODE	UNIT OF MEASUREMENT	Total Quantity For 2 Units	UNIT EX- WORKS PRICE (INCLUDING SEA WORTHY PACKING) (INR)	TOTAL EX- WORKS PRICE (INCLUDING SEA WORTHY PACKING) (INR)	FREIGHT RATE @% OF TOTAL EX- WORKS PRICE	FREIGHT CHARGES (INR)	TOTAL EX- WORKS PRICE + FREIGHT CHARGES (INR)	APPLICABLE GST RATE @ 0.1.% ON MAIN SUPPLY & MANDATORY SPARES SUPPLY (TOTAL EX WORKS PRICE + FREIGHT) / and @18% ON SUPERVISION OF E&C PORTION	TOTAL GST AMOUNT (INR)	TOTAL PRICE F.O.R. CHENNAI PORT 'OR' CHA GODOWN, CHENNAI PORT (INR)
1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	MAIN SUPPLY												
1.1	ACW Pumps Discharge Header	01PCB10BP100	90261090	NOS.	1		0		0	0	0.1	0	0
1.2	ACW Pumps Discharge Header	02PCB10BP100	90261090	NOS.	1		0		0	0	0.1	0	0
1.3	RAW Water Pumps Discharge Header	00GAC11 BP001	90261090	NOS.	1		0		0	0	0.1	0	0
1.4	RAW Water Pumps Discharge Header	00GAC15 BP001	90261090	NOS.	1		0		0	О	0.1	0	o
	TOTAL- MAIN SUPPLY						0		0	0		0	0
2	SUPERVISON OF E & C		998335										
2.1	Charges of Supervision of Erection & Commissioning at site (Including lodging & boarding, Local Conveyence at site) per Manday (Excluding Travel Time)			MANDAYS	6		0	- NOT APPLICABLE		0	18	0	0
2.2	Lump sum price for travel (Per Visit) including ticket ,Visa/ Insurance (as applicable), intermediary stay Including travel time			NUMBER OF TRIPS	2		0			0	18	0	0
	TOTAL- SUPERVISON OF E & C						0			0		0	0
3	MANDATORY SPARES( 10 % or 1 no. of each type & model whichever is more)		90261090										
3.1	ELECTRONICS KIT & Transmitter(ON SIZE)			1		0		0	0	0.1	0	o	
	TOTAL- MANDATORY SPARES						0			0		0	0
	TOTAL OF ABOVE (MAIN S		0			0		0	0				

- NOTE: (1) No. of days at site defined at SI. No. 2.1 above shall be calculated on the basis of presence at site (travel time is excluded).
  - (2) No. of Visits and days as mentioned at SI. No. 2.1 & 2.2 above may vary, depending upon site requirement.
  - (3) Any variation in no. of visits & no. of days shall be exercised based on unit rate arrived from SI. No. 2.1 & 2.2.