

ADDENDUM/Corrigendum

DATE: 04-11-2021

Supply of Balance items and E&C Works of Stacker Reclaimer

Tender Ref: 88/21/6024/DSP

"Waiver of EMD "

Clause No.12.0 of NIT and 26.1 of COMMERCIAL CONDITIONS OF CONTRACT shall be read as ""EMD is not applicable for this tender"

"Non Applicability of Reverse Auction"

Clause No.15.0 of NIT and 27.1 of COMMERCIAL CONDITIONS OF CONTRACT shall be read as

Reverse Auction is not applicable for this tender, Price Bids of techno-commercially qualified bidders shall be opened.

Any further addendum such issued carry part of the bidding documents and this will be available at the web site from where the original documents have been received / downloaded by the bidder. Hence, bidders are requested to visit the web site on regular basis.

For Further Queries if any, Contact:

For Commercial :

Sh. D S Pradeep Kumar Sarma
Manager / MM
BHEL-ISG,
Prof.C.N.R.Rao Circle,
Bangalore-560 012
Off: 080 2218 4520,
e-mail: dsp@bhel.in

For Technical :

Sh. Sandeep Sadu
Dy Manager / PE / Mech
BHEL-ISG,
Prof.C.N.R.Rao Circle,
Bangalore-560 012
Off: 080 2218 4219,
e-mail : ssd@bhel.in