



2 X 200 MW TISHREEN TPP EXTENSION

DATE: 13-Mar-12

AMENDMENT – I

TECHNICAL SPECIFICATION FOR ELEVATOR (DOCUMENT NO. PE-TS-323-502-A001)

S. No.	PAGE NO.	CLAUSE NO.	EXISTING DESCRIPTION	TO BE READ AS
1		GENERAL		<p>Bidder to note the following:</p> <ol style="list-style-type: none"> 1. RCC shaft (well) of size 2500mm x 2800mm is envisaged for TG Building elevator. Necessary layout drawings, including Floor Plans, have already been issued along with Tender Specification. 2. In addition to elevator (with Machine Room), Machine Room Less elevator may also be offered by bidder. However, same shall be subject to following: <ol style="list-style-type: none"> a. Bidder to confirm that offered Machine Room Less elevator is suitable for installation in the available shaft size. In case different shaft size is required, same may be indicated along with the offer. b. Bidder to furnish reference of projects, where Machine Room Less elevators have been installed for similar application (in Power Plants) and are in successful operation since at least 2 years from date of bid submission. c. Elevator details including dimensions, general arrangement drawings, etc. shall be included by bidder along with their technical offer. d. Bidder to ensure that other technical parameters of Elevator are in line with Tender Specification.