

LEGEND:-

RL(+305.00)	RL(+300.00)	RL(+309.00)
RL(+303.00)	RL(+306.00)	RL(+312.50)
RL(+296.50)	RL(+295.50)	

NOTES:

- ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN METRES.
- GRIDS ARE MARKED AT 50M INTERVALS IN BOTH DIRECTIONS.
- SITE CLEARANCE SHALL BE DONE AS PER TECHNICAL SPECIFICATIONS UPTO 2.0M BEYOND EXPECTED LINE OF FILLING/CUTTING.
- FILLING WITH EARTH SHALL BE DONE IN LAYERS AND COMPACTED TO 95% OR MORE OF STANDARD PROCTOR'S MAXIMUM DRY DENSITY AS PER SPECIFICATIONS.
- SLOPES IN FILLING SHALL BE 1V:2.5H UNLESS SPECIFICALLY NOTED OTHERWISE.
- ALL CO-ORDINATES ARE SPECIFIED FOR THE TOP EDGE OF THE SLOPE OF FILLING/CUTTING.
- PRIORITIES FOR VARIOUS BLOCKS SHALL BE AS PER THE WORK PROGRAMME AND INSTRUCTIONS OF ENGINEER.

FOR TENDER PURPOSE ONLY

REV. NO.	DESCRIPTION	DRAWN	DESIGN	CHKD.	M	E	C	CAI	ES	APPD.	DATE	SIZE	SCALE	DRG. NO.	REV. NO.
D	FOR TENDER PURPOSE ONLY	VENKY	KK	VK						SK	18.06.24			11255-001-POC-A-003	D
C	FOR TENDER PURPOSE ONLY	SP	KK	VK						SK	08.03.24				
B	FOR TENDER PURPOSE ONLY	TSY	KK	VK						SK	06.10.23				
A	FOR TENDER PURPOSE ONLY	TSY	KK	VK						SK	03.10.23				

SECTION - A

RR MASONRY (MIN. 300MM THICK)

CATCH DRAIN

CATCH DRAIN

WIDTH VARYING

SLOPE SHALL BE AS PER DESIGN REQUIREMENT AND SHALL BE WITHIN RAILWAY SIDING BOUNDARY EXTENT

OWNER
CHHATTISGARH STATE POWER GENERATION COMPANY LTD.


CONSULTANT
NTPC Limited
(A GOVERNMENT OF INDIA ENTERPRISE)

PROJECT
2X660MW SUPERCRITICAL THERMAL POWER PROJECT, KORBA WEST, CHHATTISGARH

SITE LEVELLING PLAN

11255-001-POC-A-003

SECTION - A



LEGEND:-



NOTES:

1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN METRES.
 2. GRIDS ARE MARKED AT 50M INTERVALS IN BOTH DIRECTIONS.
 3. SITE CLEARANCE SHALL BE DONE AS PER SPECIFICATIONS UPTO 2.0M ABOVE EXPECTED LINE OF FILLING/CUTTING.
 4. FILLING WITH EARTH SHALL BE DONE IN LAYERS AND COMPACTED TO 95% OR MORE OF STANDARD PROCTOR'S MAXIMUM DRY DENSITY AS PER SPECIFICATIONS.
 5. SLOPES IN FILLING SHALL BE 1V:2.5H UNLESS SPECIFICALLY NOTED OTHERWISE.
 6. ALL CO-ORDINATES ARE SPECIFIED FOR THE TOP EDGE OF THE SLOPE OF FILLING/CUTTING.
- PRIORITIES FOR VARIOUS BLOCKS SHALL BE AS PER THE WORK PROGRAMME AND INSTRUCTIONS OF ENGINEER.

FOR TENDER PURPOSE ONLY

D	FOR TENDER PURPOSE ONLY	VENKY	KK	VK						SK	18
C	FOR TENDER PURPOSE ONLY	SP	KK	VK						SK	26
B	FOR TENDER PURPOSE ONLY	TSY	KK	VK						SK	26
A	FOR TENDER PURPOSE ONLY	TSY	KK	VK						SK	03
REV.NO.		DRAWN	DESIGN	CHKD.	M	E	C	C&I	ES	APPD	D
DESCRIPTION		CLEARED BY									

OWNER	CHHATTISGARH STATE POWER GENERATION COMPANY LTD.
-------	---

CONSULTANT

एन टी सी
NTPC

NTPC Limited
(A GOVERNMENT OF INDIA ENTERPRISE)

PROJECT		2X660MW SUPERCRITICAL THERMAL POWER PROJECT, KORBA WEST, CHHATTISGARH
---------	--	---

SITE LEVELLING PLAN

DRG. NO.	REV. NO.
11255-001-POC-A-003	D