

**Annexure-C**  
**Technical Specifications**

<b>Item wise Technical Specifications</b>		
Enq. Item SL.No	Item Description and Technical Specifications	Qty (Nos)
10	<p><b>Hose ID 1/4 in, L=1000mm</b></p> <p>HOSE ID: 1/4 INCHES OVERALL LENGTH: 1000 MM END FITTINGS: STANDPIPE DIA 8 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD. WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
20	<p><b>Hose ID 5/16 in, L=1000mm</b></p> <p>HOSE ID: 5/16 INCHES OVERALL LENGTH: 1000 MM END FITTINGS: STANDPIPE DIA 10 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD. WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
30	<p><b>Hose ID 3/8 in, L=1000mm</b></p> <p>HOSE ID: 3/8 INCHES OVERALL LENGTH: 1000 MM END FITTINGS: STANDPIPE DIA 12 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD. WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
40	<p><b>Hose ID 1/4 in, L=1500mm</b></p> <p>HOSE ID: 1/4 INCHES OVERALL LENGTH: 1500 MM END FITTINGS: STANDPIPE DIA 8 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD. WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6

50	<p><b>Hose ID 3/8 in, L=1500mm</b></p> <p>HOSE ID: 3/8 INCHES  OVERALL LENGTH: 1500 MM  END FITTINGS: STANDPIPE DIA 12 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
60	<p><b>Hose ID 1/4 in, L=2000mm</b></p> <p>HOSE ID: 1/4 INCHES  OVERALL LENGTH: 2000 MM  END FITTINGS: STANDPIPE DIA 8 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
70	<p><b>Hose ID 5/16 in, L=2000mm</b></p> <p>HOSE ID: 5/16 INCHES  OVERALL LENGTH: 2000 MM  END FITTINGS: STANDPIPE DIA 10 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	6
80	<p><b>Hose ID 1/4 in, L=3000mm</b></p> <p>HOSE ID: 1/4 INCHES  OVERALL LENGTH: 3000 MM  END FITTINGS: STANDPIPE DIA 8 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	4

90	<p><b>Hose ID 5/16 in, L=3000mm</b></p> <p>HOSE ID: 5/16 INCHES  OVERALL LENGTH: 3000 MM  END FITTINGS: STANDPIPE DIA 10 MM</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	4
100	<p><b>Hose ID 3/8 in, L=5000mm</b></p> <p>HOSE ID: 3/8 INCHES  OVERALL LENGTH: 5000 MM  END FITTINGS: FEMALE SWIVEL NUT M18X1.5MM (BOTH END)</p> <p>STANDARD: SAE 100R1 OR EQUIVALENT ISO STANDARD.  WORKING MEDIUM: SYNTHETIC MINERAL OIL OF GRADE SS 32 AND SS 68</p>	16