

TENTATIVE LOADING PLAN FOR 600MT TEREX DEMAG FROM UDANGUDI SITE (TAMILNADU) TO YADADRI SITE (TELANGANA)

ANNEXURE - 1

Sl.No.	Colli-No.	Qty.	Packages	Description	Dimensions in CMS			Dimensions in feet			Net Weight	Gross Weight	Total net Weight	Total Gross Weight	Type of Trailer
					Length	Width	Height	Length	Width	Height	Kgs	Kgs	Kgs	Kgs	
1	1	1	Unpacked	Superstructure with A frame, center senction	1485	300	385	48.7	9.8	12.6	81000	81000	81000	81000	Hydraulic Axle
2	2	1	Unpacked	Crawler side frame right 1500 DUO	1182	200	185	38.8	6.6	6.1	44900	44900	44900	44900	Hydraulic Axle
3	3	1	Unpacked	Crawler side frame left 1500 DUO	1182	200	185	38.8	6.6	6.1	44900	44900	44900	44900	Hydraulic Axle
4	4	1	Unpacked	Basic plate	670	240	37	22	7.9	1.2	20000	20000	20000	20000	Suitable Trailer
	39	1	Unpacked	head adapter with roller set	370	260	230	12.1	8.5	7.5	7300	7300	7300	7300	
	47	1	Unpacked	lateral erection support	370	140	150	12.1	4.6	4.9	2500	2500	2500	2500	
5	5 & 6	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
6	7 & 8	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
7	9 & 10	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
8	11 & 12	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
9	13 & 14	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
10	15 to 17	3	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	30000	30000	Suitable Trailer
11	18 to 20	3	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	30000	30000	Suitable Trailer
12	21 to 23	3	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	30000	30000	Suitable Trailer
13	37	1	Unpacked	main boom intermediate	1220	298	278	40	9.8	9.1	8830	8830	8830	8830	Suitable Trailer
14	38	1	Unpacked	reducer	1226	300	280	40.2	9.8	9.2	7200	7200	7200	7200	Suitable Trailer
15	34	1	Unpacked	main boom intermediate + jib boom	1270	298	278	41.7	9.8	9.1	12000	12000	12000	12000	Suitable Trailer

16	35	1	Unpacked	main boom intermediate + jib boom	1270	298	278	41.7	9.8	9.1	12650	12650	12650	12650	Suitable Trailer
17	33	1	Unpacked	main boom intermediate + jib boom	1270	298	278	41.7	9.8	9.1	12000	12000	12000	12000	Suitable Trailer
18	32	1	Unpacked	main boom intermediate + jib mast	1270	298	278	41.7	9.8	9.1	12400	12400	12400	12400	Suitable Trailer
19	36	1	Unpacked	main boom intermediate + jib boom	1270	298	278	41.7	9.8	9.1	12970	12970	12970	12970	Suitable Trailer
20	24 & 25	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
	48	1	Unpacked	hook block type 400t - 14/28D	310	240	140	10.2	7.9	4.6	10000	10800	10000	10800	
21	52 & 53	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
22	54 & 55	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
23	45	1	Unpacked	mast intermediate 6m	626	257	228	20.5	8.4	7.5	2170	2170	2170	2170	Suitable Trailer
	56 & 57	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	
24	26	1	Unpacked	counterweigh t	235	184	45	7.7	6	1.5	10000	10000	10000	10000	Suitable Trailer
	27	1	Unpacked	central weight	275	230	89	9	7.5	2.9	1330	1330	1330	1330	
	46	1	Unpacked	base from superlift	730	300	80	23.9	9.8	2.6	7000	7000	7000	7000	
	67	1	Unpacked	pipe	600	70	50	19.7	2.3	1.6	500	500	500	500	
25	41	1	Unpacked	point jib boom	825	305	327	27.1	10	10.7	6200	6200	6200	6200	Suitable Trailer
	28	1	Unpacked	central weight	275	230	89	9	7.5	2.9	1330	1330	1330	1330	
26	58 & 59	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
	31	1	Unpacked	main boom intermediate + jib boom	670	298	270	22	9.8	8.9	6700	6700	6700	6700	
27	60 & 61	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable Trailer
	43	1	Unpacked	mast basic boom	580	259	250	19	8.5	8.2	9000	9000	9000	9000	
28	42	1	Unpacked	luffing mast cpl.	1760	251	265	57.7	8.2	8.7	12200	12200	12200	12200	Suitable Trailer
	63 & 64	2	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	20000	20000	Suitable

29	30	1	Unpacked	main boom intermediate + jib boom	670	298	278	22	9.8	9.1	6900	6900	6900	6900	Suitable Trailer
30	62	1	Unpacked	counter weight	235	184	45	7.7	6	1.5	10000	10000	10000	10000	Suitable Trailer
	51	1	Unpacked	container	600	244	240	19.7	8	7.9	8000	10000	8000	10000	
31	49	1	Unpacked	hook block type 110t - 3/28D	200	120	125	6.6	3.9	4.1	4010	4110	4010	4110	Suitable Trailer
	50	1	Unpacked	hook suspension type 15t - 0/28D	120	100	70	3.9	3.3	2.3	900	950	900	950	
	65 & 66	2	Unpacked	counterweigh t	235	184	45	7.7	6	1.5	10000	10000	20000	20000	
32	29	1	Unpacked	foot section main boom	1090	298	300	35.8	9.8	9.8	15000	15000	15000	15000	Suitable Trailer
33	40	1	Unpacked	foot section jib boom with rope expander	500	257	245	16.4	8.4	8	3300	3300	3300	3300	Suitable Trailer
	44	1	Unpacked	mast point	695	299	277	22.8	9.8	9.1	6100	6100	6100	6100	