

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | APHP | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|--|--|---------------|
| RS GROUP : | APHP | Air Pre heater panels and pedestals | YES/NO |
| | FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE-F | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 01 | 135D | APH Housing Items Like Main / Primary / Side / other Pedestals including rolling , bending-BHEL / Alstom Design (BPS Items Supplied As Component) | MT | 18.00 | |
| 02 | 56H | APH HOUSING PANELS LIKE BRD PANEL ASSY, RDB PANEL ASSY, SIDE PANEL ASSY INCLUDING PLATE BENDING, ROLLING | MT | 16.00 | |
| 03 | 56J | ONLY ROLLING, STACKING AND PACKING OF SHELL PLATES - ALL PRODUCTS | MT | 7.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | AUTO | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|-------------|-----------------------------------|---------------|
| RS GROUP : | AUTO | Auto (SAW) welding process | YES/NO |
|-------------------|-------------|-----------------------------------|---------------|

| | |
|---|-----|
| FACILITIES REQUIRED : | |
| 1. General Fabrication Facilities | |
| 2. Auto Welding (SAW) machine with necessary fixtures and railings. and as per ANNEXURE F | |
| MAXIMUM DISTANCE LIMIT IN KMS : | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 137A | FABRICATION OF BUILT UP TRANVERSE ROOF BEAM WHEREIN THE SECTIONS ARE MADE OUT OF PLATES BY SAW [NDT CHARGES [OTHER THAN LPI] ARE PAYABLE EXTRA]. | MT | 249.00 | |
| 02 | 137C | Fabrication of Floor beams, I- Beam, BOX beams, for FGD / CHP/ AHP etc., (Other than ESP beams) H-type, - type, Box type MADE OF E350 MATERIAL where in sections are made of plates by SAW process (NDT Charges other than LPI payable Extra) | MT | 820.00 | |
| 03 | 137D | Fabrication of longitudinal roof beam / transverse roof beam / roof beams having multiple stiffeners (RandM projects) wherein the sections are made out of plates by saw process. NDT charges [other than LPI] are payable extra. | MT | 600.00 | |
| 04 | 137E | Fabrication of Beam/Box type built-up columns (4 fillets) covered in FGD/ CHP / AHP/ BOP etc., made of plates of E250 grade material. NDT charges (other than LPI) payable extra | MT | 3153.00 | |
| 05 | 139A | FABRICATION OF FLOOR BEAMS, MONORAIL BEAMS, I - BEAMS, BOX BEAMS FOR FGD/CHP/AHP etc., (OTHER THAN ESP BEAMS) H - TYPE, - TYPE , BOX TYPE MADE OF E250 MATERIAL UNIT PIECE WEIGHT UPTO 1 MT WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 1000.00 | |
| 06 | 139B | FABRICATION OF FLOOR BEAMS, MONORAIL BEAMS, I - BEAMS, BOX BEAMS FOR FGD/CHP/AHP etc., (OTHER THAN ESP BEAMS) H - TYPE, - TYPE , BOX TYPE MADE OF E250 MATERIAL UNIT PIECE WEIGHT ABOVE 1 MT AND UPTO 3 MT WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 1501.00 | |
| 07 | 139C | FABRICATION OF FLOOR BEAMS, MONORAIL BEAMS, I - BEAMS, BOX BEAMS FOR FGD/CHP/AHP etc., (OTHER THAN ESP BEAMS) H - TYPE, - TYPE , BOX TYPE MADE OF E250 MATERIAL UNIT PIECE WEIGHT ABOVE 3 MT WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 1500.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | RS GROUP | VENDOR CODE |
| | | AUTO | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 08 | 139D | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E250 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT UPTO 1 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 1000.00 | |
| 09 | 139E | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E250 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT ABOVE 1 MT and UPTO 3 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 1000.00 | |
| 10 | 139F | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E250 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT ABOVE 3 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 1000.00 | |
| 11 | 139R | PH Box type bolted design columns (6 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E250 grade material unit Piece weight upto 10 MT (part of a Du or Single part DU).(attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 20.00 | |
| 12 | 139S | PH Box type bolted design columns (6 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E250 grade material unit Piece weight above 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 30.00 | |
| 13 | 139T | Plus/Star type bolted design columns (12 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E250 grade materials unit Piece weight upto 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 30.00 | |
| 14 | 139U | Plus/Star type bolted design columns (12 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E250 grade materials unit Piece weight above 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 50.00 | |
| 15 | 139V | Beam/Box type bolted design Roof Girders made of E250 grade materials | MT | 10.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | AUTO | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|-------------|---|-----------|---------------|----------------|
| 16 | 140A | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E350 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT UPTO 1 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 100.00 | |
| 17 | 140B | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E350 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT ABOVE 1 MT and UPTO 3 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 100.00 | |
| 18 | 140C | BEAM/BOX TYPE BOLTED DESIGN COLUMNS (4 FILLETS) WITH ATTACHMENTS COVERED IN FGD/PHS/CHP/AHP/BOP ETC., MADE OF E350 GRADE MATERIAL WHERE IN SECTIONS ARE MADE OF PLATES BY SAW PROCESS UNIT PIECE WEIGHT ABOVE 3 MT (PART OF A DU OR SINGLE PART DU). (ATTACHMENT MEANS - STRAIGHT /TAPER WELDED ATTACHMENTS WITH DRILLIED CONNECTIONS ON WEB AND FLANGES) | MT | 100.00 | |
| 19 | 140R | PH Box type bolted design columns (6 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E350 grade material unit Piece weight upto 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 50.00 | |
| 20 | 140S | PH Box type bolted design columns (6 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E350 grade material unit Piece weight above 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 50.00 | |
| 21 | 140T | Plus/Star type bolted design columns (12 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E350 grade materials unit Piece weight upto 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 50.00 | |
| 22 | 140U | Plus/Star type bolted design columns (12 fillets) with attachments covered in PHS/CHP/AHP/BOP etc., made of E350 grade materials unit Piece weight above 10 MT (part of a Du or Single part DU). (attachment means - straight /taper welded attachments with drilled connections on web and flanges) | MT | 50.00 | |
| 23 | 140V | Beam/Box type bolted design Roof Girders made of E350 grade materials | MT | 50.00 | |

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | | AUTO | |
| | | | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|----------------|------|----------|----------------|
|----|------|----------------|------|----------|----------------|

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | CHIMA | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|--|--------------------------------|---------------|
| RS GROUP : | CHIMA | Chimney base and shells | YES/NO |
| | FACILITIES REQUIRED : 1.General Fabrication Facilities 2. 3 roller /4 roller plate rolling machine capacity upto 32 mm thick. and asper ANNEXURE- F | | |
| | Pl. Note : Vendors who have selected to quote for the Group CHIMA alone, they need not quote for CHIMB and CHIMC. | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | 350 | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 175B | MANUFACTURE OF CHIMNEY SHELL BASE PLATE(NDT CHARGES(OTHER THAN LPI)PAYABLE EXTRA) | MT | 50.00 | |
| 02 | 175C | MANUFACTURE OF CHIMNEY SHELLS THICKNESS UPTO 16 MM WITH TRIAL ASSEMBLY (RATE IS INCLUSIVE OF TRAIL ASSEMBLY)(THE CHIMNEY SHELLS WITH OR WITHOUT FLANGE;SHELLS MADE UP OF HALF SEGMENTS OR FULL(NDTCHARGES (OTHER THANLPI)PAYABLE EXTRA). | MT | 100.00 | |
| 03 | 175D | MANUFACTURE OF CHIMNEY SHELLS THICKNESS ABOVE 16 MM UPTO 25 MM WITH TRIAL ASSEMBLY (RATE IS INCLUSIVE OF TRAIL ASSEMBLY).(THE CHIMNEY SHELLS WITH OR WITHOUT FLANGE;SHELLS MADE UP OF HALFSEGMENTSORFULL(NDTCHARGES (OTHER THAN LPI) | MT | 12.00 | |
| 04 | 176C | Manufacture And Rolling Of Chimney Shells Thickness Above 25MM To 32 MM With Trial Assembly(Rate Is Inclusive Of Trialassembly).The Chimney Shells Are With Or With Out Flange.Shellsmade Up Of Half Segment Or Full.(NDT Charges (Other Than Lpi)Payable Extra). Additional Material given for rolling allowance will be booked as off-cut. | MT | 25.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | QUOTE alongwith CHIMA | RS GROUP | VENDOR CODE |
| | | CHIMB | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|--|--------------------------------|---------------|
| RS GROUP : | CHIMB | Chimney base and shells | YES/NO |
| | FACILITIES REQUIRED : 1. General Fabrication Facilities 2. 3 roller /4 roller plate rolling machine capacity upto 40 mm thick. and as per ANNEXURE- F | | |
| | Pl. Note : Vendors who have selected to quote for the Group CHIMB, they have to quote for Group CHIMA also. | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 01 | 176D | Manufacture And Rolling Of Chimney Shells Thickness Above 32MM To 40 MM With Trial Assembly(Rate Is Inclusive Of Trialassembly).The Chimney Shells Are With Or With Out Flange.Shellsmade Up Of Half Segment Or Full.(NDT Charges (Other Than Lpi)Payable Extra).Additional Material given for rolling allowance will be booked as off-cut. | MT | 50.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|---|--|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | QUOTE alongwith CHIMA and CHIMB | CHIMC | |
| | | | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|---|--------------------------------|---------------|
| RS GROUP : | CHIMC | Chimney base and shells | YES/NO |
| | FACILITIES REQUIRED : 1.General Fabrication Facilities 2.3 roller /4 roller plate rolling machine capacity upto 50 mm thick. and as per ANNEXURE F | | |
| | Pl. Note : Vendors who have selected to quote for the Group CHIMC, they have to quote for Group CHIMA and CHIMB also. | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 176E | MANUFACTURE AND ROLLING OF CHIMNEY SHELLS THICKNESS ABOVE 40MM TO 50 MM WITH TRIAL ASSEMBLY(RATE IS INCLUSIVE OF TRIALASSEMBLY).THE CHIMNEY SHELLS ARE WITH OR WITH OUT FLANGE . SHELLSMADE UP OF HALF SEGMENT OR FULL.(NDT CHARGES (OTHER THAN LPI)PAYABLE EXTRA). ADDITIONAL MATERIAL GIVEN FOR ROLLING ALLOWANCE WILL BE BOOKED AS OFF-CUT. | MT | 20.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | | RS GROUP | VENDOR CODE |
| | | DAMP | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|---|-------------------------------------|---------------|
| RS GROUP : | DAMP | Dampers (Louver and Biplane) | YES/NO |
| | FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE- F | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 110A | CIRCULAR DAMPERS UPTO 150KG/PIECE | NO | 5.00 | |
| 02 | 110B | CIRCULAR DAMPERS ABOVE 150KG/PIECE | NO | 5.00 | |
| 03 | 76A | FLAP DAMPER OF FAN [UPTO 0.50 MT] | MT | 1.00 | |
| 04 | 76B | FLAP DAMPER OF FAN [ABOVE 0.50 MT TO 2.0 MT] | MT | 5.00 | |
| 05 | 76C | FLAP DAMPER OF FAN [ABOVE 2.0 MT TO 5.0 MT] | MT | 25.00 | |
| 06 | 76E | FLAP DAMPER OF FAN [ABOVE 7.0 MT TO 10.0 MT] | MT | 25.00 | |
| 07 | 76F | FLAP DAMPER OF FAN [ABOVE 10 MT] | MT | 9.00 | |
| 08 | 76G | FLAP DAMPER OF FAN [ABOVE 5.0 MT TO 7.0 MT] | MT | 50.00 | |
| 09 | 77H | BIPLANE DAMPER INCLUDING SEALS MFG [UPTO 0.50 MT] - TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 13.00 | |
| 10 | 77I | BIPLANE DAMPER INCLUDING SEALS MFG [ABOVE 0.50 MT TO 2.0 MT] - TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 2.00 | |
| 11 | 77J | BIPLANE DAMPER INCLUDING SEALS MFG [ABOVE 2.0 MT TO 5.0 MT] - TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 3.00 | |
| 12 | 77K | BIPLANE DAMPER INCLUDING SEALS MFG [ABOVE 5.0 MT TO 7.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 88.00 | |
| 13 | 77L | BIPLANE DAMPER INCLUDING SEALS MFG [ABOVE 7.0 MT TO 10.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 168.00 | |
| 14 | 77M | BIPLANE DAMPER INCLUDING SEALS MFG [ABOVE 10.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 100.00 | |
| 15 | 77N | LOUVRE DAMPER INCLUDING SEALS MFG [UPTO 0.50 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 7.00 | |
| 16 | 77O | LOUVRE DAMPER INCLUDING SEALS MFG [ABOVE 0.50 MT TO 2.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 46.00 | |
| 17 | 77P | LOUVRE DAMPER INCLUDING SEALS MFG [ABOVE 2.0 MT TO 5.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 3.00 | |
| 18 | 77Q | LOUVRE DAMPER INCLUDING SEALS MFG [ABOVE 5.0 MT TO 7.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 1.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | DAMP | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 19 | 77R | LOUVRE DAMPER INCLUDING SEALS MFG [ABOVE 7.0 MT TO 10.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 49.00 | |
| 20 | 77S | LOUVRE DAMPER INCLUDING SEALS MFG [ABOVE 10.0 MT]- TESTING CHARGES (IF REQUIRED) PAYABLE EXTRA | MT | 100.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | EXP | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|------------|--|---------------|
| RS GROUP : | EXP | Expansion Joints (Saw-tooth/Bellow type) | YES/NO |
| | | FACILITIES REQUIRED : 1. General Fabrication Facilities 2. Press brake/plate bending facility (6 mm x 2500 and above) and as per ANNEXURE F | |
| | | MAXIMUM DISTANCE LIMIT IN KMS : 350 | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 01 | 65A | METALLIC EXPN.JOINT[BELLOW TYPE]WITH SEAL PLATE, EXPANSION JOINT S TYPE. | MT | 532.00 | |
| 02 | 65B | METALLIC EXPN.JOINT [SAW-TOOTH/BELLOW TYPE] WITH SEAL PLATE, EXPANSION JOINT (STAINLESS STEEL). REF:DRG: 3-FW-252-00006 OR EQUIVALENT | MT | 10.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|---|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable. | | EXTRA | |

VENDOR NAME & ADDRESS :

RS GROUP : **EXTRA** Extra Rate Schedules

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | ELIGIBLE GROUPs | if quoted,mark TICK |
|-----|------|--|------|-----------------|---------------------|
| 001 | E01 | CONVERSION CHARGES FOR FLAT OUT OF PLATES . | MT | | |
| 002 | E03 | MAGNETIC PARTICLE INSPECTION/TESTING [MPI]. | MR | | |
| 003 | E04 | RADIOGRAPHY [RT] | MR | | |
| 004 | E07X | DEDUCTION OF TRANSPORT CHAGES FOR DTS 0 TO 100 KMS | MT | | |
| 005 | E07Y | DEDUCTION OF TRANSPORT CHAGES FOR DTS 101 TO 350 KMS | MT | | |
| 006 | E07Z | DEDUCTION OF TRANSPORT CHAGES FOR DTS 351 TO 450 | MT | | |
| 007 | E100 | JOINTS OF Stainless Steel PLATES 5 mm TO 10 MM/RM | MR | | |
| 008 | E102 | PAINTING - ZINC PHOSPHATE PRIMER - GREY SHADE 40 MICRONS | SM | | |
| 009 | E103 | % for full CORTEN - A material fabrication - all Rate schedules in GEN, CHIM A, B and C | % | | |
| 010 | E104 | TITANIUM DUCT WELDING | MR | | |
| 011 | E105 | EPOXY GLASS FLAKE PAINT TO 125 MIC | SM | | |
| 012 | E106 | HIGH BUILD CHLORINATED RUBBER BASED INTERMEDIATE PAINT 60MIC | SM | | |
| 013 | E107 | COMMERICAL BLASTING TO SA2 | SM | | |
| 014 | E108 | HEAT RESISTANCE ALUMINIUM PAINT (Gr - I) 400- 600 DEGREE CENTIGRADE TO IS 13183 20MIC | SM | | |
| 015 | E11 | 25 MIC OF EPOXY ZINC RICH PRIMER [EXCEPT WM XXX] | SM | | |
| 016 | E14 | 40 MIC OF WHITE ENAMEL PAINT TO IS2932 | SM | | |
| 017 | E16 | 25 MIC OF HEAT RESISTANT BLACK BITUMINOUS PAINT TO IS-158 | SM | | |
| 018 | E17A | TRANSPORT CHARGES FOR TO AND FRO MOVEMENT OF SEMIFINISHED COMPONENTS FROM YOUR WORKS TO THE WORKS OF CONTRACTOR SITUATED WITH IN 60 KMS FROM YOUR WORKS DOING THE INTERMITTENT OPERATION SUCH AS GALVANIZING/BLAST CLEANING / BALANCING / HEATTREATMENT / OTHER SPECIFIC OPERATION ETC AS PER ENQUIRY. | MT | | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|---|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable. | | EXTRA | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | ELIGIBLE GROUPs | if quoted,mark TICK |
|-----|------|--|------|-----------------|---------------------|
| 019 | E17B | TRANSPORT CHARGES FOR TO AND FRO MOVEMENT OF SEMIFINISHED COMPONENTS FROM YOUR WORKS TO THE WORKS OF CONTRACTOR SITUATED BETWEEN 61 KMS AND 160 KMS FROM YOUR WORKS DOING THE INTERMITTENT OPERATION SUCH AS GALVANIZING/BLAST CLEANING /BALANCING/HEATTREATMENT/ OTHER SPECIFIC OPERATION ETC AS PER ENQUIRY | MT | | |
| 020 | E17C | TRANSPORT CHARGES FOR TO AND FRO MOVEMENT OF SEMIFINISHED COMPONENTS FROM YOUR WORKS TO THE WORKS OF CONTRACTOR SITUATED BETWEEN 161 KMS AND 350 KMS FROM YOUR WORKS DOING THE INTERMITTENT OPERATION SUCH AS GALVANIZING/ BLAST CLEANING/ BALANCING/ HEATTREATMENT/ OTHER SPECIFIC OPERATION ETC AS PER ENQUIRY | MT | | |
| 021 | E18 | 40 MIC OF HIGH BUILD CHLORINATED RUBBER ZINC PHOSPHATE PRIMER. | SM | | |
| 022 | E19 | 5 MIC OF ETCH PRIMERWASH PRIMER | SM | | |
| 023 | E20 | 20 MIC OF SYNTHETIC ENAMEL LONG OIL ALKYD TO IS- 2932 [SMOKE GREY AND OTHER SHADES] | SM | | |
| 024 | E23 | 25 MIC RUST PREVENTIVE OIL | SM | | |
| 025 | E24 | 20 MIC BLACK ENAMEL PAINT TO IS - 2932 | SM | | |
| 026 | E27 | 50 MIC HIGH BUILD EPOXY PAINT TO IS14209 DARK GREY AND OTHER SHADES | SM | | |
| 027 | E28 | 40 MIC EPOXY FINISH PAINT LIGHT GREY AND OTHER SHADES | SM | | |
| 028 | E29 | 75 MIC INORGANIC ZINC SILICATE PRIMER TO IS14946 | SM | | |
| 029 | E30 | 30 MIC CHLOROKOTE ZINC PHOSPHATE TO IS 8632. | SM | | |
| 030 | E40 | TRIAL ASSY OF TOTAL INLETOUTLET FUNNEL ASSY[PYRAMID SHAPE] COLUMNS, LONGITUDINAL ROOF BEAMS, TRUSSES (X55), SPIRAL CASINGS, TRUBINE HALL STRUCTURES, DUCTS, SILENCERS (ASSEMBLED FROM MULTIPLE BLOCKS), BRACKETS IN X25, SUCTION HOOD OF FANS AND ROOF ASSEMBLY OF FANS ETC., | MT | | |
| 031 | E41 | RECOVERY RATE FOR CSAS, ASBESTOS , WOOL , CAF SCRAP ETC. | MT | | |
| 032 | E42 | BIG SIZE SCRAP [CSAS SHEETS/ PLATES] | MT | | |
| 033 | E43 | RECOVERY RATE FOR STAINLESS STEEL [NON- MAGNETIC], NON- FERROUS METAL SCRAP. | MT | | |
| 034 | E51 | HR ALUMINIUM PAINT [20 MIC] [UP TO 200 DEGREE C] IS 13183 /1991 GRADE - III | SM | | |
| 035 | E52 | HR ALUMINIUM PAINT [20 MIC] [ABOVE 200 DEGREE C] C]IS 13183 /1991 GRADE - II | SM | | |
| 036 | E54 | HR CHIMNEY BLACK PAINT [>250 DEGREE C] / FERROTOL BLACK CHIMNEY [50 MIC] | SM | | |
| 037 | E55 | EPOXY HB MIO TO IS14209 INTERCOAT [125 MIC] & SEAL OF VENDOR | SM | | |

| | | | |
|---|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable. | | EXTRA | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | ELIGIBLE GROUPs | if quoted,mark TICK |
|-----|------------|---|------|-----------------|---------------------|
| 038 | E56 | ALIPHATIC PU FINISH TO IS13213 OR EQ.VT. [75 MIC] | SM | | |
| 039 | E57 | CHLORINATED RUBBER FINISH PAINT DARK GREY [40 MIC] | SM | | |
| 040 | E59 | ETHYL ZINC SILICATE/ZINC DUST ETHYL SILICATE[75 MIC] | SM | | |
| 041 | E60 | HB EPOXY ZINC RICH PRIMER [50 MIC] | SM | | |
| 042 | E61 | CHLORINATED RUBBER BASED TITANIUM OXIDE PIGMENTED INTERMEDIATE PAINT [WHITE] - [50- MIC] | SM | | |
| 043 | E62 | EPOXY RESIN BASED TWO PACK, TITANIUM OXIDE PIGMENTED INTERMEDIATE PAINT [WHITE] - [100- MIC] | SM | | |
| 044 | E63 | ZINC CHROME PRIMER IS104 40 MICRONS | SM | | |
| 045 | E64 | RED OXIDE ZINC PHOSPHATE PRIMER 80 MICRONS | SM | | |
| 046 | E65 | UT OF WELD, BUTT JOINTS OR FILLET WELDS OF COLUMN BASE [ALL WELDS] THICKNESS 12 TO 32 MM AS PER AWS D.1.1 | MR | | |
| 047 | E68 | LABOUR COST FOR ONE COAT OF PAINTING. [PAINT- BHEL SUPPLY]. | SM | | |
| 048 | E69 | SYNTHETIC ENAMEL TO IS 2932 GREY SHADE RAL 9002 [20 MICRONS]. | SM | | |
| 049 | E71 | ULTRASONIC TESTING [UT] OF PLATES / STRUCTURALS | SM | | |
| 050 | E72 | CONVERSION CHARGES FOR EXPORT PACKING [FOR FINISHED COMPONENT WEIGHT [DU WEIGHT] | MT | | |
| 051 | E73 | RECOVERY RATE FOR STAINLESS STEEL [MAGNETIC] SCRAP | MT | | |
| 052 | E76 | CONVERSION CHARGES FOR STRUCTURALS TO STRUCTURALS | MT | | |
| 053 | E77 | JOINTS OF CS/HIGH TENSILE PLATES UPTO 4 MM/RM | MR | | |
| 054 | E78 | JOINTS OF CSHIGH TENSILE PLATES 5MM TO 10 MM/RM | MR | | |
| 055 | E79 | JOINTS OF PLATES 12 TO 20 MM /RM | MR | | |
| 056 | E80 | JOINTS OF BEAM/CHANNEL UPTO 200 MM /JT. | NO | | |
| 057 | E81 | JOINTS OF BEAM/CHANNEL 201MM - 300 MM /JT. | NO | | |

SIGNATURE & SEAL OF VENDOR

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|---|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable. | | EXTRA | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | ELIGIBLE GROUPs | if quoted,mark TICK |
|-----|------|---|------|-----------------|---------------------|
| 058 | E82 | JOINTS OF BEAM/CHANNEL 301- 450 MM /JT. | NO | | |
| 059 | E83 | JOINTS OF ANGLES UPTO 75X75X8 | NO | | |
| 060 | E84 | JOINTS OF ANGLES ABOVE 75X75X8 UPTO 100X100X12 | NO | | |
| 061 | E85 | JOINTS OF ANGLES ABOVE 100X100X12 | NO | | |
| 062 | E86 | JOINTS IN BEAM /CHANNEL ABOVE 450 MM | NO | | |
| 063 | E87 | ADDITIONA JOINTS FOR PLATES 21- 25 MM/RM | MR | | |
| 064 | E88 | ADDITIONAL JOINTS FOR PLATES 26- 32MM/RM | MR | | |
| 065 | E89 | ADDITIONAL JOINTS FOR PLATES 33- 36 MM /RM | MR | | |
| 066 | E90 | ADDITIONAL JOINTS FOR PLATES 37- 40 MM/RM | MR | | |
| 067 | E91 | ADDITIONAL JOINTS FOR PLATES 41 - 50 MM /RM | MR | | |
| 068 | E92 | ADDITIONAL JOINTS FOR PLATES 51- 56 MM /RM | MR | | |
| 069 | E93 | ADDITIONAL JOINTS FOR PLATES 57 MM AND ABOVE/RM | MR | | |
| 070 | E94 | CHLORINATED RUBBER FINISH PAINT (RAL)- 40 MICRONS | SM | | |
| 071 | E95 | TESTING CHARGES OF GATE/DAMPER ASSEMBLY ELECTRICALLY / PNEUMATICALLY OPERATED UPTO 7 MT | NO | | |
| 072 | E96 | TESTING CHARGES OF GATE / DAMPER ASSY ELECTRICALLY / PNEUMATICALLY OPERATED ABOVE 7 AND UPTO 10 MT. | NO | | |
| 073 | E97 | TESTING CHARGES OF GATE ASY ELECTRICALLY OPERATED ABOVE 10 MT. | NO | | |
| 074 | E98 | EXTRA CHARGES PAYABLE FOR FIXING OF BULB SEALS (BULB SEALS ISSUED AS FREE BY BHEL) | MT | | |
| 075 | E99 | JOINTS OF Stainless Steel PLATES UPTO 4 MM/RM | MR | | |

NEWLY ADDED RS

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|---|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | | FSP | |
| | | | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|--|-----------------------|---------------|
| RS GROUP : | FSP | Spiral Casings | YES/NO |
| | FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE-F | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 130A | SPIRAL CASING (UPTO 500 KGS PER PIECE) | NO | 7.00 | |
| 02 | 67A | SINGLE SUCTION SPIRAL CASING ABOVE 500 KGS , LINER, TRANSITION PIECE, ETC. | MT | 8.00 | |
| 03 | 68B | DOUBLE SUCTION SPIRAL CASING INCLUDING BASE/SUPPORT,ETC.ABOVE 500 KGS TO 30 MT | MT | 5.00 | |
| 04 | 68C | DOUBLE SUCTION SPIRAL CASING INCLUDING BASE/SUPPORT,ETC.ABOVE 30 MT | MT | 5.00 | |

NEW RS ADDED **RS DESCRIPTION CHANGED**

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | GATEA | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|---|-------------------------|---------------|
| RS GROUP : | GATEA | Gulliotine Gates | YES/NO |
| | FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE F | | |
| | Pl. Note : Vendors who have selected to quote for the Group GATEA alone, they need not quote for GATEB. | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | 350 | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 117K | GATE ASSY INCLUDING SEALS MFG ELECTRICALLY OPERATED UPTO 7 MT. (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 135.00 | |
| 02 | 118D | PNEUMATIC FITTINGS AND AIR TANK FOR GATES INCLUDING TESTING | MT | 26.00 | |
| 03 | 118K | GATE ASSY INCLUDING SEALS MFG PNEUMATICALLY OPERATED UPTO 2 MT (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 47.00 | |
| 04 | 118L | GATE ASSY INCLUDING SEALS MFG PNEUMATICALLY OPERATED ABOVE 2 MT TO 7 MT (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 50.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|---|------------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | QUOTE alongwith GATEA | GATEB | |
| | | | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|---|-------------------------|---------------|
| RS GROUP : | GATEB | Gulliotine Gates | YES/NO |
| | FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE-F | | |
| | Pl. Note : Vendors who have selected to quote for the Group GATEB, they have to quote for Group GATEA also. | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | 350 | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 117L | GATE ASSY INCLUDING SEALS MFG ELECTRICALLY OPERATED ABOVE 7 MT TO 10 MT (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 636.00 | |
| 02 | 117M | GATE ASSY INCLUDING SEALS MFG ELECTRICALLY OPERATED ABOVE 10 MT. (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 276.00 | |
| 03 | 119K | GATE ASSY INCLUDING SEALS MFG PNEUMATICALLY OPERATED ABOVE 7.0 MT (WITHOUT TESTING, TESTING CHARGES PER NO IN EXTRA RS WILL BE PROVIDED) | MT | 50.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | | |
|---|------------------------|--|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | | | GEN | |
| | | | | |

VENDOR NAME & ADDRESS :

| | | | |
|--|------------|----------------------------|---------------|
| RS GROUP : | GEN | General Fabrication | YES/NO |
| FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE-F | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|-----------|----------------|
| 01 | 51A | CUT TO SIZE / SUIT DUS PER PIECE WEIGHT > 100 KGS, STRUCTURALS CUTTING FROM BEAMS, CHANNELS. STRUCTURALS / HAND RAIL TUBES TO BE CUT TO SIZE FOR GALVANIZING AND REQD. IN RM.(BLASTING and GALVANIZING CHARGES ARE PAYABLE EXTRA TO THE RESPECTIVE VENDOR). | MT | 1215.00 | |
| 02 | 51B | CUT TO SIZE DUs PER PIECE WEIGHING ABOVE 10 KGS AND UPTO 25KGS | MT | 112.00 | |
| 03 | 51C | CUT TO SIZE DUs PER PIECE WEIGHING MORE THAN 25KGS AND UPTO 50KGS | MT | 86.00 | |
| 04 | 51D | CUT TO SIZE DUs PER PIECE WEIGHING MORE THAN 50KGS TO 100KGS | MT | 53.00 | |
| 05 | 51E | CUT TO SUIT OF DUs PER PIECE WEIGHING ABOVE 10 KGS AND UPTO 25KGS | MT | 17.00 | |
| 06 | 51F | CUT TO SUIT OF DUs PER PIECE WEIGHING ABOVE 25 KGS TO 50 KGS | MT | 160.00 | |
| 07 | 51G | CUT TO SUIT OF DUs PER PIECE WEIGHING ABOVE 50 KGS TO 100 KGS | MT | 16.00 | |
| 08 | 51H | CUT TO SIZE DUs PER PIECE (UNIT) WEIGHT ABOVE 2 KGS AND UPTO 10 KGS | MT | 65.00 | |
| 09 | 51J | CUT TO SUIT OF DUS PER PIECE (UNIT) WEIGHT ABOVE 2 KGS AND UPTO 10 KGS | MT | 57.00 | |
| 10 | 51K | CUT TO SIZE DUs PER PIECE (UNIT) WEIGHT UPTO 0.2 KG | NO | 100000.00 | |
| 11 | 51L | CUT TO SIZE DUs PER PIECE (UNIT) WEIGHT ABOVE 0.2 KG TO 0.5 KG | NO | 100000.00 | |
| 12 | 51M | CUT TO SIZE DUs PER PIECE (UNIT) WEIGHT ABOVE 0.5 KG TO 2 KG | NO | 200000.00 | |
| 13 | 51P | CUT TO SUIT / SHAPE DUs PER PIECE (UNIT) WEIGHT UPTO 0.2 KG | NO | 150000.00 | |
| 14 | 51Q | CUT TO SUIT / SHAPE DUs PER PIECE (UNIT) WEIGHT ABOVE 0.2 KG TO 0.5 KG | NO | 120000.00 | |
| 15 | 51R | CUT TO SUIT / SHAPE DUs PER PIECE (UNIT) WEIGHT ABOVE 0.5 KG TO 2 KG | NO | 32000.00 | |
| 16 | 52A | MONORAIL BEAM (STRAIGHT), LONGITUDINAL, TRANSVERSE/BEAM [ROLLED SECTION] HAVING FULL / PARTIAL BOLTED CONNECTION, CARBON STEEL EXTRA WIDTH PLATE, PACKING CRATES | MT | 1092.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | RS GROUP | VENDOR CODE |
| | | GEN | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 17 | 53A | ROOF TRUSSES (IN X55), CORTEN EXTRA WIDTH PLATES, SUPPORT BEAM WITH COVER PLATE WELDING, BOX TYPE BRACING FULLY WELDED TYPE, CHANNEL/BEAM BRACINGS WITH FULL COVER PLATES/INTERMITANT COVER PLATES, SILENCER BASE/SUPPORTS, MONORAIL BEAM (STRAIGHT) INVOLVING ADDITIONAL CHANNEL ON TOP FLANGE (ROLLED SECTION) | MT | 2000.00 | |
| 18 | 53B | WELDED DESIGN ESP / BUNKER / FGD / CHP / AHP / BOP COLUMNS H,][, BOX TYPE TO BE MANUFACTURED OUT OF ROLLED SECTION CHANNEL and BEAM ABOVE 203 MM and UPTO 305MM [NDT CHANGES [OTHER THAN LPI] ARE PAYABLE ETC. | MT | 494.00 | |
| 19 | 53C | WELDED DESIGN ESP / BUNKER / FGD / CHP / AHP / BOP COLUMNS H,][, BOX TYPE TO BE MANUFACTURED OUT OF ROLLED SECTION CHANNEL and BEAM ABOVE 305MM [NDT CHANGES [OTHER THAN LPI] ARE PAYABLE ETC. | MT | 425.00 | |
| 20 | 53H | HOPPER RIDGES WITH COVER PLATE AND STIFFENER IN X43 | MT | 228.00 | |
| 21 | 53J | WELDED TYPE COLUMNS H - TYPE,][- TYPE , BOX TYPE OF FGD/ESP/ CHP/AHP/BOP etc., TO BE MANUFACTURED OUT OF ROLLED SECTIONS OF CHANNELS AND BEAMS UP TO 203 MM (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 400.00 | |
| 22 | 54B | ROOF PANELS ASSY WITH COLLAR [BOTH SQUARE AND ROUND TYPE] | MT | 463.00 | |
| 23 | 54E | MANUFACTURE OF A) FGD TANKS SHELLS (LS SLURRY TANK, PROCESS WATER TANK, DM WATER TANK ETC - BOTTOM TO TOP TIERS MADE FROM PLATES 16 MM TO 6 MM THICK) INCLUSIVE OF TANK COVERS AND TANK BASE (CONICAL). REF DRG: 0FW74200683 B) CYCLONE SEPARATOR INVOLVING SHELL ROLLING / CONE ROLLING OF UP TO 16 MM THICK. C) SHOCK BAR(FLAT TYPE) EXCLUDING HEAT TREATMENT. | MT | 161.00 | |
| 24 | 54F | Manufacture and trial assembly of Conical Hoppers of ESP - Having multiple tiers including SS lining - Ref Drg: 0-79-845-01619,20 | MT | 1290.00 | |
| 25 | 54G | Manufacture of silo tank shells both straight and conical with Stainless steel liner sheets and also having drill holes (for plug welding) | MT | 111.00 | |
| 26 | 54H | Complete manufacture of ring girders used for mounting silos / Tanks made of plates. Ref Drg: 06610000012 or Equivalent | MT | 100.00 | |
| 27 | 56A | FRAME PART MIDDLE [INCLUDING PACKING] and PIPE SUPPORT SADDLE FOR VARIOUS SIZES | MT | 746.00 | |
| 28 | 57A | SUSPENSION FRAME ARRANGEMENT, FRAME PART TOP, FRAME PART BOTTOM - ALL INCLUDING PACKING, TRANSITION DUCTS, ANGULAR DUCTS, OIL PAN RECTIFIER | MT | 746.00 | |
| 29 | 57C | FRAME PART TOP, FRAME PART BOTTOM WITH HOLLOW BEND AT ENDS (BENDING BY HYDRAULIC OR WELDING) INCLUSIVE OF PACKING. | MT | 117.00 | |
| 30 | 57D | SUSPENSION FRAME ARRANGEMENT INCLUDING MANUFACTURE OF HANKING HOOK FROM RAW MATERIAL SUPPLIED BY BHEL | MT | 7.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | GEN | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 31 | 57H | HOPPERS WITH TRANSITION FROM SQUARE TO CIRCULAR OPENINGS AND TRANSITION DUCTS HAVING OPENING FROM CIRCULAR TO SQUARE / RECTANGULAR OPENINGS. REF DRG:1-79-845-07058-60. | MT | 3448.00 | |
| 32 | 57J | ABSORBER CASING PANELS, DUCTS WALLS AND DUCT INCLUDING T Y ELBOW, BEND, TRANSITION [WITH OR WITHOUT CORNER WELDING BOTH SIDES RECTANGULAR OPENING] WITH FLANGES HAVING ELYPTICAL OPENING (WHERE FLANGES ARE FORMED BY PLATE) FOR FGD, ESP, FANS, APH, CHIMNEY, ETC REF: 0-FW-322-07260 | MT | 750.00 | |
| 33 | 59A | DUCTS WALLS AND DUCT INCLUDING T Y ELBOW, BEND, TRANSITION [WITH OR WITHOUT CORNER WELDING BOTH SIDES RECTANGULAR OPENING], ABSORBER CASING PANELS INVOLVING ALL MATERIALS FOR FGD, ESP, FANS, APH, CHIMNEY, COAL AND ASH HANDLING ETC., HEATING CHAMBER, HOPPER LOWER WITH CORNER WELDING (WITHOUT SS FABRICATION), ROOF OF SUCTION HOOD ,TANK COVER ASSEMBLY, INLET AND OUTLET FUNNEL FOR ESP EXCLUDING TRIAL ASSEMBLY | MT | 10500.00 | |
| 34 | 59B | Hopper Lower with heating chamber with SS fabrication, SS Guide vanes, SS Duct walls. | MT | 178.00 | |
| 35 | 59D | BOLTED TYPE COLUMNS H - TYPE,][- TYPE , BOX TYPE OF FGD/ESP/ CHP/AHP/BOP etc., TO BE MANUFACTURED OUT OF ROLLED SECTIONS OF CHANNELS AND BEAMS ABOVE 305 MM (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 1459.00 | |
| 36 | 59E | BOLTED TYPE BOX BRACINGS FULLY WELDED TYPE, ANGLE / CHANNEL / BEAM BRACINGS WITH FULL COVER PLATES / INTERMITANT COVER PLATES INVOLVING ABOVE ISMC / ISMB 125 FOR ALL PRODUCTS MANUFACTURED OUT OF ROLLED SECTIONS. | MT | 3077.00 | |
| 37 | 59F | Mono rail beams up to Beam 450 with radius rolling | MT | 47.00 | |
| 38 | 59G | Mono rail beams up to Beam > 450 with radius rolling | MT | 5.00 | |
| 39 | 59H | Trestles / Trusses made of Angles / Channels / Hollows etc., Gallery Girders, Transmission / Gallery Structures requird in FGD / CHP / AHP / BOP etc., having full / partial bolted connections. | MT | 1862.00 | |
| 40 | 59J | BOLTED TYPE COLUMNS H - TYPE,][- TYPE , BOX TYPE OF FGD/ESP/ CHP/AHP/BOP etc., TO BE MANUFACTURED OUT OF ROLLED SECTIONS OF CHANNELS and BEAMS ABOVE 203 MM and UP TO 305 MM (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 1400.00 | |
| 41 | 59K | BOLTED BRACINGS BOX TYPE FULLY WELDED TYPE, CHANNEL/BEAM BRACINGS WITH FULL COVER PLATES/INTERMITANT COVER PLATES MADE OF ANGLES, CHANNEL and BEAM UPTO 125 MM | MT | 500.00 | |
| 42 | 59L | BOLTED TYPE COLUMNS H - TYPE,][- TYPE , BOX TYPE OF FGD/ESP/ CHP/AHP/BOP etc., TO BE MANUFACTURED OUT OF ROLLED SECTIONS OF CHANNELS AND BEAMS UP TO 203 MM (NDT CHARGES OTHER THAN LPI PAYABLE EXTRA) | MT | 500.00 | |

SIGNATURE & SEAL OF VENDOR

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | GEN | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 43 | 63A | FAN SILENCER WITH TARPAULIN COVERING, RUBBEREXPN. JOINT [PLY RUBBER BINDING WITH GLUE] | MT | 88.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | IMP | |

VENDOR NAME & ADDRESS :

| | | | |
|---|------------|----------------------|---------------|
| RS GROUP : | IMP | Fan Impellers | YES/NO |
| FACILITIES REQUIRED : 1. General Fabrication Facilities 2. Vertical Turning Lathe (VTL): Minimum 1 No. and as per ANNEXURE F | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | | 450 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 106C | SEAL AIR FAN/RADIAL FAN IMPELLER ASSEMBLY UNIT WT UPTO 500 KGS [HT/NDT CHARGES [OTHER THAN LPI] PAYABLE EXTRA.] | MT | 5.00 | |
| 02 | 106D | Rotor Assembly with Transport stand(Seal Air fan) full scope [Heat Treatment, NDT Charges [Other Than LPI]Payable Extra.] | MT | 4.00 | |
| 03 | 106E | Radial Impellers both Single AND Double suction - full scope (NDV/NDZV) including balancing - unit Wt above 500 kgs and upto 1500 kgs Ref Drg: 1-56-234-04598, 1-56-125-04131 or equivalent. | MT | 10.00 | |
| 04 | 106F | Radial Impellers both Single AND Double suction - full scope (NDV/NDZV) including balancing - unit Wt Above 1500 kgs and upto 3000 kgs - Ref Drg:1-56-226-04591 or equivalent | MT | 10.00 | |
| 05 | 106G | Radial Impellers both Single AND Double suction - full scope (NDV/NDZV)including balancing - unit Wt Above 3000 kgs upto 4500 kgs - Ref Drg: 1-56-226-04538 or equivalent. | MT | 10.00 | |
| 06 | 106H | Radial Impellers both Single AND Double suction - full scope (NDV/NDZV) including balancing - unit Wt Above 4500 kgs - Ref Drg: 1-56-227-04367/04046 or equivalent. | MT | 10.00 | |
| 07 | 106J | Extra % for full naxtra Impeller (Applicable for RS 106D to 106H) | % | 10.00 | |
| 08 | 111A | IMPELLER HUB AN TYPE ONLY | MT | 5.00 | |
| 09 | 112A | IMPELLER ASSEMBLY UPTO 500KGS (HUB AS COMPONENT SUPPLIED BY BHEL) | MT | 5.00 | |
| 10 | 112B | IMPELLER ASSEMBLY [ABOVE 500KGS TO 1000 KGS] | MT | 5.00 | |
| 11 | 112C | IMPELLER ASSY [ABOVE1000 KGS] - HUB SUPPLIEDAS COMPONENT BY BHEL - AN TYPE | MT | 5.00 | |
| 12 | 113A | IMPELLER HUB/DEEP DISH END ONLY(CZECH TYPE) | MT | 5.00 | |
| 13 | 114A | IMPELLER ASS Y RUNNING WHEEL UPTO 500 (HUB DISHED END SUPPLIED AS COMPONENTS-CZECH TYPE) | MT | 5.00 | |
| 14 | 114B | IMPELLER ASS Y RUNNING WHEEL ABOVE 500 TO 1000 KGS (HUB DISHED END SUPPLIED AS COMPONENTS-CZECH TYPE) | MT | 5.00 | |
| 15 | 114C | IMPELLER ASS Y RUNNING WHEEL ABOVE 1000 KGS (HUB DISHED END SUPPLIED AS COMPONENTS-CZECH TYPE) | MT | 5.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | RS GROUP | VENDOR CODE |
| | | IMP | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 16 | 131A | Complete Manufacture Of Impeller With Hub Assembly An Type[Impeller Including Hub Fabrication Including Dynamic Balancingfor Weight Ranging 100 Kgs To 500 Kgs HT/NDT Charges [Other than LPI] Payable Extra. Frequency Tuning not In The Firms Scope. | MT | 5.00 | |
| 17 | 131B | Complete Manufacture Of Impeller With Hub Assembly An Type[Impeller Including Hub Fabrication Including Dynamic Balancingfor Weight Ranging ABOVE 500 Kgs To 1000 Kgs HT/NDT Charges [Other than LPI] Payable Extra. Frequency Tuning not In The Firms Scope. | MT | 5.00 | |
| 18 | 131C | Complete Manufacture Of Impeller With Hub Assembly An Type[Impeller Including Hub Fabrication Including Dynamic Balancingfor Weight Ranging ABOVE 1000 Kgs. HT/NDT Charges [Other than LPI] Payable Extra. Frequency Tuning not In The Firms Scope. | MT | 5.00 | |
| 19 | 132A | COMPLETE MANUFACTURE OF IMPELLER WITH HUB ASSEMBLY (CZECH TYPE)(IMPELLER INCLUDING HUB FABRICATION,DYNAMIC BALANCING FOR WEIGHT RANGING 100 KGS TO 500 KGS (HT/NDT CHARGES (OTHER THAN LPI) PAYABLE EXTRA. FREQUENCY TUNING NOT IN FIRMS SCOPE. | MT | 5.00 | |
| 20 | 132B | COMPLETE MANUFACTURE OF IMPELLER WITH HUB ASSEMBLY (CZECH TYPE)(IMPELLER INCLUDING HUB FABRICATION,DYNAMIC BALANCING FOR WEIGHT RANGING ABOVE 500 KGS TO 1000 KGS (HT/NDT CHARGES (OTHER THAN LPI) PAYABLE EXTRA. FREQUENCY TUNING NOT IN FIRMS SCOPE. | MT | 5.00 | |
| 21 | 132C | COMPLETE MANUFACTURE OF IMPELLER WITH HUB ASSEMBLY (CZECH TYPE)(IMPELLER INCLUDING HUB FABRICATION, DYNAMIC BALANCING FOR WEIGHT RANGING ABOVE 1000 KGS (HT/NDT CHARGES (OTHER THAN LPI) PAYABLE EXTRA. FREQUENCY TUNING NOT IN FIRMS SCOPE. | MT | 5.00 | |
| 22 | 143A | IMPELLER ASSEMBLY [DL RADIAL TYPE] UPTO 1600MM DIA CZECH DESIGN INCLUDING BALANCING. HT / NDT CHARGES [OTHER THAN LPI] PAYABLE EXTRA | MT | 10.00 | |
| 23 | 143B | IMPELLER ASSEMBLY [DL RADIAL TYPE] ABOVE 1600MM DIA CZECH DESIGN INCLUDING BALANCING. HT / NDT CHARGES [OTHER THAN LPI] PAYABLE EXTRA | MT | 10.00 | |
| 24 | 166A | Dynamic Balancing Of Impeller/ hub/ shaft Upto 50 Kg. | NO | 1.00 | |
| 25 | 167A | DYNAMIC BALANCING OF IMPELLER ABOVE 50 KGS TO 200 KGS | NO | 5.00 | |
| 26 | 168A | DYNAMIC BALANCING OF IMPELLER ABOVE 200 KGS | MT | 5.00 | |

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | | RS GROUP | VENDOR CODE |
| | | IMP | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|----------------|------|----------|----------------|
|----|------|----------------|------|----------|----------------|

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | | |
|--|------------------------|--|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | | PUN | |

VENDOR NAME & ADDRESS :

| | | | | |
|---|------------|-------------------------|--|---------------|
| RS GROUP : | PUN | Punching Process | | YES/NO |
| FACILITIES REQUIRED : | | | | |
| 1. General Fabrication Facilities 2. Shearing Machine capacity 6 mm thick and above. 3. Hydraulic Mechanical press for bending operation 4. Punching facility and as per ANNEXURE- F | | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | 350 | | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|------------|----------------|
| 01 | 107A | RETAINER - TYPE-D [RAW MATERIAL ISSUED AS SHEETS] RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION | NO | 200000.00 | |
| 02 | 107B | RETAINER - SQUARE - TYPE-A TO DRG: 6172-0236 MADE OF SH 1.25X903 IS 513 DD [RAW MATERIAL ISSUED IN COIL FORM OF EACH 20 TONS]. ALSO TO DRG NO. [DRG: 6160-0142] MADE OF SHEET 2.00 MM [RAW MATERIAL ISSUED AS SHEETS] TO MAKE USE OF SCREEN SHEET STRIP SCRAP. PACKING IS TO BE DONE AS FOLLOWS. TO BUNDLE WITH A BINDING WIRE CONSISTING OF 100 NOS EACH. 10 BUNDLES TO BE PUT IN A GUNNY BAG. RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION. | NO | 1263158.00 | |
| 03 | 108A | INSULATOR RETAINERS [TYPE-D1 DRG: 4-79-068-00566] FROM THE BLANKS AND SCRAP OF SCREEN SHEETS OF RS-71A. TO BUNDLE WITH A BINDING WIRE CONSISTING OF 100 NOS EACH 10 BUNDLES TO PUT IN A GUNNY BAG. RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION. | NO | 139240.00 | |
| 04 | 109A | Aluminum casing supports upto - 650 mm - ref drg: 6160 0141 Var.01 | NO | 1100000.00 | |
| 05 | 109B | Aluminum casing supports above - 650 mm - ref drg: 6160 0141 var.03 | NO | 1033384.00 | |
| 06 | 160A | SHOCK BAR PLATE TO DRAWING 4-78-324-00361 MADE OUT OF FLAT 65X8.ONE COAT OF REDOXIDE PRIMER AND SMOKE GRAY ALSO TO BE APPLIED. NO INVISIBLE AND PROCESS ALLOWANCE ALLOWED | NO | 4998.00 | |
| 07 | 54D | SCREEN SHEETS WITHOUT PUNCHING(INCLUDING PACKING),VERTICAL SPLITTER,HOPPER DEFELECTION PLATE,ATTACHMENT IRON,RIDGE CAPSHEETS IN X43,SHIELD,ANGLE BAR ,MOTOR SHIELD,SIDE EAVES,END EAVES. | MT | 162.00 | |
| 08 | 59C | SHOCK BAR GUIDE OF SHEET TYPE,GUIDE VANE. | MT | 252.00 | |
| 09 | 71A | SCREEN SHEETS WITH PUNCHING INCLUDING PACKING | MT | 226.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | RS GROUP | VENDOR CODE |
| | | PUN | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|-----------|----------------|
| 10 | 72A | INSULATOR RETAINERS [TYPE-D] FROM THE BLANKS AND SCRAP OF SCREEN SHEETS OF RS-71A. TO BUNDLE WITH A BINDING WIRE CONSISTING OF 100 NOS EACH 10 BUNDLES TO PUT IN A GUNNY BAG. RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION | NO | 813641.00 | |
| 11 | 73A | EE HOLDER - 1000 NOS TO BE PUT PER GUNNY BAG. RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION | NO | 910000.00 | |
| 12 | 74A | Hanging Hook - [150 Nos. To Be Put Per Gunny Bag]. RATE INCLUSIVE OF ONE COAT OF RED-OXIDE / RP OIL APPLICATION | NO | 120000.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | | |
|---|------------------------|--|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | | | SEAL | |
| | | | | |

VENDOR NAME & ADDRESS :

| | | | | |
|-------------------|--|--|------------|---------------|
| RS GROUP : | SEAL | Haste Alloy Seals | | YES/NO |
| | FACILITIES REQUIRED : 1. General Fabrication Facilities 2. Punching machine to punch 0.1 mm hast alloy/SSsheets 3. ERspot welding machine and as per ANNEXURE- F | | | |
| | | MAXIMUM DISTANCE LIMIT IN KMS : | 350 | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|-----------|----------------|
| 01 | 161A | LOOSE SEALS OF PORT SEAL, BONNET SEAL, BIPLANE BLADE SEAL, TIP SEAL[RATE PER LEAF] | MR | 51080.00 | |
| 02 | 163A | WELDED SEAL [SET OF CENTRE SEALS BOTTOM SEAL, SIDE SEAL. STUD SUPPLIED AS COMPONENTS BY BHELIF REQUIRED] | MR | 3660.00 | |
| 03 | 164A | SINGLE LEAF BLADE SEAL, TIP SEAL. | MR | 249165.00 | |
| 04 | 164B | BULB SEAL | MR | 20506.00 | |
| 05 | 165A | SET OF JAMB SEALS | MR | 1175.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | SSCT | |

VENDOR NAME & ADDRESS :

| RS GROUP : | SSCT | SS Corner Tube Segment | YES/NO |
|---|------|------------------------|--------|
| FACILITIES REQUIRED : 1) General Fabrication Facilities 2) Shearing Machine capacity to shear 6 mm Stainless Steel plates or Plasma Cutting Facility. 3) Press Brake (Indicate Capacity). 4) Welding Gen / Rect / transformer 400 A(Make)/CO2 weld equipment : Minimum 3 Sets. 5) Manual Gas Cutting Set with blow pipe: Minimum 2 Sets. 6) Electrode Baking Oven upto 300 degree c ; Minimum 1 No. 7) Thermal Flask: Minimum 3 Nos. 8) Pedestal grinder : Minimum 1 No. 9) Angular grinding machines : Minimum 2 Nos. 10) Portable Drilling Machine (Min 25mm): Minimum 1 No. 11) Crane to handle 10 MT Job either self owned or on hire basis. Vendor has to give self declaration /confirmation. and as per ANNEXURE F | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 52S | COMPLETE MANUFACTURE OF STAINLESS STEEL CORNER TUBE SEGMENT INCLUDING PACKING AS PER THE DRAWING FOR WHICH STAINLESS STEEL PLATE 5 / 6 MM RAW MATERIAL WILL BE ISSUED FROM BHEL. SAMPLE DRAWING 3-79-744-03243. UNIT WEIGHT 30.764 KG. RATE INCLUSIVE OF ONE JOINT PER PIECE | MT | 8.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | TAPH | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|--|---------------------------|---------------|
| RS GROUP : | TAPH | Tubular Air Heater | YES/NO |
| | FACILITIES REQUIRED : 1) General Fabrication Facilities 2) Radial drilling machine capacity to drill dia 50 mm and above 3) Motorised Tube Expanding facility and as per ANNEXURE- F | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 75A | TUBULAR AIR HEATERS INCLUDING SIDE WALLS ASSY, CASING. | MT | 500.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

| | | | | |
|---|------------------------|--|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE. | | | TINY | |

VENDOR NAME & ADDRESS :

| | | | | |
|--|-------------|--------------------------|--|---------------|
| RS GROUP : | TINY | Light fabrication | | YES/NO |
| FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE-F | | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | | | 40 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 102B | SMALL DUS WEIGHING ABOVE 25 KGS TO 50 KGS PER PIECE, OF RATE SCHEDULES 52A TO 54D, [EXCEPT VERTICAL STAYS AND EXTRA WIDTH PLATE]. | MT | 660.00 | |
| 02 | 102C | SMALL DUS WEIGHING ABOVE 50 KGS TO 100KGS PER PIECE, OF RATE SCHEDULES 52A TO 54D [EXCEPT VERTICAL STAYS AND EXTRA WIDTH PLATE]. | MT | 1174.00 | |
| 03 | 102D | SMALL DUS WEIGHING UPTO 25 KGS PER PIECE, OF RATE SCHEDULES 52A TO 54D [EXCEPT VERTICAL STAYS AND EXTRA WIDTH PLATE]. | MT | 914.00 | |
| 04 | 102F | MANUFACTURE OF GALVANISED HAND RAIL POST (ALL TYPES). GALVANIZING TO BE DONE AT BHEL APPROVED SOURCE FOR WHICH CHARGES ARE PAYABLE EXTRA TO GALVANIZING VENDOR BY BHEL). INTERMITTENT TRANSPORT CHARGES PAYBLE EXTRA AS PER BHEL EXTRA RS) | MT | 617.00 | |
| 05 | 103A | MISC ITEMS SUCH AS SHOCK BAR PLATE, SUPPORTS (7XX08) | MT | 30.00 | |
| 06 | 52B | WELDED TYPE SMALL GALLERIES, BEAMS (ROLLED SECTION), HOLLOW BRACINGS, RECTIFIER HANDLING SYSTEM, PENT HOUSE PURLIN CHANNEL TYPE, HOPPER APPROACH PLATFORM FRAMES WITH PLATES, LADDER, STAIR BEAM, CONTROL ROOM INSERTS, BRACINGS NON BOX TYPE, SUPPORTING BEAMS MADE OUT OF CHANNEL/BEAM, SIDE BEAM, MIDDLE BEAM, WALK WAY (ROLLED STRUCTURE), SUPPORT, SUPPORTING CHANNELS, BRACKETS, HOPPER CORNER TUBES (FROM IS2062 TUBES OR PLATES) REQUIRED FOR ESP / APH / FANS / GATES AND DAMPERS AND FGD PRODUCTS. | MT | 1365.00 | |
| 07 | 52C | VERTICAL STAY (INCLUDING PACKING). | MT | 130.00 | |
| 08 | 52D | HORIZONTAL SPLITTERS, GUSSET PLATES. | MT | 52.00 | |
| 09 | 52E | HOPPER RIDGES WITHOUT COVER PLATE IN X43 | MT | 47.00 | |
| 10 | 53D | SHOCK BAR (ANGLE TYPE) | MT | 1.00 | |

SIGNATURE & SEAL OF VENDOR

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | | |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | | RS GROUP | VENDOR CODE |
| | | TINY | |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 11 | 53F | RAILINGS, CONTROL FRAMES, DUCT SUPPORTS, BAP TRUSSES (OTHER THAN ROOF TRUSSES IN X55) TRUSS BEAMS, STAIRS (WELDED TYPE), STRINGERS, PURLINS ROD TYPE, STAR ANGLE, B/B ANGLE, APPROACH PLATFORM FRAMES WITH OUT PLATES, SUPPORTING BEAM WITH TRUSS ASSEMBLY | MT | 1358.00 | |
| 12 | 53G | STOOL ASSEMBLY. | MT | 20.00 | |
| 13 | 53K | LADDERS (LADDER WITH CAGE), SHIPPING LADDER (STAIRS MADE OF PLATES) | MT | 100.00 | |
| 14 | 53M | SHOCK BAR (ANGLE TYPE) INCLUDING MANUFACTURE OF SHOCK BAR PLATE FROM RAW MATERIAL ISSUED BY BHEL. | MT | 2.00 | |
| 15 | 54C | SHOCK BEAM, ANGLE BAR, SUPPORT IN X42,SUPPORT ANGLE, CASING INSERTS, WALKWAY WITH COVER PLATE, VERTICAL BEAM. | MT | 388.00 | |
| 16 | 56C | INSULATOR HOUSING ASSYEMBLY X06 SINGLE WITH OR WITHOUT HT CONNECTION | MT | 102.00 | |
| 17 | 56D | INSULATOR HOUSING ASSYEMBLY[7XX06] DOUBLE WITH OR WITHOUT HT CONNECTION, INSULATOR HOUSING ASSY [X17] TAPER,SUPPORT DOUBLE. | MT | 12.00 | |
| 18 | 56E | GAS DISTRIBUTOR ASSEMBLY, EMITTING SYSTEM SUSPENSION, INSPECTION DOOR AND INTERLOCKS, SCREW (LEFT AND RIGHT), EMITTING SYSTEM FRAME WORK, ARRANGEMENT FOR EMITTING ELECTRODE, RAPPING MECHANISM FOR COLLECTING ELECTRODE,DRIVE ARRANGEMENT FOR COLLECTING ELECTRODE, RAPPING MECHANISM, CONVEYOR ASSEMBLY, SHOCK BAR GUIDE (RODS TYPE), ADAPTOR COVER, AEROFOIL, PROTECTIVE TUBES, BRACKET 7X X10,7X X26,7X X17 PGMAS, TUBE(RHS) (INCLUDING PACKING), OIL PAN | MT | 28.00 | |
| 19 | 56F | SUPPORT SINGLE,CONNECTION PIECE ,CHIMNEY STRAKES. | MT | 97.00 | |
| 20 | 56G | PLENUM DUCT AND TRANSITION DUCTS OF GATES AND DAMPERS Ref drg:15720303875, PART OF PIPEINGS/COOLING AIR HOODS WHERE SEGMENTAL BENDS MADE OUT OF PLATES / TUBES REF DRG:25512400038 | MT | 46.00 | |
| 21 | 64A | BRACKET ASSY MACHINING, PAINTER TROLLEY. | MT | 1.00 | |
| 22 | 65C | Circular type expansion Joint Ref Drg: 3-57-141-16082 or equivalent. | MT | 2.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| New firm indicate reference code as NEW. Existing registered vendors mention vendor code. <u>If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</u> | | TUB | |
| | | | |

VENDOR NAME & ADDRESS :

| | | | |
|-------------------|---|---------------------|---------------|
| RS GROUP : | TUB | Tube Bending | YES/NO |
| | FACILITIES REQUIRED : 1) General Fabrication Facilities 2) Tube bending machine to bend minimum dia 42.8 mm x 4.5 mm thick (please mention maximum dia bend capacity) and as per ANNEXURE- F | | |
| | MAXIMUM DISTANCE LIMIT IN KMS : | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|--|------|----------|----------------|
| 01 | 181A | TUBE BENDS FOR HANDRAILS AND PIPE REDUCERS / BENDS UPTO 42.9 MM DIA(SINGLE BEND) | NO | 20.00 | |
| 02 | 181B | TUBE BENDS FOR HANDRAILS AND PIPE REDUCERS/ BENDS ABOVE 42.9 MM AND UPTO 76.1 MM DIA(SINGLE BEND) | NO | 2972.00 | |
| 03 | 181C | TUBE BENDS (MULTIPLE BENDS) FOR HANDRAILS AND PIPE REDUCERS/ BENDS UPTO 42.9 MM DIA | NO | 33.00 | |
| 04 | 181D | Tube Bends (Multiple Bends) For Hand Rails And Pipe Reducers / Bendsabove 42.9 MM Dia And Upto 76.1MM Dia. | NO | 800.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR

TB

ARC (OS-MAIN) 2022-23 : ENQUIRY NO 652001E DATED 09/09/2022

| | | | |
|--|------------------------|-----------------|--------------------|
| OFFER REFERENCE : | DATE OF OFFER : | RS GROUP | VENDOR CODE |
| <i>New firm indicate reference code as NEW. Existing registered vendors mention vendor code. If vendor code is indicated then mention any one of the completed PO/IP number released on or after 01/04/2020 for the following RS applicable, IF AVAILABLE.</i> | | WWS | |

VENDOR NAME & ADDRESS :

| | | | |
|---|------------|-----------------------------|---------------|
| RS GROUP : | WWS | Water Washing System | YES/NO |
| FACILITIES REQUIRED : General Fabrication Facilities and as per ANNEXURE- F | | | |
| MAXIMUM DISTANCE LIMIT IN KMS : | | | 350 |

Vendor shall quote for all Rate Schedules covered in this group without fail

| SL | RSNO | RS DESCRIPTION | UNIT | QUANTITY | PO NUMBER/IPNO |
|----|------|---|------|----------|----------------|
| 01 | 62A | WATER WASHING MANIFOLD FOR APH [INCLUDING MACHINING OF SADDLE COUPLING] and ESP INCLUDING NIPPLE MACHINING FOR ESP WATER WASHING SYSTEM | MT | 25.00 | |

NEW RS ADDED

RS DESCRIPTION CHANGED

I/We hereby confirm that the above mentioned facilities are available with us to carry out conversion work on items covered in the above group of Rate Schedules.

SIGNATURE & SEAL OF VENDOR