

Annexure B

Pre-Qualification Criteria, Vendor Confirmation to Technical Specifications & Vendor's Details

A. Pre-Qualification Criteria		
SL.No	Pre-Qualification Criteria	Vendor's Confirmation /Acceptance
	Vendor should give point-wise reply to all the following points. The Bidder / Vendor has to compulsorily meet all the following requirements to get qualified for consideration of the technical offer for the SUPPLY OF STEEL WIRE ROPES. If the vendor does not qualify as per the Qualification Criteria, the technical offer of such Bidder(s)/Vendor(s) offer shall not be considered.	
1.	The BIDDER(s) / VENDOR(s) shall be a Manufacturer of steel wire ropes or an Authorised dealer of steel wire rope manufacturer. In case of dealers, valid authorisation certificate should be submitted along with the offer.	
2.	The BIDDER(S) / VENDOR(S) shall necessarily attach either one of the below certificates of the manufacturer with the offer. a) Valid ISO 9001:2015 certificate for Quality Management system (or) b) BIS license for IS 2266 : 2002 for manufacture of steel wire ropes	
3.	The BIDDER(s) / VENDOR(s) shall have a minimum three years of experience in supply of steel wire ropes, as on date of tender opening. The BIDDER / VENDOR should necessarily attach old purchase orders for supporting the above experience.	
4.	The BIDDER(S) / VENDOR(S) shall submit minimum one number of performance certificate from a customer in the customer's letter head for similar items supplied within three years as on date of tender opening. Similar items means steel wire ropes of similar construction as per IS-2266/2002	
5.	Any Deviations in technical specification may lead to rejection of the offer	
6.	BHEL reserves the right to visit the vendor's works for verifying the manufacturing facilities and any other credential furnished by the vendor. In case the information furnished with the offers found to be false /incorrect, the offer shall be rejected.	

Vendor Signature & Seal

B. Technical Specifications		
SL. No	Description and Technical Specification of the item	Vendor's Confirmation/Acceptance
1.	STEELWIRE ROPE 6X19CONS FMC RHO LAY18MM Steel Wire Rope. Size- 18 mm diameter. Steel wire rope as per IS 2266 / 2002. Construction - 6 x 19 (12/6-1), Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ, Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	
2.	STEELWIRE ROPE 6X19CONS FMC RHO LAY22MM Steel Wire Rope. Size- 22 mm diameter. Steel wire rope as per IS 2266 / 2002. Construction - 6 x 19 (12/6-1), Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ, Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	

Vendor Signature & Seal

3.	STEELWIRE ROPE 6X19CONS FMC RHO LAY28MM Steel Wire Rope. Size- 28 mm diameter Steel wire rope as per IS 2266 / 2002 Construction - 6 x 19 (12/6-1), Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ, Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	
4.	STEELWIRE ROPE 6X37CONS,FMC,RHO LAY,12MM Steel wire rope, Size: 12 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	

5.	STEELWIRE ROPE 6X37CONS,FMC,RHO LAY,18MM Steel wire rope, Size: 18 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Total Enquiry Quantity 800 Mtrs Should be supplied in 2 X 400 Mtrs length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	
6.	STEELWIRE ROPE 6X37CONS FMC RHO LAY20MM Steel wire rope, Size: 20 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	

7.	STEELWIRE ROPE 6X37CONS FMC RHO LAY32MM Steel wire rope, Size: 32 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	
8.	STEELWIRE ROPE 6X37CONS FMC RHO LAY35MM Steel wire rope, Size: 35 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Fibre main core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	

9.	STEELWIRE ROPE 6X37 CONS,IWRC RHO 18MM Steel wire rope, Size: 18 mm diameter, Steel Wire Rope as per IS 2266/2002, Construction - 6 x 37 (18/12/6-1) or 6 X 36 (14-7+7-7-1) Round Strand, Right Hand Ordinary Lay, Independent Steel Wire Rope core, Tensile strength-1770 N/MM SQ Finish - Ungalvanized , Packing in wooden reels. Should be supplied in single length and with manufacturer's test certificate. Note: 1) The supplier has to submit the original Manufacturer's test certificate for the items at the time of supply of the materials. 2) The items shall be guaranteed for a minimum period of 12 months from date of acceptance at BHEL, Trichy for the any manufacturing defects or faulty materials or workmanship in the material supplied by the supplier. Guarantee certificate shall be provided for the same. 3) The Packing Shall be in wooden reels.	
C. Supplier/Vendor details		
	Supplier Name & Address	
	Contact Person Name, email id and Mobile Number	
	HSN code for the quoted items	
	GST% included in the quoted price	

Vendor Signature & Seal