

ELECTRO PORCELAINS DIVISION

17.08.2018

APPROVAL FOR EXTENSION OF TENDER OPENING DATE


1	NAME OF THE ITEM	12 Types of Electrical Items
2	PR Number	30027651/18.07.2018
3	VENDORS TO BE INTIMATED. M/s.	OT Corrigendum in WEB
4	OLD DATE	16.08.18
5	REVISED DATE	23.08.18
6	REASON FOR EXTENSION	No Response

Corrigendum in WEB

For Approval Please as per Instructions in web **(In line with compliance to Govt. Audit observations and as per instruction from competent authority, tender of NIT no. 40028 cannot be updated because tender due date has expired for more than 03 days now. If you want to update tender, please provide justification mail with requisite approval from HOD to techvas2011@gmail.com; info@vasinfosolution.co.in; support@vasinfosolution.co.in; vasinfosolutions@gmail.com with a copy to pallavi@bhel.in; mmukundan@bhel.in; jd@bhel.in; sanjeevi@bhel.in)**

Justification for Delayed Approval:

- Reporting officer of Initiator **Dy Manager/MM** was on OOD.
- The next higher authority of the Initiator **DGM/MM** was on OOD
- 17.08.2018 was declared half day leave due to the sad demise of former PM Sh. A B Vajpayee.
- Initiator was NDO on 17.08.2018
- 18.08.18 was Initiators NDO off.
- 19.08.2018 was Sunday

Initiator

Engineer
(Manjunath Rao) 17/8/18


(R. Ambarish) ON OOD
Dy Manager/MM


(Gopal Madbhavi.) ON OOD on 17.08.18
DGM/MM

(R Chaudhary)
AGM & HOD/MM.

due date may be extended based on 'A'

Agreed in new J NB.


20/8/18


20/8/18