

Bid Document

Bid Details	
Bid End Date/Time	02-06-2022 18:00:00
Bid Opening Date/Time	02-06-2022 18:30:00
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10140027-hbbp Trichy
Total Quantity	23384
	<p>WELDPAD FOR 8MM OD T C and 33 point 4 MM OD TUBE L182819729701001 , WELDPAD FOR 8MM OD T C and 38 point 1 MM OD TUBE L182819729701002 , WELDPAD FOR 8MM OD T C and 44 point 45 MM OD TUBE L182819729701003 , WELDPAD FOR 8MM OD T C and 50 point 8 MM OD TUBE L182819729701004 , WELDPAD FOR 8MM OD T C and 57 MM OD TUBE L182819729701005 , WELDPAD FOR 8MM OD T C and 57 point 15 MM OD TUBE L182819729701006 , WELDPAD FOR 8MM OD T C and 60 point 3 MM OD TUBE L182819729701007 , WELDPAD FOR 8MM OD T C and 63 point 5 MM OD TUBE L182819729701008 , WELDPAD FOR 8MM OD T C and 76 point 2 MM OD TUBE L182819729701009 , WELDPAD FOR 8MM OD T C and 660 MM OD VESSEL L182819729701010 , WELDPAD FOR 8MM OD TC and 762 MM OD VESSEL L182819729701011 , WELDPAD FOR 8MM OD TC and 63 point 5 MM OD HANGER L182819729701012 , WELDCLAMP FOR 8MM OD T C and 33point 4 MM OD TUBE L182819729701013 , WELDCLAMP FOR 8MM OD T C and 38point1 MM OD TUBE L182819729701014 , WELDCLAMP FOR 8MM OD TC and 44point45MM OD TUBE L182819729701015 , WELDCLAMP FOR 8MM OD TC and 50point8 MM OD TUBE L182819729701016 , WELDCLAMP FOR 8MM OD TC and 57 MM OD TUBE L182819729701017 , WELDCLAMP FOR 8MM OD TC and 57point15MM OD TUBE L182819729701018 , WELDCLAMP FOR 8MM OD TC and 60point3 MM OD TUBE L182819729701019 , WELDCLAMP FOR 8MM OD TC and 63point5 MM OD TUBE L182819729701020 , WELDCLAMP FOR 8MM OD TC and 76point2 MM OD TUBE L182819729701021 , WELDCLAMP FOR 8MM OD TC and 660MM OD VESSEL L182819729701022 , WELDCLAMP FOR 8MM OD TC and 762MM OD VESSEL L182819729701023 , WELDCLAMP FOR 8MMOD TC and 63point5MM OD HANGER L182819729701024 , WELDCLAMP FOR 3MM OD TC and 63point5 MM OD TUBE L182819729701025 , WELDCLAMP FOR 3MMOD TC and 44point45 MM OD TUBE L182819729701026 , MTM TC 8MM OD and 10 M DUPLEX L182819729801001 , MTM TC 8MM OD and 12 M DUPLEX L182819729801002 . MTM TC 8MM OD and 14 M DUPLEX</p>

<p>Item Category</p>	<p>Bid Details</p> <p>L182819729801003 , MTM TC 8MM OD and 16 M DUPLEX L182819729801004 , MTM TC 8MM OD and 18 M DUPLEX L182819729801005 , MTM TC 8MM OD and 20 M DUPLEX L182819729801006 , MTM TC 8MM OD and 22 M DUPLEX L182819729801007 , MTM TC 8MM OD and 24 M DUPLEX L182819729801008 , MTM TC 8MM OD and 26 M DUPLEX L182819729801009 , MTM TC 8MM OD and 28 M DUPLEX L182819729801013 , MTM TC 8MM OD and 30 M DUPLEX L182819729801014 , MTM TC 8MM OD and 32 M DUPLEX L182819729801015 , MTM TC 8MM OD and 34 M DUPLEX L182819729801016 , MTM TC 8MM OD and 36 M DUPLEX L182819729801017 , MTM TC 8MM OD and 38 M DUPLEX L182819729801018 , MTM TC 8MM OD and 40 M DUPLEX L182819729801019 , MTM TC 8MM OD and 42 M DUPLEX L182819729801020 , MTM TC 8MM OD and 44 M DUPLEX L182819729801021 , MTM TC 8MM OD and 46 M DUPLEX L182819729801022 , MTM TC 3MM OD and 28 M DUPLEX L182819729802001 , MTM TC 3MM OD and 30 M DUPLEX L182819729802002 , MTM TC 3MM OD and 32 M DUPLEX L182819729802003 , MTM TC 3MM OD and 34 M DUPLEX L182819729802004 , MTM TC 3MM OD and 36 M DUPLEX L182819729802005 , MTM TC 3MM OD and 38 M DUPLEX L182819729802006 , MTM TC 3MM OD and 40 M DUPLEX L182819729802007 , MTM TC 3MM OD and 42 M DUPLEX L182819729802008 , MTM TC 3MM OD and 44 M DUPLEX L182819729802009 , MTM TC 3MM OD and 46 M DUPLEX L182819729802010 , MTM TC 3MM OD and 48 M DUPLEX L182819729802011 , MTM TC 8MM OD and 10 M DUPLEX L1828S9729801001 , MTM TC 8MM OD and 12 M DUPLEX L1828S9729801002 , MTM TC 8MM OD and 14 M DUPLEX L1828S9729801003 , MTM TC 8MM OD and 16 M DUPLEX L1828S9729801004 , MTM TC 8MM OD and 18 M DUPLEX L1828S9729801005 , MTM TC 8MM OD and 20 M DUPLEX L1828S9729801006 , MTM TC 8MM OD and 22 M DUPLEX L1828S9729801007 , MTM TC 8MM OD and 24 M DUPLEX L1828S9729801008 , MTM TC 8MM OD and 26 M DUPLEX L1828S9729801009 , MTM TC 8MM OD and 28 M DUPLEX L1828S9729801013 , MTM TC 8MM OD and 30 M DUPLEX L1828S9729801014 , MTM TC 8MM OD and 32 M DUPLEX L1828S9729801015 , MTM TC 8MM OD and 34 M DUPLEX L1828S9729801016 , MTM TC 8MM OD and 36 M DUPLEX L1828S9729801017 , MTM TC 8MM OD and 38 M DUPLEX L1828S9729801018 , MTM TC 8MM OD and 40 M DUPLEX L1828S9729801019 , MTM TC 8MM OD and 42 M DUPLEX L1828S9729801020 , MTM TC 8MM OD and 44 M DUPLEX L1828S9729801021 , MTM TC 8MM OD and 46 M DUPLEX L1828S9729801022 , MTM TC 3MM OD and 28 M DUPLEX L1828S9729802001 , MTM TC 3MM OD and 30 M DUPLEX L1828S9729802002 , MTM TC 3MM OD and 32 M DUPLEX L1828S9729802003 , MTM TC 3MM OD and 34 M DUPLEX L1828S9729802004 , MTM TC 3MM OD and 36 M DUPLEX L1828S9729802005 , MTM TC 3MM OD and 38 M DUPLEX L1828S9729802006 , MTM TC 3MM OD and 40 M DUPLEX L1828S9729802007 , MTM TC 3MM OD and 42 M DUPLEX L1828S9729802008 , MTM TC 3MM OD and 44 M DUPLEX L1828S9729802009 , MTM TC 3MM OD and 46 M DUPLEX L1828S9729802010 , MTM TC 3MM OD and 48 M DUPLEX L1828S9729802011</p>
<p>BOQ Title</p>	<p>Weld Pad Weld Clamp and MTM Thermocouple</p>
<p>MSE Exemption for Years of Experience and Turnover</p>	<p>No</p>

Bid Details	
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Primary product category	MTM TC 3MM OD and 48 M DUPLEX L1828S9729802011
Time allowed for Technical Clarifications during technical evaluation	2 Days
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
Evaluation Method	Total value wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which

no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

WELDPAD FOR 8MM OD T C And 33 Point 4 MM OD TUBE L182819729701001

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	252	120

WELDPAD FOR 8MM OD T C And 38 Point 1 MM OD TUBE L182819729701002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	984	120

WELDPAD FOR 8MM OD T C And 44 Point 45 MM OD TUBE L182819729701003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	528	120

WELDPAD FOR 8MM OD T C And 50 Point 8 MM OD TUBE L182819729701004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	684	120

WELDPAD FOR 8MM OD T C And 57 MM OD TUBE L182819729701005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119, Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

WELDPAD FOR 8MM OD T C And 57 Point 15 MM OD TUBE L182819729701006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

WELDPAD FOR 8MM OD T C And 60 Point 3 MM OD TUBE L182819729701007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	30	120

WELDPAD FOR 8MM OD T C And 63 Point 5 MM OD TUBE L182819729701008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	399	120

WELDPAD FOR 8MM OD T C And 76 Point 2 MM OD TUBE L182819729701009

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

WELDPAD FOR 8MM OD T C And 660 MM OD VESSEL L182819729701010

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119, Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	135	120

WELDPAD FOR 8MM OD TC And 762 MM OD VESSEL L182819729701011

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	69	120

WELDPAD FOR 8MM OD TC And 63 Point 5 MM OD HANGER L182819729701012

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	30	120

WELDCLAMP FOR 8MM OD T C And 33point 4 MM OD TUBE L182819729701013

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	1260	120

WELDCLAMP FOR 8MM OD T C And 38point1 MM OD TUBE L182819729701014

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	4920	120

WELDCLAMP FOR 8MM OD TC And 44point45MM OD TUBE L182819729701015

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	2643	120

WELDCLAMP FOR 8MM OD TC And 50point8 MM OD TUBE L182819729701016

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	3414	120

WELDCLAMP FOR 8MM OD TC And 57 MM OD TUBE L182819729701017

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	60	120

WELDCLAMP FOR 8MM OD TC And 57point15MM OD TUBE L182819729701018

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	60	120

WELDCLAMP FOR 8MM OD TC And 60point3 MM OD TUBE L182819729701019

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	150	120

WELDCLAMP FOR 8MM OD TC And 63point5 MM OD TUBE L182819729701020

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	1989	120

WELDCLAMP FOR 8MM OD TC And 76point2 MM OD TUBE L182819729701021

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	75	120

WELDCLAMP FOR 8MM OD TC And 660MM OD VESSEL L182819729701022

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	675	120

WELDCLAMP FOR 8MM OD TC And 762MM OD VESSEL L182819729701023

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	339	120

WELDCLAMP FOR 8MMOD TC And 63point5MM OD HANGER L182819729701024

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	150	120

WELDCLAMP FOR 3MM OD TC And 63point5 MM OD TUBE L182819729701025

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	657	120

WELDCLAMP FOR 3MMOD TC And 44point45 MM OD TUBE L182819729701026

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	939	120

MTM TC 8MM OD And 10 M DUPLEX L182819729801001

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	24	120

MTM TC 8MM OD And 12 M DUPLEX L182819729801002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	96	120

MTM TC 8MM OD And 14 M DUPLEX L182819729801003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	105	120

MTM TC 8MM OD And 16 M DUPLEX L182819729801004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	144	120

MTM TC 8MM ODand 18 M DUPLEX L182819729801005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	45	120

MTM TC 8MM OD And 20 M DUPLEX L182819729801006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	39	120

MTM TC 8MM OD And 22 M DUPLEX L182819729801007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	108	120

MTM TC 8MM ODand 24 M DUPLEX L182819729801008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	354	120

MTM TC 8MM ODand 26 M DUPLEX L182819729801009

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	174	120

MTM TC 8MM OD And 28 M DUPLEX L182819729801013

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	282	120

MTM TC 8MM OD And 30 M DUPLEX L182819729801014

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	417	120

MTM TC 8MM ODand 32 M DUPLEX L182819729801015

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	174	120

MTM TC 8MM OD And 34 M DUPLEX L182819729801016

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	165	120

MTM TC 8MM OD And 36 M DUPLEX L182819729801017

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	171	120

MTM TC 8MM OD And 38 M DUPLEX L182819729801018

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	6	120

MTM TC 8MM OD And 40 M DUPLEX L182819729801019

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	12	120

MTM TC 8MM OD And 42 M DUPLEX L182819729801020

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	6	120

MTM TC 8MM OD And 44 M DUPLEX L182819729801021

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	12	120

MTM TC 8MM OD And 46 M DUPLEX L182819729801022

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119, Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

MTM TC 3MM OD And 28 M DUPLEX L182819729802001

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	6	120

MTM TC 3MM OD And 30 M DUPLEX L182819729802002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	9	120

MTM TC 3MM OD And 32 M DUPLEX L182819729802003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

MTM TC 3MM OD And 34 M DUPLEX L182819729802004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	24	120

MTM TC 3MM OD And 36 M DUPLEX L182819729802005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	39	120

MTM TC 3MM OD And 38 M DUPLEX L182819729802006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	48	120

MTM TC 3MM OD And 40 M DUPLEX L182819729802007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	36	120

MTM TC 3MM OD And 42 M DUPLEX L182819729802008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	30	120

MTM TC 3MM OD And 44 M DUPLEX L182819729802009

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	30	120

MTM TC 3MM OD And 46 M DUPLEX L182819729802010

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119, Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	15	120

MTM TC 3MM OD And 48 M DUPLEX L182819729802011

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Sanjeev Kumar	829119,Patratu Vidyut Utpadan Nigam Ltd, Phase I 3x800 MW Project Patratu Thermal Power Station Ramgarh District Jharkhand - PIN 829119	18	120

MTM TC 8MM OD And 10 M DUPLEX L1828S9729801001

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	300

MTM TC 8MM OD And12 M DUPLEX L1828S9729801002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	10	300

MTM TC 8MM OD And 14 M DUPLEX L1828S9729801003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	11	300

MTM TC 8MM OD And 16 M DUPLEX L1828S9729801004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	15	300

MTM TC 8MM OD And 18 M DUPLEX L1828S9729801005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	300

MTM TC 8MM OD And 20 M DUPLEX L1828S9729801006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	4	300

MTM TC 8MM OD And 22 M DUPLEX L1828S9729801007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	11	300

MTM TC 8MM OD And 24 M DUPLEX L1828S9729801008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	36	300

MTM TC 8MM OD And 26 M DUPLEX L1828S9729801009

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	18	300

MTM TC 8MM ODand 28 M DUPLEX L1828S9729801013

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	29	300

MTM TC 8MM OD And 30 M DUPLEX L1828S9729801014

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	42	300

MTM TC 8MM OD And 32 M DUPLEX L1828S9729801015

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	18	300

MTM TC 8MM OD And 34 M DUPLEX L1828S9729801016

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	16	300

MTM TC 8MM ODand36 M DUPLEX L1828S9729801017

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	18	300

MTM TC 8MM OD And 38 M DUPLEX L1828S9729801018

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 8MM OD And 40 M DUPLEX L1828S9729801019

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 8MM OD And 42 M DUPLEX L1828S9729801020

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 8MM OD And 44 M DUPLEX L1828S9729801021

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 8MM OD And 46 M DUPLEX L1828S9729801022

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 3MM OD And 28 M DUPLEX L1828S9729802001

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 3MM OD And 30 M DUPLEX L1828S9729802002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 3MM OD And 32 M DUPLEX L1828S9729802003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 3MM Odand 34 M DUPLEX L1828S9729802004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	300

MTM TC 3MM OD And 36 M DUPLEX L1828S9729802005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	4	300

MTM TC 3MM OD And38 M DUPLEX L1828S9729802006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	300

MTM TC 3MM OD And 40 M DUPLEX L1828S9729802007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	4	300

MTM TC 3MM OD And 42 M DUPLEX L1828S9729802008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	300

MTM TC 3MM OD And 44 M DUPLEX L1828S9729802009

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	300

MTM TC 3MM OD And 46 M DUPLEX L1828S9729802010

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

MTM TC 3MM OD And 48 M DUPLEX L1828S9729802011

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Bimal Kanta Sethi	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	300

Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---