

**Project Engineering
Management**

Bharat Heavy Electricals Limited
(A Govt. of India undertaking)



CORRIGENDUM-I

Ref: PE/PG/RTC/ E-5642/2017 dtd 08/06/2017 (Due Date: 20/06/2017; 1400 hrs)

Dt: 20/06/2017

SUBJECT: Rate Contract of Ultrasonic Flowmeters

To,

This is in reference to our Tender Enquiry no. **PE/PG/RTC/ E-5642/2017 dtd 08/06/2017** for the subject package. In this connection, please note that the **due date for submission of bids has been extended from 20/06/2017 to 28/06/2017**. Bidders have to submit their bids before 02:00 PM on 28/06/2017, will be opened at 03:00 PM on 28/06/2017.

Following is also incorporated in NIT for the subject package:

In place of:	Shall be read as:
Old Price Format	New Price Format shall be uploaded which incorporates the GST instead of ED, CST and Service tax. The notes to Price Format have also been changed to incorporate the GST.
Due to the changes in the Price format, following changes shall be applicable: -	
Page 2 of NIT Cl. No. 3b) "Bidders need to give only their total Ex Works price for given BOQ at Row A+B Column 8 for Indian supplier and Row A+B Column 15 for Foreign Supplier in Price Format [Annexure I]"	"Bidders need to give only their total Ex Works price for given BOQ at Row A+B Column 8 for Indian supplier and Row A+B Column 13 for Foreign Supplier in Price Format [Annexure I]"
Page 8 of NIT First two lines "The Bidders has to quote the Single Price (i.e. Total Cost to BHEL) in Reverse Auction i. e Price mentioned in Row No. A+B [Column No. 8 for Indian Bidders and Column No. 15 for Foreign Bidders] with loading/de loading (if any)"	"The Bidders has to quote the Single Price (i.e. Total Cost to BHEL) in Reverse Auction i. e Price mentioned in Row No. A+B [Column No. 8 for Indian Bidders and Column No. 13 for Foreign Bidders] with loading/de loading (if any)"
Page 2 of NIT Cl. No. 3c) "Bidders also requires to mention % of taxes/ duties (against respective column for ED, CST & Service Tax) applicable for each item of the BOQ."	Bidders also requires to mention % of taxes/ duties (GST) applicable for each item of the BOQ.
Page 2 of NIT Cl. No. 3g) "Further, in the Price format, bidders need to mention their Ex-Works price (total) and percentage of ED, CST and Service Tax as applicable."	"Further, in the Price format, bidders need to mention their Ex-Works price (total) and percentage of GST as applicable."
Page 3 of NIT Cl. No. 4" Vendors shall be asked to quote prices with CST against form C and same state ordering shall not be done to save VAT"	The same clause is not applicable has been deleted.



कृपया प्रेषित करे :
बीएचईएल, पीएस-पीईएम
पीपीआई भवन
प्लॉट नं २५, सेक्टर १६ ए
नोएडा - २०१ ३०१ उ प्र
भारत

Please reply to :
BHEL, PS-PEM,
PPEI Building,
Plot No.25, Sector 16A,
Noida-201301 (U.P.)
INDIA

फोन Phone No:
91-120 - 4368574
फैक्स Fax No.
0120-4329045

पंजीकृत कार्यालय
बीएचईएल हाउस
सीरी फोर्ट
नयी दिल्ली - ११० ०४९
भारत

Registered Office :
BHEL House,
Siri Fort,
New Delhi-110049
INDIA

**Project Engineering
Management**

Bharat Heavy Electricals Limited
(A Govt. of India undertaking)



Page 3 of NIT Cl. No. 5.

The same clause is not applicable has been deleted.

All the bidders are requested to quote their offer (or re-quote if already quoted) at e-procurement portal <https://bheleps.buyjunction.in>.
All other terms remain unaltered.

Thanking you.
Yours faithfully,
For and on behalf of BHEL

बी.एच.ई. लिमिटेड (बी.एच.ई. लिमिटेड)
बी.एच.ई. लिमिटेड (बी.एच.ई. लिमिटेड)

(KUNAL SANDHI)
Sr. Engineer/ CMM



कृपया प्रेषित करें :
बीएचईएल, पीएस-पीडिएम्
पीपीआईआई भवन
प्लॉट नं २५, सेक्टर १६ ए
नोएडा - २०१ ३०१ उ प्र
भारत

Please reply to :
BHEL, PS-PEM,
PPEI Building,
Plot No.25, Sector 16A,
Noida-201301 (U.P.)
INDIA

फोन Phone No:
91-120 - 4368574
फैक्स Fax No.
0120-4329045

पंजीकृत कार्यालय
बीएचईएल हाउस
सीरी फोर्ट
नयी दिल्ली - ११० ०४९
भारत

Registered Office :
BHEL House,
Siri Fort,
New Delhi-110049
INDIA

PRICE SCHEDULE- Rate Contract of Ultrasonic Flowmeters	
--	--

Sl No.	ITEM No	Ref TECHNICAL SPECIFICATION (ANNEXURE-V) DATA SHEET No.	ITEM DESCRIPTION	Pipe Range	Qty	Unit Ex-Works price	Total Ex-Works (Rs.)	FREIGHT CHARGES (EXCLUSIVE OF TAXES) @ % OF TOTAL EX WORKS (INR)	GST	TOTAL F.O.R. SITE PRICE (Rs.)	Unit C & F Indian Sea Port Price(Currency)	Total C & F Indian Sea Port Price(Currency)	OCEAN / MARINE INSURANCE	PORT HANDLING CHARGE (INR)	CUSTOM DUTY (INR)	INLAND FREIGHT CHARGES (INCLUDING SERVICE TAX) (INR)	TOTAL F.O.R. SITE PRICE based on derived unit-exworks prices & applicable loading for each case (Rs.)	% allocation of each Item for Ultrasonic Flowmeters w.r.t. Total Price Quoted by bidder(at Sl. No A+B of Column 8 for Indian Bidder & at Sl. no. A+B of Column 15 for foreign bidder) for deriving Values (from A.1 to A.4 at Column 8 (Indian bidder) & Column 15 (foreign bidder) of this sheet)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
APPLICABLE FOR INDIAN BIDDERS (PRICES IN INR)											APPLICABLE FOR FOREIGN BIDDERS (BIDDER TO INDICATE THEIR CURRENCY)								
A. MAIN SUPPLY											BHEL SCOPE TO BE LOADED ON C& F VALUE								
A.1	UFM-1	DS-1	DUAL PATH transit time clamp-on UFM having 2 SET OF SENSOR	>=80 NB to <=400 NB	8	Derived	Derived	% TO BE QUOTED	% TO BE QUOTED	Derived	Derived	Derived					Derived	8.81	
A.2	UFM-2	DS-2	DUAL PATH transit time clamp-on UFM having 2 SET OF SENSOR	>400 NB to <=4500 NB	44	Derived	Derived		% TO BE QUOTED	Derived	Derived	Derived					Derived	60.58	
A.3	UFM-3	DS-3	SINGLE PATH transit time clamp-on UFM having 1 SET OF SENSOR	>=80 NB to <=400 NB	5	Derived	Derived		% TO BE QUOTED	Derived	Derived	Derived					Derived	3.01	
A.4	UFM-4	DS-4	SINGLE PATH transit time clamp-on UFM having 1 SET OF SENSOR	>400 NB to <=4500 NB	23	Derived	Derived		% TO BE QUOTED	Derived	Derived	Derived					Derived	17.31	
A.						Derived	Derived	Derived		Derived	Derived						Derived		
B. COST OF SERVICES											REVERSE SERVICE TAX TO BE LOADED								
1	-	-	Man Days FOR SUPERVISION OF E&C		140	Derived	Derived		% TO BE QUOTED	Derived	Derived	Derived					Derived	10.28	
GRAND TOTAL COST TO BHEL											TO BE QUOTED								
A+B											TO BE QUOTED								

NOTES

- [illegible]