

BHEL PAN: AAACB4146P

Ref BHE/PW/PUR/NTPRT-100MT-CRH /2840/Corg-01

Date: 28-08-2023

To  
ALL BIDDERS,

**Sub: Corrigendum: Bid due date extension**

**JOB: : PROVIDING SERVICES OF 100 MT AND ABOVE TYRE MOUNTED TELESCOPIC CRANE ON MONTHLY HIRING BASIS AT 3X800 MW PVUNL PATRATU, POST -PTPS RAMGARH, JHARKHAND**

**Reference:**

- 1) E-Tender Specification Number: E-Tender Specification No: **BHE/PW/PUR/NTPRT-100MT-CRH /2840.**
- 2) NIC Tender ID: 2023\_BHEL\_27765\_1

**Bidders to kindly take note of the following:**

**AA) Bid Due Date Extension**

**Bid submission end date and Bid Opening Date has been amended as mentioned in following table:**

Existing Bid Submission End Date	28/08/2023, 13:00 Hrs
Existing Bid Opening Date	28/08/2023, 17:00 Hrs
<b>Revised Bid Submission End Date</b>	<b>01/09/2023, 13:00 Hrs</b>
<b>Revised Bid Opening Date</b>	<b>01/09/2023, 17:00 Hrs</b>

=====  
All other Terms and conditions of the Tender Specification shall remain unaltered unless expressly amended by BHEL in writing. Bidders are requested to submit as a part of their offer, a copy of this corrigendum duly Digitally countersigned by the authorized signatory as a token of Bidder's unqualified acceptance of this corrigendum.

BIDDERS MAY PLEASE NOTE THAT SUBJECT TENDER IS E-TENDER AND THE OFFER IS TO BE SUBMITTED ONLY IN E-PROCUREMENT PORTAL→ <https://eprocurebhel.co.in>

BIDDERS WHO HAVE ALREADY SUBMITTED THEIR OFFERS PRIOR TO ISSUANCE OF THIS CORRIGENDUM IN E-TENDER PORTAL ARE REQUIRED TO RE-SUBMIT THEIR OFFER AFTER TAKING COGNIZANCE OF THIS CORRIGENDUM.

Thanking you,  
Yours faithfully,

GM (Purchase)