

Ref No. : PE-LPE/412/CORRIGENDA/05

Date: 30.08.2019

CORRIGENDA / ADDENDUM-05

SUBJECT: Microsoft SQL Standard 2017 Licenses without software assurance

OUR REF: TENDER ENQUIRY NO: PE-LPE/412, DTD-26.07.2019

DUE DATE
07.09.2019
BY 14:00PM

The last date of submission of offer against tender for Microsoft SQL Standard 2017 Licenses without software assurance invited vide Enquiry No PE-LPE/412, DTD-26.07.2019 is extended up to **07.09.2019, 14.00PM**. Part I Bid opening will be done on **07.09.2019, 15.00PM**. bidder is requested to submit their offer on <https://bhel.abcpocure.com>. All future corrigenda/ amendment and due date extension, if any, for this tender shall be hosted only on web i.e bhel.com, bhelpe.com & <https://bhel.abcpocure.com>.

Thanking You,

With Regards,

For & on behalf of BHEL


Anil Kumar Pandey

[Sr.ENGR/CMM]

Please reply to:

Power Project Engineering Institute Building
HRD & ESI Complex Plot No. 25, Sector -16 A,
BHEL-PEM,Noida-201301 (U.P.)
Tel No.0120-4368547, 09811734771