

Ref: BHE/PW/PUR/1906072/Corg-07

Date: 18/09/2019

-----Page 1 of 3-----

To
ALL BIDDERS,

Sub: Corrigendum-07: Issuance of amendment in Technical PQR & Amendment of tender document.

Scope of work: Supply, installation & Fixing of Structural Glazing as per Technical specification at 1X800 MW, Wanakbori TPP, Extension, Unit-08 (Gujarat) on 'F.O.R.' Destination basis.

Reference:

1. E-Tender Spec No: 1906072

Sl. No.	Corrigendum Ref	Corrigendum Type
1	Corrigendum-01	Amendment in PQR, Amendment in tender condition, Clarification & Time extension
2	Corrigendum-02	Time extension
3	Corrigendum-03	Time Extension
4	Corrigendum-04	Time Extension
5	Corrigendum-05	Time Extension
6	Corrigendum-06	Time Extension

Bidders to kindly take note of the following:

AA) Amendment to PQR:

Sl no	Reference clause of Tender Document	Clause	Existing provision	Now Amended as
1	Vol-IA Technical bid, Chapter-III, Pre-Qualification Criteria (PQR) & Corrigenum-01	A. Technical PQR	Bidder should have supplied 1080 Kg of Structural Glazing or more at any Power Plant or other infrastructure project or any other industry/project or any other customer in last Seven years as on the latest date of submission of tender in a maximum of Two Purchase Order.	Bidder should have supplied Structural Glazing of Rs. 13 Lakhs (with or without installation) or more at any Power Plant or other infrastructure project or any other industry/project or any other customer in last Seven years as on the latest date of submission of tender in a maximum of Two Purchase Order.

BB) Amendment to Tender Condition:

Sl no	Reference clause of Tender Document	Clause	Existing provision	Now Amended as
1	Vol-IA Technical bid, Chapter-IV: Techno – Commercial Terms and Conditions, Part - I (Technical Specification),	Cl. No. 2 (BOQ), Sl. No. (A)	Please refer Tender Specification	The Existing Sl No. A shall be read in conjunction with following: - Bidder to submit the calculation for review and approval of shop / fabrication drgs from BHEL

Ref : BHE/PW/PUR/1906072/Corg-07

Date: 18/09/2019

-----Page 2 of 3-----

Sl no	Reference clause of Tender Document	Clause	Existing provision	Now Amended as
2	Vol-IA Technical bid, Chapter-IV: Techno - Commercial Terms and Conditions, Part - I (Technical Specification)	Cl. No. 2 (BOQ), Sl. No. (C)	Please refer Tender Specification	The Existing Sl No. C shall be read in conjunction with following: - Glass properties shall be taken as VLT-47%, SHGC-0.25-0.28 & U value 1.6 -1.8 W/Sq. mtr-K.
3	Vol-IA Technical bid, Chapter-IV: Techno - Commercial Terms and Conditions, Part - I (Technical Specification)	Cl. No. 2 (BOQ), Sl. No.(D)	Please refer Tender Specification	The Existing Sl No. D shall be read in conjunction with following: - Openable glazing panel Hardware Make shall be Dorma/Alualpha/Kinglong/Gieeze/Pulse or equivalent.
4	Vol-IA Technical bid, Chapter-IV: Techno - Commercial Terms and Conditions, Part - I (Technical Specification)	Cl. No. 2 (BOQ), Sl. No.(E)	Please refer Tender Specification	The Existing Sl. No. E shall be read in conjunction with following: - Glass make shall be Saint Gobain, Asahi or equivalent.

CC) Clarification of Tender Condition: -

❖ Excel sheet for calculation Purpose: -

In view of change in description of scope in Bill of Quantity (BOQ) of Technical Specification, following changes shall also be incorporated in the excel sheet provided for calculation purpose only.

Sl no	Reference clause of Tender Document	Clause	Existing provision	Now Amended as
1	Excel sheet for calculation purpose	Sl. No. .A	Please refer the document	The Existing Sl. No. A shall be read in conjunction with following: Bidder to submit the calculation for review and approval of shop / fabrication drgs from BHEL
2	Excel sheet for calculation purpose	Sl. No. C	Please refer the document	The Existing Sl. No. C shall be read in conjunction with following: Glass properties shall be taken as VLT-47%, SHGC-0.25-0.28 & U value 1.6 -1.8 W/Sq. mtr-K.
3	Excel sheet for calculation purpose	Sl. No. D	Please refer the document	The Existing Sl. No. D shall be read in conjunction with following: Openable glazing panel Hardware Make shall be Dorma/Alualpha/Kinglong/Gieeze/Pulse or equivalent.

Ref : BHE/PW/PUR/1906072/Corg-07

Date: 18/09/2019

-----Page 3 of 3-----

Sl no	Reference clause of Tender Document	Clause	Existing provision	Now Amended as
4	Excel sheet for calculation purpose	Sl. No. E	Please refer the document	The Existing Sl. No. E shall be read in conjunction with following: Glass make shall be Saint Gobain, Asahi or equivalent.

For the convenience of bidders, BHEL has issued the excel sheet with all requisite formulae. However, this excel sheet shall not form part of contract document. This is also not to be uploaded with the offer.

=====

All other Terms and conditions of the Tender Specification shall remain unaltered unless expressly amended by BHEL in writing. Bidders are requested to submit as a part of their offer, a copy of this corrigendum duly Digitally countersigned by the authorized signatory as a token of Bidder's unqualified acceptance of this corrigendum.

BIDDERS MAY PLEASE NOTE THAT SUBJECT TENDER IS E-TENDER AND THE OFFER IS TO BE SUBMITTED ONLY IN E-PROCUREMENT PORTAL → www.bhel.abcprocure.com

BIDDERS WHO HAVE ALREADY SUBMITTED THEIR OFFERS PRIOR TO ISSUANCE OF THIS CORRIGENDUM IN E-TENDER PORTAL ARE REQUIRED TO RE-SUBMIT THEIR OFFER AFTER TAKING COGNIZANCE OF THIS CORRIGENDUM.

Thanking you,
Yours faithfully,

AGM (Purchase)