









	<b>BHEL</b> <b>Tenders</b>	<b>Government eProcurement System</b> <b>Published Corrigendum Details</b>	Date : 09-Jun-2022 01:50 PM  Print											
	<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;"><b>Organisation Chain :</b></td> <td>Bharat Heavy Electricals Limited  HPEP - Hyderabad  CMM</td> </tr> <tr> <td><b>Tender ID :</b></td> <td>2022_BHEL_12248_1</td> </tr> <tr> <td><b>Tender Ref No :</b></td> <td>M2A1V04600</td> </tr> <tr> <td><b>Tender Title :</b></td> <td>Bridge Cam Gauge and Infrared Thermometer as per BHEL Spec</td> </tr> <tr> <td><b>Corrigendum Type :</b></td> <td>Date</td> </tr> </table>				<b>Organisation Chain :</b>	Bharat Heavy Electricals Limited  HPEP - Hyderabad  CMM	<b>Tender ID :</b>	2022_BHEL_12248_1	<b>Tender Ref No :</b>	M2A1V04600	<b>Tender Title :</b>	Bridge Cam Gauge and Infrared Thermometer as per BHEL Spec	<b>Corrigendum Type :</b>	Date
<b>Organisation Chain :</b>	Bharat Heavy Electricals Limited  HPEP - Hyderabad  CMM													
<b>Tender ID :</b>	2022_BHEL_12248_1													
<b>Tender Ref No :</b>	M2A1V04600													
<b>Tender Title :</b>	Bridge Cam Gauge and Infrared Thermometer as per BHEL Spec													
<b>Corrigendum Type :</b>	Date													
<b>Corrigendum:3</b>														
<table border="1" style="width: 100%;"> <thead> <tr> <th>Corrigendum Title</th> <th>Corrigendum Description</th> <th>Published Date</th> <th>Document Name</th> <th>Doc Size(in KB)</th> </tr> </thead> <tbody> <tr> <td>Due date extension till 16.06.2022</td> <td>Due date extension till 16.06.2022</td> <td>09-Jun-2022 01:50 PM</td> <td>1.pdf </td> <td style="text-align: right;">58.83</td> </tr> </tbody> </table>					Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)	Due date extension till 16.06.2022	Due date extension till 16.06.2022	09-Jun-2022 01:50 PM	1.pdf 	58.83
Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)										
Due date extension till 16.06.2022	Due date extension till 16.06.2022	09-Jun-2022 01:50 PM	1.pdf 	58.83										
<b>Critical Dates</b>														
<b>Publish Date</b>	12-May-2022 11:00 AM	<b>Bid Opening Date</b>	16-Jun-2022 02:00 PM											
<b>Document Download/Sale Start Date</b>	12-May-2022 11:00 AM	<b>Document Download/Sale End Date</b>	16-Jun-2022 11:00 AM											
<b>Clarification Start Date</b>	NA	<b>Clarification End Date</b>	NA											
<b>Bid Submission Start Date</b>	12-May-2022 11:00 AM	<b>Bid Submission End Date</b>	16-Jun-2022 11:00 AM											
<b>Corrigendum:2</b>														
<table border="1" style="width: 100%;"> <thead> <tr> <th>Corrigendum Title</th> <th>Corrigendum Description</th> <th>Published Date</th> <th>Document Name</th> <th>Doc Size(in KB)</th> </tr> </thead> <tbody> <tr> <td>Due date extension till 09.06.2022</td> <td>Due date extension till 09.06.2022</td> <td>02-Jun-2022 12:25 PM</td> <td>Capital.pdf </td> <td style="text-align: right;">59.54</td> </tr> </tbody> </table>					Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)	Due date extension till 09.06.2022	Due date extension till 09.06.2022	02-Jun-2022 12:25 PM	Capital.pdf 	59.54
Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)										
Due date extension till 09.06.2022	Due date extension till 09.06.2022	02-Jun-2022 12:25 PM	Capital.pdf 	59.54										
<b>Critical Dates</b>														
<b>Publish Date</b>	12-May-2022 11:00 AM	<b>Bid Opening Date</b>	09-Jun-2022 02:00 PM											
<b>Document Download/Sale Start Date</b>	12-May-2022 11:00 AM	<b>Document Download/Sale End Date</b>	09-Jun-2022 11:00 AM											
<b>Clarification Start Date</b>	NA	<b>Clarification End Date</b>	NA											
<b>Bid Submission Start Date</b>	12-May-2022 11:00 AM	<b>Bid Submission End Date</b>	09-Jun-2022 11:00 AM											
<b>Corrigendum:1</b>														
<table border="1" style="width: 100%;"> <thead> <tr> <th>Corrigendum Title</th> <th>Corrigendum Description</th> <th>Published Date</th> <th>Document Name</th> <th>Doc Size(in KB)</th> </tr> </thead> <tbody> <tr> <td>Due date extension till 02.06.2022</td> <td>Due date extension till 02.06.2022</td> <td>26-May-2022 11:07 AM</td> <td>1.pdf </td> <td style="text-align: right;">58.87</td> </tr> </tbody> </table>					Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)	Due date extension till 02.06.2022	Due date extension till 02.06.2022	26-May-2022 11:07 AM	1.pdf 	58.87
Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)										
Due date extension till 02.06.2022	Due date extension till 02.06.2022	26-May-2022 11:07 AM	1.pdf 	58.87										
<b>Critical Dates</b>														
<b>Publish Date</b>	12-May-2022 11:00 AM	<b>Bid Opening Date</b>	02-Jun-2022 02:00 PM											
<b>Document Download/Sale Start Date</b>	12-May-2022 11:00 AM	<b>Document Download/Sale End Date</b>	02-Jun-2022 11:00 AM											
<b>Clarification Start Date</b>	NA	<b>Clarification End Date</b>	NA											
<b>Bid Submission Start Date</b>	12-May-2022 11:00 AM	<b>Bid Submission End Date</b>	02-Jun-2022 11:00 AM											

**Details Before Corrigendum**

<b>Critical Dates</b>			
<b>Publish Date</b>	12-May-2022 11:00 AM	<b>Bid Opening Date</b>	26-May-2022 02:00 PM
<b>Document Download/Sale Start Date</b>	12-May-2022 11:00 AM	<b>Document Download/Sale End Date</b>	26-May-2022 11:00 AM
<b>Clarification Start Date</b>	NA	<b>Clarification End Date</b>	NA
<b>Bid Submission Start Date</b>	12-May-2022 11:00 AM	<b>Bid Submission End Date</b>	26-May-2022 11:00 AM