

BHARAT HEAVY ELECTRICALS, LIMITED
(MM TCB Division)


No: BHEL: MRX: E7203218 CORR: 01

Date: 27/11/2020

“CORRIGENDUM”

Reference Tender Notice issued vide MM /TCB/E7203218 Rev00 dated 30/10/2020 by this Office of undersigned, the following changes in the Tender Notice are hereby notified through this Corrigendum for all concerned interested agencies /contractors/ firms.

The Due Date for submission & Opening of tender is extended from 28/11/2020 to 12/12/2020.



27/11/2020

Rakesh Sharma

Sr. Mgr. (MM TCB)

E-mail id: r.sharma@bhel.in

Phone: +91 755 250 3792

राकेश शर्मा / RAKESH SHARMA

वरि. प्रबंधक (क्रय) / Sr. Manager (Purchase)

एम.आर.एक्स. विभाग / MRX Division

बी.एच.ई.एल., भोपाल / BHEL, BHOPAL

E N Q U I R Y

ENQUIRY
TWO PART BID
BPC 0007

भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिप्लानी, भोपाल - ४६२०२२ (भारत)
भारत प्रबल विभाग
BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL - 462022 (INDIA)
MATERIALS MANAGEMENT DIVISION
TIN NO. 23573600001 | ECC NO. AACB4146PXM009 | MPCT NO. HELA0501A0001SL51179
PHONE: 91-755-2500100 (7 LINE) | FAX: 91-755-2500023 | WWW.BHEL.BHOPAL.COM

ENQUIRY NO E7203218
ENQUIRY DATE 30/10/20
ENQUIRY DUE DATE 12/12/20

SUPP NAME AND ADDRESS	SUPP CODE	REV CD	REV NO	REV DATE	NO OF CATY2	NO OF CATY3	ENQ NO OF ITEMS	INDENT NO
	0	3	1	27/11/20	22	22	22	240604136
	GUARANTEE CERTIFICATE		Y	SUPPLY CONDITION		TO BE PACKED SUITABLY. ITEM SHOULD NOT BE		
	TEST CERTIFICATE		Y			E DAMAGED DURING TRANSPORT.		
	INSTRUCTION BOOKLET		N	TECHNICAL CONDITION		FIBRE OPTIC DIRECT HOT SPOT TEMPERATURE MONITORING		
	SAMPLE		N			SYSTEM. AS PER TRE 219 REV00.		
	GATE PASS		Y	INSPECTION CONDITION		BY BHEL AT BHEL		

NOTE: QUOTE PRICE BOTH IN FIGURES & WORDS. IN CASE OF MISMATCH PRICE IN WORDS WILL BE VALID. QUOTATIONS NOT BEARING ENQUIRY NO AND DUE DATE LIABLE TO BE REJECTED.

SL NO	MATERIAL CODE	DESC	UNIT	ITEM QTY	QTY VR%	LOT NO	LOT QTY	DEST	DELIVERY DATE
1	TR4650387361	FO PROBE WITH INTERNAL CABLE OF LENGTH 8.0 MTRS	NO		840.000	30	1	840.000	206
2	TR4650387361	FO PROBE 200 MICROM KEVLAR CABLED WITH INTERNAL CABLE OF LENGTH 8.0 MTRS.	NO		440.000	30	1	440.000	206
3	TR4650387361	EXTERNAL CABLES OF LENGTH 8.0 MTR.	NO		1060.000	30	1	1060.000	206
4	TR4650387361	EXTERNAL CABLES OF LENGTH 9.0 MTR TO 30.0 MTR (BIDDER TO QUOTE THE RATE ON PER METER BASIS).	NO		240.000	30	1	240.000	206
5	TR4650387361	FEED THROUGH PLATE (STAINLESS STEEL) FITTED WITH 4 NOS. FEEDTHROUGHS ALONG WITH ITS MOUNTING O RING GASKET.	NO		20.000	30	1	20.000	206
6	TR4650387361	FEED THROUGH PLATE (STAINLESS STEEL) FITTED WITH 8 NOS. FEEDTHROUGHS ALONG WITH ITS MOUNTING O RING GASKET.	NO		100.000	30	1	100.000	206
7	TR4650387361	FEED THROUGH PLATE (STAINLESS STEEL) FITTED WITH 16 NOS. FEEDTHROUGHS ALONG WITH ITS MOUNTING O RING GASKET.	NO		30.000	30	1	30.000	206
8	TR4650387361	FOTS CONTROLLER UNIT- 4 CHANNEL (ALONG WITH AC/DC CONVERTOR, IF REQUIRED).	NO		80.000	30	1	80.000	206
9	TR4650387361	FOTS CONTROLLER UNIT- 8 CHANNEL (ALONG WITH AC/DC CONVERTOR, IF REQUIRED).	NO		50.000	30	1	50.000	206
10	TR4650387361	FOTS CONTROLLER UNIT- 16 CHANNEL (ALONG WITH AC/DC CONVERTOR, IF REQUIRED).	NO		30.000	30	1	30.000	206
11	TR4650387361	PROTECTIVE COVER FOR FEED THROUGH PLATE.	NO		150.000	30	1	150.000	206
12	TR4650387361	ENCLOSURE FOR CONTROLLER UNIT SUITABLE FOR 4/8/16 CHANNEL CONTROLLER.	NO		10.000	30	1	10.000	206
13	TR4650387361	RS485 TO USB CONVERTOR.	NO		20.000	30	1	20.000	206

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigenous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06

Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.

- This is only a request for Quotation & not an order.
- Small Scale industries should indicate SSI Regn. No. in Quotation/invoice.
- In case you are not making an offer against this Enquiry, we request you to post a regret letter.
- Indian vendors to please indicate GSTIN on their quotation.

SPECIAL REMARK:

Documents Enclosed

- Drawing.
- Catalogue.
- Purchase specification.
- Quality Surveillance Plan.

NAME :

SMT SHALINI SHARMA

DESIG :

MANAGER

0755-2505676

shalinisharma@bhel.in

SIGN & SEAL

ENQUIRY

TWO PART BID

BPC 0007

भारत हेवी इलेक्ट्रिकल्स लिमिटेड, पिपलानी, भोपाल - ४६२०२२ (भारत)

सामग्री प्रबंधन विभाग

BHARAT HEAVY ELECTRICALS LIMITED, PIPLANI, BHOPAL - 462022 (INDIA)
MATERIALS MANAGEMENT DIVISION

TIN NO. 23573600001 | ECC NO. AACB4146PXM009 | MPCT NO. HELJ05J01A0001X51/1179

PHONE: 91-755-2500100 (7 LINE)

FAX: 91-755-2500023

WWW.BHEL.BHOPAL.COM

ENQUIRY NO E7203218

ENQUIRY DATE 30/10/20

ENQUIRY DUE DATE 12/12/20

14	TR4650387361	DEMONSTRATION & TRAINING AT BHEL, BHOPAL.	ST	3,000	30	1	3,000	206	30/01/21
15	TR4650387361	ERECTION AND COMMISSIONING, DEMONSTRATION & TRAINING AT ANY CUSTOMER SITE, IN INDIA.	NO	30,000	30	1	30,000	206	30/01/21
16	TR4650387361	CHARGES TOWARDS INCREMENTAL GUARANTEE FOR EVERY SIX MONTH.	NO	30,000	30	1	30,000	206	30/01/21
17	TR4650387361	STAINLESS STEEL FLEXIBLE CONDUIT FOR EXTERNAL CABLE WITH TERMINAL GLANDS OF LENGTH 8 MTR.	NO	150,000	30	1	150,000	206	30/01/21
18	TR4650387361	STAINLESS STEEL FLEXIBLE CONDUIT FOR EXTERNAL CABLE WITH TERMINAL GLANDS OF LENGTH 9 MTR TO 30 MTRS (BIDDER TO QUOTE THE RATE ON PER METER BASIS).	NO	240,000	30	1	240,000	206	30/01/21
19	TR4650387361	INDICATOR FOR REMOTE DISPLAY OF TEMPERATURE AT CONTROL ROOM.	NO	10,000	30	1	10,000	206	30/01/21
20	TR4650387361	CABLES & CONDUITS ETC. & THEIR LAYING REQUIRED FOR CONNECTION TO REMOTE INDICATOR FROM TRANSFORMER TO CONTROL ROOM. MAXIMUM LENGTH SHALL BE 300 MTRS PER SET. (BIDDER TO QUOTE THE RATE ON PER METER BASIS).	NO	10,000	30	1	10,000	206	30/01/21
21	TR4650387361	FO COMMUNICATION CABLE (WITH ST CONNECTOR) FROM FO CONTROLLER TO LIU PATCH CARD MOUNTED IN REACTOR/TRANSFORMER MARSHALLING BOX. - 3 METER LENGTH.	NO	40,000	30	1	40,000	206	30/01/21
22	TR4650387361	FO COMMUNICATION CABLE (WITH ST CONNECTOR) FROM FO CONTROLLER TO LIU PATCH CARD MOUNTED IN REACTOR/TRANSFORMER MARSHALLING BOX. (BIDDER TO QUOTE THE RATE ON PER METER BASIS)	NO	40,000	30	1	40,000	206	30/01/21

REMARK THIS IS A RATE CONTRACT ENQUIRY INDICATING REQUIREMENT OF TWO YEAR. DELIVERY DATE MENTIONED IN THE ENQUIRY SHEET ARE TENTATIVE. MATERIAL WILL BE ORDERED AGAINST DIFFERENT PO'S AS PER SPECIFIC REQUIREMENT. 2) COMMERCIAL TERMS & CONDITIONS SHOULD BE STRICTLY ACCORDING TO THE ENCLOSED ANNEXURE TC 3A. SUPPLIER NOT ADHERING TO THE T&C MENTIONED IN ANNEXURE TC 3A IS LIABLE FOR REJECTION. A SIGNED COPY OF ANNEXURE IS TO BE ENCLOSED WITH OFFER 3) LATE TENDER SHALL NOT BE ENTERAINED 4) THIS AMENDMENT IS ISSUED TO EXTEND THE DUE DATE OF THE ENQUIRY

DRAWING	N	PURCH SPEC	Y	CATALOGUE	N	Quality Surveillance	Pl: N	TWO PART BID	Y
---------	---	------------	---	-----------	---	----------------------	-------	--------------	---

NOTE: BHEL, BHOPAL'S Standard Terms & Conditions BP200102/MM5533 rev02 for imports and BP200102/MM5527 rev03 for indigenous procurements form a part of this Enquiry. Bidders may obtain from us copies of these terms and conditions if not already available.

Note: During Bid Evaluation, No loading of price with regard to preferential payment of within 45 days will be made on vendore falling under MSMED ACT - OCT 06

Please submit your lowest quotation in sealed envelop essentially superscribed with ENQUIRY NO, DUE DATE AND PARTY'S NAME so as to reach at TENDER ROOM, GROUND FLOOR, ADM BUILDING, BHEL, PIPLANI BHOPAL-462022 by 11.00 am of due date.

- This is only a request for Quotation & not an order.
- Small Scale industries should indicate SSI Regn. No. in Quotation/invoice.
- In case you are not making an offer against this Enquiry, we request you to post a regret letter.
- Indian vendors to please indicate GSTIN on their quotation.

SPECIAL REMARK:

Documents Enclosed

- Drawing.
- Catalogue.
- Purchase specification.
- Quality Surveillance Plan.

NAME : SMT SHALINI SHARMA

DESIG : MANAGER

0755-2505676

shalinisharma@bhel.in

NAME : SMT SHALINI SHARMA

DESIG : MANAGER

0755-2505676

shalinisharma@bhel.in