

### Pre-Qualification Requirements (PQR)

Pre-Qualification Criteria for rate contract of DGL Polyesterimide varnish bonded rectangular copper conductors for hydro-generators/ motors on Finished Basis.

S. No.	Description of pre-qualification requirement	Basis Of Criteria	Vendor Response	
			Complied/N ot complied	Supporting Documents required to accept compliance
1	Only manufacturers are allowed. Traders will not be allowed to participate.			Certificate of being original manufacturer of this item.
2	Compliance to Specification AA28113 Rev-03 and Annexure A			Point-wise compliance statement of AA 28113 Rev-03 and Annexure A.
3	Company to be ISO-9001:2015 certified			Valid ISO-9001:2015 certificate valid as on due date of enquiry.
4	The company should have adequate in house manufacturing set-up for manufacturing of DGL copper minimum 17 MT per month for item 1 and 2 MT/ month for item 2.			Necessary self-confirmation to be submitted.
5	The company should have adequate in-house testing facilities to conduct tests as per AA 28113. (Note: Outsourcing of major testing such as NDT, Electrical and mechanical testing is not permitted. However, raw material composition testing by chemical method from ISO 17025 accredited lab is permitted.			Necessary self-confirmation to be submitted.
6	Source of raw material - Use of virgin copper (ETP grade) - Use of raw material only from made in India brands having proper traceability mechanisms for ensuring quality.			Necessary self-confirmation stating that raw material will be from Made in India brands only having proper traceability mechanisms for ensuring quality
7	Compliance to BHEL's Quality assurance plan			Point wise compliance & acceptance of attached Quality assurance plan (QAP No. QA/HG/552 dtd 11.07.2018) to be submitted with the bid.

*Y. K. S.*  
26/2/24





Rev-02


8	The company should have experience of supplying at least 3 PO of DGL copper in last 7 years with at least 2.0 T per PO and out of above at least 1 PO should be during last 2 years (copper size should be in the range as specified in AA 28113). Experience of BHEL Hyderabad standard HY28599, BHEL Haridwar standard HW28198 and any other equivalent national standard / international standard (IS 13730 Part 31-1997 / IEC -317-31 1990(R-2002)) for varnish bonded DGL copper of temp. index minimum 155 °C shall also be acceptable.		Copy of PO, invoice & TC to be submitted with the bid.
9	Average Annual Turnover of atleast Rs 5.20 Crs of last 3 years ending 31.03.2023		Audited Balance Sheets & P&L statement of relevant periods  or  CA certificate certifying turnover for the required financial years must be submitted, which must be on his letter head mentioning his and his firm name, membership number, FRN no, UDIN, capacity in which he is signing (Proprietor/Partner) , date and place of signing.  In case the date of constitution / incorporation of the bidder is less than 3-year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.


**Note:**

1. Compliance to above Pre-qualification requirements is mandatory. In absence of compliance of above requirements vendor PQ application is liable to be rejected.
2. BHEL has right to verify information/ confirmation furnished, by asking additional documents proofs etc.

  
Shri A Dixit  
AGM (HGE)

  
Shri Anurag Shukla  
AGM (QFD)

  
SH. V V Khare  
AGM(CIM, PM & DVS)

  
Sh. Yogesh Edla  
Sr. DGM (CMM -Cu)