

Enquiry items along with quantities:

It. no	Size & Item description	Technical requirement	Quantity in MT
1	40 mm dia X 3000 mm – 6000 mm LG	Structural steel round bar as per AA 10108. Straightness within 5 mm per meter. Vendor's acceptance to QAP – QA/HT/1039 rev.00 required.	28.00
TOTAL			28.00

Above quantities are subject to variation per lot and on overall basis: +10% / -10%.

Pre-qualification criteria:

S. No.	Description of pre-qualification requirement	Vendor Response	
		Complied/ Not complied	Supporting Documents required to accept compliance
1	Manufacturer of structural steel round bar / their authorized representative	YES / NO	Relevant certificate of being manufacturer (for manufacturer not registered with BHEL) / authorization letter with validity (for authorized representative and for bidders than OeMs)
2	Company shall be certified with ISO 9001 or equivalent. In case of authorized representative, Valid ISO certificate of manufacturer is required.	YES / NO	Valid certificate to be submitted.
3	Vendor should have experience of manufacturing, material testing & supplying structural steel round bar of minimum 40 mm dia as per specification AA 10108 rev .11 OR equivalent standards IS:2062 – 2011 Gr 250, quality A / EN 10025 – 2:2004 grade S275JR / ASTM A131 – 2013 / JIS G3106 – 2008 during last 7 years (ending last day of the month previous to the one in which NIT is published).	YES / NO	Purchase order, mill test certificate OR invoice.
4	Vendor to confirm their capacity to manufacture / supply at least 50% of tendered quantity within 6 months of PO (see note 2 below).	YES / NO	Declaration on mill's letter head with seal & sign. In case of authorized representative, declaration on mill's (from which authorization is submitted) letter head shall be required with seal and sign.
5	Vendor should furnish any 3 years' audited balance sheet of last 7 financial years. FY ending 2019 – 20.	YES / NO	Audited profit and loss statement. Not required if valid document is already furnished / available.

Note:

1. BHEL has right to verify information / confirmation furnished by asking additional documents, proof etc.
2. The condition mentioned at sl. no. 4 above is to ascertain manufacturing capacity and the same is not to be linked with any delivery schedule.

ALL THE ABOVE POINT WISE PRE-QUALIFICATION REQUIREMENT ARE TO BE NECESSARILY ACCEPTED BY THE BIDDERS FOR THEIR OFFERS TO BE CONSIDERED FAILING WHICH OFFERS SHALL BE REJECTED.

BHARAT HEAVY ELECTRICALS LIMITED, BHOPAL
MATERIAL MANAGEMENT – STEEL DIVISION

For this Procurement, Government of India Public Procurement (Preference to Make in India), Order 2017 with its amendments and subsequent Orders issued by the respective nodal ministries shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT.

*As per the Provisions of this order, please submit **a self-certification complying with the conditions below on company letterhead duly signed by competent authority.***

I, hereby declare on behalf of M/s. that we are participating in the Enquiry No. floated by BHEL, Bhopal (MP), India and shall comply with following:

1. Public Procurement (Preference to Make in India), Order 2017 *with its amendments* and subsequent Orders issued by the respective nodal ministries shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT.
2. As per the Provisions of this order, **only “Class-I Local Suppliers”** are eligible to bid for the tender.
 - (a) A supplier will be treated as **“Class-I Local Suppliers”**, if the items quoted by bidder have local content equal to or more than 50%.
 - (b) **‘Local Content’** means the amount of value added in India, which shall be total value of item quoted (excluding net domestic indirect taxes) minus the value of imported content in the item (including all custom duties) as a proportion of the total value, **in percent**.
3. I hereby declare that our firm qualifies as **“Class-I Local Suppliers”**.
 - a. **The Local Content in the items quoted under this Enquiry is Percent**
 - b. Details of location(s) in India where this value addition shall be done, is/are as follows:
 - (a)
 - (b)
 - (c)

(.....)

For M/s.

(Seal & Sign)

BHARAT HEAVY ELECTRICALS LIMITED, BHOPAL

: QA/HT/1039 Rev. 00

Dated :- 16.05.2018

AA 10108 Rev. 11 (Structural Steel - Bars)

: Hot Rolled

1	2	3	4	5	6	7	8	9	10	11	12	
SL. NO.	STAGE	CHARACTERSTIC	METHOD	QUANTUM OF CHECK	REFERENCE DOCUMENT	ACCEPTANCE NORMS	FORMAT OF RECORD	P	V	W	REMARKS	
1	Raw Material	Chemical	Chemical test	1 Sample / Heat	AA 10108 Rev. 11 & IS :2062-2011, Gr : E250 Quality A	AA 10108 Rev. 11 & IS :2062-2011, Gr : E250 Quality A	Mill Test Certificate	1	2	-	-	
2	Heat Treatment	Normalized - Tempered	Normalising & Tempering	1 Sample / Heat & H.T. Batch	-do-	-do-	H.T. Chart	1	2	-	-	
3	Final Stage	Stamping on test bar for mechanical Testing	Hard Stamp by TPIA	-do-	-do-	-do-	Stage Inspection Report	1	-	2	Test Piece duly stamped by TPIA	
		Mechanical Properties	i) Tensile Test	As Specified in IS :2062-2011, Gr : E250 Quality A	-do-	-do-	Supplier's Test Certificate	1	-	2	In case of traders witness by TPIA to be conducted at NABL approved Lab	
			ii) Yield strength	-do-	-do-	Supplier's Test Certificate	1	-	2			
			iii) % Elongation	-do-	-do-	Supplier's Test Certificate	1	-	2			
		Chemical Composition	Chemical test	1 sample / Heat	-do-	-do-	Supplier's Test Certificate	1	-	2		
		Visual Examination	Visual	100%	-do-	Bars shall be free fom surface defects, bends & twists	Supplier's Dimensional Report	1	-	2		
		Dimension & Tolerance	Measurement	100%	IS: 1852 - 1985	IS: 1852 - 1985	-do-	1. Heat No. 2. P.O. No. 3. Spec No. 4. Size 5. Supplier's Name	1	-	2	Identification & marking shall be done on face of each bar & TPIA hard stamp to be done on both face of each bar
		Identification Marking	Hard Stamping	100%	AA 10108 Rev. 11	AA 10108 Rev. 11			1	-	2	
4	Dispatch											

Note : Final Testing of Material will be done at BHEL Bhopal works before clearance of SRV.

Do = Perform

V = Verification

W = Witness

ETH

	CORPORATE PURCHASING SPECIFICATION	AA10108 Rev No. 11 PAGE 1 of 2																		
STRUCTURAL STEEL-STANDARD QUALITY (PLATES, SECTIONS, STRIPS, FLATS & BARS) (ORDERING DESCRIPTION)																				
1.0 GENERAL: This specification governs the quality requirements of structural steel plates, strips, flats, bars and sections such as angles, beams, channels and tees etc. of IS: 2062 – 2011, Gr: E250, Quality A 2.0 APPLICATION: For general engineering purpose. 3.0 CONDITION OF DELIVERY: Plates, Bars & Sections: Hot rolled in straight lengths without twists & Bends 4.0 COMPLIANCE WITH NATIONAL STANDARDS: Material shall comply with the requirements of IS: 2062 – 2011, Gr: E250, Quality A Material offered to EN 10025-2:2004 Gr. S275JR is also acceptable. The tolerance on dimensions for plates shall comply with EN 10029. 5.0 DIMENSIONS AND TOLERANCES: 5.1 DIMENSIONS: 5.1.1 Sizes Material shall be supplied to the dimensions specified on BHEL Order. 5.1.2 Length Unless otherwise specified, hot rolled bars and sections shall be supplied in 3 to 6 metres length. 5.2 Tolerances: 5.2.1 The tolerances on hot rolled material shall comply with IS: 1852. However, no plate shall be under the specified thickness at any point.																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="3" style="padding: 5px;"> Revisions: As per Cl. No. 38.1 of MOM of MRC-S&GPS </td> <td colspan="3" style="text-align: center; padding: 5px;"> APPROVED: INTERPLANT MATERIAL RATIONALISATION COMMITTEE – MRC(S&GPS) </td> </tr> <tr> <td style="width: 20%; padding: 5px;">Rev No.11</td> <td style="width: 20%; padding: 5px;">Amd No.</td> <td style="width: 20%; padding: 5px;">Reaffirmed</td> <td style="width: 20%; padding: 5px;">Prepared</td> <td style="width: 20%; padding: 5px;">Issued</td> <td style="width: 20%; padding: 5px;">Dt. of 1st Issue</td> </tr> <tr> <td style="padding: 5px;">Dt:22-02-2014</td> <td style="padding: 5px;">Dt:</td> <td style="padding: 5px;">Year:</td> <td style="padding: 5px;">HPEP, Hyderabad</td> <td style="padding: 5px;">Corp.R&D</td> <td style="padding: 5px;">July, 1976</td> </tr> </table>			Revisions: As per Cl. No. 38.1 of MOM of MRC-S&GPS			APPROVED: INTERPLANT MATERIAL RATIONALISATION COMMITTEE – MRC(S&GPS)			Rev No.11	Amd No.	Reaffirmed	Prepared	Issued	Dt. of 1 st Issue	Dt:22-02-2014	Dt:	Year:	HPEP, Hyderabad	Corp.R&D	July, 1976
Revisions: As per Cl. No. 38.1 of MOM of MRC-S&GPS			APPROVED: INTERPLANT MATERIAL RATIONALISATION COMMITTEE – MRC(S&GPS)																	
Rev No.11	Amd No.	Reaffirmed	Prepared	Issued	Dt. of 1 st Issue															
Dt:22-02-2014	Dt:	Year:	HPEP, Hyderabad	Corp.R&D	July, 1976															

CORPORATE PURCHASING SPECIFICATION



5.2.2 Straight for hot rolled bars:

Unless otherwise specified, the permissible deviation in straightness shall not exceed 5 mm in any 1000 mm length.

6.0 HARDNESS (BRINELL):

When tested in accordance with IS: 1500, the material shall show a brinell hardness in the range of 120-156 HB.

Note: Hardness test shall be conducted only when tensile test cannot be performed.

7.0 TEST CERTIFICATES:

Unless otherwise specified, three copies of test certificates shall be supplied.

In addition, the supplier shall ensure to enclose one copy of the test certificate along with their dispatch documents to facilitate quick clearance of the material.

The test certificate shall bear the following information.

AA10108 Rev.11 / IS:2062 Grade: E250 Quality A / EN 10025-2 Gr. S275JR,

BHEL order no., Melt no. Size, Results of chemical analysis and Mechanical tests, Supplier's name, Identification no. TC no., Signature of competent authority etc.

8.0 PACKING AND MARKING:

Plates shall be transported suitably to avoid damage during transit.

For plates below 10 mm thick, each pile (preferably of 16 plates) and each plate 10 mm thick & over shall be marked with melt no. AA10108, BHEL order no., Supplier's name, Identification no., Size & weight on any one corner and encircled with paint preferably of white colour.

9.0 REFERRED STANDARDS (Latest publications including amendments):

1) IS: 1500

2) IS: 1852

3) EN 10029