


THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED. IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTERESTS OF THE COMPANY.

DRG. NO. 2 521 10 01599



NOTE :-


1. THE GENERAL LAYOUT, DIMENSION AND LETTERING SHALL BE AS PER PARA 2.0,4.0 AND 5.0 OF AA0401201 RESPECTIVELY.
2. COMPANY'S MONOGRAM WITH BORDER SHALL BE OF SIZE 25 mm AS PER DETAIL OF AA0401120.
3. THE LETTERS s & k in kVp,kVp,kA,kAp,z in Hz AND p in kAp, KvP SHALL BE IN LOWER CASE.
4. THE DIMENSION $\phi 7.2$ AT FOUR CORNERS OF THE RATING PLATE IS FOR SATIN SILVER BACKGROUND

TYPED ITEM NO. :-

FOR ITEM 001 - BP 9099434103

FOR ITEM 002 - BP 9099466668

FINISH :- BACK GROUND - MATT. BLACK (VERY FINE)
LETTERS & DIVIDING LINES :- SATIN SILVER





DETAIL X

[illegible]


28 — CARD TYPE-3

28 — CARD TYPE-1

VAR.	
28 — CARD TYPE —	

ADDITIONAL INFORMATION			TYPE OF PRODUCT OR NAME OF CUSTOMER/PROJECT										VM/BYM						
STATUS OF DRAWING M																			
DISTRIBUTION OF PRINTS O/C - 1 SWM - 3 TCX - 1						BHARAT HEAVY ELECTRICALS LTD. BHOPAL			DRN	NAME		SIGN	DATE	NO. O					
									CHKD	MZG		Sd/-	11.8.83	VAR.					
									APPD	RKG		Sd/-	19.8.83						
REV.	DATE	ALTERED	Sd/-	DEPT	SWE	UNTOL. DIMS. GR.		SCALE	WEIGHT(K.G.)	REF.TO ASSY.DRG.			ITEM NO.	NO.OF					
05	01.11.99	CHECKED	Sd/-		M	AA2030208		1:1	-	05212001501			058	002					
		APPD.	Sd/-	CODE 409															
ZONE			WORD INTERRUPTER ADDED.										TITLE			DRAWING NO.			REV.
													<u>RATING PLATE</u>			2 521 10 01599			08
(DCA. NO. 9716)													SHT. NO. 01		NO. OF SHT. 01				



THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED. IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPANY.



1. ALL LETTERS SHALL BE GILSANS 262 (SC7750013)
MEDIUM CAPITAL
2. MACHINING TOLERANCE ± 0.25
UNLESS OTHERWISE STATED
3. ALL CONERS OF ITEMS 001 ,002 AND 003
ARE TO BE CHAMFERED BY 2 \times 2.


BLACK - BACK GROUND
SILVER - ALPHABETS & ARROW

[illegible]

REV.	DATE	ALTERED	SKG	REV.	DATE	ALTERED	P.PARE	ADDENDUM IN COMMENTS										xk-gd@fj; kstuk dk uke										VM									
05	16.07.16	CHECKED	AKHIL	04	01.03.14	CHECKED	RG	STATUS OF DRAWING B										TYPE OF PRODUCT OR																			
		APPROVED	AD			APPROVED	MAK											NAME OF CUSTOMER/PROJECT																			
DIRECTION OF INDICATING ARROW REVERSED TOWARDS LEFT FOR ITEM -001				-MATERIAL SPECIFICATION UPDATED -DIM 7 ADDED				DISTRIBUTION OF PRINTS										HAKjr gsoh bysfDV&dYl fyfeVsM										uke@NAME									
(DCA NO:-34019)				(DCA NO: 32420)				O.C - 1 TCX - 1 SWM - 3																				K.S.M.									
																		BHARAT HEAVY ELECTRICALS LTD. BHOPAL										Sd/-									
																												GMR									
																												Sd/-									
																												RB									
																												Sd/-									
																												9.2.88									
																												—									
REV.	DATE	ALTERED	Sd/-	REV.	DATE	ALTERED	Sd/-	REV.	DATE	ALTERED	Sd/-	foHAKS DEPT SWE	vu_ Vky_ uki dh Js.kh UNTOL-DIMS. GR.		vuqikr SCALE	HAKj fa_xk_ WEIGHT (K.G.)	vis_ M&kBZax dk lanHAZ REF. TO ASSY. DRG.	en d_ ITEM NO.	en_ la; k NDL OF ITEM																		
03	21.12.10	CHECKED	Sd/-	02	16.05.97	CHECKED	Sd/-	01	31.3.95	CHECKED	Sd/-	409	AA0230208		1:1	—	35215001893		003																		
DRAWING REDRAWN				FINISHED FOR IT 002 & 003 WAS RED/ GREEN BACK GROUND AND BLACK ALPHABETS.				2 SLOTS 4 x 10 WERE 2 HOLES Ø4 & DIM 7 WAS 5 FOR IT 003				'kh"AZ@OLE				ANODISED AL. LABELS				vks[A d-drawing NO.				iqu_@REV													
(DCA NO. 30064)				(DCA NO. 08452)				(DCA NO. 06734)												3 521 20 01624				05													
																				i="B d-SHT. No. 01				i="Bkso dh la; k NDL OF SHT. 01													

A3

1687916/2023/HEP-SWM20961








STYLE LIST				
STYLE NO.	ITEM OR VAR. INCLUDED	DESCRIPTION OR REMARKS	GES. NO.	RECORDED SIGN DATE
BP 9029447222	001	MAIN CIRCUIT LABEL		1JULY06
BP 9029447230	002	REAR CIRCUIT LABEL		1JULY06
BP 9029447249	003	TB LABEL		1JULY06
BP 9029447257	004	DEVICE LABEL 15W * 55LG		1JULY06
BP 9029447265	005	DEVICE LABEL 15W * 70LG		1JULY06
BP 9029447273	006	DEVICE LABEL 15W * 90LG		1JULY06
BP 9029447281	007	FUSE LABEL FOR NS-P FUSE		1JULY06
BP 9029447290	008	DESCRIPTIVE LABEL		1JULY06

DIMENSION TABLE

ITEM NO.	DIM. A	DIM. B
008	45	37
009	110	-
010	130	-
011	25	17

NOTES :-

- ALL LABELS SHOULD BE PERFECT RECTANGULAR & FLAT, DEBURRED & SLIGHTLY BEVELLED ALONG ALL THE EDGED
- ENGINEERING DEPARTMENT WILL SPECIFY INSCRIPTION ON LABEL, HEIGHT OF LETTERS & ARRANGEMENT IN WORK ORDER'S GENERAL ARRANGEMENT DRAWINGS.
- AT THE TIME OF PRINTING LABELS NO BORDER OR MARGIN SHOULD BE PROVIDED ON THE EDGE OF LABELS.



GES. NO. 409597205 SL.NO.0013	013	SLP & PBS LABEL 1.5 THK x 20 W x 45 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.004 KG.	--
GES. NO. 409597205 SL.NO.0012	012	DESCRIPTIVE LABEL 0.5 THK x 8 W x 25 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.002 KG.	--
GES. NO. 409597205 SL.NO.0011	011	DESCRIPTIVE LABEL 1.5 THK x 25 W x 120 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.010 KG.	--
GES. NO. 409597205 SL.NO.0010	010	DESCRIPTIVE LABEL 1.5 THK x 60 W x 130 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.032 KG.	--
GES. NO. 409597205 SL.NO.0009	009	DESCRIPTIVE LABEL 1.5 THK x 60 W x 110 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.027 KG.	--
GES. NO. 409597205 SL.NO.0008	008	DESCRIPTIVE LABEL 1.5 THK x 45 W x 120 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.017 KG.	--
GES. NO. 409597205 SL.NO.0007	007	FUSE LABEL FOR NS-P FUSE 1.5 THK x 32 W x 92 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.012 KG.	--
GES. NO. 409597205 SL.NO.0006	006	DEVICE LABEL 1.5 THK x 15 W x 90 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.006 KG.	--
GES. NO. 409597205 SL.NO.0005	005	DEVICE LABEL 1.5 THK x 15 W x 70 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.004 KG.	--
GES. NO. 409597205 SL.NO.0004	004	DEVICE LABEL 1.5 THK x 15 W x 55 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.003 KG.	--
GES. NO. 409597205 SL.NO.0003	003	TB LABEL 1.5 THK x 10 W x 30 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.001 KG.	--
GES. NO. 409597205 SL.NO.0002	002	REAR CIRCUIT LABEL 1.5 THK x 30 W x 220 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.027 KG.	--
GES. NO. 409597205 SL.NO.0001	001	MAIN CIRCUIT LABEL 1.5 THK x 50 W x 380 LG ANODISED ALUMINIUM	1	--	--	A	M.M.	0.078 KG.	--
REMARKS	ITEM NO	DESCRIPTION	QTY	DRAWING NO.	IT.NO VAR	MATL. CODE MATL. SPECN.	UNIT	WT. QTY.	ZONE

TYPE OF PRODUCT
OR
NAME OF PROJECT

STANDARD

SUITABLE FOR ALL TYPE OF CUBICLES & BOXES


REV 06	DATE 28 JULY 2014	ALTD. CKD. R.K.M. SD/-	REV 05	DATE 29 MAR 2013	ALTD. CKD. P.K.U. SD/-	REV 07	DATE 15 MAR 2017	ALTD. CKD. P.K.U. SD/-	DRAWN	NAME	SIGN.	DATE
		APPD. P.K.U.			APPD. P.K.U.			APPD. P.K.U.	CKD	A.K.J.	sd/-	1JULY06
ZONE	ITEM - 013 & NOTE-3 ADDED.			ZONE	FIXING HOLE WERE 3.5 DIA.			ZONE	LENGTH OF ITEM-008 & ITEM-011 WERE 90mm			
									DISTRIBUTION OF PRINTS O.COPY 2 NOS. DIAGRAM 1 NO. SWM 6 NOS. ENGINEER 1 NO. TCX (SWM) 1 NO. CUSTOMER 6 NOS.			

BHARAT HEAVY ELECTRICALS LIMITED BHOPAL		CARD CODE	REV. NO.
TITLE BLACK ANODISED ALUMINIUM LABELS		NO. OF SHEETS	01
DEPT. CODE SWE 409		SHEET NO.	01
SCALE N.T.S.	WEIGHT --	UNTL. DIMS. GR. REFER CG 06503 TABLE 2.5-1	W.O.NO. STANDARD
DRG. NO. 3 561 11 5 0417			

THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED
IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPANY

1687916/2023/HEP-SWM20961

REV. 06	DATE 04.06.08	ALTERED BKT CHECKED RKB APPROVED SK	REV. 05	DATE 20.12.07	ALTERED BKT CHECKED RKB APPROVED SK	ADDITIONAL INFORMATION
FINISH SL NO. 3 WAS LETTERS AND ARROW SATIN SILVER (WHITE). SIDE VIEW ADDED FOR IT.001			BACKGROUND WAS BLUE			STATUS OF DRAWING RB
(DCA 27687)			(DCA 27155)			DISTRIBUTION OF PRINTS
						SWE 1
						SWM 3
						TCX 1



FINISH :— 1. BACKGROUND GREEN (VERY FINE) FOR ITEM-001.
2. BACKGROUND GREEN (VERY FINE) FOR ITEM-002
3. LETTERS- SATIN SILVER

LETTERING

- 1-ALL LETTERS SHALL BE TO GILL SANS
SERIES 262 (MEDIUM) SEE STD. SC 7750013
2-SIZE OF LETTER 5 MM HEIGHT

4 5214001581-02-S01	REF. DRG. NO.	002	2TKX70X70SELF ADHESIVE STICKER (DOME TYPE)	SG 12639	0.001
BP9029436999	001	1.6TKX70X70 ANODISED ALU. SHEET	BP0851495	KG.	0.013
65	75	25	27	29	58
REMARKS	ITEM NO.	DESCRIPTION	MATL. CODE	UNIT	UNIT WT.
28	46	54	58	68	71
CARD TYPE-3	CARD TYPE-1	CARD TYPE-2	NAME	SIGN	DATE
BHARAT HEAVY ELECTRICALS LTD. BHOPAL			D.P.K	G.M.K	R.B.
HAKjr gsos bysDV&hdYl fyfeVsM HAKsiky			02.4.86		
04.4.86			15.4.86		
foHAKx DEPT SWE	vu_ Vky_ uki dh Js.kh UNTOL.DIMS. GR.	vuqjkr SCALE 1:1	HAKj fd_xk_— WEIGHT (K.G.)	vis_M&kbZax dk lanHAZ REF. TO ASSY. DRG.	en d— ITEM NO.
dksM CODE 409				25214001519	004
'Ah"AZidc				vk.js[A d—DRAWING NO. 45214001581	
LABEL				iquOREV. 06	
i="B d—SHT. No. 01				i="Bksa dh la[NO OF SHT. 01	

52140\45214001596-R02-S01


THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED
IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPANY

1687916/2023/HEP-SWM20961

FIRST ANGLE PROJECTION

(ALL DIMENSIONS ARE IN mm)14/35


REV. 04	DATE 12.04.08	ALTERED CHECKED APPROVED	PKT RKB SK	REV. 03	DATE 27.05.03	ALTERED CHECKED APPROVED	ADDITIONAL INFORMATION
SIDE VIEW ADDED FOR IT.001 DIA 30 ADDED. GRADE M WAS NOT SPECIFIED. IM BOM IT.001 WAS SHOWN AS 1TK70X70. <DCA NO. 12346>				ITEM-001 ADDED. ITEM-002 WAS ITEM-001. <DCA NO. 12346>			STATUS OF DRAWING B
							DISTRIBUTION O.C.-1 SWM-3 OF PRINTS TCX-1




FINISH : - BACKGROUND MAT BLUE (VERY FINE) FOR ITEM-001.
BACKGROUND BLUE (VERY FINE) FOR ITEM-002
LETTERS AND ARROW SATIN SILVER (WHITE)

LETTERING : - 1) ALL LETTERS SHALL BE TO GILLSANS
SERIES 262 (MEDIUM) SEE STD. SC 7750013
2) SIZE OF LETTER 5 MM HEIGHT.

BP9029437642	002	2TK.x60x60 ADHESIVE STICKER (DOME TYPE)	SG12639	KG.	0.001
	001	1.6 TK.X60X60 ANODISED AL. SHEET	AA0851495002	KG.	0.02
REMARKS	ITEM NO.	DESCRIPTION	MATL. CODE	UNIT	UNIT WT.
			MATL. SPCN.		QTY.

28 → CARD TYPE-3		28 → CARD TYPE-1		28 → CARD TYPE-2				
	HAKjr gsob bysDV&hdYl fyfeVsM HAKsiky BHARAT HEAVY ELECTRICALS LTD. BHOPAL			uke NAME	gLrk- SIGN	fnugkd DATE	osfj- dh la[];k NO. OF VAR.	
				cuk;k DRN	S.S.T.	Sd/-		13-08-86
				tkapk CKD	D.P.K./G.M.K.	Sd/-		21-08-86
				vugeksfmr APPD	M.A.S.	Sd/-		21-08-86

foHAKx DEPT SWE	vu_ Vky_ uki dh Js.kh UNTOL DIMS. GR.		vuqikr SCALE 1:1	HAKj fd_xk- WEIGHT (K.G.)	vis_M&kbZax dk lanHAZ REF. TO ASSY. DRG. 25214001506	en d- ITEM NO. 006	en la[];k NO. OF ITEM 002
--------------------	--	---	------------------------	------------------------------	--	--------------------------	------------------------------------


'Ah"AZBDE LABEL				vk.js[A d-DRAWING NO. 45214001596		iquOREV. 04
i="B d-SOT. No. 01		i="Bksa dh la[];k OF SHT. 01				

THE INFORMATION ON THIS DOCUMENT IS THE PROPERTY OF BHARAT HEAVY ELECTRICALS LIMITED
IT MUST NOT BE USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF THE COMPANY

1687916/2023/HEP-SWM20961

FIRST ANGLE PROJECTION (ALL DIMENSIONS ARE IN mm) 15/35

REV.	DATE	ALTERED	AKHIL	ADDITIONAL INFORMATION —			
02	19.11.11	CHECKED	AKHIL				
		APPROVED	MAK				
DRAWING REDRAWN				STATUS OF DRAWING —			
(DCA. NO. 30781)				DISTRIBUTION OF PRINTS	SWE	SWM	TCX
					1	4	1



- NOTE: — 1. LETTERS SHOULD BE RED ON WHITE BACKGROUND FOR SPRING CHARGED.
2. LETTERS SHOULD BE GREEN ON WHITE BACKGROUND FOR SPRING DISCHARGED

LETTERING: — ALL LETTERS SHALL BE GILSON SERIES NO 262 MEDIUM CAPITAL

45211001684—R02—S01 FILE NAME	—		001	0.8TK X 33 X 48 ANODISED AL. SHT.		—	PS 77502	KG.	—							
	65	75	25	27	29	58	59	34	45	55	56	58	65			
	REMARKS		ITEM NO.		DESCRIPTION		MATL. CODE		UNIT		UNIT WT.					
							MATL. SPCN.				QTY.					
SIGN. & DATE	28 —→ CARD TYPE-3		28 —→ CARD TYPE-1		28 —→ CARD TYPE-2											
			HAKjr gsob bysDV&hdYl fyfeVsM HAKsiky BHARAT HEAVY ELECTRICALS LTD. BHOPAL				NAME		SIGN		DATE		dh			
							AKHIL		sd/—		19.11.11		NO. OF VAR.			
							AKHIL		sd/—		19.11.11		—			
INVENTORY NO.	foHAKx DEPT SWE		vu_ Vky_ uki dh Js.kh UNTOL.DIMS. GR. M AA 0230205				vuqikr SCALE 1:1		HAKj fd_xk— WEIGHT (K.G.)		vis_M&kbZax dk lanHAZ REF. TO ASSY. DRG. 35211001560		en d— ITEM NO. —		en la[k NO. OF ITEM —	
	dksM CODE 409										35211001560					
	'Ah"AZidc										DRAWING NO. 45212001612				REV. 02	
											B d— 01		Bksa dh la[k 01			


LABEL

FIRST ANGLE PROJECTION

(ALL DIMENSIONS ARE IN mm)16/35

1687916/2023/HEP-SWM20961

REV. 06	DATE 04.06.08	ALTERED BKT. CHECKED RKB	REV. 05	DATE 06.03.08	ALTERED BKT. CHECKED RKB	ADDITIONAL INFORMATION
APPROVED SK			APPROVED SK			STATUS OF DRAWING B
IT.001 WAS SHOWN IN BOM AS 1 TK. 2-HOLES Ø4.5 ADDED. SIDE VIEW ADDED FOR IT.001 (DCA NO. 27686)			DRG REVISED TO UPDATE DCA NO OF REV 04(NO WAS 11443) (DCA NO. 27326)			DISTRIBUTION O.C.-1 SWM-3 OF PRINTS TCX-1



LETTERING : - 1) ALL LETTERS SHALL BE TO GILLSANS
SERIES 262 (MEDIUM) SEE STD. SC 7750013
2) SIZE OF LETTER 5 MM HEIGHT.

002	2TK.x70x70 SELF ADHESIVE STICKER (DOME TYPE)	SG12639	KG.	0.001
001	1.6TK.x70x70 ANODISED AL.SHEET	BP0851495	KG.	0.056
REMARKS	ITEM NO.	DESCRIPTION	MATL. CODE	UNIT WT.
			MATL. SPCN.	QTY.

28 → CARD TYPE-3 28 → CARD TYPE-1 28 → CARD TYPE-2



HAKjr gsOh bysDV&hdYl fyfeVsM
HAKsiky
BHARAT HEAVY ELECTRICALS LTD.
BHOPAL

uke NAME	gLRk SIGN	fnuakd DATE	osfj_ dh
cuk; k DRN	D.P.K.	Sd/-	03-04-86
tkapk CKD	G.M.K.	Sd/-	04-04-86
vugeksfnr APPD	R.B.	Sd/-	15-04-86

foHAKx DEPT SWE	vu_ Vky_ uki dh Js.kh UNTOL.DIMS. GR. M	AA0230402	vuqikr SCALE 1:1	HAKj fd_xk_ WEIGHT (K.G.)	vis_M&kbZax dk lanHAZ REF. TO ASSY. DRG. 25214001519	en d_ ITEM NO. 003	en la; k NO. OF ITEM 002
-----------------	---	-----------	------------------	---------------------------	--	--------------------	--------------------------

'Ah"AZD	LABEL	vk.js[A d-DRAWING NO. 45214001582	iquREV. 06
i="B d-SOT. No. 01	i="Bksa dh la; k NO. OF SHT. 01		