



JSC140/M2053

BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129 , INDIA
Tel.:0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E5110049/20-03-12
REV NO/DT: 1 /20-03-12

PAGE 1
2

P80550
M/s PRESS TENDER ENQUIRY
DUMMY CODE GIVEN FOR PRESS TENDER
ENQUIRIES ONLY.
JHANSI
NA FOR FOREIGN SUPPLIER INDIA
TIN NO :

OUR ABOVE ENQUIRY OF PREVIOUS
REV & DATE IS AMENDED WITH
FOLLOWING CHANGED / ADDED ITEMS.
NO OF ITEMS: 1
BID TYPE : TWO BID
MATCAT : 511001 STEAM COAL (BY ROAD)
ENOR DUE ON: 13-04-12 FRIDAY
CLOSE AT : 13:15 OPEN AT: 14:00

REQUIRED:

ITEM NO : 1
MATL CODE : JS0066020003
DESTINATION: JS

PSL QTY/UM: 3000000.00 KG
PO QTY /UM:

DESCRIPTION	DELIVERY	QUANTITY(PSL UM)
STEAM COAL ,GRADE 'B' AS PER M/S COAL INDIA STANDARD AND CONFIRMING TO IS :770-1977 FOR OUR FBC BOILER. USEFUL HEAT VALUE :5600-6200 KCAL/KG. GROSS CALORIFIC VALUE: 6049-6454 KCAL/KG (AT 5% MOISTURE LEVEL) SIZE-20 MM X 40 MM AND NOT MORE THAN 25% PASSING THROUGH 3 MM MESH. ASH+MOISTURE CONTENT:19.6-23.8%(AT 60 % RH AND 40 DEG CELCIUS) . NOTE :STONES IN COAL SHALL BE NOT ACCEPTED.IF FOUND IT WILL BE RETURNED BACK TO THE SUPPLIER.	MAY-12	1500000.00
	JUN-12	1500000.00

SPECIAL REMARKS:

- ENQUIRY REV. 00 NOT ISSUED ENQUIRY REV. 01 IS FIRST ISSUE.
- 1.INSPECTION SHALL BE DONE AFTER RECEIPT OF MATERIAL AT OUR STORE.
- 2.TENDER FOR OF RS.1000/- BY DD (NON - REFUNDABLE) IN FAVOR OF BHEL
JHANSI SHALL BE CALLED ALONG WITH THE TECHNO-COMMERCIAL BID-PART-1.
TENDERS WITHOUT FEE SHALL NOT BE CONSIDERED. THIS IS INCLUSIVE
OF VAT.
- 3.THE QUANTITY TOLERANCE TO BE CALLED FOR IN THE BID IS PROPOSED AT
+-5%.
- 4.QUALIFYING CONDITION FOR BIDDER. BIDDER TO GIVE EVIDENCE OF EXECUTING
ATLEAST 2 ORDERS OF MINIMUM 500MT EACH IN LAST 5 YEARS.

THE QUOTATION MUST BE SEALED AND BE SENT IN DOUBLE ENVELOPE.
THE INNER ENVELOPE SHOULD BEAR ENQUIRY NUMBER & DUE DATE AT THE TOP.

If you are not in a position to quote due to any reason, you must send regret
letter titled enquiry no. etc, failing which you may not be considered for
sending future enquiries.

ENCLOSERS:



JSC140/M2053


BHARAT HEAVY ELECTRICALS LTD.
(A GOVT. OF INDIA UNDERTAKING)
P.O BHEL Jhansi - 284129 , INDIA
Tel.: 0510-277001/2412260 Fax: 2412120
Email : mmx@bheljhs.co.in

PURCHASE ENQUIRY

ENQ NO/DT: E5110049/20-03-12
REV NO/DT: 1 /20-03-12

PAGE 2
2

FOR AND ON BEHALF OF
BHARAT HEAVY ELECTRICALS LTD


f CHANDAN MAURYA
MANAGER (MMX)

* * * * * E N D O F P U R C H A S E E N Q U I R Y * * * * *

NOTE :

- * SUPPLIERS ARE REQUESTED TO INFORM US WITH VALID CERTIFICATE, IF THEY ARE REGISTERED UNDER MSMED ACT'2006. (APPLICABLE FOR INDIAN SUPPLIERS ONLY).
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE THE LOCAL AREA OF BHEL JHANSI, ENTRY TAX WILL BE APPLICABLE. SUPPLIERS SHOULD NECESSARILY INDICATE RATE OF ENTRY TAX SEPARATELY WHEREVER APPLICABLE. THEY SHOULD ALSO MENTION THE ENTRY TAX CHARGED SEPARATELY IN THE INVOICE.
- * FOR SUPPLIERS SUPPLYING FROM OUTSIDE UP, IN CASE THE OFFER IS SILENT ON ENTRY TAX, IT SHALL BE LOADED SUITABLY WITH THE APPLICABLE RATES

GRADES

The gradation of non-coking coal is based on Useful Heat Value (UHV), the gradation of coking coal is based on ash content and for semi coking / weakly coking coal it is based on ash plus moisture content , as in vogue as per notification.

Grades of Coking Coal

Grade	Ash Content
Steel Grade -I	Not exceeding 15%
Steel Grade -II	Exceeding 15% but not exceeding 18%
Washery Grade -I	Exceeding 18% but not exceeding 21%
Washery Grade -II	Exceeding 21% but not exceeding 24%
Washery Grade -III	Exceeding 24% but not exceeding 28%
Washery Grade -IV	Exceeding 28% but not exceeding 35%

Grades of Non-coking Coal

Grade	Useful Heat Value (UHV) (Kcal/Kg) UHV= 8900-138(A+M)	Corresponding Ash% + Moisture % at (60% RH & 40 ^o C)	Gross Calorific Value GCV (Kcal/ Kg) (at 5% moisture level)
A	Exceeding 6200	Not exceeding 19.5	Exceeding 6454
B	Exceeding 5600 but not exceeding 6200	19.6 to 23.8	Exceeding 6049 but not exceeding 6454
C	Exceeding 4940 but not exceeding 5600	23.9 to 28.6	Exceeding 5597 but not exceeding 6049
D	Exceeding 4200 but not exceeding 4940	28.7 to 34.0	Exceeding 5089 but not exceeding 5597
E	Exceeding 3360 but not exceeding 4200	34.1 to 40.0	Exceeding 4324 but not exceeding 5089
F	Exceeding 2400 but not exceeding 3360	40.1 to 47.0	Exceeding 3865 but not exceeding 4324
G	Exceeding 1300 but not exceeding 2400	47.1 to 55.0	Exceeding 3113 but not exceeding 3865

Grades of Semi-coking and Weakly Coking Coal

Grade	Ash + Moisture Content
Semi coking grade -I	Not exceeding 19%
Semi coking grade -II	Exceeding 19% but not exceeding 24%

Grades of NEC Coal :

Grades	UHV (Kcal/Kg)	Corresponding Ash% + Moisture %age
A	6200-6299	18.85 - 19.57
B	5600 - 6199	19.58 - 23.91