

**BHARAT HEAVY ELECTRICALS LIMITED**

CORPORATE RESEARCH & DEVELOPMENT DIVISION

VIKASNAGAR, HYDERABAD - 500 093, INDIA

PHONES: 23774494 (EXCHANGE)

DIRECT: 23882104/23882204/

23778474/23776772

FAX : 91 40 23770698

RD:DP:MPX:F-04

ENQUIRY

To - Enquiry No: 350804761 Enq Date: 10-OCT-08 Due Date: 27-DEC-08 Delivery By:

-

-

Pin

Email :

Attn. .

PLEASE SUBMIT YOUR QUOTATION IN SEALED COVER SUPERSCRIBED WITH ENQUIRY NO, ENQUIRY DATE AND DUE DATE SUBJECT TO OUR TERMS AND CONDITIONS ENCLOSED, FOR THE FOLLOWING MATERIALS SO AS TO REACH US ON OR BEFORE THE DUE DATE BY 12 NOON. THE TENDERS WILL BE OPENED AT 2 PM ON THE SAME DAY

PLEASE GIVE REFERENCE OF ENQ NUMBER , ENQ .DATE AND DUE DATE IN ALL YOUR CORRESPONDENCE FOR PROMPT ACTION. IN CASE IF YOU ARE NOT MAKING THE OFFER PLEASE POST A REGRET LETTER AND RETURN THE DOCUMENTS.

SL NO	DESCRIPTION / SPECIFICATION	UNIT	QTY
1	GAS INSULATED VOLTAGE TRANSFORMERS AS PER ENCLOSED SPECIFICATIONS	NO	7

NOTE: PLEASE SUBMIT YOUR OFFER IN TWO PARTS AS PER GENERAL TERMS AND CONDITIONS OF ENQUIRY & CONTRACT FOR THE PURCHASE OF GOODS/SERVICES IN SEPARATE SEALED COVERS AS DETAILED BELOW:

1) FIRST COVER SHALL CONTAIN THE FOLLOWING:

A) TECHNICAL COMMERCIAL BID ALONG WITH COMPLIANCE STATEMENT, MENTIONING APPLICABLE DUTIES, TAXES ETC., AND DELIVERY TIME CLEARLY, (TERMS, CONDITIONS AND COMPLIANCE FORM ENCLOSED)

B) A COPY OF THE PRICE BID WITHOUT THE PRICES (UNPRICED PRICE BID)

2) SECOND COVER CONTAINING PRICE BID

3) IF THE PRICE BID IS FOUND TO BE DIFFERENT FROM THE UNPRICED PRICE BID IN ANY WAY, YOUR OFFER WILL BE REJECTED

4) GUARANTEE CERTIFICATE : REQUIRED

5) MANUFACTURER'S TEST CERTIFICATE : REQUIRED

6) ERECTION & COMMISSIONING : REQUIRED

IMPORTANT: TAXES & DUTIES QUOTED BY YOU WILL BE TAKEN FOR COST EVALUATION AND ORDER PLACEMENT AND NO CHANGE WILL BE ENTERTAINED LATER EXCEPT IN THE CASE OF CHANGES MADE BY THE GOVERNMENT. CHANGES IN TAXES AND DUTIES BECAUSE OF THE CHANGES IN TURNOVER ETC ALSO WILL BE TO THE SUPPLIER'S ACCOUNT. IN CASE NO TAX/DUTY IS INCLUDED, A SELF DECLARATION FOR THE EXEMPTION MAY BE ATTACHED ALONG WITH THE OFFER.

AS WE ARE ENGAGED IN R&D ACTIVITY "C" FORM WILL NOT BE ISSUED


Yours faithfully
for

PLEASE FILL UP THE ENCLOSED VENDOR REGISTRATION FORM AND SEND IT ALONG WITH YOUR QUOTATION. OTHERWISE YOUR QUOTATION WILL NOT BE CONSIDERED. (IGNORE THIS IF YOU HAVE ALREADY SUBMITTED THIS FORM)

BHARAT HEAVY ELECTRICALS LTD

PRASAD RAO DRKV
Engineer

Email: drkvprasad@bhelrnd.co.in

PSGSG139	SPECIFICATIONS FOR Gas Insulated Voltage Transformer	Drg.No.	
		Date	
		Product	GSM-145
1.0	APPLICATION: Metal clad Gas insulated potential / voltage transformer is a part of high voltage switchgear equipment. The component is intended for a 145 kV (AC), 50 Hz System.		
2.0	SPECIFICATION: The voltage transformer (VT) shall be suitable for single phase connection and shall be wound using SF6 impregnated plastic film as layer insulation. The electrical and mechanical ratings and construction of the transformer shall be in accordance with IEC 60044-2 or equivalent standards. The active parts shall be housed in an aluminium enclosure/tank with appropriate cover in Aluminium/steel suitably designed to withstand the gas pressure. The HV insulator shall be made from cast resin and shall be secured to the coupling flange of the tank with leak tight gasket/ seals. The VT shall be suitable for outdoor use and shall facilitate mounting in vertical or horizontal position. Diameter or depth or width and height <div style="text-align: center; margin-top: 20px;">  </div>		
Page 1/4	PSGSG139_PT.doc		Signature

PSGSG139	SPECIFICATIONS FOR Gas Insulated Voltage Transformer	Drg.No.																																											
		Date																																											
		Product	GSM-145																																										
	<p>of PT shall be approximately 500 mm and 1000. 0 mm respectively. Lifting hooks shall be provided suitably to sling the equipment during installation. Please refer sketch below for details.</p> <table border="1"> <thead> <tr> <th colspan="3">DETAILED SPECIFICATIONS</th> </tr> </thead> <tbody> <tr> <td>1)</td><td>Maximum System Voltage (kV, rms)</td><td>145.0 / $\sqrt{3}$ (PH-N)</td></tr> <tr> <td>2)</td><td>Rated Primary voltage, kV (rms)</td><td>132.0 / $\sqrt{3}$ (PH-N)</td></tr> <tr> <td>3)</td><td>Maximum secondary Voltage (Volts)</td><td>121.0 / $\sqrt{3}$ (ph-n)</td></tr> <tr> <td>4)</td><td>Frequency, Hz</td><td>50.0</td></tr> <tr> <td>5)</td><td>Standards</td><td>IEC 60044-2</td></tr> <tr> <td>6)</td><td> Secondary winding details a) No. of secondary windings b) Rated secondary voltage (Volts) c) Rated burden (VA) d) Accuracy class e) Thermal Limit </td><td> THREE (3) 110.0 / $\sqrt{3}$ (ph-n) 150.0 0.2 2000 VA </td></tr> <tr> <td>7)</td><td>Rated voltage factor and time</td><td>1.9 Un / 8h</td></tr> <tr> <td>8)</td><td>1.2/50 μ sec. Lighting Impulse With stand test voltage (kVpeak)</td><td>650.0</td></tr> <tr> <td>9)</td><td>One minute power frequency withstand test voltage of primary (kV, rms)</td><td>275.0</td></tr> <tr> <td>10)</td><td>One minute power frequency withstand test voltage of secondary (kV, rms)</td><td>2.0</td></tr> <tr> <td>11)</td><td>Class of winding insulation</td><td>E</td></tr> <tr> <td>12)</td><td>Rated SF6 gas pressure (min) @ 20°C</td><td>3.5 - 4.0 bar (g)</td></tr> <tr> <td>13)</td><td>Suitability for handling capacitive discharge current of cable (Design shall be suitable for O-C-O cycle with 5 hrs pause for 5 to 10 μF capacitive load).</td><td>YES</td></tr> </tbody> </table> <p>NOTE: All other specifications as per IEC 60044-2, and revisions there of.</p>			DETAILED SPECIFICATIONS			1)	Maximum System Voltage (kV, rms)	145.0 / $\sqrt{3}$ (PH-N)	2)	Rated Primary voltage, kV (rms)	132.0 / $\sqrt{3}$ (PH-N)	3)	Maximum secondary Voltage (Volts)	121.0 / $\sqrt{3}$ (ph-n)	4)	Frequency, Hz	50.0	5)	Standards	IEC 60044-2	6)	Secondary winding details a) No. of secondary windings b) Rated secondary voltage (Volts) c) Rated burden (VA) d) Accuracy class e) Thermal Limit	THREE (3) 110.0 / $\sqrt{3}$ (ph-n) 150.0 0.2 2000 VA	7)	Rated voltage factor and time	1.9 Un / 8h	8)	1.2/50 μ sec. Lighting Impulse With stand test voltage (kVpeak)	650.0	9)	One minute power frequency withstand test voltage of primary (kV, rms)	275.0	10)	One minute power frequency withstand test voltage of secondary (kV, rms)	2.0	11)	Class of winding insulation	E	12)	Rated SF6 gas pressure (min) @ 20°C	3.5 - 4.0 bar (g)	13)	Suitability for handling capacitive discharge current of cable (Design shall be suitable for O-C-O cycle with 5 hrs pause for 5 to 10 μ F capacitive load).	YES
DETAILED SPECIFICATIONS																																													
1)	Maximum System Voltage (kV, rms)	145.0 / $\sqrt{3}$ (PH-N)																																											
2)	Rated Primary voltage, kV (rms)	132.0 / $\sqrt{3}$ (PH-N)																																											
3)	Maximum secondary Voltage (Volts)	121.0 / $\sqrt{3}$ (ph-n)																																											
4)	Frequency, Hz	50.0																																											
5)	Standards	IEC 60044-2																																											
6)	Secondary winding details a) No. of secondary windings b) Rated secondary voltage (Volts) c) Rated burden (VA) d) Accuracy class e) Thermal Limit	THREE (3) 110.0 / $\sqrt{3}$ (ph-n) 150.0 0.2 2000 VA																																											
7)	Rated voltage factor and time	1.9 Un / 8h																																											
8)	1.2/50 μ sec. Lighting Impulse With stand test voltage (kVpeak)	650.0																																											
9)	One minute power frequency withstand test voltage of primary (kV, rms)	275.0																																											
10)	One minute power frequency withstand test voltage of secondary (kV, rms)	2.0																																											
11)	Class of winding insulation	E																																											
12)	Rated SF6 gas pressure (min) @ 20°C	3.5 - 4.0 bar (g)																																											
13)	Suitability for handling capacitive discharge current of cable (Design shall be suitable for O-C-O cycle with 5 hrs pause for 5 to 10 μ F capacitive load).	YES																																											
Page 2/4	PSGSG139_PT.doc	Signature																																											

PSGSG139	SPECIFICATIONS FOR Gas insulated Voltage Transformer	Drg.No.	
		Date	
		Product	GSM-145
3.0	Scope Of Supply: Metal clad Gas insulated voltage transformers ready for commissioning with Gas Insulated 145kV System. For quantity please refer enquiry.		
4.0	Gas Connections: The potential transformer shall be provided with non-return gas valves (preferably standard DILO) for gas filling and gas pressure monitoring. The detailed drawings of these valves shall be provided with the offer.		
5.0	Spare and Services: Insulators along with a set of seals / gaskets, gas valves and any other spare suggested by supplier for maintenance of the transformer shall be specified in the technical bid.		
6.0	Drawing Approval: Outline General Arrangement (OGA) and component drawings as per Bill of Materials shall be submitted on order acceptance for approval prior to commencement of supply. Detailed drawing of the critical components like epoxy insulator, rupture disk etc shall be submitted for approval by BHEL.		
7.0	Factory Tests: All performance /calibration tests shall be carried out on the equipment supplied and test reports submitted along with the supply. A sample of test report shall be submitted along with the technical offer containing details of electrical and mechanical tests for which the VT has been evaluated by the vendor.		
8.0	Performance Guarantee : Supplier shall provide Guarantee certificate for the equipment to ensure reliability of the equipment for a period of not less than 12 months from the date of dispatch.		
Page 3/4	PSGSG139_PT.doc	Signature	

PSGSG139	SPECIFICATIONS FOR Gas insulated Voltage Transformer	Drg.No.	
		Date	
		Product	GSM-145
9.0	Safety aspects: The design must take care of all safety aspects related to the equipment and the operating personnel. The transformer should have adequate and reliable interlocks to avoid any system damage and ensure personnel safety.		
10.0	Operating & Maintenance Manuals: Supplier shall provide operation and maintenance manual covering instruction for safe handling and transport of the voltage transformer. The user manuals shall have detailed information about maintenance of the equipment, trouble shooting, spare parts and methods. Contact addresses and the person for future service requirements shall be ensured.		
11.0	Packing: The transformer shall be supplied in sealed and back pressurized condition. The insulator shall be protected and covered with moisture proof packing and requisite quantity of absorbents. The supplier is advised to pack the equipment in air worthy packing with suitable markings and vibration sensors (recording handling abuse). For marking on packing follow the marking instructions given with the purchase order.		
12.0	Qualifying Requirements: The supplier shall be of International repute with proven record and should have supplied similar or higher rated potential transformers for gas insulated substations, at least, for last three years. The supplier must submit along with the technical bid the references of supplies made so far.		
13.0	Any Other information: In case of doubts please contact BHEL for clarifications. Supplier can furnish any other/additional information, considering overall requirements.		
Page 4/4	PSGSG139_PT.doc	Signature	



BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D DIVISION, VIKAS NAGAR, HYDERABAD – 500 093, AP, India
Ph: 0091-40 – 23778474, FAX: 0091-40 – 23770698

RD:MPX:F-20

General Terms and Conditions of Enquiry & Contract for the Purchase of Goods/ Services

1. The quotation and any order resulting from this enquiry shall be governed by these General Terms and Conditions of enquiry and contract for the supply of goods and the supplier quoting against this enquiry shall, unless specifically stipulates any different terms or conditions, be deemed to have read and agreed to the same.
2. Sealed quotations in double cover with tenderer's distinctive seal, superscribing enquiry number, date and due date are to be submitted so as to reach on or before due date & time, addressed to **Additional General Manager(MM) and Head, Bharat Heavy Electricals Limited, Corporate Research & Development Division, Vikasnagar, Hyderabad, Andhra Pradesh, India – PIN-500 093, India.**
In the case of **Two-part bid**, each inner cover shall clearly be labeled as a) **Technical & Commercial Bid** containing technical data/ drawings/ catalogues/ quality plans along with commercial terms and conditions & copy of the price bid with the price columns left blank (unpriced price bid), b) **Price bid** containing prices quotes. Installation and/or Commissioning charges shall be spelt out in absolutely lucid terms, taking into account total charges, rather than quoting vaguely, such as charges per man-day or charges per engineer per day etc. **If the price bid was found later to be different from the unpriced price bid in any way, the offer will be rejected summarily.**
3. **Tender/ Technical bid Opening:** Unless specified otherwise, tenders/ technical bids will be opened on appointed date and time as mentioned in the enquiry or as communicated changed date/time, if any, in the presence of such of those tenderers who may be present.
4. **Delayed/ Late Tender:** Tenders, which have been posted by registered post through the postal department in time before opening date but received after tender opening, shall be treated as regular tenders. Other tenders received after tender opening time shall be treated as late tenders and normally they may be rejected.
5. The Quotation should be free from overwriting and erasures. Corrections and additions, if any, must be attested. Supplier should indicate in the quotation dimensions (Size), weight, rate etc., in the metric system unless the enquiry calls for different unit.
6. **Validity of Quotation:** All quotations shall be kept open for acceptance for a period of ninety days from the date of opening of Tenders/ Technical bid and this shall be deemed to be an express condition of all quotations. The rate shall be quoted in both figures and in words.
7. In the case of Two-part bid, the vendor should furnish technical clarifications, if any, within stipulated time mentioned, failing which, it will be construed that the vendor is not interested in the tender and BHEL shall not consider the offer for further evaluation.
8. **Revision of Pricebid:** In the event of any bidder, after finalizing the technical specifications and scope of supply, opting to revise and submit their latest price bid, then BHEL reserves the right to open their original / previous price bid also while evaluating revised bid.
9. **Pricebid Opening:** Unless specified otherwise in the enquiry, the Price bids of technically qualified vendors shall be opened with prior intimation in the presence of such of those tenderers who may be present.
10. **Conformity to Specifications:** The material should be of the best quality and shall be conforming to our specification given in our enquiry. Unless otherwise agreed upon by BHEL, no payment shall be due by BHEL in respect of any sample. Offers without details of specifications/ applicable catalogues will not be considered and are liable to be rejected.
11. **Terms of Delivery:** All suppliers shall quote the lowest prices on ex-works and FOB/FCA basis. Foreign suppliers will also indicate their Indian agent's name and address with percentage of agency commission out of the quoted price, if any. Name and Address of the supplier's Bankers address should also be given. Indian suppliers for the indigenously manufactured/ imported stock shall quote on Ex-works /Free-on-Rail/Road /FOR-destination basis, indicating packing & forwarding charges, if any, separately.
12. **Taxes and Duties:** Unless specified otherwise in the enquiry, BHEL do not provide "C" or "D" Form as it is engaged in R&D. All Indian suppliers shall clearly mention current Sales Tax/ VAT, Excise Duty, and Service Tax etc, if any, payable in addition to the quoted price and indicate applicable rates/ percentage, item-wise clearly. It will be paid only if Registration Number under State(TIN)/ Central Sales Tax or Service Tax is specifically mentioned in the Bill/Invoice. Vendors without a Sales Tax/VAT registration and applicable Service Tax registration will not be considered.
13. **Insurance:** Insurance will be arranged by BHEL in case of Ex-Works as well as FOB basis supplies.
14. **Terms of Payment:** Full payment will be made within 30 days after receipt, inspection and acceptance of the material (and where involved, Erection and commissioning of the material/ equipment at BHEL/Destination) though Electronic Fund transfer (RTGS/NEFT/SEFT) with bank charges to the supplier's account. For foreign suppliers, the preferred payment term will be on Sight Draft basis and bank charges inside India will be to BHEL account and outside India will be to supplier's account.
15. Suppliers shall quote competitive price and best delivery for all the items mentioned in the enquiry. BHEL reserves the right to reject partial quotations and to place order on overall landed cost basis. Correct date of effecting supplies in the event of an order should be indicated in the offer. If the supplier's quoted terms are different from BHEL standard payment terms (Refer #14 above), interest @11% per annum (or as indicated in the enquiry) will be loaded to the quoted prices for difference of payment period.
16. **Packing:** The supplier shall be responsible for the goods being properly and adequately packed so as to prevent any loss, damage or deterioration during transit and indicate packing charges, if any, separately.
17. **Part/ Split Ordering:** BHEL reserves right to Order part of the item/ quantity of the enquiry and split the order among qualified vendors.
18. In case the goods enquired are on Rate Contract basis with any other unit of BHEL, such fact should be clearly indicated in the quotation giving full particulars of Rate Contract number, validity and price and also your willingness to comply with order if placed against such Rate Contract. A true copy of Rate contract signed by the supplier should be sent with the quotation.
19. **Inspection:** On receipt, the goods shall be subjected to inspection and also test, if necessary, and our decision regarding the acceptability of the goods shall be final and binding on the suppliers.
20. **Penalty for late delivery:** The time stipulated for delivery of goods shall be deemed to be the essence of the contract and delivery must be completed within the stipulated date/s. In the event of supplier's failure to supply the goods by the stipulated date/s, a penalty of ½% per week for the delayed no of weeks or part thereof for the undelivered portion of PO subject to a maximum of 10% of total order value shall be levied at the discretion of BHEL.
21. **Withdrawal from the Contract:** In case the supplier withdraws the quotation after its acceptance by BHEL or fails to supply the goods as per the terms and conditions of contract, or at any time repudiated the contract wholly or in part, BHEL shall be at liberty to cancel the Purchase Order and to recover from the supplier the extra cost and other loss, incidentals due to the breach of contract on the part of the supplier through risk purchase.
22. **Guarantee/ Warranty certificate and Manufacturer's Test report:** Invariably in all cases where it is so stipulated, the supplier should furnish Guarantee/ Warranty certificate valid for a period of 18 months from date of supply or 1 year from the date of receipt, acceptance and commissioning(or more, if provide by oem) whichever earlier and manufacturer's Test report along with the goods, failing which, BHEL shall have the right to reject the goods.
23. All ferrous/ non-ferrous items shall be colour coded as per bureau of Indian standards/ or IS standards/ BHEL Standards.
24. **Recovery of Dues:** BHEL shall recover any amount due from the supplier or any amount outstanding to the credit of the supplier with BHEL R&D unit or any other BHEL unit(s) and/or by legal action.
25. **Arbitration & Forum for Legal Proceedings:** All disputes arising in connection with indigenously/ foreign supplies shall be settled through arbitration held at Hyderabad, AP, India and arbitration shall be appointed by Arbitration Tribunal of the Federation of Andhra Pradesh Chambers of Commerce and Industry, Hyderabad, AP, India. The Courts at Secunderabad/ Hyderabad, AP, India shall have jurisdiction in respect of any suit or other legal proceeding arising from or relating to this contract

The rights and remedies of BHEL stated in these General terms and conditions shall be in addition and supplemental to its rights and remedies under law and custom or usage of trade or business and shall in no way be deemed to limit, curtail, supercede or derogate from its said rights and remedies.



RD:MPX:F-18

BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad, Andhra Pradesh, India – 500093.,

IMPORTED

Suppliers' compliance statement to basic conditions of enquiry (to be submitted along with Technical & Commercial bid)
Enquiry number: **Enquiry dt:**

(In case Order to be placed on the Principal and foreign currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
1. Validity of offer	90 days from the tender opening date (or as per enquiry)	
2. Delivery requirements	FCA – Nearest International Airport (or as indicated in the enquiry)	
3. Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/ commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of dispatch or 12 months from the date of commissioning, whichever is earlier	
4. Terms of payment	Sight draft. All bank charges inside India will be to BHEL R&D account and outside India will be to the supplier's account. Documents through State Bank of India, Trade Finance Central processing Cell (TFCPC), Opp. Anand Theatre, Secunderabad, Andhra Pradesh, India-500003. SWIFT Code: SBININBB602, Phone: 91-40-27816795, FAX: 91-40-27720459	
5. Agency commission	Pl specify Indian agency commission charges, if any, in percentage of quotation. The same shall be paid to the agency in Indian Currency only.	
6. Erection/ Commission	As per enquiry	
7. Documentation	As per enquiry	
8. Insurance	BHEL will arrange Insurance based on intimation to our Insurance agency. Address of the agency will be mentioned in the Purchase Order.	
9. Penalty for late delivery	0.5% per week beyond the delivery date on undelivered portion subject to a maximum of 10% of the total order value.	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/ Seal of Vendor)



RD:MPX:F-17

BHARAT HEAVY ELECTRICALS LIMITED
CORPORATE R&D Division
Vikasnagar, Hyderabad – 500093, India.

Suppliers' compliance statement to basic conditions of enquiry (to be submitted along with Technical & Commercial bid)
Enquiry number:: **Enquiry date::**

(In case Order to be placed on Indian supplier in Indian currency)

Condition	BHEL R& D's terms	Supplier's compliance (indicate Yes/No. if 'No', state terms desired)
1) Validity of offer	Unless specifically mentioned in the enquiry, 90 days from the tender opening date	
2) Delivery requirements	Free delivery at our stores or FOR destination (or as indicated in the enquiry)	
3) Warranty	Unless specifically mentioned in the enquiry, all supplied items to be provided with warrantee for one year (or more, if provided by the OEM) from the date of acceptance/commissioning. In case of equipment involving erection and commissioning, warrantee shall be for 18 months from the date of despatch or 12 months from the date of commissioning, whichever is earlier	
4) Terms of payment	Unless specifically mentioned, full payment will be made within thirty days after receipt, inspection and acceptance of the material at BHEL R&D (and where involved, erection and commissioning of the material/equipment at BHEL/destination), by EFT/RTGS with bank charges, if any, to supplier's account.	
5) Taxes & Duties	Unless specifically mentioned in the enquiry, we do not provide 'C' or 'D' form. Supplier to specify rates of taxes and duties element wise and related percentages. Terms like "inclusive" or "extra" are not acceptable. Please mention "NIL" if taxes/ duties are exempted/ not applicable.	
6) Penalty for late delivery	0.5% per week beyond the delivery date on undelivered portion subject to a maximum of 10% of the total order value	

* BHEL R&D reserves the right to reject any offer due to non-compliance with the above conditions and/or non-receipt of this form in duly filled condition

* Any other elements of cost in addition to the above may please be specified in detail

(Signature and Stamp/Seal of Vendor)



RD:DP:MPX:F-14

BHARAT HEAVY ELECTRICALS LTD.
Corp. R&D DIVISION
VIKAS NAGAR,
HYDERABAD- 500 093 (INDIA)

SUPPLIER REGISTRATION FORM

(FOREIGN SUPPLIER)

ALL COLUMNS SHOULD BE PROPERLY FILLED IN THE SPACE PROVIDED FOR.
WHEREVER IT IS NOT APPLICABLE PLEASE WRITE "NOT APPLICABLE".
INCOMPLETE OR INCORRECT FORMS MAY NOT BE CONSIDERED.

1.0 GENERAL INFORMATION:

1.1NAME OF COMPANY

1.2DETAILS OF HEAD OFFICE:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.3DETAILS OF FACTORY/WORKS:

ADDRESS :
TELEPHONE :
FAX :
.EMAIL :
.WEB SITE :

1.4DETAILS OF MARKETING AGENT

ADDRESS :
TELEPHONE :
.FAX :
.EMAIL :
.WEB SITE :

1.5 CHIEF EXECUTIVE

1.6 CONTACT PERSON(S)
FOR PRODUCT OFFERED
NAME(S)
OFFICIAL CPACITY
ADDRESS:
TELEPHONE
FAX
E-MAIL

1.7 YEAR OF ESTABLISHMENT

1.8 PRODUCTION CAPACITY PER ANNUM

1.9 PARTICULARS OF PRODUCT INCLUDING
SPECIFICATION AND RANGE OFFERED
FOR REGISTRTION
(ATTACH BROUCHERS AND CATALOGUE)

1.10 NAME(S) OF BANKERS

1.11 BANKER'S CERTIFICATE

1.12 PORT OF LOADING

1.13 NEAREST AIRPORT

1.14 NAME OF THE INDIAN AGENT, IF ANY
WITH AUTHORISATION LETTER

2.0 FINANCIAL INFORMATION

2.1 ...TOTAL CAPACITY

2.2 ...ANNUAL TURN OVER FOR LAST 3 YEARS

2.3 ...WHEHER CREDIT LICENSE ACCEPTABLE YES/NO

3.0 QUALITY MANAGEMENT SYSTEMS ENCLOSED FORMAT PART-B

3.1 EXPERIENCE LIST FOR SAME/SIMILAR ITEMS
TO BE ENCLOSED

4.0FUTURE EXPANSION PLANS: (GIVE DETAILS)

5.0 LIST OF ENCLOSURES: INCLUDING BROUCHERS, CATALOGUES, TECHNICAL LITERATURE ETC.

6.0 ANY OTHER INFORMATION

SIGNATURE OF SUPPLIER (AUTHORIZED SIGNATORY)

NAME

DESIGNATION

DATE

.....OFFICIAL SEAL

Note: Please attach separate sheets, if space found is inadequate



BHARAT HEAVY ELECTRICALS LTD.

Corp. R&D DIVISION

VIKAS NAGAR,

HYDERABAD- 500 093 (INDIA)

RD:DP:MPX:F-13

Ph: 040 – 23778474, Fax: 040 – 23770698, email: mpx@bhelrnd.co.in

VENDOR REGISTRATION FORM

(Indigenous supplier)

[FORM TO BE SUBMITTED* BY THE BIDDER ALONG WITH TECHNICAL-BID]

Before filling, please refer to instructions on page-4

1.0 VENDOR PROFILE:

1.1 Name and address of the vendor:

Phone Nos.:

Fax No.:

Email: 1.

2.

1.2 Local representative name & address in Hyderabad/ Secunderabad:

Phone Nos.:

Fax No.:

Email:

Contact person:

Mobile No.:

2.0. TYPE OF ORGANIZATION:

PROPRIETORSHIP	COMPANY	SISTER CONCERN (mention vendor registration number of main organization)	
PARTNERSHIP	CORPORATION	Small Scale Industry	ANY OTHER (Please specify)

In case of SSI unit, copy of registration to be enclosed.

3.0 ANNUAL TURN OVER:

#	Year	Turn-Over
1	Current Year(budgeted)	
2	Previous year (200 - 0)	
3	Prior Year (200 - 0)	

4.0 NAME AND ADDRESS OF THE BANKER:

1. Bank Name
2. Branch name
3. Account number
4. Account Type
5. MICR Code:
6. IFSC Code(RTGS/NEFT):
7. Bank Phone number(s),

Blank cheque, duly cancelled, to be enclosed.

Please note that all payments shall be made through Electronic clearance services to your above account against the orders executed, if any.

5.0 REGISTRATION PARTICULARS (relevant copies to be enclosed)

- 5.1 IT Permanent Account No.(PAN):
- 5.2 State sales tax/VAT Registration No.:
- 5.3 Central Sales Tax Registration No.
- 5.4 ED Registration No.
- 5.5 Service Tax Registration No.:
- 5.6 PF Account No.:
- 5.7 Labour Licence No.:
- 5.8 ESI Account No.:

6.0 CONTACT PERSON: S/Sri

Designation:::

Phone/ Mobile No. :

7.0 TOTAL NUMBER OF EMPLOYEES:

Graduates (Engr./Scientists/ Mgmt/Fin.)	Consultants	Workers		
		Sup./Skilled	Semiskilled	Unskilled

8.0 WISH TO REGISTER FOR SUPPLIES/SERVICES:

#	Service/Supplies	Capacity
1		
2		
3		
4		
5		
6		
7		

9.0 REFERENCE LIST :

(Only recognized public and private sector companies, attach if printed copy available)

#	Customer	Volume / Year
1		
2		
3		
4		
5		
6		
7		

10.0 INFRASTRUCTURE / FACILITIES:

#	Facility (with specifications)	Age/ Year procured
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

11.0 REGISTRATION WITH OTHER BHEL UNIT/UNITS:

#	Unit	Registration No.	Year
1			
2			
3			
4			

12.0 ANY OTHER INFORMATION :

DECLARATION:

The information furnished above is true and authentic.

(CEO / PROPRIETOR)

SEAL:

DATE:

The competent authority reserves the right to accept or reject the registration. Registered vendors will be informed by mail / email, as convenient. Contact AGM (MM) for clarification/ additional information on registration.

A separate communication will be sent to you in case of non-registration, citing reasons thereof.

Instructions

1. Answer all items; use NA for items not applicable.
2. BHEL units do not require this registration.
3. Use additional sheets for want of space if required.
4. Attach copies of latest documents in respect of items 5.0 (Registration no.s)
5. Photographs of registered office and the chief executive/proprietor shall be furnished.
6. Use A4 sheets for this document and the enclosures.

* REGISTERED BIDDERS, HAVING BHEL (R&D) REGISTRATION NO. OR HAVE SUBMITTED THIS FORMAT FOR REGISTRATION, NEED NOT FURNISH THIS INFORMATION AGAIN