

निविदा / Enquiry



भारत हेवी इलेक्ट्रिकल्स लिमिटेड
Bharat Heavy Electricals Limited
पारेषण व्यापार समूह / Transmission Business Group
सामग्री प्रबंधन / Materials Management

Project : NSPCL ROURKELA PP-II EXP(1X250MW)

Enquiry No	Enquiry Dt	Rev No	Rev Dt	PI No	Enquiry Type	Inspection by	Due Dt	Commercial Comments	Technical Comments	Signing Authority
357E201	12-Oct-17	0		342270176	Package					

Document Enclosed

SN	Equipment	HSN Code	Phy Unit	Qty	Plan Dt	Comments
1	ILLUMINATION EQUIPMENT	0	LOT	1		THE BREAK-UP OF THE LOT IS GIVEN UNDER THE ADDITIONAL INFORMATION.
2	Supply INDOOR LIGHTING PANELS : Normal LP/Emergency LP (Indoor)	0	Nos.	5		
3	Supply INDOOR LIGHTING PANELS : DCLP	0	Nos.	3		
4	Supply :RECEPTACLES : 240 V, 6/16 A Receptacle (Decorative)	0	Nos.	51		
5	Supply :RECEPTACLES : 20A, 240V: Indoor-door Receptacle 2 pole, 3-pin type (Industrial)	0	Nos.	28		
6	Supply : 415 V, 63A, 3-PH, Receptacle (Industrial)	0	Nos.	4		
7	Supply : LIGHTING FIXTURES :Surface Mounted LED; 45W	0	Nos.	27		
8	Supply : LIGHTING FIXTURES :Recess Mounted LED; 45W	0	Nos.	74		
9	Supply : LIGHTING FIXTURES :Industrial corrosion proof Surface Mounted LED; 40W	0	Nos.	7		
10	Supply : LIGHTING FIXTURES :LED Type Industrial batten Lighting Fixture 40W	0	Nos.	45		
11	Supply : LIGHTING FIXTURES :High bay type Lighting Fixture LED-210W.	0	Nos.	7		
12	Supply : LIGHTING FIXTURES :Bulk Head type lighting fixtures (with GLS lamp)	0	Nos.	20		
13	Supply : LIGHTING FIXTURES :Down-lighter type lighting fixture (with GLS Lamp)	0	Nos.	30		
14	Supply : LIGHTING FIXTURES :Exit Sign Board(Non LED Type)	0	Nos.	13		
15	Supply : SWITCHBOARDS	0	Nos	20		
16	Supply : Sensors (Photo level and Occupancy)	0	Nos	10		
17	Supply : Fans(Wall fans, ceiling fans, Exhaust fans)	0	Nos.	42		
18	Supply : Outdoor LIGHTING PANELS : NLP (Outdoor)	0	Nos.	2		
19	Supply : Outdoor LIGHTING PANELS : Street Lighting Panel	0	Nos.	1		
20	Supply : Outdoor LIGHTING PANELS : Sub Lighting Panel	0	Nos.	5		
21	Supply: STREET LIGHTING : Steel Tubular Pole - 9mtrs. Height (MS Swaged Type)	0	Nos.	40		
22	Supply: STREET LIGHTING : Street light LED type Lighting fixtures (45W).	0	Nos.	40		
23	Supply: STREET LIGHTING : Pole JB's	0	Nos.	40		
24	Supply : RECEPTACLES :415 V, 63A, 3-PH, Receptacle (Industrial)	0	Nos.	3		
25	Supply : LIGHTING FIXTURES : LED type Flood light fixture (250W)	0	Nos.	26		
26	Supply : LIGHTING FIXTURES : LED type Flood light fixture (150W)	0	Nos.	13		
27	Supply : LIGHTING FIXTURES : Post top lantern type LED Lighting Fixture (30W)	0	Nos.	3		
28	Supply : LIGHTING FIXTURES : 4.5 Mtr Pole for post top lantern fixtures (E1 Type)	0	Nos.	5		
29	Supply : LIGHTING MAST -30 mtr high Lighting Mast	0	Nos.	2		
30	Supply of Galvanized rigid steel conduit of 20mm size with accessories	0	Mtr.	200		
31	Supply of Galvanized rigid steel conduit of 25mm size with accessories	0	Mtr.	200		
32	Supply of Galvanized rigid steel conduit of 40mm size with accessories	0	Mtr.	150		
33	Supply of 1C, 2.5 sqmm PVC insulated stranded Cu. Wire	0	Mtr.	200		
34	Supply of 1C, 4 sqmm PVC insulated stranded Cu. Wire	0	Mtr.	100		
35	Supply of 50 mm GI conduits	0	Mtr.	100		
36	Supply of 100 mm GI conduits	0	Mtr.	100		
37	Supply of 35x6 mm GI Flat for earthing.	0	Mtr.	100		
38	Supply of 25x3 mm GI Flat for earthing.	0	Mtr.	100		
39	Supply of 16 SWG GI Wire (For earthing of Lighting fixtures, switches conduits etc.)	0	Mtr.	100		
40	Supply of 12 SWG GI Wire (For earthing of Power receptacles Junction Boxes etc.)	0	Mtr.	100		
41	ETC : Indoor LIGHTING PANELS : Normal LP/Emergency LP (Indoor)	0	Nos.	5		
42	ETC : Indoor LIGHTING PANELS : DCLP	0	Nos.	3		
43	ETC : RECEPTACLES : 240 V, 6/16 A Receptacle (Decorative)	0	Nos.	51		
44	ETC : RECEPTACLES : 20A, 240V: Indoor-door Receptacle 2 pole, 3-pin type (Industrial)	0	Nos.	28		

SN	Equipment	HSN Code	Phy Unit	Qty	Plan Dt	Comments
45	ETC : RECEPTACLES : 415 V, 63A, 3-PH, Receptacle (Industrial)	0	Nos.	4		
46	ETC : LIGHTING FIXTURES : Surface Mounted LED; 45W	0	Nos.	27		
47	ETC : LIGHTING FIXTURES : Recess Mounted LED; 45W	0	Nos.	74		
48	ETC : LIGHTING FIXTURES : Industrial corrosion proof Surface Mounted LED; 40W	0	Nos.	7		
49	ETC : LIGHTING FIXTURES : LED Type Industrial batten Lighting Fixture 40W	0	Nos.	45		
50	ETC : LIGHTING FIXTURES : High bay type Lighting Fixture LED-210W.	0	Nos.	7		
51	ETC : LIGHTING FIXTURES : Bulk Head type lighting fixtures (with GLS lamp)	0	Nos.	20		
52	ETC : LIGHTING FIXTURES : Down-lighter type lighting fixture (with GLS Lamp)	0	Nos.	30		
53	ETC : LIGHTING FIXTURES : Exit Sign Board(Non LED Type)	0	Nos.	13		
54	ETC : SWITCHBOARDS	0	Nos	20		
55	ETC : Sensors (Photo level and Occupancy)	0	Nos	10		
56	ETC : Fans(Wall fans, ceiling fans, Exhaust fans)	0	Nos.	42		
57	ETC :Outdoor LIGHTING PANELS : NLP (Outdoor)	0	Nos.	2		
58	ETC :Outdoor LIGHTING PANELS : Street Lighting Panel	0	Nos.	1		
59	ETC :Outdoor LIGHTING PANELS : Sub Lighting Panel	0	Nos.	5		
60	ETC: STREET LIGHTING : Steel Tubular Pole - 9mtrs. Height (MS Swaged Type)	0	Nos.	40		
61	ETC: STREET LIGHTING : Street light LED type Lighting fixtures (45W).	0	Nos.	40		
62	ETC : STREET LIGHTING: Pole JB's	0	Nos.	40		
63	ETC : RECEPTACLES : 415 V, 63A, 3-PH, Receptacle (Industrial)	0	Nos.	3		
64	ETC : LIGHTING FIXTURES : LED type Flood light fixture (250W)	0	Nos.	26		
65	ETC : LIGHTING FIXTURES : LED type Flood light fixture (150W)	0	Nos.	13		
66	ETC : LIGHTING FIXTURES : Post top lantern type LED Lighting Fixture (30W)	0	Nos.	3		
67	ETC : LIGHTING FIXTURES : 4.5 Mtr Pole for post top lantern fixtures (E1 Type)	0	Nos.	5		
68	ETC : LIGHTING MAST : 30mtr high Lighting Mast	0	Nos.	2		
69	ETC of Galvanized rigid steel conduit of 20mm size with accessories	0	Mtr.	200		
70	ETC of Galvanized rigid steel conduit of 25mm size with accessories	0	Mtr.	200		
71	ETC of Galvanized rigid steel conduit of 40mm size with accessories	0	Mtr.	150		
72	ETC of 1C, 2.5 sqmm PVC insulated stranded Cu. Wire	0	Mtr.	200		
73	ETC of 1C, 4 sqmm PVC insulated stranded Cu. Wire	0	Mtr.	100		
74	Laying, Testing & Commissioning of 2C, 2.5 sqmm PVC insulated, Armoured Cu. Cable (provided by BHEL)	0	Mtr.	100		
75	Laying, Testing & Commissioning of 2C, 6 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
76	Laying, Testing & Commissioning of 4C, 6 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
77	Laying, Testing & Commissioning of 4C, 16 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
78	Laying, Testing & Commissioning of 3.5C, 35 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
79	Laying, Testing & Commissioning of 3.5C, 70 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
80	Laying, Testing & Commissioning of 3.5C, 150 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	100		
81	Laying, Testing & Commissioning of 3.5C, 300 sqmm XLPE insulated, Armoured Al. Cable (provided by BHEL)	0	Mtr.	50		
82	Laying of 50 mm GI conduits at a depth of 300 mm including excavation, backfilling, making & repairing of walls in trenches, cutting, threading, fixing of sockets/bends where required etc to complete. Also between pull pit boxes to JB/LP.	0	Mtr.	100		
83	Laying of 100 mm GI conduits at a depth of 300 mm including excavation, backfilling, making & repairing of walls in trenches, cutting, threading, fixing of sockets/bends where required etc to complete. Also between pull pit boxes to JB/LP.	0	Mtr.	100		
84	Construction of Pull Pit Boxes of sizes 400mmx400mmx400mm at the free ends and turning of GI pipes if pipe length exceeds 4M	0	No.	5		
85	Earthing using 35x6 mm GI Flat	0	Mtr.	100		
86	Earthing using 25x3 mm GI Flat	0	Mtr.	100		
87	Earthing using 40 mm dia. MS Rod Electrodes (provided by BHEL)	0	No.	50		
88	Earthing using 50x6mm GI Flat (provided by BHEL)	0	Mtr.	50		
89	Earthing using 75x10mm GI Flat (provided by BHEL)	0	Mtr.	50		
90	Earthing of Fixtures, Exhaust Fans etc. using 16 SWG GI Wire	0	Mtr.	100		
91	Earthing of Fixtures, Exhaust Fans etc. using 12 SWG GI Wire	0	Mtr.	100		
92	Services - Lux measurement at site	0	Lot	1		
93	Supply & ETC of EXTRA ITEMS REQUIRED FOR COMPLETION OF JOB AS PER SPECIFICATION BUT NOT COVERED ABOVE, SHALL BE QUOTED SEPARATELY. DETAILS TO BE PROVIDED BY BIDDER AT TENDER STAGE. (Price to be quoted on Lumpsum basis)	0	Lot	1		

You are requested to submit your most competitive offer so as to reach us positively by the tender opening date & time. THE TENDERS NOT RECEIVED WITHIN SCHEDULED DATE AND TIME ARE LIKELY TO BE IGNORED. BHEL shall not be responsible for any postal delay.

IN YOUR OWN INTEREST YOU ARE ADVISED TO CAREFULLY READ "THE INSTRUCTIONS TO BIDDERS". INCOMPLETE BIDS AND/OR BIDS NOT

COMPLYING WITH TENDER CONDITIONS SHALL BE TREATED AS NON RESPONSIVE AND ARE LIKELY TO BE IGNORED.

In case Tender Documents are not received within 7 days of this E-mail message, intimate BHEL accordingly. If no intimation is received, it will be considered that you have received tender enquiry and delay in submission offer due to late receipt of tender documents will not be entertained.

YOU ARE REQUESTED TO SUBMIT YOUR MOST COMPETITIVE OFFER SO AS TO REACH US POSITIVELY BY 2 PM ON THE TENDER OPENING DATE AND TENDER WILL BE OPENED AT 2:30 PM WITH EFFECT FROM 15-SEP-09.

BHEL RESERVES THE RIGHT TO OPT FOR REVERSE AUCTION FOR OBTAINING BEST PRICES.

OFFERS THROUGH E-MAIL / FAX:

WHOSOEVER DESIRES TO SEND OFFERS ON THEIR OWN RISK (COMPLETE IN ALL RESPECTS) VIA E-MAIL or FAX HAVE TO SEND THE OFFERS TO THE COMMON E-MAIL ADDRESS tenderbox@bhel.in or 0120-6748581 FAX .

THE RECEIVED EMAIL OFFERS WILL BE PRINTED BY PURCHASE COORDINATOR AND PUT THEM INTO COVERS AS PER CONVENTIONAL METHOD FOR TENDER OPENING I.E., TECHNO COMMERCIAL & PRICE OFFER SHALL BE PUT INTO TWO SEPARATE COVERS AND BOTH THE COVERS ARE KEPT IN THIRD COVER DULY SUPER SCRIBING ENQY. NO. AND DUE DATE.

OFFERS SENT TO ANY OTHER E-MAIL ID or FAX NO AND INCOMPLETE OFFERS SHALL NOT BE CONSIDERED FOR EVALUATION PURPOSE.

It is suggested that the bidders are advised to send the files with 'password protection'. procedure for giving a password to a file has been given below:

For saving Excel file with password

Steps to be followed:

1. Click on the FILE option in XP system and Start sign in Vista system then go to SAVE AS option.
2. Select the location to save and Click on the TOOLS box and go to GENERAL OPTION.
3. It will ask for the password, type the password into open or modify box or both as required.
4. Then click on the OK button it will ask for reenter of the password.
5. After reentering the password click on the save box.

For saving Word file with password

Steps to be followed:

1. Click on the FILE option in XP and Start sign in Vista then go to SAVE AS option.
2. Select the location to save and Click on the TOOLS box and go to SECURITY OPTION in XP system and GENERAL OPTION in Vista system.
3. It will ask for the password, type the password into open or modify box or both as required.
4. Then click on the OK button it will ask for reenter of the password.
5. After reentering the password click on the save box.

The vendors who has sent offers with password, the passwords are to be forwarded to another email id: supplierinfo@bhelindustry.com

MSME STATUS

"THOSE INDUSTRIES WHO HAVE FILED A MEMORANDUM WITH THE CONCERNED AUTHORITIES AND REGISTERED AS MICRO & SMALL ENTERPRISE UNDER MICRO, SMALL AND MEDIUM ENTERPRISES DEVELOPMENT ACT 2006, HAVE TO SUBMIT A COPY OF SUCH REGISTRATION CERTIFICATE / MEMORANDUM TO BHEL FOR NECESSARY COMPLIANCES OF THE ABOVE ACT".

Please acknowledge the receipt of tender enquiry and fax back this letter by ticking the appropriate item below.

भारत हेवी इलेक्ट्रिकल्स लिमिटेड के लिए / for BHARAT HEAVY ELECTRICALS LTD

We acknowledge the receipt of tender.

- (a) The offer against subject enquiry shall be submitted by the scheduled date and time.
- (b) We regret to quote. The item in reference is out of our manufacturing range.
- (c) We regret because of our prior commitments.
- (d) Any other reason.

To
Dibyendu Ghosh
Sr Manager
BHARAT HEAVY ELECTRICALS LIMITED
TRANSMISSION BUSINESS GROUP
TOWER-A, 5th Floor,
Advant Navis IT Business Park,
Plot No-7, Sector-142, Expressway Noida
Noida-201305
Distt. Gautam BudhNagar, U.P

Ph: 0120-6748458
Fax: 0120-6748581

हस्ताक्षर और निविदाकार की सील / Signature and Seal of Tenderer

Enquiry No : 357E201 Enquiry Dt : 12-Oct-17