

Domain :	bhel.abcpurchase.com		
Parent department:	Heavy Plates&Vessels Plant		
Unit name : Heavy Plates & Vessels Plant			
Purchase group	: H01	RFQ/NIT/Enquiry Officer	: Ch GOVINDA RAO
Event ID	: 47493	RFQ/NIT/Enquiry no.	: H012000091
Enquiry Date	: 18/09/2020 05:30:00		
Tender Description	: Supply of Aluminium Materials		
Terms & Conditions	: Supply of Aluminium Materials		
Product / service / work keywords	: Aluminium Plate,		
No. of Bid Parts	: Multiple	Envelope	: Techno-commercial bid , Price bid
Type of contract	: Goods	Project duration / delivery or completion period	: 30
Download document	: Before login	RFQ floated under the policy	: PP-PURCHASE POLICY
Estimated Category	: G	No. of items already attached	: 21
Delivery/Location At	: BHEL-HPVP VISAKHAPATNAM	Delivery Date	: 30/10/2020 05:30:00
Inspection by Agency	: BHEL-HPVP VISAKHAPATNAM	Inspection Location	: BHEL-HPVP VISAKHAPATNAM
Min. bid required	: 1		
Bid submission configuration			
Distribution of PO	: No	Bid evaluation	: Item wise
Bidding access	: Open Tender	Base currency	: INR
Bidding type	: NCB/Indigenous		
Key configuration			
Pre-bid meeting	: Don't allow		
Dates configuration			
Document downloading start date	: 18/09/2020 14:47:00	Document downloading end date	: 27/10/2020 14:00:00

Bid submission start date	:	18/09/2020 14:47:00	Bid submission end date	:	27/10/2020 14:00:00
Bid opening date	:	27/10/2020 14:01:00			
Document / EMD / Security fee detail					
Document fees	:	Not required	EMD	:	Not required
Bidding forms					
PRICE BID					
PRICE BID					
PRICE BID					
Description of Item				Unit	Qty
310 mm Dia AA2014-T652(Forged) Rod, Size: Dia 310 mm x 50 mm LengthSpecification: ASTM B247M-09.TDC No: RD-TDC-FORGED-AA2014Qty Tolerance: ±10%				Kgs	200
300 mm Dia AA2014-T652(Forged) Rod, Size: Dia 310 mm x 650 mm LengthSpecification: ASTM B247M-09.TDC No: RD-TDC-FORGED-AA2014Qty Tolerance: ±10%				Kgs	125
3 mm Thick AA2014-T652 (Forged) Sheet, Size: 3 mm x 1000 mm x 1000 mmSpecification: ASTM B247M-09.TDC No: RD-TDC-FORGED-AA2014Qty Tolerance: ±10%				Kgs	100
12.7 mm Thick AA2014-T652 (Forged) Plate, Size: 12.7 mm x 1000 mm x 1000 mmSpecification: ASTM B247M-09.TDC No: RD-TDC-FORGED-AA2014Qty Tolerance: ±10%				Kgs	120
25.4 mm Thick AA2014-T652(Forged) Plate, Size: 25.4 mm x 600 mm x 800 mmSpecification: ASTM B247M-09.TDC No: RD-TDC-FORGED-AA2014Qty Tolerance: ±10%				Kgs	100
1.5 mm Thick AA6061-T6/T651 Sheet, Size: 1.5 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	100
2 mm Thick AA6061-T6/T651 Sheet, Size: 2 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	150
3 mm Thick AA6061-T6/T651 Sheet, Size: 3 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	50
5 mm Thick AA6061-T6/T651 Plate, Size: 5 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	100
10 mm Thick AA6061-T6/T651 Plate, Size: 10 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	50
12.7 mm Thick AA6061-T6/T651 Plate, Size: 12.7 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	100
18 mm Thick AA6061-T6/T651 Plate, Size: 18 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	100
25.4 mm Thick AA6061-T6/T651 Plate, Size: 25.4 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%				Kgs	200
50.8 mm Thick AA6061-T6/T651 Plate, Size: 50.8 mm x 1000 mm x 500 mmSpecification: ASTM B209M-14.TDC No:				Kgs	200

RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%	-	
101.6 mm Thick AA6061-T6/T651 Plate, Size: 101.6 mm Thick x 250 mm x 500 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%	Kgs	100
127 mm Thick AA6061-T6/T651 Block, Size: 127 mm Thick x 230 mm x 650 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%	Kgs	300
76.2 mm Dia AA6061-T6/T651 Rod, Size: Dia 310 mm x 650 mm lengthSpecification: ASTM B221M-13.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%.	Kgs	100
310 mm Dia AA6061-T6/T651 Rod, Size: Dia 310 mm x 650 mm length.Specification: ASTM B221M-13TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%.	Kgs	1060
12.7 mm Thick AA3003-O Plate, Size: 12.7 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%	Kgs	200
1.6 mm Thick AA5086/AA5083-H11X Sheet, Size: 1.6 mm x 1000 mm x 1000 mmSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%	Kgs	100
1.5 mm Wall Thickness AA6061-T6 Tube, Size: (12±0.2) mm OD x (1.5 ±0.1) mm thk x 500 mm LengthSpecification: WW-T-700/6,ASTM B 210, AMS4082TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%.	Mts	100
16 mm thick AA3003-O PlateSpecification: ASTM B209M-14.TDC No: RD-AL-SHT-PLT-ROD & TUBE.Qty Tolerance: ±10%Size: 16 mm x 1000 mm x 1000 mm	Kgs	80

PRICE BID

Corrigendum details

Corrigendum / Amendment No :3 (Published)

Types of corrigendum : 1) Dates

Corrigendum Text : Extension of Due date for sub mission of offers.

Field name	Old value	New value
Document downloading end date	19/10/2020 14:00:00	27/10/2020 14:00:00
Bid submission end date	19/10/2020 14:00:00	27/10/2020 14:00:00
Bid opening date	19/10/2020 14:01:00	27/10/2020 14:01:00

Corrigendum / Amendment No :2 (Published)

Types of corrigendum : 1) Dates

Corrigendum Text : Extension of due date.

Field name	Old value	New value
Document downloading end date	09/10/2020 14:00:00	19/10/2020 14:00:00

Bid submission end date	09/10/2020 14:00:00	19/10/2020 14:00:00
Bid opening date	09/10/2020 14:01:00	19/10/2020 14:01:00
Corrigendum / Amendment No :1 (Published)		
Types of corrigendum :	1) Bidding Form	
Corrigendum Text :	Addition of item	
Tender forms	Action	
TECHNO COMMERCIAL BID	Cancel	
PRICE BID	Cancel	
TECHNO COMMERCIAL BID	New	
PRICE BID	New	
Information for Online Participation		
Bidder who wish to participate in this tender needs to procure Digital Certificate as per Information Technology Act-2000 using that they can digitaly sign their electronic bids. Bidders can procure the same from any or the CCA approved certifying agencies, or they may contact e-Procurement Technologies Ltd. at below mentioned address and they will assist them in procuring the same. Bidders who already have a valid digital Certificate need not to procure the same. In case bidders need any clarification regarding online participation, they can contact, <u>e-Procurement Technologies Ltd.</u> Corporate Office: Address : A-201/208, Wall Street - 2, Opp. Orient Club, Nr. Gujarat College, Ellis Bridge, Ahmedabad - 380006, Gujarat(INDIA) Digital Certificate Contacts Contact Person : Mr. Himalay Vaishnav Cell : +91-9099090830 Phone Nos. : +91-9099090830 Fax No : e-Mail : info@abcProcure.com Support Team Contacts Contact Person : BHEL Support Team Ahmedabad Cell : +91-9265562819 Phone Nos. : +91-79-68136849/50/48 Fax No : e-Mail : Bhel.Support@abcProcure.com Bidder who wish to participate in e-Tender need to fill data in predefined forms of Price bid available in respective tender only. After filling data in predefined forms bidders need to click on final submission link to submit their encrypted bid.Bidder need to		

submit Document Fees, EMD & Reference Documents in hard copy if such instruction are given by tendering authority. As Per the new Inter-operability guidelines released by Controller of Certifying Authorities(CCA), the Secured Socket Layer(SSL) certificate for a e-procurement application is generated on a new algorithm, SHA2.

Also, the Digital Certificates that will be applicable for these platforms have to be SHA2 algorithm complaint. For the same, the users have to ensure that they have Windows XP(SP3)/Windows Vista/Windows7 installed in their respective PC/Laptop. In case of Windows XP Service pack - 3, if you get any issue you can install the SSL patch, which is available at our download section of our e-Tender/e-Auction Portal and also at our corporate website www.abcprocure.com just below the label of "Knowledge section".

Fraud Prevention

Bidder along with its associate/collaborators/sub-contractors/sub-vendors/consultants/service providers shall strictly adhere to BHEL Fraud Prevention Policy displayed on BHEL website <http://www.bhel.com> and shall immediately bring to the notice of BHEL Management about any fraud or suspected fraud as soon as it comes to their notice.

Preference to Make in India

Offers from Foreign vendors will not be considered. Offers of local vendors with less than the minimum local content as prescribed in this Tender will also not be considered. In the absence of any such information in the tender, the required minimum local content shall be 20%

For this procurement, Public Procurement (Preference to Make in India), order 2017 dated 15.06.2017 & 28.05.2018 and subsequent orders issued by the respective Nodal ministry shall be applicable even if issued after issue of this NIT but before finalization of contract/PO/WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and/ or local content in respect of this procurement, same shall be applicable. Default margin of purchase preference shall be 20% to local suppliers with default minimum local content of 50%.