SUPERSEDES INVENTORY NO.

संख्या करता

सामग्री सूची व को अधिक्रमित



संस्थान क्रय विनिर्देश (सी.एफ.एफ.पी. - हरिद्वार)

FF06042 Rev 04 पुष्ठ का

PLANT PURCHASE SPECIFICATION (CFFP - HARDWAR)

Page of 4 1

WASHED AND DRIED SILICA SAND FOR USE IN FOUNDRY WITH SODIUM SILICATE BINDER

1. General

This specification governs the quality requirements of washed and dried high silica sand for use in foundries.

2. Application

Used as raw material in the preparation of moulds and cores in sodium silicate bonded sand system for steel castings.

3. Compliance with national standard

This specification is generally based on IS:1987-2002, "High silica sand for use in Foundries".

4. Shape and size

- 4.1 Washed sand grains shall be mostly sub-angular to round in shape.
- 4.2 Sieve analysis: 70% and above retained by three adjacent sieves 425 microns, 300 microns, 212 microns. Fines shall be limited to 4% max on 106 micron, 75 micron and pan.
- 4.3 Grain fineness number shall be in the range of AFS 35-50.

5. Composition

5.1 The sand, when analysed in accordance with IS:1917-1992 and IS:1918-1966, shall conform to the requirements given below:

Clay

0.5% max.

Silica (SiO₂)

99.0% min.

5.2 Moisture content in sand not to exceed 0.5%.

CHAIRMAN VK AGARWAL जांग्या जांग्या प्राचित CHECKED BY T DAVE

Limited.lt must COPYRIGHT AND CONFIDENTIAL
an this documents is the property of Bharat Heavy Electrical Lin
rectly or indirectly in any way detrimental to the interest of the mation on this documents used directly or indirectly not be t The infor

質 部二 संचला に配 1 ल्यक एवं अप्रत्यक्ष हाविकारक हो न Note: 100 प्रत्यक्त में हाडि एवं गोपनीयरु इस्स्रका के जिल सम्पति है। कि संपत्ती से इलेफ्ट्रिकटस की तरह प्रयोग, जो है वत्वाधिकार

248	<i>त्रां एग ई एग</i> संस्थान क्रय विनिर्देश (सी.एफ.एफ.पी. – हरिद्वार)	FF06042 Rev 04						
SIGN & DATE	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	पृष्ठ का						
SIGN & L	PLANT PURCHASE SPECIFICATION (CFFP - HARDWAR)	Page ² of ⁴						
RY NO.	6. Sampling							
SUPERSEDES INVENTORY NO	6.1 Upto 10T – one composite sample, drawing samples from two places of t	he truck.						
11220	6.2 10-20T – One composite sample, drawing samples from four places of the truck.							
सामका यूवा स को अधिकमित	6.3 Above 20T – One composite sample, drawing samples from six places of	the truck.						
rical to the	7. Acceptance Tests							
IDENTIAL of Bharat Heavy Electrical any way detrimental to the	Each consignment shall be accepted on the basis of tests carried out as poor of sand grains and % silica shall be checked on surveillance basis.	er clauses 4 & 5. Shape						
GRY प्रलेख में ही माह सुदाना भारत होती The information on this documents is the property survey हो महिनी भी तरह प्रयोज, Limited.It must not be used directly or indirectly in arcas हो म किया जाए ।								
	8. Inspection, Deviation and Replacement							
	8.1 Sand shall be tested at CFFP, BHEL and will be binding on supplier. at CFFP is not found in accordance with the requirements, it shall be							
	8.2 BHEL reserves the right to inspect material at site before despatch given prior intimation in such case. The supplier shall enclose a consideration advance of the material offered for inspection. However inspection. The supplier shall offer BHEL representative all reasonable test fact satisfy the latter that the material is being furnished in accordance. The supplier shall prepare and provide necessary test specimens for at his premises. If facilities are not available at his works, the supplier shall premises.	opy of test certificate in at BHEL shall be final. ilities without charge to with this specification. testing to be carried out						
	arrangements for carrying out the prescribed tests elsewhere.	er shall make necessary						
	8.3 For any deviation from the specification demanded by the supplier must be obtained in writing.	prior approval of BHEL						
मित्र म								
· hrs - #40 12								
4 40								
स्वत्वाधिकार इलेक्ट्रिकल की सम जो वि								
DATE								
SIGN & D								
- 57	निर्माणकर्ता L Agrawa	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						

WORKED BY जांचकर्ता

CHECKED BY

T Dave

PLANT PURCHASE SPECIFICATION Page 3 of Page 4 of Page 3 of Page 4 of Pag		गांकान का विभिन्न ५० - ० - ०	FF060)42]	Rev	04
9. Test certificates 9.1 Unless otherwise specified, one original and three copies of original manufacturer's to certificates shall be supplied with each consignment bearing the following information. order to facilitate quick clearance of material, the supplier shall ensure to send a copy of the certificate along with despatch document. a. BHEL PO No. with Date b. Specification No. c. Supplier reference d. Grain size/fineness e. Grain shape f. Test results as per Clause 4 & 5 g. Any other specific information which the supplier would like to convey. 9.2 Suppliers other than the original manufacturer shall ensure providing original manufacture test certificates with linkage to supplier's invoice stating the batch No., lot No, etc. of supply. 10.Packing and Marking The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. The packing should be that of the original manufacturer. There should not be any contamination sand from the material of the bag. Proper care should be taken to prevent wastage, damage, and the packing should have the following markings: Name/Trademark of supplier Name of material/Specification No. Identification No./Batch No. Identification No./Batch No.	DATE	मीएग ईएम सस्थान प्रथानिदश (सा.एफ.एफ.पा. – हारद्वार)	पृष्ठ		का	
9.1 Unless otherwise specified, one original and three copies of original manufacturer's to certificates shall be supplied with each consignment bearing the following information. order to facilitate quick clearance of material, the supplier shall ensure to send a copy of the certificate along with despatch document. a. BHEL PO No. with Date b. Specification No. c. Supplier reference d. Grain shape f. Test results as per Clause 4 & 5 g. Any other specific information which the supplier would like to convey. 9.2 Suppliers other than the original manufacturer shall ensure providing original manufacture test certificates with linkage to supplier's invoice stating the batch No., lot No, etc. of supply. 10.Packing and Marking The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. and from the material of the original manufacturer. There should not be any contamination sand from the material of the bag. Proper care should be taken to prevent wastage, damage, in the packing should have the following markings: Name/Trademark of supplier Name/Trademark of supplier Name of material/Specification No. Identification No./Batch No.	SIGN®		Page	3	of	4
order to facilitate quick clearance of material, the supplier shall ensure to send a copy of the certificate along with despatch document. a. BHEL PO No. with Date b. Specification No. c. Supplier reference d. Grain size/fineness e. Grain shape f. Test results as per Clause 4 & 5 g. Any other specific information which the supplier would like to convey. 9.2 Suppliers other than the original manufacturer shall ensure providing original manufacture test certificates with linkage to supplier's invoice stating the batch No., lot No, etc. of supply. 10.Packing and Marking The washed and dried sand shall be packed in bags weighing around 50 kg sand per bag. packing should be that of the original manufacturer. There should not be any contamination sand from the material of the bag. Proper care should be taken to prevent wastage, damage, so moisture or clay pickup during transportation. The packing should have the following markings: Name/Trademark of supplier Name of material/Specification No. Identification No./Batch No.		9. Test certificates				
SIGN & DATE	& DATE इसिक्टान्स के अपनी के दिन में अधिकारक हो न किया जाए।	certificates shall be supplied with each consignment bearing the forder to facilitate quick clearance of material, the supplier shall ensur certificate along with despatch document. a. BHEL PO No. with Date b. Specification No. c. Supplier reference d. Grain size/fineness e. Grain shape f. Test results as per Clause 4 & 5 g. Any other specific information which the supplier would like to con 9.2 Suppliers other than the original manufacturer shall ensure providing test certificates with linkage to supplier's invoice stating the batch supply. 10.Packing and Marking The washed and dried sand shall be packed in bags weighing around 5 packing should be that of the original manufacturer. There should not be sand from the material of the bag. Proper care should be taken to preven moisture or clay pickup during transportation. The packing should have the following markings: Name/Trademark of supplier Name of material/Specification No.	vey. original No., lot I	manu No, et	facture tc. of	rer's

WORKED BY जांचकर्ता

CHECKED BY

T Dave

847 E	वी एग इ	रणा सं	संस्थान क्रय विनिर्देश (सी.एफ.एफ.पी. – हरिद्वार)		F	FF06042 Rev 04			
ब्रांक एवं हस्ताक्षर SIGN & DATE	mil			774 141 14(1 ((11.54).54).41. — 61(81)		ष्ठ का			
Rain ta	-77	PI		HASE SPECIFICATION FFP - HARDWAR)	ON P	age 4 of 4			
SUPERSEDES INVENTORY NO.	RECORD OF CHANGES								
सम्बद्धी इसी	REV CODE	NO. OF CHANGE		NATURE OF CHANGE	SIGN	DATE			
TTAL Electrical Limited It must sterest of the company	01	01	2	Surveillance checking of silica % introduced		31.5.08			
COPYRIGHT AND CONFIDENTIAL. The information on this documents is the property of Blatast Heavy Electrical Limited It must not be used directly or indirectly in any way detrimental to the interest. of the company	02	02	2 & 3	Clause 9 and 10 modified to incorporate original manufacturer's test certificates and packing conditions.		19.8.09			
COPYRIGHT The information on this documents is the not be used directly or indirectly in a	03	01	3	Packing clause modified to remove "moisture-proof" from type of bag. Marking details on packing introduced.		08.07.2010			
जीयक इस प्रकेश में दी कई हो सम्पति है इसका प्रक्ष एवं प्रपन्नित की कंपनी से दित में किस वस्ता	04	01	1	GFN size range modified from 40-50 (with 2 points deviation permitted in upper and lower limits) to 35-50	2	27.10.2011			
स्वत्वाधिकार एवं गोप सूबन भारत हेवी इलेक्ट्रिकर र अप्रत्यक्ष तथ से किसी भी तरह	DISTRIBUTION OF PRINTS								
सुवना भ	RMI					2			
gai Ranins E DATE	STANDA								
SIGN &	MPIC								
सामजी सूची संख्या			10	WORKED BY	Agrawal Dave	logical			