

Bid Document

Bid Details	
Bid End Date/Time	24-08-2021 16:00:00
Bid Opening Date/Time	24-08-2021 16:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10020009-cffp Haridwar
Total Quantity	146
Item Category	Automotive Vehicles Pneumatic Tyres-IS 15627 , Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Primary product category	Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098
Time allowed for Technical Clarifications during technical evaluation	2 Days
Estimated Bid Value	1303285
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

MII Purchase Preference

MIIPurchase Preference	Yes
------------------------	-----

MSE Purchase Preference

MSEPurchase Preference	Yes
------------------------	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	256744	Automotive Vehicles Pneumatic Tyres-is 15627	20
Schedule 2	414510	Automotive Vehicles Pneumatic Tyres-is 15627	20
Schedule 3	39294	Automotive Vehicles Tubes For Pneumatic Tyres-is 13098	20
Schedule 4	417366	Automotive Vehicles Pneumatic Tyres-is 15627	25
Schedule 5	66169	Automotive Vehicles Tubes For Pneumatic Tyres-is 13098	25
Schedule 6	26857	Automotive Vehicles Tubes For Pneumatic Tyres-is 13098	20
Schedule 7	73547	Automotive Vehicles Pneumatic Tyres-is 15627	8
Schedule 8	8798	Automotive Vehicles Tubes For Pneumatic Tyres-is 13098	8

Automotive Vehicles Pneumatic Tyres-IS 15627 (20 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Tyres	Without Tube, Without Tube
	Category Of Pneumatic tyres	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre, Lug Type Tyre, Rib Type Tyre, Front & Rear tyre (Rib & Lug)
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles-Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply, NA, IS:15627 latest for automotive vehicles:pneumatic tyre for two wheeler
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES, NA
	ISI MARKED (for Tyres)	Yes, NA
	ISI MARKED (for Tubes)	Yes, NA for Tubeless and without tube

Specification	Specification Name	Bid Requirement (Allowed Values)
	Tyre-size Designations	900x20
	Tube-size Designations	Any applicable text(s)
	Structure of Tyre	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load, BIAS TUBELESS MULTITERRAIN WITH SEALING RING
	Ply Rating	16, 16ply
	Outer diameter (min)(mm)	Any applicable numeric value
	Nominal Rim Diameter(mm)	Any applicable numeric value
	Maximum load Rating(%)	Any applicable numeric value
	Warranty Time	1, 2, 3, 5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	20	45

Automotive Vehicles Pneumatic Tyres-IS 15627 (20 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Tyres	Without Tube, Without Tube
	Category Of Pneumatic tyres	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre, Lug Type Tyre, Rib Type Tyre, Front & Rear tyre (Rib & Lug)
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles-Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply, NA, IS:15627 latest for automotive vehicles:pneumatic tyre for two wheeler

Specification	Specification Name	Bid Requirement (Allowed Values)
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES, NA
	ISI MARKED (for Tyres)	Yes, NA
	ISI MARKED (for Tubes)	Yes, NA for Tubeless and without tube
	Tyre-size Designations	1000x20
	Tube-size Designations	Any applicable text(s)
	Structure of Tyre	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load, BIAS TUBELESS MULTITERRAIN WITH SEALING RING
	Ply Rating	18
	Outer diameter (min)(mm)	Any applicable numeric value
	Nominal Rim Diameter(mm)	Any applicable numeric value
	Maximum load Rating(%)	Any applicable numeric value
	Warranty Time	1, 2, 3, 5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	20	45

Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098 (20 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	ISI MARKED (for Tubes)	yes
	Thickness uniformity of Tubes	yes
	Tube -Size Designations	1000x20
	Warranty Time(Year)s	1, 2, 3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	20	45

Automotive Vehicles Pneumatic Tyres-IS 15627 (25 pieces)**(Minimum 50% Local content required for MII compliance)**

Brand Type	Registered Brand
------------	------------------

Technical Specifications[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Tyres	Without Tube, Without Tube
	Category Of Pneumatic tyres	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre, Lug Type Tyre, Rib Type Tyre, Front & Rear tyre (Rib & Lug)
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles-Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply, NA, IS:15627 latest for automotive vehicles:pneumatic tyre for two wheeler
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES, NA
	ISI MARKED (for Tyres)	Yes, NA
	ISI MARKED (for Tubes)	Yes, NA for Tubeless and without tube
	Tyre-size Designations	1100x20
	Tube-size Designations	Any applicable text(s)
	Structure of Tyre	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load, BIAS TUBELESS MULTITERRAIN WITH SEALING RING
	Ply Rating	16ply
	Outer diameter (min)(mm)	Any applicable numeric value
	Nominal Rim Diameter(mm)	Any applicable numeric value
	Maximum load Rating(%)	Any applicable numeric value

Specification	Specification Name	Bid Requirement (Allowed Values)
	Warranty Time	1, 2, 3, 5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	25	45

Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098 (25 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	ISI MARKED (for Tubes)	yes
	Thickness uniformity of Tubes	yes
	Tube -Size Designations	1100x20
	Warranty Time(Year)s	1, 2, 3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	25	45

Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098 (20 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	ISI MARKED (for Tubes)	yes
	Thickness uniformity of Tubes	yes
	Tube -Size Designations	900x20
	Warranty Time(Year)s	1, 2, 3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	20	45

Automotive Vehicles Pneumatic Tyres-IS 15627 (8 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Ungrouped	Tyres	Without Tube, Without Tube
	Category Of Pneumatic tyres	Normal Road Tyre, Special use Tyre: mixed used, Restricted speed: snow tyre, Lug Type Tyre, Rib Type Tyre, Front & Rear tyre (Rib & Lug)
	Conformity to Indian Standrad for Pneumatic Tyres	IS:15627 latest for Automotive vehicles: Pneumatic tyre for two and three wheeled motor Vehicles, IS:15633 latest for Automotive vehicles: Pneumatic tyre for passenger car Vehicles-Diagonal and radial ply, IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply, NA, IS:15627 latest for automotive vehicles:pneumatic tyre for two wheeler
	Conformity to Indian Standrad for Pneumatic Tubes	IS:13098 latest for Automotive vehicles: Tubes for Pneumatic tyre, NA for Tubeless TYRES, NA
	ISI MARKED (for Tyres)	Yes, NA

Specification	Specification Name	Bid Requirement (Allowed Values)
	ISI MARKED (for Tubes)	Yes, NA for Tubeless and without tube
	Tyre-size Designations	7.50x16
	Tube-size Designations	Any applicable text(s)
	Structure of Tyre	Diagonal or bias ply, Bias-belted, Radial, Reinforced or Extra Load, BIAS TUBELESS MULTITERRAIN WITH SEALING RING
	Ply Rating	16, 16ply, 16pr
	Outer diameter (min)(mm)	Any applicable numeric value
	Nominal Rim Diameter(mm)	Any applicable numeric value
	Maximum load Rating(%)	Any applicable numeric value
	Warranty Time	1, 2, 3, 5

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	8	45

Automotive Vehicles Tubes For Pneumatic Tyres-IS 13098 (8 pieces)

(Minimum 50% Local content required for MII compliance)

Brand Type	Registered Brand
------------	------------------

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Specifications	ISI MARKED (for Tubes)	yes
	Thickness uniformity of Tubes	yes
	Tube -Size Designations	7.50x16
	Warranty Time(Year)s	1, 2, 3

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Pramod Kumar Mishra	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	8	45

Buyer Added Bid Specific Additional Terms and Conditions

1. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
2. Bidder shall submit the following documents along with their bid for Vendor Code Creation:
 - a. Copy of PAN Card.
 - b. Copy of GSTIN.
 - c. Copy of Cancelled Cheque.
 - d. Copy of EFT Mandate duly certified by Bank.
3. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
4. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
5. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
6. Scope of supply (Bid price to include all cost components) : Only supply of Goods
7. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
8. Buyer Added text based ATC clauses
 - 1) Test Certificate is required.
 - 2) Guarantee Certificate is required for the period of one year.
 - 3) Final Inspection will be done at CFFP BHEL.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4

days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---