

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण / Bid Details                                                     |                                                     |
|-----------------------------------------------------------------------------|-----------------------------------------------------|
| बिड बंद होने की तारीख/समय / Bid End Date/Time                               | 23-01-2026 16:00:00                                 |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time                              | 23-01-2026 16:30:00                                 |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date) | 120 (Days)                                          |
| मंत्रालय/राज्य का नाम / Ministry/State Name                                 | Ministry Of Heavy Industries And Public Enterprises |
| विभाग का नाम / Department Name                                              | Department Of Heavy Industry                        |
| संगठन का नाम / Organisation Name                                            | Bharat Heavy Electricals Limited (bhel)             |
| कार्यालय का नाम / Office Name                                               | 10340020-tbg, Noida                                 |
| कुल मात्रा / Total Quantity                                                 | 64                                                  |

## बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 180A OUTPUT CURRENT MANDSAUR NEW , SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 480A OUTPUT CURRENT MANDSAUR NEW , SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER MANDSAUR NEW , SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER MANDSAUR NEW , SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 195A OUTPUT CURRENT KURAWAR NEW , SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 450A OUTPUT CURRENT KURAWAR NEW , SPARES BATTERY CHARGER 220V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SPARES BATTERY CHARGER 48V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SPARES BATTERY CHARGER 220V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SPARES BATTERY CHARGER 48V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SPARES BATTERY CHARGER 220V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED KURAWAR NEW , SPARES BATTERY CHARGER 48V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED KURAWAR NEW , SPARES BATTERY CHARGER 220V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SPARES BATTERY CHARGER 48V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING KURAWAR NEW , SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER KURAWAR NEW , SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER KURAWAR NEW , SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 180A OUTPUT CURRENT BARMER , SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 350A OUTPUT CURRENT BARMER , SPARES BATTERY CHARGER 220V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING BARMER , SPARES BATTERY CHARGER 48V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING BARMER , SPARES BATTERY CHARGER 220V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING BARMER , SPARES BATTERY CHARGER 48V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING BARMER , SPARES BATTERY CHARGER 220V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED BARMER , SPARES BATTERY CHARGER 48V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED BARMER , SPARES BATTERY CHARGER 220V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING BARMER , SPARES BATTERY CHARGER 48V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING BARMER , SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER BARMER , SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER BARMER , SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 60A OUTPUT CURRENT ASTHA , SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER ASTHA

| बिड विवरण/Bid Details                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS                                                                                                                                                      | Battery Charger                                                                                                                                                                                                                                                                                                                                                                                             |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS                                                                                                                                                     | Mains Battery Charger (MHA), Battery Charger, Heavy Duty, General Purpose Battery Chargers, Car Charger, Online UPS ( $\leq 10$ KVA) With Battery Conforming To IS 16242 (Part 1), Battery Chargers (for Transreceivers) (V2), handset adapters, Online UPS ( $> 10$ KVA) With Battery, Battery Cover, Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank) |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification                                                                                                                                | <ul style="list-style-type: none"> <li>Battery Charger, Heavy Duty</li> </ul>                                                                                                                                                                                                                                                                                                                               |
| बीओक्यू शीर्षक /BOQ Title                                                                                                                                                                                                | Battery Charger for PGCIL projects                                                                                                                                                                                                                                                                                                                                                                          |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover                                                                                                     | No                                                                                                                                                                                                                                                                                                                                                                                                          |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover                                                                                              | No                                                                                                                                                                                                                                                                                                                                                                                                          |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller                                                                                                                                                             | Additional Doc 1 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer                                                                                                                                                                           |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No                                                                                                                                                                                                                                                                                                                                                                                                          |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension                                                                                | 4                                                                                                                                                                                                                                                                                                                                                                                                           |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                                                                                                      | 7                                                                                                                                                                                                                                                                                                                                                                                                           |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count                                                                                                                                            | 1                                                                                                                                                                                                                                                                                                                                                                                                           |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                                                                                                       | Yes                                                                                                                                                                                                                                                                                                                                                                                                         |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule                                                                                                                                                                         | H1-Highest Priced Bid Elimination                                                                                                                                                                                                                                                                                                                                                                           |
| बिड का प्रकार/Type of Bid                                                                                                                                                                                                | Two Packet Bid                                                                                                                                                                                                                                                                                                                                                                                              |
| प्राथमिक उत्पाद श्रेणी/Primary product category                                                                                                                                                                          | SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 180A OUTPUT CURRENT MANDSAUR NEW                                                                                                                                                                                                                                                                                                                     |

| बिड विवरण/Bid Details                                                                                                                                                                |                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                    | 2 Days                                                                                                                                                                                                                                      |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No                                                                                                                                                                                                                                          |
| Payment Timelines                                                                                                                                                                    | Payments shall be made to the Seller within <b>90</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)    |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                   | Total value wise evaluation                                                                                                                                                                                                                 |
| मध्यस्थता खंड/Arbitration Clause                                                                                                                                                     | Yes ( <a href="#">Arbitration clause document</a> ) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts                                                                              |
| सुलह खंड/Mediation Clause                                                                                                                                                            | Yes ( <a href="#">Mediation clause document</a> ) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 mediation clause should not be routinely included in contracts and pre-litigation mediation can be taken up without any such clause also |

#### ईएमडी विवरण/EMD Detail

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

#### ईपीबीजी विवरण /ePBG Detail

|                                                                   |                     |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 20                  |

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Sr. Manager  
10340020-TBG, Noida, Department of Heavy Industry, Bharat Heavy Electricals Limited (BHEL), Ministry of Heavy Industries and Public Enterprises  
(Archana Kumari)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

|                                                             |     |
|-------------------------------------------------------------|-----|
| एमआईआई के लिए आरक्षित / Reserved for Make In India products | Yes |
|-------------------------------------------------------------|-----|

#### एमएसई खरीद वरीयता/MSE Purchase Preference

|                                                                                                                                                                                    |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference                                                                                                                                          | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$ | 15  |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference                                | 100 |

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within  $L-1+ 15\%$  (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## **SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 180A OUTPUT CURRENT MANDSAUR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

### **तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### **परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                                                                                                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1             | Abhinav Gupta                                           | 458339,BHEL C/o POWERGRID 765/400/220 KV Mandsaur Sub station, Village : RANAYARA , THASIL : MALHARGARH, Mansdaur - Sanjeet road. | 2                | 168                          |

## **SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 480A OUTPUT CURRENT MANDSAUR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

### **तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### **परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                                                   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Abhinav Gupta                                                  | 458339,BHEL C/o POWERGRID<br>765/400/220 KV Mandsaur Sub<br>station, Village : RANAYARA ,<br>THASIL : MALHARGARH,<br>Mansdaur - Sanjeet road. | 2                | 168                             |

## SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER MANDSAUR NEW

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

### तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                                                                                   | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Abhinav Gupta                                                  | 458339,BHEL C/o POWERGRID<br>765/400/220 KV Mandsaur Sub<br>station, Village : RANAYARA ,<br>THASIL : MALHARGARH,<br>Mansdaur - Sanjeet road. | 2                | 273                             |

## SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER MANDSAUR NEW

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

### तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                                                                                                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1             | Abhinav Gupta                                           | 458339,BHEL C/o POWERGRID 765/400/220 KV Mandsaur Sub station, Village : RANAYARA , THASIL : MALHARGARH, Mansdaur - Sanjeet road. | 2                | 273                          |

**SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 195A OUTPUT CURRENT KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 2                | 189                          |

**SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 450A OUTPUT CURRENT KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 2                | 189                          |

**SPARES BATTERY CHARGER 220V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 1                | 189                          |

**SPARES BATTERY CHARGER 48V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------|------------------|---------------------------------|
| 1                 | Mohan Singh Rawat                                             | 465339,Kurawar, Madhya<br>Pradesh | 1                | 189                             |

**SPARES BATTERY CHARGER 220V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING  
KURAWAR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------|------------------|---------------------------------|
| 1                 | Mohan Singh Rawat                                             | 465339,Kurawar, Madhya<br>Pradesh | 1                | 189                             |

**SPARES BATTERY CHARGER 48V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING  
KURAWAR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------|------------------|---------------------------------|
| 1                 | Mohan Singh Rawat                                             | 465339,Kurawar, Madhya<br>Pradesh | 1                | 189                             |

**SPARES BATTERY CHARGER 220V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE  
USED KURAWAR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                       | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------------------|------------------|---------------------------------|
| 1                 | Mohan Singh Rawat                                             | 465339,Kurawar, Madhya<br>Pradesh | 1                | 189                             |

**SPARES BATTERY CHARGER 48V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE  
USED KURAWAR NEW**

**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 1                | 189                          |

**SPARES BATTERY CHARGER 220V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 6                | 189                          |

**SPARES BATTERY CHARGER 48V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 6                | 189                          |

**SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                       | 465339,Kurawar, Madhya Pradesh | 2                | 294                          |

**SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER KURAWAR NEW**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                    | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|-------------------------------------------------------|--------------------------------|------------------|------------------------------|
| 1             | Mohan Singh Rawat                                     | 465339,Kurawar, Madhya Pradesh | 2                | 294                          |

**SUPPLY BATTERY CHARGER 220V DC FLOAT CUM BOOST CHARGER 180A OUTPUT CURRENT BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|-------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                       | 344011,BARMER-1 (NEW) | 2                | 189                          |

**SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 350A OUTPUT CURRENT BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

**तकनीकी विशिष्टियाँ /Technical Specifications**

|                               |                           |
|-------------------------------|---------------------------|
| <b>Specification Document</b> | <a href="#">View File</a> |
| <b>BOQ Detail Document</b>    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषदी/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                              | 344011,BARMER-1 (NEW) | 2                | 189                             |

**SPARES BATTERY CHARGER 220V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषदी/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|--------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                              | 344011,BARMER-1 (NEW) | 1                | 189                             |

**SPARES BATTERY CHARGER 48V DC SET OF CONTROL CARDS 1 NO OF EACH TYPE AND RATING BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                               | 344011,BARMER-1 (NEW) | 1                | 189                             |

**SPARES BATTERY CHARGER 220V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परिषीती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                               | 344011,BARMER-1 (NEW) | 1                | 189                             |

**SPARES BATTERY CHARGER 48V DC SET OF RELAYS 1 NO OF EACH TYPE AND RATING BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|--------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                        | 344011,BARMER-1 (NEW) | 1                | 189                          |

**SPARES BATTERY CHARGER 220V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|--------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                        | 344011,BARMER-1 (NEW) | 1                | 189                          |

**SPARES BATTERY CHARGER 48V DC DIODE OR THYRISTOR OR MODULE OF EACH TYPE USED BARMER**

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                          | 344011,BARMER-1 (NEW) | 1                | 189                          |

## SPARES BATTERY CHARGER 220V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING BARMER

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                          | 344011,BARMER-1 (NEW) | 6                | 189                          |

## SPARES BATTERY CHARGER 48V DC FUSES OF THYRISTOR WITH INDICATOR 1 NO OF EACH TYPE AND RATING BARMER

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|----------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                                | 344011,BARMER-1 (NEW) | 6                | 189                             |

## SERVICES BATTERY CHARGER 220V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER BARMER

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | प्रेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|----------------------------------------------------------------|-----------------------|------------------|---------------------------------|
| 1                 | ANGAD LAL MEENA                                                | 344011,BARMER-1 (NEW) | 2                | 294                             |

## SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER BARMER

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address           | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|-----------------------|------------------|------------------------------|
| 1             | ANGAD LAL MEENA                                          | 344011,BARMER-1 (NEW) | 2                | 294                          |

## SUPPLY BATTERY CHARGER 48V DC FLOAT CUM BOOST CHARGER 60A OUTPUT CURRENT ASTHA

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                  | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|------------------------------|------------------|------------------------------|
| 1             | Shiv Kumar                                               | 466116,Astha, Madhya Pradesh | 2                | 189                          |

## SERVICES BATTERY CHARGER 48V DC SUPERVISION OF INSTALLATION TESTING AND COMMISSIONING OF CHARGER ASTHA

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

|                        |                           |
|------------------------|---------------------------|
| Specification Document | <a href="#">View File</a> |
| BOQ Detail Document    | <a href="#">View File</a> |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                  | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------|------------------|---------------------------------|
| 1                 | Shiv Kumar                                                    | 466116,Astha, Madhya Pradesh | 2                | 294                             |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**