

Detailed specifications of the Pneumatic Tyres as per IS

| Sl. No | Item Code | Item Description | Specification as per IS |
|--------|--------------|---|--|
| 1. | HW8845000729 | PNEUMATIC TYRE 9.00 X 20 16PR WITH TUBE & FLAPS | <ul style="list-style-type: none"> i. Tyres: With Tube ii. Conformity To Indian Standard For Pneumatic Tyres: IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest for Automotive Vehicles: Tubes for Pneumatic Tyre. iv. ISI Marked (for Tyres) : Yes v. ISI Marked (for Tubes): Yes vi. Structure of Tyre: Diagonal Ply vii. Overall Width (Max) (mm): 272 viii. Outer Diameter (Min) (mm): 1004 |
| 2. | HW8845000761 | PNEUMATIC TYRE 10.00 X 20 16PR WITH TUBE & FLAP | <ul style="list-style-type: none"> i. Tyres: With Tube ii. Conformity To Indian Standard For Pneumatic Tyres: IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest For Automotive Vehicles: Tubes For Pneumatic Tyre. iv. ISI Marked (for Tyres) : Yes v. ISI Marked (for Tubes): Yes vi. Structure of Tyre: Diagonal Ply vii. Overall Width (Max) (mm): 292 viii. Outer Diameter (Min) (mm): 1038 |
| 3. | HW8845000834 | PNEUMATIC TYRE 7.50 X 16 (TRACTOR FRONT) WITH TUBE FOR TRACTORS | <ul style="list-style-type: none"> i. Tyres: With Tube ii. Conformity To Indian Standard For Pneumatic Tyres: IS:13154 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest For Automotive Vehicles: Tubes For Pneumatic Tyre. iv. ISI Marked (for Tyres) : Yes v. ISI Marked (for Tubes): Yes vi. Structure of Tyre: Diagonal Ply vii. Overall Width (Max) (mm): 221 viii. Outer Diameter (Min)(mm): 793 |

| | | | |
|----|--------------|---|---|
| 4. | HW8845000842 | PNEUMATIC TYRE 6.00 X 16 (TRACTOR FRONT) WITH TUBE FOR TRACTORS | <p>i. Tyres: With Tube</p> <p>ii. Conformity To Indian Standard For Pneumatic Tyres: IS:13154 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply</p> <p>iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest For Automotive Vehicles: Tubes for Pneumatic Tyre.</p> <p>iv. ISI Marked (for Tyres) : Yes</p> <p>v. ISI Marked (for Tubes): Yes</p> <p>vi. Structure of Tyre: Diagonal Ply</p> <p>vii. Overall Width (Max)(mm): 178</p> <p>viii. Outer Diameter (Min)(mm): 722</p> |
| 5. | HW8845000818 | PNEUMATIC TYRE SIZE 16.9X28 WITH TUBE FOR MAHINDRA ARJUN TRACTOR | <p>i. Tyres: With Tube</p> <p>ii. Conformity To Indian Standard For Pneumatic Tyres: IS:13154 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply</p> <p>iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest For Automotive Vehicles: Tubes For Pneumatic Tyre.</p> <p>iv. ISI Marked (for Tyres) : Yes</p> <p>v. ISI Marked (for Tubes): Yes</p> <p>vi. Structure of Tyre: Diagonal Ply</p> <p>vii. Overall Width (Max)(mm): 455</p> <p>viii. Outer Diameter (Min)(mm): 1435</p> |
| 6. | HW8845000877 | PNEUMATIC TYRE SIZE 9.00x16 16 PR WITH TUBE & FLAPS FOR BOBCAT BACKHOE LOADER | <p>i. Tyres: With Tube</p> <p>ii. Conformity To Indian Standard For Pneumatic Tyres: IS:15636 latest for Automotive vehicles: Pneumatic tyre for commercial Vehicles-Diagonal and radial ply</p> <p>iii. Conformity to Indian Standard for Pneumatic Tube: IS: 13098 Latest For Automotive Vehicles: Tubes For Pneumatic Tyre.</p> <p>iv. ISI Marked (for Tyres) : Yes</p> <p>v. ISI Marked (for Tubes): Yes</p> <p>vi. Structure of Tyre: Diagonal Ply</p> <p>vii. Overall Width (Max)(mm): 270</p> <p>viii. Outer Diameter (Min)(mm): 877</p> |

** These tyres are required along with tube and flaps (as applicable).

** Warranty is required of minimum 12 months from the date of receipt of material at BHEL, Haridwar.

** PQR is attached.


Indent No.: s/6230/2022/2150/A

Annexure-B

Pre-Qualifying Requirement (PQR) for the Vendors for supplying Pneumatic Tyres


Ref.: MPR No: 20220388, Rev. No. 2 dated 01-12-2022

1. Vendor should be either Manufacturer or authorized dealer/retailer. Vendor shall provide relevant documents like "Manufacturing Unit registration/ GSTIN registration" etc. in case of vendor is manufacturer, or "Valid authorization/dealership certificate" in case of vendor is dealer, in support of this PQR.
2. Manufacturer of the offered Tyres must be ISO-9001 certified. Bidder shall submit copy of valid ISO-9001 certificate of the 'manufacturer' in this regard.
3. Vendor should have executed order(s) of supplying Tyres & Tubes having aggregate value of Rs. 1,60,000/- (Rs. One Lakh Sixty Thousand only) or more (including taxes) in any particular Financial Year (2019-20 or 2020-21 or 2021-22). Vendors shall submit "Purchase order(s) along with respective Dispatch documents/Invoice/Work Completion certificate" in this regard.


01-12-2022
Tirthankar Saha

Dy. Engineer (MT- Auto Garage)

Dy. Manager (WE&S-Motor Transport)


01/12/22