

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	13-04-2026 14:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	13-04-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
विभाग का नाम / Department Name	Department Of Heavy Industry
संगठन का नाम / Organisation Name	Bharat Heavy Electricals Limited (bhel)
कार्यालय का नाम / Office Name	10020009-cffp Haridwar
कुल मात्रा / Total Quantity	19880
वस्तु श्रेणी / Item Category	PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 (Q2) , PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 (Q2) , PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 (Q2) , Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 (Q2) , XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) (Q2) , PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (Q2)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी / Number of days for which Bid would be auto-extended	4
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है / Number of Auto Extension count	1

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
क्रेता के लिए उपलब्ध आईटीसी/ITC available to buyer	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match

L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Pvc Insulated Unsheathed Cable With Flexible Conductor Isi Marked To Is 694	2880
Schedule 2	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	2300
Schedule 3	Pvc Insulated Unsheathed Cable With Flexible Conductor Isi Marked To Is 694	2700
Schedule 4	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (v2) Isi Marked To Is 694	500
Schedule 5	Flat Cable, Copper Conductor With Pvc Insulation And Sheathed Isi Marked To Is 694	500
Schedule 6	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	700
Schedule 7	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	2000
Schedule 8	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	800
Schedule 9	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	1600
Schedule 10	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	1000

Schedule 11	Xlpe Cable For Working Voltage Up To And Including 1.1 Kv Marked To Is 7098 (part 1)	500
Schedule 12	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (v2) Isi Marked To Is 694	500
Schedule 13	Pvc Insulated (heavy Duty) Electric Cables Marked To Is 1554 (part 1) (v2)	500
Schedule 14	Pvc Insulated (heavy Duty) Electric Cables Marked To Is 1554 (part 1) (v2)	1000
Schedule 15	Pvc Insulated (heavy Duty) Electric Cables Marked To Is 1554 (part 1) (v2)	200
Schedule 16	Pvc Insulated (heavy Duty) Electric Cables Marked To Is 1554 (part 1) (v2)	1000
Schedule 17	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	300
Schedule 18	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (v2) Isi Marked To Is 694	500
Schedule 19	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (v2) Isi Marked To Is 694	100
Schedule 20	Pvc Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (v2) Isi Marked To Is 694	300

PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694 (2880 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Cable category	FR, FR-LSH
	Number of Core	1
	Nominal Area of Conductor (in Sq mm)	1
	Type of Insulation	Type D

Additional Specification Parameters - PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694 (2880 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED UNSHEATHED, MULTISTRAND FLEXIBLE COPPER CABLE, GR.1.1KV, AS PER IS:694 1990 SIZE 1X 1 SQMM.	As per Material Description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	2880	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (2300 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper, Annealed Tinned Copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	2.5
	Type of Insulation	Type C (HR)
	Number of Core	1 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (2300 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED UNSHEATHED COPP-ER CONDUCTOR SINGLE CORE MULTISTRAND FLEXIBLE WIRE. GRADE- 1.1KV, CONFIRMING TO IS:694 1990, SIZE 1 X 2.5 SQ MM.	As per Material Description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	2300	45

PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694 (2700 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Cable category	FR, FR-LSH
	Number of Core	1
	Nominal Area of Conductor (in Sq mm)	1.5
	Type of Insulation	Type D

Additional Specification Parameters - PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694 (2700 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED UNSHEATHED COPP-ER CONDUCTOR SINGLE CORE MULTISTRAND FLEXIBLE WIRE, GRADE- 1.1KV, CONFIRMING TO IS:694 1990 SIZE 1 X 1.5 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	2700	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Construction Type	Single Core Cable
	No of core	1.0

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	16.0
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper, Annealed bare copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED CU CONDUCTOR FLEXIBLE CABLE,1.1KVGRADE, CONFIRMING IS:694-1990 SIZE 1 X16 SQ MM.	As per Material Description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

Flat Cable, Copper Conductor With PVC Insulation And Sheathed ISI Marked To IS 694 (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Type of Insulation	Type C (HR)
	Number of Core	2
	Conductor Material	Plain copper
	Nominal Area of Conductor (in Sq.mm)	0.5
	Provision of Tape Between the Cores and Outer Sheath	Yes, No

Additional Specification Parameters - Flat Cable, Copper Conductor With PVC Insulation And Sheathed ISI Marked To IS 694 (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description : PVC INSULATED PVC SHEATHED UNARMoured, COPPER CONDUCTOR, FLEXIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990. SIZE: 2 X 0.5 SQMM.	As per Material Description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (700 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ / Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	1.0
	Type of Insulation	Type C (HR)
	Number of Core	2 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (700 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED UNARMoured, COPPER CONDUCTOR, FLEXIBLE CABLE, GRADE 1.1 KV, CONFIRMING TO IS:694 1990. SIZE: 2 X 1 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	700	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (2000 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	1.5
	Type of Insulation	Type C (HR)
	Number of Core	2 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (2000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED, UN-ARMoured, COPPER CONDUCTOR, FLE-XIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990 SIZE 2 X 1.5 SQMM.	As per Material Description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	2000	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (800 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	2.5
	Type of Insulation	Type C (HR)
	Number of Core	2 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (800 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED UN-ARMoured, COPPER CONDUCTOR, FLE-XIBLE CABLE, GRADE 1.1KV, CONFI-RMING TO IS:694 1990 SIZE 2 X 2.5 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	800	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (1600 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	1.5
	Type of Insulation	Type C (HR)
	Number of Core	3 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (1600 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description : PVC INSULATED PVC SHEATHED UN-ARMoured, COPPER CONDUCTOR, FLE-XIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990 SIZE 3 X 1.5 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	1600	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (1000 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	2.5
	Type of Insulation	Type C (HR)
	Number of Core	3 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (1000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED UN-ARMoured, COPPER CONDUCTOR, FLE-XIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990.SIZE 3 X 2.5 SQMM	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	1000	45

XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARD	Cables suitable for use in mines	No
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq mm)	25
	Number of Cores	3
CONSTRUCTION	Material of Conductor	Aluminium
	Construction of the conductor	Stranded and shaped
	Type of Inner Sheath	Thermoplastic
ARMOURING	Type of Cable	Armoured cable
	Material of Armouring	Galvanized steel formed wire
	Type of Armouring	Single strip

Additional Specification Parameters - XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1) (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED AND PVC SHEATHED ARMOURED, ALUMINIUM CONDUCTOR CABLE GRADE 1.1KV, CONFIRMING TO IS:1554(PART-1)1988AMMENDED SIZE 3 X 25 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Construction Type	Multicore Cords Cable
	No of core	3.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	35.0
	Conductor material (Complying with IS:8130:1984 latest)	Annealed bare copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED CU CONDUCTOR, FLEXIBLE CABLE, CORE COLOUR CODED,1.1KV GRADE, CONFIRMING TO IS:694-1990 SIZE 3X35 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Nominal Area of Conductor (in Sq mm)	25
	Number of Cores	3.5
	Material of Conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of Armouring	Galvanized steel formed wire (strip) armoured
	Type of Outer Sheath	Type-ST 1 (General Purpose Insulation)
	Improved Fire Performance - Cable Category	1
CERTIFICATION	Availability of Optional Test Reports [Hint: Products matching all selected values will be displayed; For example, if both 'Cold bend test' and 'Cold impact test' are selected, product that include both options will be shown]	Cold bend test, Cold impact test, Armour resistance test, Not applicable

Additional Specification Parameters - PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED ALUMINIUM CONDUCTOR, ARMoured CABLE, GRADE 1.1KV, CONFIRMING TO IS:1554 (PART-1)1988. SIZE 3&1/2X25 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (1000 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Nominal Area of Conductor (in Sq mm)	35
	Number of Cores	3.5
	Material of Conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of Armouring	Galvanized steel formed wire (strip) armoured
	Type of Outer Sheath	Type-ST 1 (General Purpose Insulation)
	Improved Fire Performance - Cable Category	1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CERTIFICATION	Availability of Optional Test Reports [Hint: Products matching all selected values will be displayed; For example, if both 'Cold bend test' and 'Cold impact test' are selected, product that include both options will be shown]	Cold bend test, Cold impact test, Armour resistance test, Not applicable

Additional Specification Parameters - PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (1000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED & PVC SHEATHED ARMOURED, ALUMINIUM CONDUCTOR CABLE, GRADE 1.1KV, CONFIRMING TO IS:1554(PART-1)1988. SIZE 3&1/2 X 35 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	1000	45

PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (200 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Nominal Area of Conductor (in Sq mm)	185
	Number of Cores	3.5
	Material of Conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of Armouring	Galvanized steel formed wire (strip) armoured
	Type of Outer Sheath	Type-ST 1 (General Purpose Insulation)
	Improved Fire Performance - Cable Category	1
CERTIFICATION	Availability of Optional Test Reports [Hint: Products matching all selected values will be displayed; For example, if both 'Cold bend test' and 'Cold impact test' are selected, product that include both options will be shown]	Cold bend test, Cold impact test, Armour resistance test, Not applicable

Additional Specification Parameters - PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (200 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED, PVC SHEATHED ARMOURED ALUMINIUM CONDUCTOR CABLE, GRADE 1100V, CONFIRMING TO IS:1554(PART-1)1988. SIZE 3&1/2 X 185 SQMM.	As per material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	200	45

PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (1000 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Nominal Area of Conductor (in Sq mm)	300
	Number of Cores	3.5
	Material of Conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of Armouring	Galvanized steel formed wire (strip) armoured
	Type of Outer Sheath	Type-ST 1 (General Purpose Insulation)
	Improved Fire Performance - Cable Category	1
CERTIFICATION	Availability of Optional Test Reports [Hint: Products matching all selected values will be displayed; For example, if both 'Cold bend test' and 'Cold impact test' are selected, product that include both options will be shown]	Cold bend test, Cold impact test, Armour resistance test, Not applicable

Additional Specification Parameters - PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (1000 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED, PVC SHEATHED, ALUMINIUM CONDUCTOR, ARMoured, POWER CABLE.GRADE 1100V, CONFIRMING TO IS:1554(PART-1) SIZE 3&1/2 X 300 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	1000	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (300 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper
	Form of Conductor	Stranded (Class 2)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	1.5
	Type of Insulation	Type C (HR)
	Number of Core	4 Core
	Sheath Type	Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (300 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED UN-ARMoured, COPPER CONDUCTOR, FLE-XIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990.SIZE 4 X 1.5 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (500 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category of Cable	FR, FR-LSH
	Conductor Material	Annealed Bare copper, Annealed Tinned Copper
	Form of Conductor	Stranded (Class 2)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Cross Sectional Area of Conductor (in Sq mm)	2.5
	Type of Insulation	Type A, Type C (HR)
	Number of Core	4 Core
	Sheath Type	Type ST1, Type ST2 (HR)

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694 (500 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED UNARMoured, COPPER CONDUCTOR, FLEXIBLE CABLE, GRADE 1.1KV, CONFIRMING TO IS:694 1990. SIZE 4 X 2.5 SQMM.	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	500	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (100 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Construction Type	Multicore Cable
	No of core	12.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	0.5
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper, Annealed bare copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (100 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Material Description: PVC INSULATED PVC SHEATHED, UNARMoured, COPPER CONDUCTOR, FLEXIBLE CABLE, GRADE1.1KV, CONFIRMING TO IS:694 1990. SIZE:12X0.5 SQMM	As per Material description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	100	45

PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (300 meter)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Cable Construction Type	Multicore Cable
	No of core	16.0
	Nominal Cross Sectional Area of Conductor (in Sq mm)	0.5, 0.75, 1.0, 1.5, 2.5
	Conductor material (Complying with IS:8130:1984 latest)	Annealed Tinned Copper, Annealed bare copper

Additional Specification Parameters - PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694 (300 meter)

Specification Parameter Name	Bid Requirement (Allowed Values)
Nominal Cross Sectional Area of Conductor (in Sq mm)	1.5
Material Description: PVC INSULATED, PVC SHEATHED UNARMORED, MULTI STRAND COPPERCABLE, 1.1KV GRADE, CONFIRMING TO IS:694(LATEST). SIZE 16X1.5 SQ MM.	as per mentioned description

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess
100%	NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kumar Siddhartha	249403,Central Foundry Forge Plant, BHEL, Ranipur, Haridwar	300	45

Buyer added Bid Specific Additional Scope of Work

क्र.सं./S.N o.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	Annexure 1 View	All bidder to submit dually filled, signed and stamped copy as confirmation to supply item as per BHEL requirement.	PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694(2880),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(2300),PVC Insulated Unsheathed Cable With Flexible Conductor ISI Marked To IS 694(2700),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694(500),Flat Cable, Copper Conductor With PVC Insulation And Sheathed ISI Marked To IS 694(500),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(700),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(2000),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(800),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(1600),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(1000),XLPE Cable For Working Voltage Up To And Including 1.1 KV Marked To IS 7098 (Part 1)(500),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694(500),PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)(500),PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) (1000),PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)(200),PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)(1000),PVC Insulated

क्र.सं./S.No.	Document Title	Description	Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked रिवेस प्रमाण के अनुसार जोड़ा/ Applicable I.T.O. Items
			To IS 694(300),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Rigid Conductor (V2) ISI Marked To IS 694(500),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694(100),PVC Insulated Copper Cable Single Core And Multi Core Circular Sheathed With Flexible Conductor (V2) ISI Marked To IS 694(300)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

2. Generic :Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic: Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

- 4. Generic: While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.**
- 5. Generic :Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.**

ATC clauses

1. Guarantee Certificate is required for the period of one year from the date of supply.
2. Guarantee against manufacturing defect is required.
3. Test and guarantee certificate required as per relevant IS.
4. Minimum roll size for all items should be 90-100 M, except for item no 11 to 14 & 16 with +/- 10 % quantity variation for these items.
5. For item no 11 to 14 & 16, minimum roll size should be 500 M and +/- 5 % quantity variation shall be acceptable.
6. Early delivery acceptable.
7. Final inspection will be done at CFFP stores.
8. Please check all terms mentioned in Bid specific documents attached in the bid and confirm all the points.

9. PAYMENT TERMS:

a) Payment:

100 % payment shall be released within no. of days (mentioned in the below table) after Receipt and Acceptance of Material / Item at CFFP, BHEL-Store subject to submission of non-discrepant documents within 15 days of supply as per terms and conditions of Purchase Order. In case any discrepancy found in the documents, BHEL will notify the same to vendor. Vendor has to clear all the discrepancies in one go within 7 days thereafter else the payment may get delayed. BHEL reserves the right to accept or reject the offer of the bidder who quotes the payment term other than BHEL's standard payment term.

The payment shall be made within no. of days as defined in the below table from appointed day

Type of Bidder	Within Number of Days
Micro & Small Enterprises (MSEs)	45 Days
Medium Enterprises	60 Days
Non MSME	90 Days

Appointed day means

- The day of material entry in CFFP (i.e. CISF Stamp date), subject to submission of non-discrepant documents by vendor as per Purchase Order.

or

• Where there is any objection regarding acceptance of goods, the same shall be informed to supplier with in fifteen days from the day of the delivery of goods. Appointed day will be the day on which such objection is removed by the supplier.

However, GST amount shall be reimbursed in line with compliance to Cl. No. 4 (Taxes & Duties) above.

a) NO INTEREST PAYABLE TO CONTRACTOR

No interest shall be payable on the security deposit or any other money due to the Supplier. Loading is not applicable.

Suppliers/Contractors may track payment status of their invoices using BHEL Unified Supplier Payment (USP) Portal - <https://uspp.bhel.in>.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---