

# General Conditions of Contract

(Common for Power Sector Regions)

2021

## TABLE OF CONTENTS

### 1. **Chapter-1**: General Instructions to Tenderers

- 1.1. Despatch Instructions
- 1.2. Submission of Tenders
- 1.3. Language
- 1.4. Price Discrepancy
- 1.5. Qualification of Tenderers
- 1.6. Evaluation of Bids
- 1.7. Data to be enclosed
- 1.8. Authorization and Attestation
- 1.9. Earnest Money Deposit
- 1.10. Security Deposit
- 1.11. Return of Security Deposit
- 1.12. Bank Guarantee
- 1.13. Validity of offer
- 1.14. Execution of Contract Agreement
- 1.15. Rejection of Tender and other Conditions
- 1.16. Intimation of change of name/re-constitution of the Organization

### 2. **Chapter-2**

- 2.1. Definitions
- 2.2. Law Governing Contract and Court Jurisdiction
- 2.3. Issue of Notice
- 2.4. Use of Land
- 2.5. Commencement of Work
- 2.6. Measurement of Work and Mode of Payment
- 2.7. Rights of BHEL

- 2.8. Responsibilities of Contractor in respect of Local Laws, Employment of Workers etc
- 2.9. Progress Monitoring, Monthly Review and Performance Evaluation
- 2.10. Time of Completion
- 2.11. Extension of Time for Completion
- 2.12. Over Run Compensation
- 2.13. Interest Bearing Recoverable Advances
- 2.14. Quantity Variation
- 2.15. Extra Works
- 2.16. Supplementary Items
- 2.17. Price Variation Clause
- 2.18. Insurance
- 2.19. Strikes & Lockout
- 2.20. Force Majeure
- 2.21. Arbitration and Conciliation
- 2.22. Retention Amount
- 2.23. Payments
- 2.24. Performance Guarantee for Workmanship
- 2.25. Closing of Contracts
- 2.26. Suspension of Business Dealings
- 2.27. Limitation on Liability
- 2.28. Other Issues

## **CHAPTER -1**

### **1. GENERAL INSTRUCTION TO TENDERERS**

#### **1.1. DESPATCH INSTRUCTION**

- i) The General Conditions of Contract form part of the Tender specifications. **All pages of the tender documents shall be duly signed, stamped and submitted along with the offer in token of complete acceptance thereof. (For E-Tender, bidders shall use electronic Signature viz Digital Signature Certificate while uploading on the e-procurement portal.** The information furnished shall be complete by itself. The tenderer is required to furnish all the details and other documents as required in the following pages.
- ii) Tenderers are advised to study all the tender documents carefully. Any submission of tender by the tenderer shall be deemed to have been done after careful study and examination of the tender documents and with the full understanding of the implications thereof. Should the tenderers have any doubt about the meaning of any portion of the Tender Specification or find discrepancies or omissions in the drawings or the tender documents issued are incomplete or shall require clarification on any of the technical aspect, the scope of work etc., he shall at once, contact the authority inviting the tender well in time (so as not to affect last date of submission) for clarification before the submission of the tender. Tenderer's request for clarifications shall be with reference to Sections and Clause numbers given in the tender documents. The specifications and terms and conditions shall be deemed to have been accepted by the tenderer in his offer. Non-compliance with any of the requirements and instructions of the tender enquiry may result in the rejection of the tender.
- iii) Integrity pact (IP) shall be applicable for all tenders / contracts if indicated in NIT. This integrity pact shall be issued as part of the Tender documents and shall be submitted by the bidder along with Techno-commercial bid duly filled, signed and stamped by the authorized signatory who signs the bid. Only those vendors / bidders who have entered into such an IP with BHEL shall be considered qualified to participate in the bidding. Entering into this pact shall be a preliminary qualification.

#### **1.2. SUBMISSION OF TENDERS**

- 1.2.1 The tenderers must submit their tenders to Officer inviting tender as per instructions in the NIT.
- 1.2.2 Tenders submitted by post (i.e. by 'REGISTERED POST / by COURIER') shall be sent with due allowance for any postal/courier delays. BHEL takes no responsibility for delay, loss or non-receipt of tenders sent by post/courier. **The tenders received after the specified time of their submission are treated as 'Late Tenders' and shall not be considered under any circumstances.** Offers received by Email shall be considered as per terms of NIT. E-Tenders shall be submitted through E-Procurement portal as per instruction in NIT. Tenderers to upload offers well in advance in order to avoid last minute congestion in e-procurement website. However, after submission of the tender, the tenderer can re-submit revised tender but before due date and time of submission of tender as notified.
- 1.2.3 Tenders shall be opened by Officer of BHEL at the time and date as specified in the NIT, in the presence of such of those tenderers or their authorized representatives who would like to be present (In case of Manual Tenders). BHEL reserves the right to go ahead with opening of the

Tender even in case of no representative is present on the specified date and time. For e-tenders, bidders may mark their presence online through provisions available in e-procurement portal.

- 1.2.4 Tenderers whose bids are found techno commercially qualified shall be informed about the date and time of opening of the Price Bids and such Tenderers may depute their representatives to witness the opening of the price bids (In case of Manual Tenders). BHEL's decision in this regard shall be final and binding.
- 1.2.5 Before submission of Offer, the tenderers are advised to inspect the site of work and the environments and be well acquainted with the actual working and other prevalent conditions, facilities available, position of material and labour, means of transport and access to Site, accommodation etc. No claim will be entertained later on the grounds of lack of knowledge of any of these conditions.

The tenderer may get aware about weather conditions, contingencies & other circumstances which may influence or affect their tender prices. Invariable of inspection by the tenderer, the tenderer shall be considered deemed acquainted with all site conditions such as rain patterns, hazardous conditions, soil patterns, local factors etc. Tenderer to have satisfied himself in all respect before quoting his rates and no claim will be entertained later on the grounds of lack of knowledge of any of these conditions.

### **1.3. LANGUAGE**

- 1.3.1 The tenderer shall quote the rates in English language and international numerals. These rates shall be entered in figures as well as in words. Tenderers are requested to refer the clauses of NIT/ Vol-II "Price Bid" for more details. For the purpose of the tenders, the metric system of units shall be used.
- 1.3.2 All entries in the tender shall either be typed or written legibly in ink. Erasing and over-writing is not permitted and may render such tenders liable for rejection. All cancellations and insertions shall be duly attested by the tenderer.

### **1.4 PRICE DISCREPANCY:**

- 1.4.1 **Price Bid opening:** During opening of price bids (submitted through conventional method or through E-Procurement system), if there is any difference between the amount in figures and in words, the amount quoted by the bidder in words shall be taken as correct.
- 1.4.2 **Reverse Auction:** In case of Reverse Auction, the successful bidder shall undertake to execute the work as per overall price offered by him during the Reverse Auction process. (Guidelines as available on [www.bhel.com](http://www.bhel.com) on "supplier registration page").

### **1.5 QUALIFICATION OF TENDERERS**

- i) Only tenderers who have previous experience in the work of the nature and description detailed in the Notice Inviting Tender and/or tender specification are expected to quote for this work duly detailing their experience along with offer.
- ii) Offers from tenderers who do not have proven and established experience in the field shall not be considered.
- iii) The offers of the bidders who are on the banned/ hold list and also the offer of the bidders, who engage the services of the banned/ hold firms, shall be rejected. The list of **banned/ hold firms** is available on BHEL web site [www.bhel.com](http://www.bhel.com). (Refer clause 28.0 of NIT)
- iv) Offers from tenderers who do not comply with the latest guidelines of Ministry/Commissions of Govt. of India shall not be considered.

**1.6. EVALUATION OF BIDS**

- i) Technical Bids submitted by the tenderer will be opened first and evaluated for fulfilling the Pre-Qualification criteria and other conditions in NIT/Tender documents, based on documentary evidences submitted along with the offer
- ii) In case the same qualifying experience is claimed by more than one agency, then the agency who has executed the work as per documentary evidence submitted shall only be qualified. Scope of qualifying work should be totally with the agency who has executed and in case it is only labour and consumables without T&P, then the responsibility of execution is assigned to the first agency and not to the agency who has executed only as labour supply contractor. Further, BHEL reserves the right to ask for further proofs including submission of TDS certificates for the said job.
- iii) In case the qualifying experience is claimed by private organizations based on Work Order and completion certificates from another private organization, BHEL reserves the right to ask for further proofs like TDS certificates, labour license, etc. for the said job.
- iv) Assessing Bidder's Capacity for executing the current tender shall be as per Notice Inviting Tender.
- v) Price Bids of shortlisted bidders shall only be opened either through the conventional/electronic price bid opening with/without Reverse Auction, at the discretion of BHEL. Unless specified otherwise in the tender, the L1 bidder amongst all the shortlisted bidders shall be considered for award. However, the L1 bidder shall have no claim on the award & BHEL reserves the right to award the tender at its sole discretion.
- vi) Price Bids of unqualified bidders shall not be opened. Reasons for rejection shall be intimated in due course after issue of LOI/LOA to successful bidder either through system generated e-mail or through letter/e-mail.
- vii) Bidders are advised to also refer to clause no 2.9.4 regarding evaluation of their performance in ongoing projects for the current tender.

**1.7. DATA TO BE ENCLOSED**

Full information shall be given by the tenderer in respect of the following. Non-submission of this information may lead to rejection of the offer.

- i) **INCOME TAX PERMANENT ACCOUNT NUMBER**  
Certified copies of Permanent Account Numbers as allotted by Income Tax Department for the Company/Firm/Individual Partners etc. shall be furnished along with tender.
- ii) **ORGANIZATION CHART**  
The organization chart of the tenderer's organization, including the names, addresses and contact information of the Directors/Partners shall be furnished along with the offer.
- iii) An attested copy of the Power of Attorney, in case the tender is signed by an individual other than the sole proprietor.
- iv) **IN CASE OF INDIVIDUAL TENDERER:**  
His / her full name, address, PAN and place & nature of business.
- v) **IN CASE OF PARTNERSHIP FIRM:**  
The names of all the partners and their addresses, A copy of the partnership deed/instrument of partnership duly certified by the Notary Public shall be enclosed.
- vi) **IN CASE OF COMPANIES:**
  - a) Date and place of registration including date of commencement certificate in case of Public Companies (certified copies of Memorandum and articles of Association are also to be furnished).
  - b) Nature of business carried on by the Company and the provisions of the Memorandum relating thereof.

**1.8 AUTHORIZATION AND ATTESTATION**

Tenders shall be signed by a person duly authorized/empowered to do so, for which a Power of Attorney is to be submitted along with the tender offer. For company, a Power of Attorney (as per

format in Volume-I D) shall be submitted.

**1.9 EARNEST MONEY DEPOSIT**

1.9.1 Every tender must be accompanied by the prescribed amount of Earnest Money Deposit (EMD) in the manner described herein.

- i) EMD shall be furnished before tender opening / along with the offer in full as per the amount indicated in the NIT.
- ii) The EMD is to be paid only in the following forms:
  - a) Cash deposit as permissible under the extant Income Tax Act (before tender opening).
  - b) Electronic Fund Transfer credited in BHEL account (before tender opening).
  - c) Banker's cheque / Pay order / Demand draft, in favour of 'Bharat Heavy Electricals Limited' and payable at Regional HQ issuing the tender (along with offer).
  - d) Fixed Deposit Receipt (FDR) issued by Scheduled Banks/ Public Financial Institutions as defined in the Companies Act (FDR should be in the name of the Contractor, a/c BHEL) (along with offer). The Fixed Deposit in such cases shall be valid for at least six months from the due date of tender submission.

In case EMD amount is more than Rs. Two Lakhs, Tenderer has the option to submit Rs. Two lakhs in the forms described above in clause no. 1.9.1. (a) to (d) and the remaining amount over and above Rs. Two Lakhs in the form of Bank Guarantee from Scheduled Bank (along with the Offer). The Bank Guarantee in such cases shall be valid for at least six months from the due date of tender submission. The Bank Guarantee format for EMD shall be in the prescribed formats.

iii) No other form of EMD remittance shall be acceptable to BHEL.

1.9.2 EMD by the Tenderer will be forfeited as per NIT conditions, if:

- i) After opening the tender and within the offer validity period, the tenderer revokes his tender or makes any modification in his tender which is not acceptable to BHEL.
- ii) The Contractor fails to deposit the required Security deposit or commence the work within the period as per LOI/ LOA/ Contract.  
EMD by the tenderer shall be withheld in case any action on the tenderer is envisaged under the provisions of extant "Guidelines on Suspension of business dealings with suppliers/ contractors" and forfeited/ released based on the action as determined under these guidelines.

1.9.3 EMD shall not carry any interest.

1.9.4 EMD given by all unsuccessful tenderers shall be refunded normally within fifteen days of award of work.

1.9.5 Cash portion of EMD of successful tenderer will be retained as part of Security Deposit. EMD submitted in the form of Bank Guarantee/ FDR shall be retained by BHEL until the receipt of at least 50% of the Security Deposit.

**1.10 SECURITY DEPOSIT**

1.10.1 (i) Upon acceptance of Tender, the successful Tenderer should deposit the 3% of the contract value as Security Deposit towards fulfilment of any obligations in terms of the provisions of the contract.

1.10.1 (ii) Bidder agrees to submit performance security required for execution of the contract within the time period mentioned in clause 1.10.2. In case of delay in submission of Security Deposit, interest

(SBI rate + 6%) for the delayed period on the amount of SD due for submission, shall be submitted by the bidder. Further, if performance security is not submitted till such time the first bill becomes due, the amount of performance security due shall be recovered as per terms defined in NIT / contract, from the bills along with due interest as mentioned herein above.

1.10.1 (iii) Bidder agrees to submit the Security Deposit as above for execution of the contract within the time period.

1.10.2 (i) For contracts exceeding Rs 20 lakhs, the security Deposit should be furnished before start of the work by the contractor. If requested by the contractor, cash recovery of initial 50% of the specified Security Deposit, including the retained EMD can be made from bills submitted by contractor. For such delay in submission of initial 50% of the required Security Deposit for execution of the contract, interest shall be levied for the delayed period of submission at (SBI rate + 6%) on the security required to be submitted. Balance 50% Security deposit shall be recovered at the rate of 10% of the gross amount progressively from each of the running bills of the contractor till the total amount of the required security deposit is collected.

1.10.2 (ii) In case of small value contracts not exceeding Rs. 20 lakhs, work can be started before the required Security Deposit is collected.

1.10.2 (iii) Payment can be released only after collection/ recovery of initial 50% Security Deposit.

1.10.3 The balance amount to make up the required Security Deposit of 5% of the contract value may be accepted in the following forms.

- i) Cash (as permissible under the extant Income Tax Act).
- ii) Local cheques of Scheduled Banks (subject to realization)/ Pay Order/ Demand Draft/ Electronic Fund Transfer in favour of BHEL.
- iii) Securities available from Indian Post offices such as National Savings Certificates, Kisan Vikas Patras etc. (held in the name of Contractor furnishing the security and duly endorsed/ hypothecated/ pledged, as applicable, in favour of BHEL).
- iv) Bank Guarantee from Scheduled Banks/ Public Financial Institutions as defined in the Companies Act. The Bank Guarantee format for Security Deposit shall be in the prescribed formats.
- v) Fixed Deposit Receipt issued by Scheduled Banks/ Public Financial Institutions as defined in the Companies Act (FDR should be in the name of the Contractor, a/c BHEL).
- vi) Security deposit can also be recovered at the rate of 10% of the gross amount progressively from each of the running bills of the contractor till the total amount of the required security deposit is collected. However, in such cases at least 50% of the required Security Deposit, including the EMD, should be deposited in any form as prescribed before start of the work and the balance 50% may be recovered from the running bills as described above.

**Note:** BHEL will not be liable or responsible in any manner for the collection of interest or renewal of the documents or in any other matter connected therewith.

1.10.4 The Security Deposit shall not carry any interest.

1.10.5 In case the value of work exceeds the awarded / accepted value, the Security Deposit shall be correspondingly enhanced as given below:

- i) The enhanced part of the Security Deposit shall be immediately deposited by the Contractor or adjusted against payments due to the Contractor.

- ii) Contract value for the purpose of operating the increased value of Security Deposit due to Quantity Variation, shall be exclusive of Price Variation Clause, Over Run Compensation and Extra works done on manday rates.
  - iii) The recoveries made from running bills (cash deduction towards balance SD amount) can be released against submission of equivalent Bank Guarantee in acceptable form, but only once, before completion of work, with the approval of competent authority of BHEL.
- 1.10.6 The validity of Bank Guarantees towards Security Deposit shall be initially up to the completion period as stipulated in the Letter of Intent/ Award + Guarantee Period + 3 months, and the same shall be kept valid by proper renewal by the contractor till the acceptance of Final Bills of the Contractor by BHEL.
- 1.10.7 BHEL reserves the right of forfeiture of Security Deposit in addition to other claims and penalties in the event of the Contractor's failure to fulfill any of the contractual obligations or in the event of termination of contract as per terms and conditions of contract. BHEL reserves the right to set off the Security Deposit against any claims of other contracts with BHEL.
- 1.11 RETURN OF SECURITY DEPOSIT**  
Security Deposit shall be released to the contractor upon fulfillment of contractual obligations as per terms of the contract including completion of Guarantee Period after deducting all expenses / other amounts due to BHEL under the contract / other contracts entered into with them by BHEL.
- 1.12 BANK GUARANTEES**  
Where ever Bank Guarantees are to be furnished/submitted by the contractor, the following shall be complied with
- i) Bank Guarantees shall be from Scheduled Banks / Public Financial Institutions as defined in the Companies Act. Bank Guarantees issued by Co-Operative Banks/ Financial Institutions shall not be accepted.
  - ii) The Bank Guarantees shall be as per prescribed formats.
  - iii) It is the responsibility of the bidder to get the Bank Guarantees revalidated/extended for the required period as per the advice of BHEL Site Engineer / Construction Manager. BHEL shall not be liable for issue of any reminders regarding expiry of the Bank Guarantees.
  - iv) In case extension/further extensions of any Bank Guarantees are not required, the bidders shall ensure that the same is explicitly endorsed by the Construction Manager and submitted to the Regional HQ issuing the LOI/LOA.
  - v) In case the Bank Guarantees are not extended before the expiry date, BHEL reserves the right to invoke the same by informing the concerned Bank in writing, without any advance notice/communication to the concerned bidder.
  - vi) Bidders to note that any corrections to Bank Guarantees shall be done by the issuing Bank, only through an amendment in an appropriate non judicial stamp paper.
  - vii) The Original Bank Guarantee shall be submitted to Subcontracting Department of the respective Region of BHEL.
- 1.13 VALIDITY OF OFFER**  
The rates in the Tender shall be kept open for acceptance for a minimum period of **SIX MONTHS** from latest due date of offer submission (including extension, if any). In case BHEL (Bharat Heavy Electricals Ltd) calls for negotiations, such negotiations shall not amount to cancellation or withdrawal of the original offer which shall be binding on the tenderers.

**1.14 EXECUTION OF CONTRACT AGREEMENT**

The successful tenderer's responsibility under this contract commences from the date of issue of the Letter of Intent/ Award by Bharat Heavy Electricals Limited.

The successful tenderer shall be required to execute an agreement in the prescribed form, with BHEL, within a reasonable time after the acceptance of the Letter of Intent/Award, and in any case before releasing the first running bill. The contract agreement shall be signed by a person duly authorized/empowered by the tenderer. The expenses for preparation of agreement document shall be borne by BHEL.

**1.15 REJECTION OF TENDER AND OTHER CONDITIONS**

1.15.3 The acceptance of tender will rest with BHEL which does not bind itself to accept the lowest tender or any tender and reserves to itself full rights for the following without assigning any reasons whatsoever: -

- a. To reject any or all of the tenders.
- b. To split up the work amongst two or more tenderers as per NIT.
- c. To award the work in part if specified in NIT.
- d. In case of either of the contingencies stated in (b) and (c) above, the time for completion as stipulated in the tender shall be applicable.

1.15.4 Conditional tenders, unsolicited tenders, tenders which are incomplete or not in the form specified or defective or have been materially altered or not in accordance with the tender conditions, specifications etc. are liable to be rejected.

1.15.5 Tenders are liable to be rejected in case of unsatisfactory performance of the tenderer with BHEL or tenderer under suspension (hold/banning) by any unit / region / division of BHEL or tenderers who do not comply with the latest guidelines of Ministry/Commissions of Govt of India. BHEL reserves the right to not consider a bidder for further processing of tender in case it is observed that they are overloaded and may not be in a position to execute this job as per the required schedule in line with clause no. 9.0 of the 'NIT'. The decision of BHEL will be final in this regard.

1.15.6 If a tenderer who is a proprietor expires after the submission of his tender or after the acceptance of his tender, BHEL may at their discretion, cancel such tender. If a partner of a firm expires after the submission of tender or after the acceptance of the tender, BHEL may then cancel such tender at their discretion, unless the firm retains its character.

1.15.7 BHEL will not be bound by any Power of Attorney granted by changes in the composition of the firm made subsequent to the execution of the contract. BHEL may, however, recognize such power of Attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the contractor concerned.

1.15.8 If the tenderer deliberately gives wrong information in his tender, BHEL reserves the right to reject such tender at any stage or to cancel the contract if awarded and forfeit the Earnest Money/Security Deposit/any other money due.

1.15.9 Canvassing in any form in connection with the tenders submitted by the Tenderer shall make his offer liable to rejection.

1.15.10 In case the Proprietor, Partner or Director of the Company/Firm submitting the Tender, has any

relative or relation employed in BHEL, the authority inviting the Tender shall be informed of the fact as per specified format, along with the Offer. Failing to do so, BHEL may, at its sole discretion, reject the tender or cancel the contract and forfeit the Earnest Money/Security Deposit.

- 1.15.11 The successful tenderer should not sub-contract part or complete work detailed in the tender specification undertaken by him without written permission of BHEL's Construction Manager/Site in charge. The tenderer is solely responsible to BHEL for the work awarded to him.
- 1.15.12 The Tender submitted by a techno commercially qualified tenderer shall become the property of BHEL who shall be under no obligation to return the same to the bidder. However unopened price bids and late tenders shall be returned to the bidders, in case of Conventional/ Paper bid.
- 1.15.13 Unsolicited discount received after the due date and time of Bid Submission shall not be considered for evaluation. However, if the party who has submitted the unsolicited discount/rebate becomes the L-1 party, then the awarded price i.e. contract value shall be worked out after considering the discount so offered.
- 1.15.14 BHEL shall not be liable for any expenses incurred by the bidder in the preparation of the tender irrespective of whether the tender is accepted or not.

**1.16 INTIMATION OF CHANGE OF NAME/RE-CONSTITUTION OF THE ORGANIZATION**

In the event of the organization (Proprietorship/Partnership/Company) undergoing any change of name or reconstitution, prior intimation of the same shall be given to BHEL. Upon such changes coming into effect, the same is to be intimated to BHEL immediately with supporting documents as applicable. Further, the new entity has to intimate BHEL in writing that they will honor all the earlier commitments in respect of the subject contract.

## CHAPTER-2

2.1 **DEFINITION:** The following terms shall have the meaning hereby assigned to them except where the context otherwise requires

- i) BHEL shall mean Bharat Heavy Electricals Limited (of the respective Power Sector Region inviting the Tender), a company registered under Indian Companies Act 1956, with its Registered Office at BHEL HOUSE, SIRI FORT, NEW DELHI – 110 049, or its Power Sector Regional Offices or its Authorized Officers or its Site Engineers or other employees authorized to deal with any matters with which these persons are concerned on its behalf.
- ii) “EXECUTIVE DIRECTOR” or “GENERAL MANAGER (In- charge)” or “GENERAL MANAGER” shall mean the Officer in Administrative charge of the respective Power Sector Region.
- iii) “COMPETENT AUTHORITY” shall mean BHEL Officers who are empowered to act on behalf of BHEL.
- iv) “ENGINEER” or “ENGINEER IN CHARGE” shall mean an Officer of BHEL as may be duly appointed and authorized by BHEL to act as “Engineer” on his behalf for the purpose of the Contract, to perform the duty set forth in this General Conditions of Contract and other Contract documents. The term also includes ‘CONSTRUCTION MANAGER’ or ‘SITE INCHARGE’ as well as Officers at Site or at the Headquarters of the respective Power Sector Regions.
- v) “SITE” shall mean the places or place at which the plants/equipments are to be erected and services are to be performed as per the specification of this Tender.
- vi) “CLIENT OF BHEL” or “CUSTOMER” shall mean the project authorities with whom BHEL has entered into a contract for supply of equipments or provision of services.
- vii) “CONTRACTOR” shall mean the successful Bidder/Tenderer who is awarded the Contract and shall include the Contractor’s successors, heirs, executors, administrators and permitted assigns.
- viii) “CONTRACT” or “CONTRACT DOCUMENT” shall mean and include the Agreement of Work Order, the accepted appendices of Rates, Schedules, Quantities if any, Offer submitted by contractor including acceptance to General Conditions of Contract, Special Conditions of Contract, Instructions to the Tenderers, Drawings, Technical Specifications, the Special Specifications if any, the Tender documents, subsequent amendments /corrigendum to Tender mutually agreed upon and the Letter of Intent/Award/Acceptance issued by BHEL. Any conditions or terms stipulated by the contractor in the tender documents or subsequent letters shall not form part of the contract unless, specifically accepted in writing by BHEL in the Letter of Intent/Award and incorporated in the agreement or amendment thereof.
- ix) “GENERAL CONDITIONS OF CONTRACT” shall mean the ‘Instructions to Tenderers’ and ‘General Conditions of Contract’ pertaining to the work for which above tenders have been called for.

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| x)     | “TENDER SPECIFICATION” or “TENDER” or “TENDER DOCUMENTS” shall mean General Conditions, Common Conditions, Special Conditions, Price Bid, Rate Schedule, Technical Specifications, Appendices, Annexures, Corrigendums, Amendments, Forms, Procedures, Site information etc. and drawings/documents pertaining to the work for which the tenderers are required to submit their offers. Individual specification number will be assigned to each Tender Specification. |
| xi)    | “LETTER OF INTENT/ AWARD” shall mean the intimation by a Letter/Fax/email to the tenderer that the tender has been accepted in accordance with provisions contained in the letter. The responsibility of the contractor commences from the date of issue of this letter and all terms and conditions of the contract are applicable from this date.                                                                                                                    |
| xii)   | “COMPLETION TIME” shall mean the period by ‘date/month’ specified in the ‘Letter of Intent/Award’ or date mutually agreed upon for handing over of the intended scope of work, the erected equipment/plant which are found acceptable by the Engineer, being of required standard and conforming to the specifications of the Contract.                                                                                                                                |
| xiii)  | “PLANT” shall mean and connote the entire assembly of the plant and equipments covered by the contract.                                                                                                                                                                                                                                                                                                                                                                |
| xiv)   | “EQUIPMENT” shall mean equipment, machineries, materials, structural, electricals and other components of the plant covered by the contract.                                                                                                                                                                                                                                                                                                                           |
| xv)    | “TESTS” shall mean and include such test or tests to be carried out on the part of the contractor as are prescribed in the contract or considered necessary by BHEL in order to ascertain the quality, workmanship, performance and efficiency of the contractor or part thereof.                                                                                                                                                                                      |
| xvi)   | “APPROVED”, “DIRECTED” or “INSTRUCTED” shall mean approved, directed or instructed by BHEL.                                                                                                                                                                                                                                                                                                                                                                            |
| xvii)  | “WORK or CONTRACT WORK” shall mean and include supply of all categories of labour, specified consumables, tools and tackles and Plants required for complete and satisfactory site transportation, handling, stacking, storing, erecting, testing and commissioning of the equipments to the entire satisfaction of BHEL.                                                                                                                                              |
| xviii) | “SINGULAR AND PLURALS ETC” words carrying singular number shall also include plural and vice versa, where the context so requires. Words imparting the masculine Gender shall be taken to include the feminine Gender and words imparting persons shall include any Company or Associations or Body of Individuals, whether incorporated or not.                                                                                                                       |
| xix)   | “HEADING” – The heading in these General Conditions are solely for the purpose of facilitating reference and shall not be deemed to be part thereof or be taken as instructions thereof or of the contract.                                                                                                                                                                                                                                                            |
| xx)    | “MONTH” shall mean calendar month unless otherwise specified in the Tender.                                                                                                                                                                                                                                                                                                                                                                                            |
| xxi)   | ‘Day’ or ‘Days’ unless herein otherwise expressly defined shall mean calendar day or days of twenty-four (24) hours each. A Week shall mean continuous period of seven (7) days.                                                                                                                                                                                                                                                                                       |

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xxii)        | "COMMISSIONING" shall mean the synchronization testing and achieving functional operation of the Equipment with associated system after all initial adjustments, trials, cleaning, re-assembly required at site if any, have been completed and Equipment with associated system is ready for taking into service.                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| xxiii)       | "WRITING" shall include any manuscript type written or hand written or printed statement or electronically transmitted messages, under the signature or seal or transmittal of BHEL.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| xxiv)        | "TEMPORARY WORK" shall mean all temporary works for every kind required in or for the execution, completion, maintenance of the work.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| xxv)         | 'CONTRACT PRICE' or 'CONTRACT VALUE' shall mean the sum mentioned in the LOI/LOA/Contract Agreement subject to such additions thereto or deductions there from as may be made under provisions hereinafter contained.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| xxvi)        | 'EXECUTED CONTRACT VALUE' shall mean actual value of works executed by the contractor and certified by BHEL. This value shall not include PVC, ORC, Extra Works and Taxes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| xxvii)       | "COMMENCEMENT DATE" or "START DATE" shall mean the commencement/start of work at Site as per terms defined in the Tender.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| xxviii)      | "SHORT CLOSING" or "FORE CLOSING" of Contract shall mean the premature closing of Contract, for reasons not attributable to the contractor and mutually agreed between BHEL and the contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| xxix)        | "TERMINATION" of Contract shall mean the pre mature closing of contract due to reasons as mentioned in the contract.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| xxx)         | "DE MOBILIZATION" shall mean the temporary winding up of Site establishment by Contractor leading to suspension of works temporarily for reasons not attributable to the contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| xxxi)        | "RE MOBILIZATION" shall mean the resumption of work with all resources required for the work after demobilization.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>2.2</b>   | <b>LAW GOVERNING THE CONTRACT AND COURT JURISDICTION</b><br>The contract shall be governed by the Law for the time being in force in the Republic of India. Subject to clause 2.21.1.1 of this contract, the Civil Court having original Civil Jurisdiction at Delhi for PSNR, at Kolkata for PSER, at Nagpur for PSWR and at Chennai for PSSR, shall alone have exclusive jurisdiction in regard to all matters in respect of the Contract.                                                                                                                                                                                                                                                                                                       |
| <b>2.3</b>   | <b>ISSUE OF NOTICE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>2.3.1</b> | <b><u>Service of notice on Contractor</u></b><br>Any notice to be given to the Contractor under the terms of the contract shall be served by sending the same by <b>Registered Post/Speed Post to or leaving the same at</b> the Contractor's last known address of the principal place of business (or in the event of the contractor being a company, to or at its Registered Office). In case of change of address, the notice shall be served at changed address as notified in writing by the Contractor to BHEL. Such posting or leaving of the notice shall be deemed to be good service of such notice and the time mentioned to the condition for doing any act after notice shall be reckoned from the date so mentioned in such notice. |

**2.3.2 Service of notice on BHEL**

Any notice to be given to BHEL in-charge/Region under the terms of the Contract shall be served by sending the same by post to or leaving the same at BHEL address or changed address as notified in writing by BHEL to the Contractor.

**2.4 USE OF LAND**

No land belonging to BHEL or their Customer under temporary possession of BHEL shall be occupied by the contractor without written permission of BHEL.

**2.5 COMMENCEMENT OF WORK**

**2.5.1** The contractor shall commence the work as per the time indicated in the Letter of Intent/Award from BHEL and shall proceed with the same with due expedition without delay.

**2.5.2** If the contractor fails to start the work within stipulated time as per LOI/ LOA or as intimated by BHEL, then BHEL at its sole discretion will have the right to cancel the contract. The Earnest Money and/or Security Deposit with BHEL will stand forfeited without any further reference to him without prejudice to any and all of BHEL's other rights and remedies in this regard.

**2.5.3** All the work shall be carried out under the direction and to the satisfaction of BHEL.

**2.6 MEASUREMENT OF WORK AND MODE OF PAYMENT:**

**2.6.1** All payments due to the contractors shall be made by e mode only, unless otherwise found operationally difficult for reasons to be recorded in writing.

**2.6.2** For progress running bill payments: - The Contractor shall present detailed measurement sheets in triplicate, duly indicating all relevant details based on technical documents and connected drawings for work done during the month/period under various categories in line with terms of payment as per contract. The basis of arriving at the quantities, weights shall be relevant documents and drawings released by BHEL. These measurement sheets shall be prepared jointly with BHEL Engineers and signed by both the parties.

**2.6.3** These measurement sheets will be checked by BHEL Engineer and quantities and percentage eligible for payment under various groups shall be decided by BHEL Engineer. The abstract of quantities and percentage so arrived at based on the terms of payment shall be entered in Measurement Book and signed by both the parties.

**2.6.4** Based on the above quantities, contractor shall prepare the bills, along with statutory documents, in prescribed format and work out the financial value. These will be entered in Measurement Book and signed by both the parties. Payment shall be made by BHEL after effecting the recoveries due from the contractor.

**2.6.5** All recoveries due from the contractor for the month/period shall be effected in full from the corresponding running bills unless specific approval from the competent authorities is obtained to the contrary.

**2.6.6** Measurement shall be restricted to that portion of work for which it is required to ascertain the financial liability of BHEL under this contract.

- 2.6.7** The measurement shall be taken jointly by persons duly authorized on the part of BHEL and by the Contractor.
- 2.6.8** The Contractor shall bear the expenditure involved if any, in making the measurements and testing of materials to be used/ used in the work. The contractor shall, without extra charges, provide all the assistance with appliances and other things necessary for measurement.
- 2.6.9** If at any time due to any reason whatsoever, it becomes necessary to re-measure the work done in full or in part, the expenses towards such re measurements shall be borne by the contractor unless such re measurements are warranted solely for reasons not attributable to contractor.
- 2.6.10** Passing of bills covered by such measurements does not amount to acceptance of the completion of the work measured. Any left out work has to be completed, if pointed out at a later date by BHEL.
- 2.6.11** Final measurement bill shall be prepared in the final bill format prescribed for the purpose based on the certificate issued by BHEL Engineer that entire works as stipulated in tender specification has been completed in all respects to the entire satisfaction of BHEL. Contractor shall give unqualified "No Claim" Certificate. All the tools and tackles loaned to him should be returned in satisfactory condition to BHEL. The abstract of final quantities and financial values shall also be entered in the Measurement Books and signed by both parties to the contract. The Final Bill shall be prepared and paid within a reasonable time after completion of work.
- 2.7 RIGHTS OF BHEL**  
BHEL reserves the following rights in respect of this contract during the original contract period or its extensions if any, as per the provisions of the contract, without entitling the contractor for any compensation.
- 2.7.1** To withdraw any portion of work and/or to restrict/alter quantum of work as indicated in the contract during the progress of work and get it done through other agencies to suit BHEL's commitment to its customer or in case BHEL decides to advance the date of completion due to other emergent reasons/ BHEL's obligation to its customer.  
In case of inadequate manpower deployed by the contractor, BHEL reserves the right to deploy additional manpower through any other agency for expediting activities in the interest of the project. Supplied manpower shall be put on job by the contractor and payments and other statutory compliances related to manpower shall be the contractor's responsibility. In case of contractor's failure to fulfill his obligations in respect of such manpower, BHEL reserves the right to take necessary action as per contract conditions.
- 2.7.2.1** To terminate the contract or withdraw portion of work and get it done through other agency, at the risk and cost of the contractor after due notice of a period of 14 days' (this period can be reduced in case of urgency or increased otherwise) by BHEL in any of the following cases:
- Contractor's poor progress of the work vis-à-vis execution timeline as stipulated in the Contract, backlog attributable to contractor including unexecuted portion of work does not appear to be executable within balance available period considering its performance of execution.
  - Withdrawal from or abandonment of the work by contractor before completion of the work as per contract.
  - Non-completion of work by the Contractor within scheduled completion period as per Contract or as extended from time to time, for the reasons attributable to the contractor.

- iv). Termination of Contract on account of any other reason (s) attributable to Contractor.
- v). Assignment, transfer, subletting of Contract without BHEL's written permission.
- vi). Non-compliance to any contractual condition or any other default attributable to Contractor.

**Risk & Cost Amount against Balance Work:**

Risk & Cost amount against balance work shall be calculated as follows:

$$\text{Risk \& Cost Amount} = [(A-B) + (A \times H/100)]$$

Where,

A= Value of Balance scope of Work (\*) as per rates of new contract

B= Value of Balance scope of Work (\*) as per rates of old contract being paid to the contractor at the time of termination of contract i.e. inclusive of PVC & ORC, if any.

H = Overhead Factor to be taken as 5

In case (A-B) is less than 0 (zero), value of (A-B) shall be taken as 0 (zero).

\* Balance scope of work (in case of termination of contract):

Difference of Contract Quantities and Executed Quantities as on the date of issue of Letter for 'Termination of Contract', shall be taken as balance scope of Work for calculating risk & cost amount.

Contract quantities are the quantities as per original contract. If, Contract has been amended, quantities as per amended Contract shall be considered as Contract Quantities.

Items for which total quantities to be executed have exceeded the Contract Quantities based on drawings issued to contractor from time to time till issue of Termination letter, then for these items total Quantities as per issued drawings would be deemed to be contract quantities.

Substitute/ extra items whose rates have already been approved would form part of contract quantities for this purpose. Substitute/ extra items which have been executed but rates have not been approved, would also form part of contract quantities for this purpose and rates of such items shall be determined in line with contractual provisions.

However, increase in quantities on account of additional scope in new tender shall not be considered for this purpose.

NOTE: In case portion of work is being withdrawn at risk & cost of contractor instead of termination of contract, contract quantities pertaining to portion of work withdrawn shall be considered as 'Balance scope of work' for calculating Risk & Cost amount.

**LD against delay in executed work in case of Termination of Contract:**

LD against delay in executed work shall be calculated in line with LD clause no. 2.7.9 of GCC, for the delay attributable to contractor. For limiting the maximum value of LD, contract value shall be taken as Executed Value of work till termination of contract.

Method for calculation of "LD against delay in executed work in case of termination of contract" is given below.

- i). Let the time period from scheduled date of start of work till termination of contract excluding the period of Hold (if any) not attributable to contractor = T1
- ii). Let the value of executed work till the time of termination of contract = X
- iii). Let the Total Executable Value of work for which inputs/fronts were made available to contractor and were planned for execution till termination of contract = Y
- iv). Delay in executed work attributable to contractor i.e.  $T2 = [1 - (X/Y)] \times T1$
- v). LD shall be calculated in line with LD clause (clause 2.7.9) of the Contract for the delay attributable to contractor taking "X" as Contract Value and "T2" as period of delay attributable to contractor.

**2.7.2.2** In case Contractor fails to deploy the resources as per requirement, BHEL can deploy own/hired/otherwise arranged resources at the risk and cost of the contractor and recover the expenses incurred from the dues payable to contractor. Recoveries shall be actual expenses incurred plus 5% overheads or as defined in TCC.

**2.7.3 Recoveries arising out of Risk & Cost and LD or any other recoveries due from Contractor**

Following sequence shall be applicable for recoveries from contractor:

- a) Dues available in the form of Bills payable to contractor, SD, BGs against the same contract.
- b) Demand notice for deposit of balance recovery amount shall be sent to contractor, if funds are insufficient to effect complete recovery against dues indicated in (a) above.
- c) If contractor fails to deposit the balance amount to be recovered within the period as prescribed in demand notice, following action shall be taken for balance recovery:
  - i) Dues payable to contractor against other contracts in the same Region shall be considered for recovery.
  - ii) If recovery cannot be made out of dues payable to the contractor as above, balance amount to be recovered, shall be informed to other Regions/Units for making recovery from the Unpaid Bills/Running Bills/SD/BGs/Final Bills of contractor.
  - iii) In-case recoveries are not possible with any of the above available options, Legal action shall be initiated for recovery against contractor.

**2.7.4** To terminate the contract or to restrict the quantum of work and pay for the portion of work executed in case BHEL's contract with their customer are terminated for any reason, as per mutual agreement.

**2.7.5** To effect recovery from any amounts due to the contractor under this or any other contract or in any other form, the moneys BHEL is statutorily forced to pay to anybody, due to contractor's failure to fulfill any of his obligations. BHEL shall levy overheads of 5% on all such payments along with interest as defined elsewhere in the GCC.

**2.7.6** While every endeavor will be made by BHEL to this end, they (BHEL) cannot guarantee uninterrupted work due to conditions beyond their control. The Contractor will not be normally entitled for any compensation/extra payment on this account unless otherwise specified elsewhere in the contract.

**2.7.7** BHEL may permit or direct contractor to demobilize and remobilize at a future date as intimated by BHEL in case of following situations for reasons other than Force majeure conditions and not attributable to contractor:

- i) suspension of work(s) at a Project either by BHEL or Customer,  
or
- ii) where work comes to a complete halt or reaches a stage wherein worthwhile works cannot be executed and there is no possibility of commencement of work for a period of not less than three months

In such cases, charges towards demobilization and remobilization shall be as decided by BHEL after successful remobilization by contractor at site, and decision of BHEL shall be final and binding on the contractor. After remobilization, all conditions as per contract shall become applicable. In case Contractor does not remobilize with adequate resources or does not start the work within the period as intimated, then BHEL reserves the right to get the balance works done at the Risk & Cost of the Contractor. Duration of the contract/time extension shall be revised suitably. In case of any conflict, BHEL decision in this regard shall be final and binding on the contractor.

**2.7.8** In the unforeseen event of inordinate delay in receipt of materials, drawings, fronts etc. due to which inordinate discontinuity of work is anticipated, BHEL on its own or contractor's request at its discretion may consider to short close the contract in any of the following cases:

- a) The balance works (including but not limited to Trial Operation, PG Test etc.) are minor vis a vis the scope of work envisaged as per the contract.
- b) There has been no significant work in past 6 months OR no significant work is expected in next 6 months (example in Hydro projects or in projects where work has stopped due to reasons beyond the control of BHEL).
- c) The balance works cannot be done within a reasonable period of time as they are dependent on unit shut down or on other facilities of customer or any other such reasons not attributable to the contractor.

At the point of requesting for short closure, contractor shall establish that he has completed all works possible of completion and he is not able to proceed with the balance works due to constraints beyond his control. In such a case, the estimated value of the unexecuted portion of work (or estimated value of services to be provided for carrying out milestone/stage payments like Trial Operation/PG Test etc.) as decided by BHEL, shall however be reduced from the final contract value.

**Note:** The Contractor shall not be eligible for any compensation on account of Quantity Variation arising out of short-closure of contract as per clause no. 2.7.8 (b) above.

**2.7.9 LIQUIDATED DAMAGES/PENALTY**

At the end of total work completion as certified by BHEL Engineer, and upon analysis of the total delay, the portion of time extensions attributable to (i) Contractor alone, (ii) Force majeure conditions, and (iii) BHEL, shall be worked out. The total period of time extensions shall be the sum of (i), (ii) and (iii) above and shall be equal to period between the scheduled date of completion and the actual date of completion of contract. LD shall be imposed/levied for the portion of time extensions solely attributable to contractor and recoverable from the dues payable to the contractor.

If the contractor fails to maintain the required progress of work which results in delay in the completion of the work as per the contractual completion period, BHEL shall have the right to impose Liquidated Damage/Penalty at the rate of 0.5% of the contract value, per week of delay or part thereof subject to a maximum of 10% of the contract value. For this purpose, the period for which LD is applicable shall be worked out based on portion of time extension granted solely attributable to contractor at the end of the contract. Contract Value for this purpose, shall be the final executed value exclusive of ORC, Extra Works executed on Manday rate basis, Supplementary/ Additional Items and PVC.

In case of LD recovery, the applicable GST shall also be recovered from contractor.

**2.8 RESPONSIBILITIES OF THE CONTRACTOR IN RESPECT OF LOCAL LAWS, EMPLOYMENT OF WORKERS ETC.**

The following are the responsibilities of the contractor in respect of observance of local laws, employment of personnel, payment of taxes etc. The subcontractor shall fully indemnify BHEL against any claims of whatsoever nature arising due to the failure of the contractor in discharging any of his responsibilities hereunder:

- 2.8.1** As far as possible, Unskilled Workers shall be engaged from the local areas in which the work is being executed.
- 2.8.2** The contractor at all times during the continuance of this contract shall, in all his dealings with local labour for the time being employed on or in connection with the work, have due regard to all local festivals and religious and other customs.
- 2.8.3** The contractor shall comply with all applicable State and Central Laws, Statutory Rules, Regulations, Notifications etc. such as Payment of Wages Act, Minimum Wages Act, Workmen Compensation Act, Employer's Liability Act, Industrial Disputes Act, Employers Provident Act, Employees State Insurance Scheme, Contract Labour (Regulation and Abolition) Act, 1970, Payment of Bonus & Gratuity Act, Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act 1996, The Building and Other Construction Workers' Welfare Cess Act 1996 and other Acts, Rules, and Regulations for labour/workers as applicable and as may be enacted by the State Government and Central Govt. during the tenure of the Contract and having force or jurisdiction at Site. The Contractor shall also comply with provisions of and give all such notices to the local Governing Body, Police and other relevant Authorities as may be required by the Law.
- 2.8.4** The Contractor shall obtain independent License under the Contract Labour (Regulations and Abolition) Act, 1970 for engaging contract labour as required from the concerned Authorities based on the certificate (Form- V or as applicable) issued by the Principal Employer/Customer.
- 2.8.5** The contractor shall pay and bear all taxes, fees, license charges, Cess, duties, deposits, tolls, royalties, commission or other charges which may be leviable on account of his operations in executing the contract.
- 2.8.6** While BHEL would pay the inspection fees and Registration fees of Boiler/Electrical Inspectorate, all other arrangements for site visits periodically by the Inspectorate to site, Inspection certificate etc. will have to be made by contractor. However, BHEL will not make any payment to the Inspectorate in connection with contractor's Welders/Electricians qualification tests etc.
- 2.8.7** Contractor shall be responsible for provision of Health and Sanitary arrangements (more particularly described in Contract Labour Regulation & Abolition Act), Safety precautions etc. as may be required for safe and satisfactory execution of contract.
- 2.8.8** The contractor shall be responsible for proper accommodation including adequate medical facilities for personnel employed by him.
- 2.8.9** The contractor shall be responsible for the proper behavior and observance of all regulations by the staff employed by him.
- 2.8.10** The contractor shall ensure that no damage is caused to any person/property of other parties working at site. If any such damage is caused, it is responsibility of the contractor to make good the losses or compensate for the same.
- 2.8.11** All the properties/equipments/components of BHEL/their Client loaned with or without deposit to the contractor in connection with the contract shall remain properties of BHEL/their Client.

- 2.8.12** The contractor shall use such properties for the purpose of execution of this contract. All such properties/equipments/components shall be deemed to be in good condition when received by the contractor unless he notifies within 48 hours to the contrary. The contractor shall return them in good condition as and when required by BHEL/their Client. In case of non-return, loss, damage, repairs etc. the cost thereof as may be fixed by BHEL Engineer will be recovered from the contractor.
- 2.8.13** In case the contractor is required to undertake any work outside the scope of this contract, the rates payable shall be those mutually agreed upon if the item rates are not mentioned in existing contract.
- 2.8.14** Any delay in completion of works/or non-achievement of periodical targets due to the reasons attributable to the contractor, the same may have to be compensated by the contractor either by increasing manpower and resources or by working extra hours and/or by working more than one shift. All these are to be carried out by the contractor at no extra cost.
- 2.8.15** The contractor shall arrange, coordinate his work in such a manner as to cause no hindrance to other agencies working in the same premises.
- 2.8.16** All safety rules and codes applied by the Client/BHEL at site shall be observed by the contractor without exception. The contractor shall be responsible for the safety of the equipment/material and works to be performed by him and shall maintain all light, fencing guards, slings etc. or other protection necessary for the purpose. Contractor shall also take such additional precautions as may be indicated from time to time by the Engineer with a view to prevent pilferage, accidents, fire hazards. Due precautions shall be taken against fire hazards and atmospheric conditions. Suitable number of Clerical staff, watch and ward, store keepers to take care of equipment/materials and construction tools and tackles shall be posted at site by the contractor till the completion of work under this contract.
- The contractor shall arrange for such safety devices as are necessary for such type of work and carry out the requisite site tests of handling equipment, lifting tools, tackles etc. as per prescribed standards and practices.
- Contractor has to ensure the implementation of Health, Safety and Environment (HSE) requirements as per directions given by BHEL/Customer. The contractor has to assist in HSE audit by BHEL/Customer and submit compliance Report. The contractor has to generate and submit record/reports as per HSE plan/activities as per instruction of BHEL/Customer.
- 2.8.17** The contractor will be directly responsible for payment of wages to his workmen. A pay roll sheet giving all the payments given to the workers and duly signed by the contractor's representative should be furnished to BHEL site for record purpose, if so called for.
- Contractor shall create awareness amongst their workforce by helping & encouraging in opening bank accounts and to encourage them to adopt digital mode of transactions. While releasing wages/ salary to their workers/ supervisors/ staff, Contractor shall comply with the GOI's guidelines for maximizing such transactions through Non-Cash / digital means.
- 2.8.18** In case of any class of work for which there is no such specification as laid down in the contract, such work shall be carried out in accordance with the instructions and requirements of the Engineer.

- 2.8.19** Also, no idle charges will be admissible in the event of any stoppage caused in the work resulting in contractor's labour and Tools & Plants being rendered idle due to any reason at any time.
- 2.8.20** The contractor shall take all reasonable care to protect the materials and work till such time the plant/equipment has been taken over by BHEL or their Client whichever is earlier.
- 2.8.21** The contractor shall not stop the work or abandon the site for whatsoever reason of dispute, excepting force majeure conditions. All such problems/disputes shall be separately discussed and settled without affecting the progress of work. Such stoppage or abandonment shall be treated as breach of contract and dealt with accordingly.
- 2.8.22** The contractor shall keep the area of work clean and shall remove the debris etc. while executing day-to-day work. Upon completion of work, the contractor shall remove from the vicinity of work, all scrap, packing materials, rubbish, unused and other materials and deposit them in places specified by the Engineer. The contractor will also demolish all the hutments, sheds, offices etc. constructed and used by him and shall clean the debris. In the event of his failure to do so, the same will be arranged to be done by the Engineer and the expenses recovered from the contractor.
- 2.8.23** The contractor shall execute the work in the most substantial and workman like manner in the stipulated time. Accuracy of work and timely execution shall be the essence of this contract. The contractor shall be responsible to ensure that the quality, assembly and workmanship conform to the dimensions and clearance given in the drawings and/ or as per the instructions of the Engineer.
- 2.8.24** The Contractor to note that some of BHEL's T&Ps/MMDs may not be insured. The Contractor will take necessary precautions and due care to protect the same while in his custody from any damage/ loss till the same is handed over back to BHEL. In case the damage / loss is due to carelessness/ negligence on the part of the contractor, the Contractor is liable to get them repair/ replaced immediately and in case of his failure to do so within a reasonable time, BHEL will reserve the right to recover the loss from the contractor.
- 2.8.25** For all works having contract value of Rs. 5,00,000/- or above, BHEL shall recover the amount of compensation paid to victim(s) by BHEL towards loss of life/ permanent disability due to an accident which is attributable to the negligence of contractor, agency or firm or any of its employees as detailed below.
- a) Victim: Any person who suffers permanent disablement or dies in an accident as defined below.
- b) Accident: Any death or permanent disability resulting solely and directly from any unintended and unforeseen injurious occurrence caused during the manufacturing/ operation and works incidental thereto at BHEL factories/ offices and precincts thereof, project execution, erection and commissioning, services, repairs and maintenance, trouble shooting, serving, overhaul, renovation and retrofitting, trial operation, performance guarantee testing undertaken by the company or during any works/ during working at BHEL Units/ Offices/ townships and premises/ Project Sites.

- c) Compensation in respect of each of the victims:
- i. In the event of death or permanent disability resulting from Loss of both limbs:  
Rs. 10,00,000/- (Rs. Ten Lakh).
  - ii. In the event of other permanent disability: Rs.7,00,000/- (Rs. Seven Lakh)
- d) Permanent Disablement: A disablement that is classified as a permanent total disablement under the proviso to section 2 (l) of the Employee's Compensation Act, 1923.
- 2.8.26** Contractor shall be fully responsible for their T&Ps and other material mobilized at site. In any case, BHEL shall not be liable for any damage/loss/misuse of any item(s) belong to the contractor.
- 2.9 PROGRESS MONITORING, MONTHLY REVIEW AND PERFORMANCE EVALUATION**
- 2.9.1** A detailed plan/ programme for completion of the contractual scope of work as per the time schedule given in the contract shall be jointly agreed between BHEL and Contractor, before commencement of work. The above programme shall be supported by month wise deployment of resources viz. Manpower, T&P, Consumables, etc. Progress will be reviewed periodically (Daily/Weekly/Monthly) vis a vis this jointly agreed programme. The Contractor shall submit periodical progress reports (Daily/Weekly/Monthly) and other reports/information including manpower, consumables, T&P mobilization etc. as desired by BHEL.
- 2.9.2** Monthly progress review between BHEL and Contractor shall be based on the agreed programme as above, availability of inputs/fronts etc., and constraints if any, as per prescribed formats (i.e. Form F-14). Manpower, T&P and consumable reports as per prescribed formats shall be submitted by contractor every month. Release of RA Bills shall be contingent upon certification by BHEL Site Engineer of the availability of the above prescribed formats duly filled in and signed.
- 2.9.3** The burden of proof that the causes leading to any shortfall is not due to any reasons attributable to the contractor is on the contractor himself. The monthly progress review shall record shortfalls attributable to (i) Contractor, (ii) Force Majeure Conditions, and (iii) BHEL
- 2.9.4** Performance of the Contractor shall be assessed as per prescribed formats and shall form the basis for 'Assessment of Capacity of Bidder' for Tenders where the Contractor is a bidder. BHEL reserves the right to revise the evaluation formats during the course of execution of the works.
- 2.10 TIME OF COMPLETION**
- 2.10.1** The time schedule shall be as prescribed in the Contract. The time for completion shall be reckoned from the date of commencement of work at Site as certified by BHEL Engineers.
- 2.10.2** Time being the essence of the contract, the entire work shall be completed by the contractor within the time schedule or within such extended periods of time as may be allowed by BHEL under clause 2.11.
- 2.11 EXTENSION OF TIME FOR COMPLETION**
- 2.11.1** If the completion of work as detailed in the scope of work gets delayed beyond the contract period, the contractor shall request for an extension of the contract and BHEL at its discretion may extend the Contract.
- 2.11.2** Based on the monthly reviews jointly signed, the works balance at the end of original contract period less the backlog attributable to the contractor shall be quantified, and the number of months of 'Time extension' required for completion of the same shall be jointly worked out. Within this

period of 'Time extension', the contractor is bound to complete the portion of backlog attributable to the contractor. Any further 'Time extension' or 'Time extensions' at the end of the previous extension shall be worked out similarly.

**2.11.3** However, if any 'Time extension' is granted to the contractor to facilitate continuation of work and completion of contract, due to backlog attributable to the contractor alone, then it shall be without prejudice to the rights of BHEL to impose penalty/LD for the delays attributable to the contractor, in addition to any other actions BHEL may wish to take at the risk and cost of contractor.

**2.11.4** A joint programme shall be drawn for the balance amount of work to be completed during the period of 'Time Extension', along with matching resources to be deployed by the contractor as per specified format. Review of the programme and record of shortfall shall be done every month of the 'Time extension' period in the same manner as is done for the regular contract period.

**2.11.5** During the period of 'Time extension', contractor shall maintain their resources as per mutually agreed program.

**2.12 OVERRUN COMPENSATION- Not applicable**

**2.13 INTEREST BEARING RECOVERABLE ADVANCES- Not Applicable**

**2.14 QUANTITY VARIATION**

**2.14.1** The quantities given in the contract are tentative and may change to any extent (both in plus side and minus side). The quoted rates for individual items shall remain firm irrespective of any variations in the individual quantities. No compensation becomes payable in case the variation of the final executed contract value is within the limits of Minus (-) 15% of awarded contract value.

**2.14.2** Compensation due to variation of final executed value in excess of the limits defined in clause above, shall be as follows:

- i) In case the finally executed contract value reduces below the lower limit of awarded Contract Value due to quantity variation specified above, the contractor will be eligible for compensation @ 15% of the difference between the lower limit of the awarded contract value and the actual executed contract value.
- ii) In case the finally executed contract value increases above the awarded Contract Value due to quantity variation, there will be no upward revision in the rates for the individual items and also contractor is not eligible for any compensation.

**2.15 EXTRA WORKS**

**2.15.1** All rectifications/modifications, revamping and reworks required for any reasons not due to the fault of the contractor, or needed due to any change in deviation from drawings and design of equipments, operation/maintenance requirements, mismatching or due to damages in transit, storage and erection/commissioning and other allied works which are not very specifically indicated in the drawings, but are found essential for satisfactory completion of the work, will be considered as extra works.

**2.15.2** Extra works arising on account of the contractor's fault, irrespective of time consumed in rectification of the damage/loss, will have to be carried out by the contractor free of cost. Under such circumstances, any material and consumable required for this purpose will also have to be arranged by the contractor at his cost.

**2.15.3** All the extra work should be carried out by a separately identifiable gang, without affecting routine activities. Daily log sheets in the pro-forma prescribed by BHEL should be maintained and shall be signed by the contractor's representative and BHEL engineer. No claim for extra work will be considered/entertained in the absence of the said supporting documents i.e. daily log sheets. Signing of log sheets by BHEL engineer does not necessarily mean the acceptance of such works as extra works.

**2.15.4** BHEL retains the right to award or not to award any of the major repair/rework/modification/rectification/fabrication works to the contractor, at their discretion without assigning any reason for the same.

**2.15.5** After eligibility of extra works is established and finally accepted by BHEL engineer/designer, payment will be released on competent authority's approval at the following rate.

**MAN-HOUR RATE FOR ELIGIBLE EXTRA WORKS:** Single composite average labour man-hour rate, including overtime if any, supervision, use of tools and tackles and other site expenses and incidentals, consumables for carrying out any major rework/repairs/rectification/modification/fabrication as certified by site as may arise during the course of erection, testing, commissioning or extra works arising out of transit, storage and erection damages, payment, if found due will be at Rs 108/- per man hour.

**2.15.6** The above composite labour man hour rate towards extra works shall remain firm and not subject to any variation during execution of the work. PVC will not be applicable for extra works. Rate revision, Over Run Charges/compensation etc. will not be applicable due to on extra works.

**2.15.7** **Extra Works for Civil Packages** shall be regulated as follows –

- i) Rates for Extra Works arising due to (1) non availability of BOQ (Rate Schedule), OR (2) change in Specifications of materials/works (3) rectification/modification/dismantling & re-erecting etc. due to no fault of Contractor, shall be in the order of the following:
  - a) Item rates are to be derived from similar nature of items in the BOQ (Rate Schedule) with applicable escalation derived from All India Consumer Price Index for Whole Sale Commodities.
  - b) As per latest edition of CPWD-DSR with applicable escalation derived from All India Consumer Price Index for Whole Sale Commodities OR Notification issued by the office of CPWD for 'Cost Index' in that Region where the project is being executed with applicable escalation derived from All India Consumer Price Index for Whole Sale Commodities, whichever is less.
  - c) Item rates are to be worked out on the basis of market rates prevailing on the date of execution mutually agreed between BHEL and Contractor.
- ii) PVC and ORC will not be applicable for (i) above.

## **2.16 SUPPLEMENTARY ITEMS**

### **2.16.1 For NON Civil Works**

Supplementary items are items/works required for completion of entire work but not specified in the scope of work. Subject to certification of such items/works as supplementary items by BHEL Engineer, rates shall be derived on the basis of any one of the following on mutual agreement:

- i) Based on percentage breakup/rates indicated for similar/nearby items.
- ii) In case (i) above does not exist, then BHEL/site may derive the percentage breakup/rates to suit the

type of work.

#### **2.16.2 For Civil Works**

- i) Rates for Supplementary Works/Additional Works arising out due to additions/alterations in the original scope of works as per contract subject to certification of BHEL Engineer shall be worked out as under:
  - a) Item rates which are available in existing BOQ (Rate Schedule) shall be operated with applicable escalation derived from All India Consumer Price Index for Whole Sale Commodities
  - b) Items of works which are not available in existing BOQ shall be operated as an 'Extra Works' and rate shall be derived as per clause no 2.15.7
- ii) Execution of Supplementary Works/Additional Works through the Contractor shall be at the sole discretion of BHEL, and shall be considered as part of executed contract value for the purpose of Quantity Variation as per clause 2.14
- iii) BHEL Engineer's decision regarding fixing the rate as above is final and binding on the contractor.
- iv) PVC and ORC will not be applicable for (i) above.

#### **2.17 PRICE VARIATION COMPENSATION - Not applicable**

#### **2.18 INSURANCE**

- 2.18.1 BHEL/their customer shall arrange for insuring the materials/properties of BHEL/customer covering the risks during transit, storage, erection and commissioning.
- 2.18.2 It is the sole responsibility of the contractor to insure his materials, equipment, workmen etc. against accidents and injury while at work and to pay compensation, if any, to workmen as per Workmen's compensation Act. The work will be carried out in a protected area and all the rules and regulations of the client /BHEL in the area of project which are in force from time to time will have to be followed by the contractor.
- 2.18.3 If due to negligence and or non-observation of safety and other precautions by the contractors, any accident/injury occurs to the property / manpower belong to third party, the contractor shall have to pay necessary compensation and other expense, if so decided by the appropriate authorities.
- 2.18.4 The contractor will take necessary precautions and due care to protect the material, while in his custody from any damage/ loss due to theft or otherwise till the same is taken over by BHEL or customer. For lodging / processing of insurance claim, the contractor will submit necessary documents. BHEL will recover the loss including the deductible franchise from the contractor, in case the damage / loss is due to carelessness / negligence on the part of the contractor. In case of any theft of material under contractor's custody, matter shall be reported to Police by the contractor immediately and copy of FIR and subsequently police investigation report shall be submitted to BHEL for taking up with insurance. However, this will not relieve the contractor of his contractual obligation for the material in his custody.

#### **2.19 STRIKES & LOCKOUT**

- 2.19.1 The contractor will be fully responsible for all disputes and other issues connected with his labour. In the event of the contractor's labour resorting to strike or the Contractor resorting to lockout and if the strike or lockout declared is not settled within a period of one month, BHEL shall have the right to get the work executed through any other agencies at risk and cost of contractor under Clause 2.7.

2.19.2 For all purposes whatsoever, the employees of the contractor shall not be deemed to be in the employment of BHEL.

## **2.20 FORCE MAJEURE**

2.20.1 "Force Majeure" shall mean circumstance which is: a) beyond a party's control, b) The party could not reasonably have provided against before entering into the contract, c) Having arisen, such party could not reasonably have avoided or overcome, and d) Is not substantially attributable to the other party. Such circumstances include but not limited to

- i) Exceptionally adverse climatic conditions at the site which are unforeseeable having regard to climate data available or published in the country for the geographical location of the site.
- ii) War, hostilities (whether war be declared or not), invasion, act of foreign enemies.
- iii) Rebellion, terrorism, revolution, insurrection, military or usurped power, or civil war.
- iv) Riot, commotion or disorder by persons other than the contractor's personnel and other employees of the contractor and sub-contractors.
- v) Strike or lockout not solely involving the contractor's personnel and other employees of the contractor and sub-contractors.
- vi) Encountering munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as may be attributable to the contractor's use of such munitions, explosives, radiation or radio- activity.
- vii) Natural catastrophes such as earthquake, tsunami, volcanic activity, hurricane or typhoon, flood, fire, cyclones etc.

2.20.2 The following events are explicitly excluded from Force Majeure and are solely the responsibilities of the non-performing party: a) any strike, work-to-rule action, go-slow or similar labour difficulty (b) late delivery of equipment or material (unless caused by Force Majeure event) and (c) economic hardship.

2.20.3 If either party is prevented, hindered or delayed from or in performing any of its obligations under the Contract by an event of Force Majeure, then it shall notify the other in writing of the occurrence of such event and the circumstances thereof within 15 (fifteen) days after the occurrence of such event.

2.20.4 The party who has given such notice shall be excused from the performance or punctual performance of its obligations under the Contract for so long as the relevant event of Force Majeure continues and to the extent that such party's performance is prevented, hindered or delayed. The Time for Completion shall be extended by a period of time equal to period of delay caused due to such Force Majeure event.

2.20.5 Delay or non-performance by either party hereto caused by the occurrence of any event of Force Majeure shall not

- i) Constitute a default or breach of the Contract.
- ii) Give rise to any claim for damages or additional cost expense occasioned thereby, if and to the extent that such delay or non-performance is caused by the occurrence of an event of Force Majeure.

2.20.6 BHEL at its discretion may consider short closure of contract after 1 year of imposition of Force Majeure in line with extant guidelines. In any case, Contractor cannot consider deemed short-closure after 1 year of imposition of Force Majeure.

## **2.21 ARBITRATION & CONCILIATION**

### **2.21.1 ARBITRATION:**

2.21.1.1 Except as provided elsewhere in this Contract, in case Parties are unable to reach amicable settlement (whether by Conciliation to be conducted as provided in Clause 2.21.2 herein below or otherwise) in respect of any dispute or difference; arising out of the formation, breach, termination, validity or execution of the Contract; or, the respective rights and liabilities of the Parties; or, in relation to interpretation of any provision of the Contract; or, in any manner touching upon the Contract (hereinafter referred to as the 'Dispute'), then, either Party may, commence arbitration in respect of such Dispute by issuance of a notice in terms of section 21 of the Arbitration & Conciliation Act, 1996 (hereinafter referred to as the 'Notice'). The Notice shall be addressed to the Head of the Power Sector Region issuing the Contract and shall contain the particulars of all claims to be referred to arbitration in sufficient detail and shall also indicate the monetary amount of such claim. Within 60 days of receipt of the complete Notice, the Head of the BHEL Power Sector Region issuing the Contract shall offer names of three proposed Arbitrators to the invoking Party advising to choose any one of the three names to be appointed as Sole Arbitrator. On getting confirmation from the invoking Party regarding the Arbitrator chosen from among the names so offered, the Head of the BHEL Power Sector Region issuing the Contract, shall appoint such chosen person as the Sole Arbitrator for conducting the arbitration. The language of arbitration shall be English.

The Arbitrator shall pass a reasoned award.

Subject as aforesaid, the provisions of Arbitration and Conciliation Act 1996 (India) or statutory modifications or re-enactments thereof and the rules made thereunder as in force from time to time shall apply to the arbitration proceedings under this clause. The seat of arbitration shall be \_\_\_\_\_ (the place from where the contract is Issued). The Contract shall be governed by and be construed as per provisions of the laws of India. Subject to this provision 2.21.1.1 regarding ARBITRATION, the principal civil court exercising ordinary civil jurisdiction over the area where the seat of arbitration is located shall have exclusive jurisdiction over any DISPUTE to the exclusion of any other court.

2.21.1.2 In case of Contract with Public Sector Enterprise (PSE) or a Government Department, the following shall be applicable:

In the event of any dispute or difference relating to the interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs)/ Port Trusts inter se and also between CPSEs and Government Departments/Organizations (excluding disputes concerning Railways, Income Tax, Customs & Excise Departments), such dispute or difference shall be taken up by either party for resolution through AMRCD (Administrative Mechanism for Resolution of CPSEs Disputes) as mentioned in DPE OM No. 4(1)/2013-DPE(GM)/FTS-1835 dated 22-05-2018 as amended from time to time.

2.21.1.3 The cost of arbitration shall initially be borne equally by the Parties subject to the final allocation thereof as per the award/order passed by the Arbitrator.

2.21.1.4 Notwithstanding the existence of any dispute or differences and/or reference for the arbitration, the Contractor shall proceed with and continue without hindrance the performance of its obligations under this Contract with due diligence and expedition in a professional manner unless the dispute inter-alia relates to cancellation, termination or short-closure of the Contract by BHEL.

2.21.2 **CONCILIATION:**

If at any time (whether before, during or after the arbitral or judicial proceedings), any Disputes (which term shall mean and include any dispute, difference, question or disagreement arising in connection with construction, meaning, operation, effect, interpretation or breach of the agreement, contract), which the Parties are unable to settle mutually, arise inter-se the Parties, the same may, be referred by either party to Conciliation to be conducted through Independent Experts Committee (IEC) to be appointed by competent authority of BHEL from the BHEL Panel of Conciliators.

Notes:

1. No serving or a retired employee of BHEL/Administrative Ministry of BHEL shall be included in the BHEL Panel of Conciliators.
2. Any other person(s) can be appointed as Conciliator(s) who is/are mutually agreeable to both the parties from outside the BHEL Panel of Conciliators.

The proceedings of Conciliation shall broadly be governed by Part-III of the Arbitration and Conciliation Act 1996 or any statutory modification thereof and as provided in Procedure 2.3 to this GCC. The Procedure 2.3 together with its Formats will be treated as if the same is part and parcel hereof and shall be as effectual as if set out herein in this GCC.

The Contractor hereby agrees that BHEL may make any amendments or modifications to the provisions stipulated in the Procedure 2.3 to this GCC from time to time and confirms that it shall be bound by such amended or modified provisions of the Procedure 2.3 with effect from the date as intimated by BHEL to it.

#### **2.21.3 No Interest payable to Contractor**

Notwithstanding anything to the contrary contained in any other document comprising in the Contract, no interest shall be payable by BHEL to Contractor on any moneys or balances including but not limited to the Security Deposit, EMD, Retention Money, RA Bills or the Final Bill, or any amount withheld and/or appropriated by BHEL etc., which becomes or as the case may be, is adjudged to be due from BHEL to Contractor whether under the Contract or otherwise.

#### **2.22 RETENTION AMOUNT**

2.22.1 Retention Amount shall be 5% of executed contract value and shall be recovered at the rate of 5% from each Running Bill admitted, including PVC Bills.

2.22.2 Refund of Retention Amount shall be as follows:

- i) 100% of Retention Amount shall be released along with Final Bill after deducting all expenses/ other amounts due to BHEL under the contract/ other contracts entered into with them (contractor) by BHEL.

#### **2.23 PAYMENTS**

Payments to Contractors are made in any one of the following forms: -

##### **2.23.1 Running Account Bills (RA Bills)**

- i) These are for interim payments when the contracts are in progress. The bills for such interim payments are to be prepared by Contractor in prescribed formats (RA Bill forms).
- ii) Payments shall be made according to the extent of work done as per measurements taken up to the end of the calendar month and in line with the terms of payments described in the Tender

- documents.
- iii) Recoveries on account of electricity, water, statutory deductions etc. are made as per terms of contract.
  - iv) Full rates for the work done shall be allowed only if the quantum of work has been done as per the specifications stipulated in the contract. If the work is not executed as per the stipulated specifications, BHEL may ask the contractor to redo the work according to the required specifications, without any extra cost. However, where this is not considered necessary 'OR' where the part work is done due to factors like non-availability of material to be supplied by BHEL 'OR' non availability of fronts 'OR' non availability of drawings, fraction payment against full rate, as is considered reasonable, may be allowed with due regard for the work remaining to be done. BHEL decision in this regard will be final and binding on the contractor.
  - v) In order to facilitate part payment, BHEL at its discretion may further split the contracted rates/percentages to suit site conditions, cash flow requirements according to the progress of work, subject to following:
    - a) Provided no 'part' payment is recommended till 25% of work in the item rate is executed.
    - b) Payment of item rate to be made in not more than three instalments, last stage payment to be not lower than 20% of the item rate.

#### 2.23.2 Final Bill

Final Bill' is used for final payment on closing of Running Account for works or for single payment after completion of works. 'Final Bill' shall be submitted as per prescribed format after completion of works as per scope and upon material reconciliation, along with the following:

- i) 'No Claim Certificate' by Contractor
- ii) Clearance certificates where ever applicable viz. Clearance Certificates from Customer, various Statutory Authorities like Labour department, PF Authorities, Commercial Tax Department etc.
- iii) Indemnity Bond as per prescribed format.

BHEL shall settle the final bills after deducting all liabilities of Contractor to BHEL.

#### 2.24 PERFORMANCE GUARANTEE FOR WORKMANSHIP

- 2.24.1 Even though the work will be carried out under the supervision of BHEL Engineers the Contractor will be responsible for the quality of the workmanship and shall guarantee the work done for a period of Twelve months from the date of commencement of guarantee period as defined in Technical Conditions of Contract, for good workmanship and shall rectify free of cost all defects due to faulty erection detected during the guarantee period. In the event of the Contractor failing to repair the defective works within the time specified by the Engineer, BHEL may proceed to undertake the repairs of such defective works at the Contractor's risk and cost, without prejudice to any other rights and recover the same from the Security Deposit.

- 2.24.2 BHEL shall release the Security Deposit subject to the following

- i) Contractor has submitted 'Final Bill'
- ii) Guarantee period as per contract has expired
- iii) Contractor has furnished 'No Claim Certificate' in specified format
- iv) BHEL Site Engineer/Construction Manager has furnished the 'No Demand Certificate' in specified format
- v) Contractor has carried out the works required to be carried out by him during the period of Guarantee and all expenses incurred by BHEL on carrying out such works is included for adjustment from the Security Deposit refundable.

**2.25 CLOSING OF CONTRACTS**

The Contract shall be considered completed and closed upon completion of contractual obligations and settlement of Final Bill or completion of Guarantee period whichever is later. Upon closing of Contract, BHEL shall issue a performance/ experience certificate as per standard format, based on specific request of Contractor as per extant BHEL guidelines.

**2.26 SUSPENSION OF BUSINESS DEALINGS**

BHEL reserves the right to take action against Contractors who either fail to perform or Tenderers/Contractor who indulge in malpractices, by suspending business dealings with them in line with BHEL guidelines issued from time to time.

**2.27 LIMITATION ON LIABILITY:**

Notwithstanding anything to the contrary in this Agreement or the Work Order or any other mutually agreed document between the parties, the maximum liability, for damages, of the contractor, its servants or agents, shall under no circumstances exceed an amount equal to the Price of the Agreement or the Work Order. The Supplier shall not in any case be liable for loss of profit or special, punitive, exemplary, indirect or consequential losses whatsoever. This shall not be applicable on the recoveries arising out of Risk and Cost, recoveries made by Customer from BHEL on account of Contractor, any other type of recoveries for workmanship, material, T&P etc. due from the contractor.

**2.28 OTHER ISSUES**

- 2.28.1 Value of Non judicial Stamp Paper for Bank Guarantees and for Contract Agreement shall be not less than Rs 100/- unless otherwise required under relevant statutes.
- 2.28.2 In case of any conflict between the General Conditions of Contract and Special Conditions of Contract, provisions contained in the Special Conditions of Contract shall prevail.
- 2.28.3 Unless otherwise specified in NIT, offers from consortium/ JVs shall not be considered.
- 2.28.4 BHEL may not insist for signing of Contract Agreements in respect of low value and short time period contracts like providing services for Hot water flushing, Chemical Cleaning, Transportation, Geo-Technical works, Hiring of T&Ps/ Vehicles/ Equipments etc. and work shall be executed as per the terms of LOI/LOA/Work Order. BHEL may not insist for signing of Contract Agreements in respect of works costing upto Rs. 2 lakhs (upto Rs. 5 lakhs in case scheduled completion period is not more than 3 months).

Rev 02  
08th October  
2014

# SPECIAL CONDITIONS OF CONTRACT (SCC)

(Document No PS:MSX:SCC)

BHARAT HEAVY ELECTRICALS  
LIMITED



# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Contents

---

| <b>SN</b> | <b>DESCRIPTION</b>                                                                                                        | <b>Chapter</b> | <b>No. OF PAGES</b> |
|-----------|---------------------------------------------------------------------------------------------------------------------------|----------------|---------------------|
| 1         | General Intent of the Specifications                                                                                      | Chapter-I      |                     |
| 2         | General Services to be rendered by the Bidder                                                                             | Chapter-II     |                     |
| 3         | General Technical Requirements (Codes and Standards)                                                                      | Chapter-III    |                     |
| 4         | Obligations of Contractor<br>(In respect of Tools, Tackles, Consumables, etc employment of supervisory staff and workmen) | Chapter-IV     |                     |
| 5         | Responsibilities of Contractor<br>(In respect of employment of Labour, Supervisory staff, etc)                            | Chapter-V      |                     |
| 6         | Material Handling, Storage, Preservation, etc                                                                             | Chapter-VI     |                     |
| 7         | Drawings and Documents                                                                                                    | Chapter-VII    |                     |
| 8         | Inspection and Quality                                                                                                    | Chapter-VIII   |                     |
| 9         | HSE & OHSAS Obligations                                                                                                   | Chapter-IX     |                     |
| 10        | RA Bill Payment                                                                                                           | Chapter-X      |                     |
| 11        | Performance Monitoring                                                                                                    | Chapter-XI     |                     |
| 12        | Suspension of Business Dealings                                                                                           | Chapter-XII    |                     |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter - I : General Intent of Specifications

---

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1.0</b> | <b>INTENT OF THE SPECIFICATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 1.1        | The intent of this erection specification is to provide services for execution of the project according to most modern and proven techniques and codes. The omission of specific reference to any method, equipment or material necessary for the proper and efficient services towards installation of the plant shall not relieve the contractor of the responsibility of providing such services / facilities to complete the work or portion of work awarded to him. The quoted / accepted rates / price shall deem to be inclusive of all such contingencies. |
| 1.2        | The work shall conform to dimensions and tolerances given in various drawings and documents that will be provided during erection. If any portion of works is found to be defective in workmanship and not conforming to drawings / documents or other stipulations, the contractor shall dismantle and re-do the work duly replacing the defective materials at their own cost, failing which recoveries, as determined by BHEL, shall be effected from contractor's bills.                                                                                       |
| 1.3        | It is not the intent of this specification to specify herein all the details of erection and commissioning. However, the system shall conform in all respects to high standards of quality and workmanship for performing the required duties in a manner acceptable to purchaser who will interpret the meaning of drawings and specifications and shall be entitled to reject any work or material, which in his judgments is not in full accordance herewith.                                                                                                   |
| 1.4        | The omission of specific reference to any fabrication / erection or other method, equipment or material necessary for proper and efficient working of the plant shall not relieve the tenderer of the responsibility of providing such facilities to complete the work at quoted rates. Any mismatch/ defect found due to mistake in fabrication / erection shall have to be rectified by the vendor free of cost. Inspection by BHEL/Customer does not relieve vendor of his responsibility of executing quality erection.                                        |
| 1.5        | The work covered under this specification is of highly sophisticated nature, requiring the best quality workmanship, supervision, engineering and construction management. The contractor should ensure proper planning and successful and timely completion of the work to meet the overall project schedule. The contractor must deploy adequate quantity of tools & plants, modern / latest construction aids etc. He must also deploy adequate trained, qualified and experienced supervisory staff and skilled personnel.                                     |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter - I : General Intent of Specifications

---

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.6   | Contractor shall erect and commission all the equipments and auxiliaries as per the sequence & methodology prescribed by BHEL depending upon the technical requirements. Availability of materials and fronts will decide this. BHEL Engineer's decision regarding correctness of the work and method of working shall be final and binding on the contractor. No claims for extra payment from the contractor will be entertained on the ground of deviation from the methods / sequence adopted in erection of similar sets elsewhere. |
| 1.7   | Following shall be the minimum responsibility of contractor and have to be provided within finally accepted rates / prices:                                                                                                                                                                                                                                                                                                                                                                                                              |
| 1.7.1 | Provision as required of all types of labour, supervisors, engineers, watch and ward, tools & tackles, calibrated MMEs (Monitoring and Measuring Equipment) as specified and otherwise required for the work, consumables for erection, testing and commissioning including material handling                                                                                                                                                                                                                                            |
| 1.7.2 | Achieving Proper out-turn / Turn-over as per BHEL plan and commitment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 1.7.3 | Completion of work as per BHEL Schedule                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 1.7.4 | Good quality and accurate workmanship for proper performance of the equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 1.7.5 | Repair and rectification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 1.7.6 | Preservation / Re-conservation of all components during storage / erection / commissioning till handing over.                                                                                                                                                                                                                                                                                                                                                                                                                            |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter - II : General Services to be rendered by the Bidder

---

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>2.0</b> | <b>GENERAL SERVICES TO BE RENDERED BY THE BIDDER</b>                                                                                                                                                                                                                                                                                                                                                                                                            |
| 2.1        | Services for construction, fabrication, equipment erection testing as well as trial run & commissioning of various equipment and accessories under the contract shall include but not be limited to the following:                                                                                                                                                                                                                                              |
| 2.2        | Issuing materials from store/open yard from time to time for erection as per the construction programme. The Contractor shall be the custodian of all the materials issued till the plant/equipment is officially taken over by the owner / BHEL after complete erection any successful trial run & commissioning.                                                                                                                                              |
| 2.3        | Transport of material to their respective places of erection and erection of the complete plant & equipment as supplied under this specification.                                                                                                                                                                                                                                                                                                               |
| 2.4        | Trial run and commissioning of individual equipment / sub-systems to the satisfaction of Owner/BHEL.                                                                                                                                                                                                                                                                                                                                                            |
| 2.5        | Deployment of all skilled and unskilled manpower required for erection, supervision of erection, watch & ward, commissioning and other services to be rendered under this specification.                                                                                                                                                                                                                                                                        |
| 2.6        | Deployment of all erection tools & tackle, construction machinery, transportation vehicles and all other implements in adequate number and size, appropriate for the erection work to be handled under scope of this specification except otherwise specified.                                                                                                                                                                                                  |
| 2.7        | Supply of all consumables, eg welding electrodes, cleaning agents, diesel oil, lubricant etc as well as materials required for temporary supports, scaffolding etc as necessary for such erection work, unless specified otherwise.                                                                                                                                                                                                                             |
| 2.8        | Providing support services for the contractor's erection staff eg construction of site offices, temporary stores, residential accommodation and transport to work site for erection personnel, watch and ward for security and safety of the materials under the Contractor's custody etc. as required.                                                                                                                                                         |
| 2.9        | Maintaining proper documentation of all the site activities undertaken by the Contractor as per the proforma mutually agreed with BHEL, Submission of monthly progress reports and any such document as and when desired by BHEL/owner, taking approval of all statutory authorities i.e Boiler Inspector, Factory Inspector, Inspector of Explosives etc , as applicable for respective portions of work fall under the jurisdiction of such statutes of laws. |
| 2.10       | Any other service, although not specifically called for but required for a contract of the size and nature indicated in the specification.                                                                                                                                                                                                                                                                                                                      |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter - III : General Technical Requirements (Codes and Standards)**

---

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>3.0</b> | <b>GENERAL TECHNICAL REQUIREMENTS (CODES AND STANDARDS)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 3.1        | Except where otherwise specified, the plant/equipment shall comply with the appropriate Indian Standard or an agreed internationally accepted Standard Specification as mentioned elsewhere in contract specifications, each incorporating the latest revisions at the time of tendering. Where no internationally accepted standard is applicable, the Bidder shall give all particulars and details as necessary, to enable BHEL to identify all of the plant/equipment in the same detail as would be possible had there been a Standard Specification. |
| 3.2        | Where the Bidder proposes alternative codes or standards he shall include in his tender one copy (in English) of each Standard Specification to which materials offered shall comply. In such case, the adopted alternative standard shall be equivalent or superior to the standards mentioned in the specification.                                                                                                                                                                                                                                      |
| 3.3        | In the event of any conflict between the codes and standards referred above, and the requirements of this specification, the requirements which are more stringent shall govern.                                                                                                                                                                                                                                                                                                                                                                           |
| 3.4        | Tools used during erection and commissioning shall not be accepted except with the specific approval of the Engineer.                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter - IV : Obligations of Contractor

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>4.0</b>   | <b>OBLIGATIONS OF CONTRACTOR</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>4.1</b>   | <b>CONSUMABLES &amp; OTHER ITEMS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>4.1.1</b> | The contractor shall provide within finally accepted price / rates, all consumables (excepting those indicated in BHEL scope) like welding electrodes (including alloy steel and stainless steel), filler wires, TIG filler wires (over & above as supplied by the unit along with the plant materials, which will be given free of cost to bidder), gases (inert, welding, cutting), soldering material, dye penetrants, radiography films, etc. Other erection consumables such as tapes, jointing compound, grease, mobile oil, M-seal, Araldite, petrol, CTC / other cleaning agents, grinding and cutting wheels are to be provided by the contractor. Steel, packers, shims, wooden planks, scaffolding materials hardware items etc required for temporary works such as supports, scaffoldings are to be arranged by the contractor. Sealing compounds, gaskets, gland packing, wooden/concrete sleepers, for temporary work, required for completion of work except those which are specifically supplied by manufacturing unit are also to be arranged by the contractor. |
| <b>4.1.2</b> | All the shims, gaskets and packing, which go finally as part of plant equipment, shall be supplied by BHEL free of cost.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>4.1.3</b> | It shall be the responsibility of the contractor to plan the activities and store sufficient quantity of consumables. Non-availability of any consumable materials or equivalent suggested by BHEL cannot be considered as reason for not attaining the required progress or for additional claim.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>4.1.4</b> | Not Applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>4.1.5</b> | It shall be the responsibility of the contractor to obtain prior approval of BHEL, regarding suppliers, type of electrodes etc before procurement of welding electrodes. On receipt of electrodes at site these shall be subjected to inspection and approval by BHEL. The contractor shall inform BHEL details regarding type of electrodes, batch number, date of expiry etc and produce test certificate for each lot / batch with correlation of batch / lot number with respective test certificate. No electrode without a valid test certificate will to be used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>4.1.6</b> | BHEL reserves the right to reject the use of any consumable including electrodes, gases, lubricants / special consumables if it is not found to be of the required standard / make / purity or when shelf life has expired. Contractor shall ensure display of shelf life on consumable wherever required and records maintained.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>4.1.7</b> | Storage of all consumables including welding electrodes shall be done as per requirement / instruction of the Engineer by the contractor at his cost.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter - IV : Obligations of Contractor

|         |                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.1.8   | In case of improper arrangement for procurement of any consumable, BHEL reserves the right to procure the same from any source and recover the cost from the Contractor's first subsequent bill at market value plus the departmental charges of BHEL from time to time. Postponement of such recovery is normally not permitted. The decision of Engineer in this regard shall be final and binding on the Contractor. |
| 4.1.9   | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4.1.10  | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4.1.11  | All charges on account of Octroi, terminal or sales tax and other duties on materials obtained from any source for carrying out the works in the scope of the contractor shall be borne by the contractor.                                                                                                                                                                                                              |
| 4.2     | <b>TOOLS AND PLANTS / MONITORING AND MEASURING EQUIPMENT (MMEs)</b>                                                                                                                                                                                                                                                                                                                                                     |
| 4.2.1   | <b>T&amp;Ps and MMEs to be provided by Contractor</b>                                                                                                                                                                                                                                                                                                                                                                   |
| 4.2.1.1 | All T&Ps and MMEs excepting those specifically indicated in BHEL scope are to be provided by the Contractor. Contractor has to make his own arrangement at his cost for completing the formalities (including arrangement of Road permits, if any) if required with Sales Tax/VAT authorities, for bringing their materials, plants and equipments at site for the execution of work under this contract.               |
| 4.2.1.2 | All suitable cranes, lifting and transport equipments for material handling at stores/yard/siding of BHEL/Customer are included in scope. BHEL's cranes will not be available for this purpose unless otherwise specifically permitted as per contract conditions                                                                                                                                                       |
| 4.2.1.3 | All T&Ps to be deployed by the contractor shall have the approval of BHEL Engineer with regard to brand, quality and specification.                                                                                                                                                                                                                                                                                     |
| 4.2.1.4 | Indicative list of Major T&Ps in the scope of Contractor are given in the Technical Conditions of Contract. Bidders to note that these are only indicative and as such all other T&P necessary for timely and satisfactory completion of work in scope shall be mobilized by Contractor                                                                                                                                 |
| 4.2.1.5 | Timely deployment of adequate T&Ps is the responsibility of the contractor. The contractor shall be prepared to augment the T&P at short notice to match the planned programme and to achieve the milestones.                                                                                                                                                                                                           |
| 4.2.1.6 | Contractor shall maintain and operate his tools and plants in such a way that major breakdowns are avoided. In the event of major breakdown, contractor shall make alternative arrangements expeditiously so that the progress of work is not hampered.                                                                                                                                                                 |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter - IV : Obligations of Contractor

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>4.2.1.7</b>  | <p>In the event of contractor failing to arrange the required tools, plants, machinery, equipment, material or non-availability of the same owing to breakdown, BHEL will make alternative arrangement at the risk and cost of the contractor. Decision of BHEL shall be final and binding on the contractor.</p> <p>It is not obligatory on the part of BHEL to provide any tools and tackles or other materials other than those specifically agreed to do so by BHEL. However, depending upon the availability, BHEL/ BHEL 's Customer handling equipment and other plants may be made available to the contractor on payment of hire charges as fixed, subject to the conditions laid down by BHEL/ Customer from time to time, Unless paid in advance, such hire charges, if applicable, shall be recovered from contractor's bill /security deposit or any other due payment in one instalment.</p> |
| <b>4.2.1.8</b>  | <p>The T&amp;P to be arranged by the contractor shall be in proper working condition and their operation shall not lead to unsafe condition. The movements of cranes, and other equipment should be such that no damage / breakage occurs to foundations, other equipments, material, property and men. All arrangements for the movement of the T&amp;P etc shall be the contractor's responsibility.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>4.2.1.9</b>  | <p>Use of welding generators/ rectifiers only shall be permitted for welding. Use of welding transformers will be subject to specific approval of BHEL engineer.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>4.2.1.10</b> | <p>The contractor at his cost shall carry out periodical testing of his construction equipments. Test certificates shall be furnished to BHEL.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>4.2.1.11</b> | <p>Contractor shall ensure deployment of serviced and healthy T&amp;Ps including cranes, lifting tackles, wire ropes, manila ropes, winches and slings etc. History card and maintenance records for major T&amp;Ps will be maintained by the contractor and will be made available to BHEL Engineer for inspection as and when required. Fitness certificate / Test Certificates of T&amp;P shall have to be submitted before it is put in use. Identification for such T&amp;Ps will be done as per BHEL Engineer's advice.</p> <p>BHEL reserves the right to permit only new slings up to 20 mm and lifting tackles up to 3 MT capacities.</p>                                                                                                                                                                                                                                                         |
| <b>4.2.1.12</b> | <p>Contractor shall ensure deployment of reliable and calibrated MMEs (Inspection measuring and Monitoring equipment). The MMEs shall have test / calibration certificates from authorized / Government approved / accredited agencies traceable to National / International standards. Each MME shall have a label indicating calibration status i.e. date of calibration, calibration agency and due date for calibration. A list of such instruments deployed by contractor at site with its calibration status is to be submitted to BHEL Engineer for control.</p>                                                                                                                                                                                                                                                                                                                                   |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter - IV : Obligations of Contractor

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>4.2.1.13</b> | Re-testing/ re-calibration shall also be arranged at regular intervals during the period of use as advised by BHEL Engineer within the contract price. The contractor will also have alternate arrangements for such MME so that work does not suffer when the particular instrument is sent for calibration. If any MMEs not found fit for use, BHEL shall have the right to stop the use of such item. It will be necessary for the contractor to deploy proper item. Any readings taken by the defective instrument will be recalled and repeat the readings taken by that instrument with a proper one. In case he fails to do so, BHEL may deploy MMEs and retake the readings at contractor's cost. |
| <b>4.2.1.14</b> | BHEL shall have lien on all T&P, MMEs and other equipment of the contractor brought to the site for the purpose of erection, testing and commissioning. BHEL shall continue to hold the lien on all such items throughout the period of contract / extended period. The contractor and/ or his sub-contractors, without the prior written approval of the Engineer, shall remove no material brought to the site.                                                                                                                                                                                                                                                                                         |
| <b>4.2.1.15</b> | The month wise T&P deployment plan to execute the work is to be submitted as per relevant format as per the instruction of BHEL. It shall be the contractor's responsibility to deploy the required T&P, for timely and successful completion of the job, to any extent.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>4.2.2</b>    | <b>Obligations in respect of T&amp;Ps and MMEs provided by BHEL- Not applicable</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter – V : Responsibilities of Contractor in respect of Labour,  
Supervisory Staff, etc.**

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>5.0</b> | <b>RESPONSIBILITIES OF CONTRACTOR IN RESPECT OF LABOUR, SUPERVISORY STAFF, ETC.</b>                                                                                                                                                                                                                                                                                                                                                         |
| 5.1        | Refer relevant clauses of General Conditions of Contract (GCC) also in this regard                                                                                                                                                                                                                                                                                                                                                          |
| 5.2        | The contractor shall deploy all the necessary skilled/semiskilled/ unskilled labour including highly skilled workmen etc. These workmen should have previous experience on similar job. They shall hold valid certificates wherever necessary. BHEL reserves the right to insist on removal of any employee of the contractor at any time if he is found to be unsuitable and the contractor shall forthwith remove him.                    |
| 5.3        | Contractor shall also comply with the requirements of local authorities/ project authorities calling for police verification of antecedents of the workmen, staff etc.                                                                                                                                                                                                                                                                      |
| 5.4        | It is the responsibility of the contractor to engage his workmen in shifts and or on overtime basis for achieving the targets set by BHEL. This target may be set to suit BHEL's commitments to its customer or to advance date of completion of events or due to other reasons. The decision of BHEL in regard to setting the erection and commissioning targets will be final and binding on the contractor.                              |
| 5.5        | Contractor shall provide at different elevation suitable arrangement for urinal and drinking water facility with necessary plumbing & disposal arrangement including construction of septic tank. These installations shall be maintained in hygienic condition at all times.                                                                                                                                                               |
| 5.6        | The Contractor in the event of engaging 20 or more workmen, shall obtain Independent license under the Contract labour (Regulation and Abolition) Act 1970 from the concerned authorities based on Form-V issued by the Principal Employer/Customer. In order to issue Form-V by Customer, Contractor shall fulfill all Statutory requirements like Insurance Policy, PF Code/PF Account number etc as per the requirement of BHEL/Customer |
| 5.7        | Contractor shall deduct the necessary amount towards Provident Fund and contribute equal amount as per Government of India laws. This amount will be deposited regularly to the provident Fund Commissioner. BHEL/Customer may insist for submission of the account code duly certified by PF Commissioner                                                                                                                                  |
| 5.8        | Contractor may also be required to comply with provisions of ESI Act in vogue if applicable and submit evidence to BHEL.                                                                                                                                                                                                                                                                                                                    |
| 5.9        | BHEL / customer may insist for witnessing the regular payment to the labour. They may also like to verify the relevant records for compliance with statutory requirements. Contractor shall enable such facilities to BHEL/ Customer.                                                                                                                                                                                                       |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter – V : Responsibilities of Contractor in respect of Labour,  
Supervisory Staff, etc.**

---

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5.10 | Contractor shall deploy only qualified and experienced engineers/ supervisors. They shall have professional approach in executing the work.                                                                                                                                                                                                                                                                                                                                                    |
| 5.11 | The contractor's supervisory staff shall execute the work in the most professional manner in the stipulated time. Accuracy of work and aesthetic finish are essential part of this contract. They shall be responsible to ensure that the assembly and workmanship conform to dimensions and tolerances given in the drawings/instructions given by BHEL engineer from time to time.                                                                                                           |
| 5.12 | The supervisory staff employed by the contractor shall ensure proper outturn of work and discipline on the part of the labour put on the job by the contractor. Also in general they should see that the works are carried out in a safe and proper manner and in coordination with other labour and staff employed directly by BHEL or other contractors of BHEL or BHEL's client.                                                                                                            |
| 5.13 | It is the responsibility of the contractor to arrange gate pass for all his employees, T&P etc for entering the project premises. Necessary coordination with customer officials is the responsibility of the contractor. Contractor to follow all the procedures laid down by the customer for making gate passes. Where permitted, by customer / BHEL, to work beyond normal working hours, the contractor shall arrange necessary work permits for working beyond normal working hours.     |
| 5.14 | The actual deployment will of Labour and Engineer/supervision staff shall be so as to satisfy the erection and commissioning targets set by BHEL. If at any time, it is found that the contractor is not in a position to deploy the required engineers/supervisors/workmen due to any reason, BHEL shall have the option to make alternate arrangements at the contractor's risk and cost. The expenditure incurred along with BHEL overheads thereon shall be recovered from the contractor. |
| 5.15 | Contractor shall not deploy women labour at night.                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter – VI: Material Handling, Storage & preservation

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>6.0</b>   | <b>MATERIAL HANDLING, STORAGE AND PRESERVATION ETC</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>6.1</b>   | <b>MATERIAL HANDLING AND STORAGE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>6.1.1</b> | All the equipments/ materials furnished under this contract shall be received from the project stores, sheds / storage yards and transported to pre assembly area / erection site and stored in the storage spaces in a manner so that they are easily retrievable till the contractor erects them. <b>While drawing/lifting material from BHEL / customer stores, the contractor shall ensure that the balance / other materials are stacked back immediately. No claim is admissible on this account</b> |
| <b>6.1.2</b> | While BHEL will endeavor to store / stack / identify materials properly in their open / close / semi closed / tarpaulins covered storage yard / shed, it shall be contractor's responsibility to assist BHEL in identifying materials well in time for erection. They should take the delivery of the same, following the procedure indicated by BHEL, and transport the material safely to pre-assembly yard / erection site in time, according to program.                                               |
| <b>6.1.3</b> | The contractor shall take delivery of components, equipment / consumables from storage area after getting the approval of BHEL Engineer on standard indent forms.                                                                                                                                                                                                                                                                                                                                          |
| <b>6.1.4</b> | The contractor shall identify and deploy necessary Engineers / supervisors / workmen for the above work in sufficient number as may be needed by BHEL, for areas covering their scope.                                                                                                                                                                                                                                                                                                                     |
| <b>6.1.5</b> | All the equipment shall be handled very carefully to prevent any damage or loss. No untested wire ropes / slings etc. shall be used for unloading / handling. The equipment shall be properly protected to prevent damage either to the equipment or to the floor where they are stored. The equipment from the stores shall be moved to the actual location at the appropriate time so as to avoid damage of such equipment at site.                                                                      |
| <b>6.1.6</b> | Contractor shall ensure that while lifting slings shall be put over the points indicated on the equipment or as indicated in the manufacturer's drawings. Slings / shackles of proper size shall be used for all lifting and rigging purposes. All care shall be taken to safe guard the equipment against any damage. Dragging of piping / valves should be avoided. In case of any damage the cost shall be covered from the contractor.                                                                 |
| <b>6.1.7</b> | Approach road conditions from the stores/ yards to the erection site may not be equipped and ideal for smooth transportation of the equipment. Contractor may have to be adequately prepared to transport the materials under the above                                                                                                                                                                                                                                                                    |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter – VI: Material Handling, Storage & preservation**

---

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | circumstances without any extra cost. The contractor may familiar himself with soil conditions at site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>6.1.8</b>  | Contractor shall be responsible for examining all the plant and materials issued to him and notify the Engineer immediately of any damage, shortage, discrepancy etc. before they are moved out of the stores / storage area. The contractor shall be solely responsible for any shortages or damages in transit, handling, storage and erection of the equipment once received by him. As the erection work will be spread in different areas/ locations of the project, contractor has to arrange sufficient number of watch / ward personal to avoid any pilferage of material |
| <b>6.1.9</b>  | The contractor shall maintain an accurate and exhaustive record-detailing out the list of all equipment received by him for the purpose of erection and keep such record open for the inspection of the engineer at any time.                                                                                                                                                                                                                                                                                                                                                     |
| <b>6.1.10</b> | All the material in the custody of contractor and stored in the open or dusty locations must be covered with suitable weather proof / fire retardant covering material wherever applicable and shall be blocked up on raised level above ground. All covering materials including blocks and sleeper shall be arranged by the contractor at his cost.                                                                                                                                                                                                                             |
| <b>6.1.11</b> | If the material belonging to the contractor are stored in area other than those earmarked for his operation the engineer will have the right to get it moved to the area earmarked for the contractor at the contractors risk and cost.                                                                                                                                                                                                                                                                                                                                           |
| <b>6.1.12</b> | The contractor shall be responsible for making suitable indoor storage facilities to store all equipment (drawn by the contractor from BHEL/ customer stores), which require indoor storage till the time of their installation. The Engineer will direct the contractor in this regard, which item in his opinion will require indoor storage, and the contractor shall comply with Engineer's decision.                                                                                                                                                                         |
| <b>6.1.13</b> | The contractor shall ensure that all surplus / damaged / scrap / unused material, packing wood / containers/ special transporting frames etc are returned to BHEL at a place in project area identified by the Engineer. The contractor will maintain an account for all items received and returned to BHEL. Any shortage in returning such items shall be chargeable to the contractor except allowable wastage for packing wood only.                                                                                                                                          |
| <b>6.1.14</b> | The contractor shall hand over all parts / materials remaining extra over the normal requirement with proper identification tags to the stores as directed by the concerned BHEL engineer.                                                                                                                                                                                                                                                                                                                                                                                        |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter – VI: Material Handling, Storage & preservation

---

|                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>6.1.15</b>  | The contractor shall ensure that all the packing materials and protective devices installed on equipment during transit and storage are removed before installation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>6.1.16</b>  | It shall be the responsibility of the contractor to keep the work / storage areas in neat, tidy and working conditions. All surplus/unusable packing and other materials shall be removed and deposited at location(s) specified by BHEL within the project premises. If required weighing of the same within the project premises will have to be carried out.                                                                                                                                                                                                                                                                                                          |
| <b>6.2</b>     | <b>PRESERVATION OF COMPONENTS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>6.2.1</b>   | After taking delivery from BHEL / customer's stores, plant materials storage shall be subjected to the following protection besides other provisions indicated in these specifications elsewhere.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>6.2.1.1</b> | Items stored outdoors shall be stacked up at least six inches (6") off the ground. Items should not be stored in a low lying area where water logging is a possibility. Contractor should have sufficient numbers of wooden / concrete / steel sleepers for the job.                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>6.2.1.2</b> | Motors, valves, electrical equipment, control equipment and instruments, and special or precision items requiring special care, etc shall be stored indoors. Motor windings shall be kept dry by use of external heat or space heaters.                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>6.2.1.3</b> | Bearings and other wearing surfaces of plant materials shall be protected against corrosion and kept clean and should be regularly monitored.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>6.2.1.4</b> | Insulation materials shall be stored indoors or otherwise protected against getting wet/ damaged, using suitable measures and should be protected from direct rain.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>6.2.2</b>   | It shall be the responsibility of the contractor to apply preservatives / touch up paints (primer) on equipment handled and erected by him till such time of final painting. It shall be contractor's responsibility to arrange for required paints (primer), thinners, labour, scaffolding materials, cleaning materials like wire brush, emery sheets, etc, cleaning of surface and provide one coat of preservatives / paints (primer) from time to time as decided by BHEL engineer. The accepted rate shall include this work also. It is to be noted that such painting may have to be done as and when required till such time the final painting is carried out. |
| <b>6.2.3</b>   | The contractor shall effectively protect the finished work from action of weather and from damage or defacement and shall cover the finished parts then and there for their protection.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter – VI: Material Handling, Storage & preservation**

---

|              |                                                                                                                                                                                      |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>6.2.4</b> | Any failure on the part of contractor to carry out works according to above clauses will entail BHEL to carry out the job from any other party and recover the cost from contractor. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter – VII: Drawings and documents**

---

|            |                                                                                                                                                                                                                                                                                                        |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>7.0</b> | <b>DRAWINGS AND DOCUMENTS</b>                                                                                                                                                                                                                                                                          |
| <b>7.1</b> | The detailed drawings, specifications available with BHEL engineers will be made available to the contractor during execution of work at site. The contractor will also ensure availability of all drawings / documents at work place.                                                                 |
| <b>7.2</b> | Necessary drawings to carry out the erection work will be furnished to the contractor by BHEL on loan, which shall be returned to BHEL Engineer at site after completion of work. Contractor shall ensure safe storage and quick retrieval of these documents.                                         |
| <b>7.3</b> | The contractor shall maintain a record of all drawings and documents available with him in a register as per format given by BHEL Engineer. Contractor shall ensure use of pertinent drawings / data / documents and removal of obsolete ones from work place and returning to BHEL.                   |
| <b>7.4</b> | The data furnished in various annexure enclosed with this tender specification are only approximate and for guidance. However, the change in the design and in the quantity may occur as is usual in any such large scale of work. The contractors quoted rates shall be inclusive of the above factor |
| <b>7.5</b> | Should any error or ambiguity be discovered in the specification or information the contractor shall forthwith bring the same to the notice of BHEL before commencement of work. BHEL's interpretation in such cases shall be final and binding on the contractor.                                     |
| <b>7.6</b> | Deviation from design dimensions should not exceed permissible limit. The contractor shall not correct or alter any dimension / details, without specific approval of BHEL.                                                                                                                            |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter – VIII: Inspection and Quality

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>8.0</b>   | <b>INSPECTION AND QUALITY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>8.1</b>   | <b>Inspection, Quality Assurance, Quality Control</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>8.1.1</b> | Preparation of quality assurance log sheets and protocols with customer/ consultants/statutory authority, welding logs, NDE records, testing & calibration records and other quality control and quality assurance documentation as per BHEL engineer's instructions, is within the scope of work/specification. These records shall be submitted to BHEL/customer for approval from time to time.                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.1.2</b> | The protocols between contractor and customer/ BHEL shall be made prior to installation for correctness of foundations, materials, procedures, at each stage of installation, generally as per the requirement of customer/ BHEL. This is necessary to ensure elimination of errors or keeping them within tolerable limits and to avoid accumulation and multiplication of errors.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>8.1.3</b> | <p>A daily log book should be maintained by every supervisor/engineer of contractor on the job in duplicate (one for BHEL and one for contractor) for detailing and incorporating alignment/clearance / centering / leveling readings and inspection details of various equipments etc.</p> <p>High pressure welding details like serial number of weld joints, welders name, date of welding, details of repair, heat treatment etc. will be documented in welding log as per BHEL Engineer's instructions.</p> <p>Record of radiography containing details like serial number of weld joints, date of radiography, repairs, if any, re-shots etc shall also be maintained as per BHEL Engineer's instructions.</p> <p><b>Record of heat treatments performed shall be maintained as prescribed by BHEL</b></p> |
| <b>8.1.4</b> | The performance of welders will be reviewed from time to time as per the BHEL standards. Welders' performance record shall be periodically furnished for scrutiny of BHEL's Engineer. Corrective action as informed by BHEL shall be taken in respect of those welders not conforming to these standards. This may include removal/ discontinuance of concerned welder(s). Contractor shall arrange for the alternate welders immediately                                                                                                                                                                                                                                                                                                                                                                        |
| <b>8.1.5</b> | All the welders shall carry identity cards as per the proforma prescribed by BHEL/ Customer/ Consultant. Only welders duly authorized by BHEL/ customer/ consultant shall be engaged on the work.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter – VIII: Inspection and Quality

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>8.1.6</b>  | Contractor shall provide all the Measuring Monitoring Equipments (MMEs) required for completion of the work satisfactorily. These MMEs shall be of brand, quality and accuracy specified by BHEL Engineer and should have necessary calibration and other certificates as per the requirement of BHEL Engineer. Decision of BHEL Engineer regarding acceptance or otherwise of the measuring instruments/gauges/tools for the work under this specification, is final and binding on the contractor. BHEL may give an indicative list of MMEs required for this work and to be made available by the contractor. The list will be reviewed by BHEL and the contractor shall meet any augmentation needed wherever required.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>8.1.7</b>  | It is the responsibility of the contractor to prove the accuracy of the testing/measuring/calibrating equipments brought by him based on the periodicity of calibration as called for in the BHEL's quality assurance standards/BHEL Engineer's instructions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>8.1.8</b>  | Any re-laying or re-termination of cables/re-erection of instruments/ recalibration of instruments etc. required due to contractor's mistake or design requirement and found at any stage inspection, shall be carried out by the contractor at no extra cost.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>8.1.9</b>  | BHEL, Power Sector Regions (PSNR/PSER/PSWR/PSSR) have already been accredited with ISO 9001 certification and as such this work is subject to various audits to meet ISO 9001 requirements. One particular aspect which needs special mention is about arrangement of calibration of instruments by the contractor. Contractor shall ensure deployment of reliable and calibrated MMEs (Measuring and Monitoring Equipments). The MMEs shall have test / calibration certificates from authorised / Government approved / Accredited agencies traceable to National / International Standards. Re-testing / re-calibration shall also be arranged at regular intervals during the period of use as advised by BHEL Engineer within the contract price. The contractor will also have alternate arrangements for such MMEs so that work does not suffer when the particular equipment / instrument is sent for calibration. Also if any MMEs not found fit for use, BHEL shall have the right to stop the use of such item and instruct the contractor to deploy proper item and recall ie repeat the readings taken by that instrument, failing which BHEL may deploy MME and retake the readings at Contractor's cost. |
| <b>8.1.10</b> | Re-work necessitated on account of use of invalid MMEs shall be entirely to the contractor's account. He shall be responsible to take all corrective actions,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter – VIII: Inspection and Quality

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | including resource augmentation if any, as specified by BHEL to make-up for the loss of time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>8.1.11</b> | In the courses of erection, it may become necessary to carry repeated checks of the work with instruments recently calibrated, re-calibrated. BHEL may counter/ finally check the measurements with their own MMEs. Contractor shall render all assistance in conduct of such counter/final measurements.                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>8.1.12</b> | Total Quality is the watchword of the work and Contractor shall strive to achieve the Quality Standards, procedures laid down by BHEL. He shall follow all the instructions as per BHEL drawings and Quality Standards.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>8.2</b>    | <b>Stage Inspection By FES/QA Engineers</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>8.2.1</b>  | Apart from day-to-day inspection by BHEL Engineers stationed at Site and Customer's Engineers, stage inspection of equipments under erection and commissioning at various stages shall also be conducted by teams of Engineers from Field Engineering Services of BHEL's Manufacturing Units, Quality Assurance teams from Field Quality Assurance, Unit/Factory Quality Assurance and Commissioning Engineers from Technical Services etc. Contractor shall arrange all labour, tools and tackles etc along with proper access for such stage inspections free of cost.                                                                                                                                                                       |
| <b>8.2.2</b>  | Any modifications suggested by BHEL FES and QA Engineers' team shall be carried out. Claims of contractor, if any, shall be dealt as per Section 13, and provided such modifications have not arisen for reasons attributable to the contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.3</b>    | <b>Statutory Inspection of Work</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>8.3.1</b>  | <p>The work to be executed under these specifications has to be offered for inspection, at appropriate stages of work completion, to various statutory authorities for compliance with applicable regulations.</p> <p>The work related statutory inspections, though not limited to, are as under:</p> <ol style="list-style-type: none"> <li>1) Inspectorate of Steam Boilers and Smoke Nuisance</li> <li>2) Electrical Inspector</li> <li>3) Factory Inspector, Labour Commissioner, PF Commissioner and other authority connected to this project work</li> </ol> <p>The scope includes getting the approvals from the statutory authorities, which includes arranging for inspection visits of statutory authority periodically as per</p> |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter – VIII: Inspection and Quality

|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              | BHEL Engineer's instructions, arranging materials for ground inspection, taking rub outs for the pressure parts to be offered for inspection, submitting co-related inspection reports, documents, radiographs etc and following up the matter with them. Contractor shall also make all arrangements for offering the Products / Systems for inspection at location, as applicable, to the concerned authority.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>8.3.2</b> | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.3.3</b> | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.3.4</b> | Not applicable                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.4</b>   | The Quality Management System of BHEL, Power Sector Regions (PSNR/ PSER/ PSWR/ PSSR) have already been certified and accredited under ISO 9002 standards in this regard. The basic philosophy of the Quality Management System is to define the organizational responsibility, work as per documented procedures, verify the output with respect to acceptance norms, identify the non-conforming product/ procedure and take corrective action for removal of non-conformance specifying the steps for avoiding recurrence of such non-conformities, & maintain the relevant quality records. The non-conformities are to be identified through the conduct of periodical audit of implementation of quality systems at various locations/stages of work. Suppliers/vendors of various products/services contributing in the work are also considered as part of the quality management system. .as such the contractor is expected not only to conform to the quality management system of BHEL but also it is desirable that they themselves are accredited under any quality management system standard. |
| <b>8.5</b>   | <b>Field Quality Assurance</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>8.5.1</b> | Contractor shall carry out all activities conforming to the approved Field Quality Plan (FQP) as revised from time to time. Total quality shall be the watchword of the work and contractor shall strive to achieve the quality standards, procedures laid down by BHEL. He shall follow all the instructions as per BHEL drawings and quality standards. Contractor shall provide the services of quality assurance engineer as per the relevant clauses.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>8.6</b>   | Contractor has to fulfil quality requirement as per this chapter. In case of any gap in fulfilling these requirements by the contractor, financial penalty shall be imposed on the contractor with the rate mentioned in the "MEMO for penalty imposition against non-compliance in Quality area" enclosed as Annexure-IV.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

# SPECIAL CONDITIONS OF CONTRACT (SCC)

## Chapter – VIII: Inspection and Quality

---

SPECIAL CONDITIONS OF CONTRACT (SCC)  
Chapter-IX:HSE & OHSAS

---

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9.0 | <p><b>OCCUPATIONAL HEALTH, SAFETY &amp; ENVIRONMENT MANAGEMENT/ QUALITY ASSURANCE PROGRAMME :</b></p> <p>BHEL, Power Sector Regions (PSNR/ER/WR/SR) are each certified for ISO 9001. Quality of work to customer's satisfaction and fulfillment of system requirements are the essence of ISO 9001 certification. BHEL, PS Regions have HSE certification (ISO 14001 &amp; OHSAS 18001) and therefore Contractor also shall organise/ plan/ perform all their activities to meet with the applicable requirements of these standards.</p> |
| 9.1 | <p><b>HSE (Health, Safety &amp; Environment):</b></p> <p>Contractor will comply with HSE (Health, safety &amp; Environment) requirements of BHEL as per the "HSE Plan for Site Operations by Subcontractor" (Document no. HSEP:14 Rev 01)</p> <p><u>Please see the attached document</u></p>                                                                                                                                                                                                                                              |
| 9.2 | <p>In case of any financial deduction made by Customer for lapses of safety other than what is provided above or elsewhere in the contract, the same shall be charged on back-to-back basis on the defaulting contractor without prejudice to any other right spelt anywhere in the tender /contract.</p>                                                                                                                                                                                                                                 |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter-X: RA Bill Payments

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>10.0</b> | <b>RA Bill Payments</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 10.1        | The contractor shall submit his monthly RA bills with all the details required by BHEL on specified date every month covering progress of work in all respects and areas for the previous calendar month.                                                                                                                                                                                                                                                                                                                                                         |
| 10.2        | Mode of payment and measurement of work completed shall be as per relevant clauses of General Conditions of Contract                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 10.3        | Release of payment in each running bill including PVC Bills where ever applicable will be restricted to 95% of the value of work admitted as per stages of progressive pro rata payments.                                                                                                                                                                                                                                                                                                                                                                         |
| 10.4        | The 5% thus remaining shall be treated as 'Retention Amount' and shall be released as per terms specified in the General Conditions of Contract.                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 10.5        | <p>The payment for running bills will normally be released within 30 days of submission of running bill complete in all respects with all documents. It is the responsibility of the contractor to make his own arrangements for making timely payments towards labour wages, statutory payments, outstanding dues etc and other dues in the meanwhile.</p> <p>In case of Civil works, 60% of RA Bills complete and correct in all respects and certified by BHEL Engineer, shall be paid within 15 days of receipt. Balance payment shall be within 30 days.</p> |
| 10.6        | <p>BHEL shall release payment through Electronic Fund Transfer (EFT)/RTGS. In order to implement this system, Contractor to furnish details pertaining to his Bank Accounts where proceeds will be transferred through BHEL's banker, as per prescribed formats:</p> <p>Note: BHEL may also choose to release payment by other alternative modes as applicable</p>                                                                                                                                                                                                |
| 10.7        | Paying Authority shall be the Construction Manager of the Site. Any change in the paying Authority shall be intimated to the Contactor accordingly.                                                                                                                                                                                                                                                                                                                                                                                                               |

**SPECIAL CONDITIONS OF CONTRACT (SCC)**  
**Chapter-XI : Performance Monitoring**

---

|             |                                                                                                                                                                                                                                                                                                                |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>11.0</b> | <b>Performance Monitoring</b>                                                                                                                                                                                                                                                                                  |
| 11.1        | Performance of the contractor is monitored through various reports/reviews and shall be jointly evaluated every month for unit wise identified packages as per prescribed formats. Based on the net weighted scores obtained, Contractors shall be rated 'Good' or 'Satisfactory' or 'Unsatisfactory'          |
| 11.2        | In case of any dispute on performance rating and the contractor refuses to sign on the performance rating given by BHEL package Incharge, the same shall be reviewed by BHEL site Incharge/Construction Manager and his decision shall be final.                                                               |
| 11.3        | Release of RA Bills will be contingent upon joint evaluation of performance                                                                                                                                                                                                                                    |
| 11.4        | Performance of the contractor will be taken into consideration for assessing the capacity of the bidder to execute future jobs under tender, as detailed in the Notice Inviting Tender. Risk of non evaluation or non availability of the Monthly performance evaluation reports is to be borne by the Bidder. |
| 11.5        | In case of 'Unsatisfactory performance' for a continuous period of three or more months for a package or packages, BHEL has the right to get the balance works executed at the risk and cost of the contractor.                                                                                                |
| 11.6        | In case of 'Unsatisfactory performance' in a financial year, BHEL reserves the right to put on hold such Contractors for a period of six months for similar package or similar packages                                                                                                                        |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter-XII: Suspension of Business Dealings

---

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>12.0</b> | <b>Suspension of Business dealings</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 12.1        | BHEL reserves the right to take action against contractors who fail to perform or indulge in malpractices, by suspending business dealings with them.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 12.2        | Suspension could be in the form of 'Hold', 'De-listing' or 'Banning' a contractor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 12.3        | <p>A bidder may be put on HOLD for a period of 6 months, for future tenders for specific works on the basis of one or more of the following reasons:</p> <ul style="list-style-type: none"><li>a) Bidder does not honour his own offer or any of its conditions within the validity period.</li><li>b) Bidder fails to respond against three consecutive enquires of BHEL.</li><li>c) After placement of order, Bidder fails to execute a contract.</li><li>d) Bidder fails to settle sundry debt account, for which he is legitimately liable, within one year of its occurrence.</li><li>e) Bidder's performance rating falls below 60% in specific category (more fully described in chapter 'Performance Monitoring')</li><li>f) Bidder works are under strike/ lockout for a long period.</li></ul> |
| 12.4        | <p>A Bidder may be de-listed from the list of registered Bidders of the region for a period of 1 year on the basis of one or more of the following reasons:-</p> <ul style="list-style-type: none"><li>a) Bidder tampers with tendering procedure affecting ordering process or commits any misconduct which is contrary to business ethics.</li><li>b) Bidder has substituted, damaged, failed to return, short returned or unauthorizedly disposed off materials/ documents/ drawings/ tools etc of BHEL.</li><li>c) Bidder no longer has the technical staff, equipment, financial resources etc. required to execute the orders/ contracts.</li></ul>                                                                                                                                                |
| 12.5        | <p>A Bidder can be banned from doing any business with all Units of BHEL for a period of 3 years on the basis of one or more of the following reasons:</p> <ul style="list-style-type: none"><li>a) Bidder is found to be responsible for submitting fake/ false/ forged documents, certificates, or information prejudicial to BHEL's interest.</li><li>b) In spite of warnings, the Bidder persistently violates or circumvents the provisions of labour laws/ regulations/ rules and other statutory requirements.</li><li>c) Bidder is found to be involved in cartel formation</li></ul>                                                                                                                                                                                                            |

## SPECIAL CONDITIONS OF CONTRACT (SCC)

### Chapter-XII: Suspension of Business Dealings

---

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|      | <ul style="list-style-type: none"><li>d) The Bidder has indulged in malpractices or misconduct such as bribery, corruption and fraud, pilferage etc which are contrary to business ethics.</li><li>e) The Bidder is found guilty by any court of law for criminal activity/ offences involving moral turpitude in relation to business dealings.</li><li>f) The Bidder is declared bankrupt, insolvent, has wound up or been dissolved; i.e ceases to exist for all practical purposes.</li><li>g) Bidder is found to have obtained Official Company information/ documentation by questionable means.</li><li>h) Communication is received from the administrative Ministry of BHEL to ban the Bidder from business dealings.</li></ul> |
| 12.6 | Contracts already entered with a contractor before the date of issue of order of 'HOLD' or 'DE-LISTING' shall not be affected.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 12.7 | All existing contracts with a 'BANNED' contractor shall normally be short closed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 12.8 | Once the order for suspension is passed, existing offers/new offers of the contractor shall not be entertained                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 12.9 | The above guidelines are not exhaustive but enunciate broad principles governing action against contractors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



## Bharat Heavy Electricals Limited

(A Govt. of India Undertaking)

Power Sector- Northern Region

BHEL/PSNR/Site.....

Dated: \_\_\_\_\_

**MEMO for imposition of penalty against non-compliances in Quality area**

The Lapse as tick marked below has been observed in your area and penalty is being imposed as per the details mentioned at the bottom of this memo:-

| S. No                           | Nature of non- compliance                                                                                                | Penalty<br>(in Rs.) | Remarks                    |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------|
| 1.                              | Non availability of required no. of Quality Engineers/NDT certified person as per contract                               | 1000                | Per Person                 |
| <b>Calibration:-</b>            |                                                                                                                          |                     |                            |
| 2.                              | Use of IMTEs without having valid calibration certificate                                                                | 1000                | Per equipment per instance |
| 3.                              | Use of NDT equipment, welding equipment's without having valid calibration certificate, condition not as per requirement | 1000                | Per equipment per instance |
| <b>Welding &amp; NDT area:-</b> |                                                                                                                          |                     |                            |
| 4.                              | Un qualified Welder carrying out weld/ tack weld                                                                         | 1000                | Per welder per instance    |
| 5.                              | Not using portable oven                                                                                                  | 500                 | Per welder per instance    |
| 6.                              | Not using electrodes pre- baked in master oven/ approved make of electrodes/correct electrodes as per EWS/ WPS           | 500                 | Per instance               |
| 7.                              | Non- removal of slag and spatters after welding                                                                          | 200                 | Per Joint                  |
| 8.                              | Not using NDT equipment as prescribed in the manual/contract/guidelines                                                  | 1000                | Per equipment per instance |
| 9.                              | Welder doing welding without job card                                                                                    | 500                 | Per instance               |
| 10.                             | Discrepancy observed in the RT taken of weld joints vs RT offered                                                        | 2000                | Per joint                  |
| <b>Material management:-</b>    |                                                                                                                          |                     |                            |
| 11.                             | Mismatch of location of material in store area wrt in Stock register                                                     | 200                 | Per instance               |
| 12.                             | Non- compliance of preservation of material as per storage & preservation manual                                         | 1000                | Per equipment              |
| 13.                             | Non verification of material within stipulated time as per contract                                                      | 500                 | Per instance               |
| <b>Other Areas:-</b>            |                                                                                                                          |                     |                            |
| 14.                             | Painting without surface cleaning                                                                                        | 500                 | Per instance               |
| 15.                             | Not attending Quality meeting by the nominated member                                                                    | 1000                | Per meeting                |

Details of non- compliance (Name of Sub contractors, persons, description of deficiency, etc.)

---



---

Penalty imposed:-

1, Rate as per above chart \_\_\_\_\_

2. No. of Persons/ equipment/ instance/ Joint/ welder/meeting. \_\_\_\_\_

3. Total Penalty= 1. X 2. = \_\_\_\_\_

Signature

(Witnessed by Sub- Contractor representative)


Name \_\_\_\_\_

(Witnessed by PSNR Personnel)

Name \_\_\_\_\_

Distribution: 1. Sub- contractor

2. Head (Quality & Safety)/ BHEL PSNR



# **HEALTH, SAFETY and ENVIRONMENT PLAN**

for

**SITE  
OPERATIONS**

by

**SUB-  
CONTRACTORS**

**POWER SECTOR**

# HSE PLAN FOR SITE OPERATIONS BY BHEL'S SUBCONTRACTORS

## AT A GLANCE

|              |                                                                                                                                                                                                                                     |                                                                                                                                                                                |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BEFORE START | <b>SIGNING OF MOU</b>                                                                                                                                                                                                               |                                                                                                                                                                                |
|              | Agree to comply to HSE requirement- Statutory and BHEL’s                                                                                                                                                                            |                                                                                                                                                                                |
| PLAN         | <b>HSE ORGANISATION</b>                                                                                                                                                                                                             |                                                                                                                                                                                |
|              | <b>Manpower</b> <ul style="list-style-type: none"><li>1 (one) safety officer for every 500 workers or part thereof</li><li>1(one) safety-steward/ supervisor for every 100 workers</li></ul> <b>Qualification</b><br>As per Cl. 7.1 | <b>HSE Roles and responsibilities</b> <ul style="list-style-type: none"><li>Site In-charge- As per clause 7.2.1</li><li>Safety officer- As per clause 7.2.2</li></ul>          |
|              | <b>HSE Planning</b><br>for Man, Machinery/Equipment/Tools & Tackles                                                                                                                                                                 |                                                                                                                                                                                |
| PROVIDE      | <b>HSE INFRASTRUCTURE</b>                                                                                                                                                                                                           |                                                                                                                                                                                |
|              | <ul style="list-style-type: none"><li>PPEs</li><li>Drinking Water</li><li>Washing Facilities</li><li>Latrines and Urinals</li><li>Provision of shelter for rest</li><li>Medical facilities</li></ul>                                | <ul style="list-style-type: none"><li>Canteen facilities</li><li>Labour Colony</li><li>Emergency Vehicle</li><li>Pest Control</li><li>Scrapyard</li><li>Illumination</li></ul> |
| TRAIN        | <b>HSE TRAINING , AWARENESS &amp; PROMOTION</b>                                                                                                                                                                                     |                                                                                                                                                                                |
|              | <b>Training</b> <ul style="list-style-type: none"><li>Induction training</li><li>Height work and other critical areas</li><li>Tool Box talk &amp; Pep Talk</li></ul>                                                                | <b>Awareness &amp; Promotion</b> <ul style="list-style-type: none"><li>Signage</li><li>Poster</li><li>Banner</li><li>Competition</li><li>Awards</li></ul>                      |
| COMMUNICATE  | <b>HSE COMMUNICATION</b>                                                                                                                                                                                                            |                                                                                                                                                                                |
|              | <b>Incident Reporting</b> <ul style="list-style-type: none"><li>Accident- Fatal &amp; Major</li><li>Property damage</li><li>Near Miss</li></ul>                                                                                     | <b>Event Reporting</b> <ul style="list-style-type: none"><li>Celebrations</li><li>Training</li><li>Medical camp</li></ul>                                                      |

## EXECUTE SAFELY

### OPERATIONAL CONTROL PROCEDURES

#### PERMIT TO WORK

Height work (above 2 metres), Hot Work, Heavy Lifting, Confined Space, Radiography, excavation (More than 4 metres)

#### SAFETY DURING WORK EXECUTION

- |                                                                                                                                                                                                                                    |                                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Welding</li> <li>• Rigging</li> <li>• Cylinder- storage &amp; Movement</li> <li>• Demolition work</li> <li>• T&amp;Ps</li> <li>• Chemical Handling</li> <li>• Electrical works</li> </ul> | <ul style="list-style-type: none"> <li>• Fire</li> <li>• Scaffolding</li> <li>• Height work</li> <li>• Working Platform</li> <li>• Excavation</li> <li>• Ladder</li> <li>• Lifting</li> <li>• Hoisting appliance</li> </ul> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### HOUSE KEEPING

#### WASTE MANGEMENT

#### TRAFFIC MANAGEMENT

#### ENVIRONMENTAL CONTROL

#### EMERGENCY PREPAREDNESS AND RESPONSE PLAN

## CHECKS

#### HSE AUDITS & INSPECTION

- |                                                                                                                                                                                 |                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Daily Checks</li> <li>• Inspection of PPEs</li> <li>• Inspection of T&amp; Ps</li> <li>• Inspection of Cranes &amp; Winches</li> </ul> | <ul style="list-style-type: none"> <li>• Inspection of Height work</li> <li>• Inspection of Welding and Gas cutting</li> <li>• Inspection of elevators etc.</li> </ul> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### HSE PERFORMANCE EVALUATION PARAMETERS

## NON CONFORMANCE

#### PENALTY for NON CONFORMANCE

##### Refer Clause 16

##### Incremental penalty

For repeated violation by the same person, the penalty would be double of the previous penalty

For repeated fatal incident in the same Unit incremental penalty to be imposed. The subcontractor will pay 2 times the penalty compared to previously paid in case there are repeated cases of fatal incidents under the same subcontractor for the same package in the same unit.

|                                                                                   |                                                                                         |  |                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--|-------------------|
|  | <b>HEALTH, SAFETY AND ENVIRONMENT<br/>PLAN FOR<br/>SITE OPERATION by SUBCONTRACTORS</b> |  | Doc no.: HSEP: 14 |
|                                                                                   | <b>POWER SECTOR</b>                                                                     |  | REV: 01           |
|                                                                                   |                                                                                         |  | Date: 20.01.2020  |

### REVISION HISTORY SHEET

| Date       | Revision No. | Details of Changes                                                                                                                                                                                                                                                                                                                                                                                            | Reason                                                            | Prepared                                     | Reviewed                           | Approved                                 |
|------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------|------------------------------------|------------------------------------------|
| 12.08.2014 | 00           | First Issue                                                                                                                                                                                                                                                                                                                                                                                                   | First Issue                                                       | S. B. Jayant,<br>Dy Manager-<br>FQA & Safety | A. K. Sinha,<br>GM-FQA &<br>Safety | Anuj<br>Bhatnagar,<br>ED-FQA &<br>Safety |
| 20.01.2020 | 01           | Formats added:<br><br><b>HSEP:14-F30 – Monthly HSE Planning &amp; Review</b> (Page 11, Clause 8.0 - updated)<br><br>HSEP:14-F13E-Excavation Inspection Format (part of F30))<br>HSEP:14-F32B – Job Safety Analysis Format (part of F30)<br><br><b>HSEP:14-F31A – Daily HSE Reporting</b> (Page 18, Clause 10.3 – added)<br><br><b>HSEP:14-F33 – HSE Performance Evaluation</b> (Page 31, Clause 13 – revised) | IOM No.<br><br><b>PSHQHSE/M ONREP/02</b><br><br>Dated 08-Jan-2020 | Rohit Kumar                                  | Santosh Nair,<br>GM (MSX & HSE)    |                                          |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 1 of 43

| Sr. No. | Description                               | Page No. |
|---------|-------------------------------------------|----------|
| 1.0     | PURPOSE                                   | 4        |
| 2.0     | SCOPE                                     | 4        |
| 3.0     | OBJECTIVES AND TARGETS                    | 4        |
| 4.0     | HEALTH, SAFETY & ENVIRONMENT POLICY       | 5        |
| 5.0     | MEMORANDUM OF UNDERSTANDING               | 6        |
| 6.0     | TERMS & DEFINITIONS                       | 7        |
| 7.0     | HSE ORGANIZATION                          | 8        |
| 7.1     | QUALIFICATION FOR HSE PERSONNEL           | 8        |
| 7.2     | RESPONSIBILITIES                          | 9        |
| 8.0     | PLANNING BY SUBCONTRACTOR                 | 11       |
| 8.1     | MOBILISATION OF MACHINERY/EQUIPMENT/TOOLS | 11       |
| 8.2     | MOBILISATION OF MANPOWER BY SUBCONTRACTOR | 11       |
| 8.3     | PROVISION OF PPEs                         | 12       |
| 8.4     | ARRANGEMENT OF INFRASTRUCTURE             | 13       |
| 9.0     | HSE TRAINING & AWARENESS                  | 16       |
| 9.1     | HSE INDUCTION TRAINING                    | 16       |
| 9.2     | HSE TOOLBOX TALK                          | 17       |
| 9.3     | TRAINING ON HEIGHT WORK                   | 17       |
| 9.4     | HSE TRAINING DURING PROJECT EXECUTION     | 17       |



# **HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 2 of 43

|      |                                                         |    |
|------|---------------------------------------------------------|----|
| 9.5  | HSE PROMOTION-SIGNAGE, POSTERS, COMPETITION, AWARDS ETC | 18 |
| 10.0 | HSE COMMUNICATION                                       | 18 |
| 10.1 | INCIDENT REPORTING                                      | 18 |
| 10.2 | HSE EVENT REPORTING                                     | 18 |
| 11.0 | OPERATIONAL CONTROL                                     | 19 |
| 11.1 | HSE ACTIVITIES                                          | 19 |
| 11.2 | WORK PERMIT SYSTEM                                      | 20 |
| 11.3 | SAFETY DURING WORK EXECUTION                            | 20 |
| 11.4 | ENVIRONMENTAL CONTROL                                   | 24 |
| 11.5 | HOUSEKEEPING                                            | 24 |
| 11.6 | WASTE MANAGEMENT                                        | 25 |
| 11.7 | TRAFFIC MANAGEMENT SYSTEM                               | 26 |
| 11.8 | EMERGENCY PREPAREDNESS AND RESPONSE                     | 28 |
| 12.0 | HSE INSPECTION                                          | 29 |
| 12.1 | DAILY HSE CHECKS                                        | 29 |
| 12.2 | INSPECTION OF PPE                                       | 29 |
| 12.3 | INSPECTION OF T&Ps                                      | 30 |
| 12.4 | INSPECTION OF CRANES AND WINCHES                        | 30 |
| 12.5 | INSPECTION ON HEIGHT WORKING                            | 30 |
| 12.6 | INSPECTION ON WELDING AND GAS CUTTING OPERATION         | 30 |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **3 of 43**

|      |                                                    |    |
|------|----------------------------------------------------|----|
| 12.7 | INSPECTION ON ELECTRICAL INSTALLATION / APPLIANCES | 31 |
| 12.8 | INSPECTION OF ELEVATOR                             | 31 |
| 12.9 | INSPECTION OF EXCAVATION ACTIVITIES                | 31 |
| 13.0 | HSE PERFORMANCE                                    | 31 |
| 14.0 | HSE PENALTIES                                      | 32 |
| 15.0 | OTHER REQUIREMENTS                                 | 32 |
| 16.0 | NON COMPLIANCE                                     | 33 |
| 17.0 | HSE AUDIT/INSPECTION                               | 34 |
| 18.0 | MONTHLY HSE REVIEW MEETING                         | 34 |
| 19.0 | FORMATS USED                                       | 34 |
| 20.0 | Annexures                                          | 36 |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 4 of 43

**1.0 PURPOSE**

- 1.1** The purpose of this HSE Plan is to provide for the systematic identification, evaluation, prevention and control of general workplace hazards, specific job hazards, potential hazards and environmental impacts that may arise from foreseeable conditions during installation and servicing of industrial projects and power plants.
- 1.2** This document shall be followed by BHEL's subcontractors at all installation and servicing sites. In case customer specific documents are to be implemented, this document will be followed in conjunction with customer specific documents.
- 1.3** Although every effort has been made to make the procedures and guidelines in line with statutory requirements, in case of any discrepancy relevant statutory guidelines must be followed.
- 1.4** In case the customer has any specific requirement, the same is to be fulfilled.

**2.0 SCOPE**

The document is applicable for BHEL's Subcontractors at all installation / servicing activities of BHEL Power Sector as per the relevant contractual obligations.

**3.0 OBJECTIVES AND TARGETS**

The HSE Plan reflects that BHEL places high priority upon the Occupational Health, Safety and Environment at workplaces.

- Ensure the Health and Safety of all persons at work site is not adversely affected by the work.
- Ensure protection of environment of the work site.
- Comply at all times with the relevant statutory and contractual HSE requirements.
- Provide trained, experienced and competent personnel. Ensure medically fit personnel only are engaged at work.
- Provide and maintain plant, places and systems of work that are safe and without risk to health and the environment.
- Provide all personnel with adequate information, instruction, training and supervision on the safety aspect of their work.
- Effectively control, co-ordinate and monitor the activities of all personnel on the Project sites including subcontractors in respects of HSE.
- Establish effective communication on HSE matters with all relevant parties involved in the Project works.
- Ensure that all work planning takes into account all persons that may be affected by the work.
- Ensure fitness testing of all T&Ps/Lifting appliances like cranes, chain pulley blocks etc. are to be certified by competent person.
- Ensure timely provision of resources to facilitate effective implementation of HSE requirements.
- Ensure continual improvements in HSE performance
- Ensure conservation of resources and reduction of wastage.
- Capture the data of all incidents including near misses, process deviation etc. Investigate and analyze the same to find out the root cause.
- Ensure timely implementation of correction, corrective action and preventive action.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 5 of 43

**HSE TARGETS**

|                         |      |
|-------------------------|------|
| EXPLOSION               | ZERO |
| FATALITY                | ZERO |
| LOST TIME INJURY        | ZERO |
| FIRE                    | ZERO |
| VEHICLE INCIDENTS       | ZERO |
| ENVIRONMENTAL INCIDENTS | ZERO |

**4.0 BHEL POWER SECTOR HEALTH, SAFETY & ENVIRONMENT POLICY**

**Power Sector HSE Policy**

We, at BHEL Power Sector, reaffirm our belief that the Health and Safety of our stakeholders and conservation of Environment is of utmost importance and takes precedence in all our business decisions. In pursuit of this belief and commitment, we strive to:

- ✓ Ensure total compliance with applicable legislation, regulations and other requirements concerning Occupational Health, Safety and Environment.
- ✓ Ensure continual improvement in the Occupational Health, Safety and Environment Management System performance.
- ✓ Enhance Occupational Health, Safety and Environment awareness amongst employees, customers and suppliers by proactive communication and training.
- ✓ Review periodically and improve Occupational Health, Safety and Environment Management System to ensure its continuing suitability, adequacy and effectiveness in a continuously changing business environment.
- ✓ Develop a culture of safety through active leadership and provide appropriate training at all levels to enable employees to fulfill their Health, Safety and Environmental obligations.
- ✓ Incorporate appropriate Occupational Health, Safety and Environmental criteria into business decisions for selection of plant, technology and services as well as appointment of key personnel.
- ✓ Ensure availability at all times of appropriate resources to fully implement the Occupational Health, Safety and Environmental policy of the company.

This policy will be communicated to all employees and made available to interested parties.

Sd/-

Date: 01.05.2013

Director (Power)



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 6 of 43

**5.0 MEMORANDUM OF UNDERSTANDING:**

After award of work, subcontractors are required to enter into a memorandum of understanding as given below:

**Memorandum of Understanding**

BHEL, Power Sector \_\_\_\_\_ Region is committed to Health, Safety and Environment Policy (HSE Policy).

M/s \_\_\_\_\_ do hereby also commit to comply with the same HSE Policy while executing the Contract Number \_\_\_\_\_

M/s \_\_\_\_\_ shall ensure that safe work practices as per the HSE plan. Spirit and content therein shall be reached to all workers and supervisors for compliance.

In addition to this, M/S \_\_\_\_\_ shall comply to all applicable statutory and regulatory requirements which are in force in the place of project and any special requirement specified in the contract document of the principal customer.

M/s \_\_\_\_\_ shall co-operate in HSE audits/inspections conducted by BHEL /customer/ third party and ensure to close any non-conformity observed/reported within prescribed time limit.

Signed by authorized representative of M/s -----

Name :

Place & Date:



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 7 of 43

## **6.0 TERMS AND DEFINITIONS**

### **6.1 DEFINITIONS**

#### **6.1.1 INCIDENT**

Work- related or natural event(s) in which an injury, or ill health (regardless of severity), damage to property or fatality occurred, or could have occurred.

#### **6.1.2 NEAR MISS**

An incident where no ill health, injury, damage or other loss occurs, but it had a potential to cause, is referred to as "Near-Miss".

#### **6.1.3 MAN-HOURS WORKED**

The total number of man hours worked by all employees including subcontractors working in the premises. It includes managerial, supervisory, professional, technical, clerical and other workers including contract labours. Man-hours worked shall be calculated from the payroll or time clock recorded including overtime. When this is not feasible, the same shall be estimated by multiplying the total man-days worked for the period covered by the number of hours worked per day. The total number of workdays for a period is the sum of the number of men at work on each day of period. If the daily hours vary from department to department separate estimate shall be made for each department and the result added together.

#### **6.1.4 FIRST AID CASES**

First aids are not essentially all reportable cases, where the injured person is given medical treatment and discharged immediately for reporting on duty, without counting any lost time.

#### **6.1.5 LOST TIME INJURY**

Any work injury which renders the injured person unable to perform his regular job or an alternative restricted work assignment on the next scheduled work day after the day on which the injury occurred.

#### **6.1.6 MEDICAL CASES**

Medical cases come under non-reportable cases, where owing to illness or other reason the employee was absent from work and seeks Medical treatment.

#### **6.1.7 TYPE OF INCIDENTS & THEIR REPORTING:**

The three categories of Incident are as follows:

##### **Non-Reportable Cases:**

An incident, where the injured person is given medical help and discharged for work without counting any lost time.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 8 of 43

**Reportable Cases:**

In this case the injured person is disable for 48 hours or more and is not able to perform his duty.

**Injury Cases:**

These are covered under the heading of non-reportable cases. In these cases the incident caused injury to the person, but he still continues his duty.

**6.1.8 TOTAL REPORTABLE FREQUENCY RATE**

Frequency rate is the number of Reportable Lost Time Injury (LTI) per one Million Man hours worked. Mathematically, the formula read as:

$$\frac{\text{Number of Reportable LTI} \times 1,000,000}{\text{Total Man Hours Worked}}$$

**6.1.9 SEVERITY RATE**

Severity rate is the Number of days lost due to Lost Time Injury (LTI) per one Million Man hours worked. Mathematically, the formula reads as:

$$\frac{\text{Days lost due to LTI} \times 1,000,000}{\text{Total Man Hours Worked}}$$

**6.1.10 INCIDENCE RATE**

Incidence Rate is the Number of LTI per one thousand manpower deployed. Mathematically, the formula reads as:

$$\frac{\text{Number of LTI} \times 1000}{\text{Average number of manpower deployed}}$$

**7.0 HSE ORGANISATION**

**Number of safety officers:**

The subcontractor must deploy one safety officer for every 500 workers or part thereof in each package. In addition, there must be one safety-steward/safety-supervisor for every 100 workers.

**Deployment:** The subcontractor should deploy sufficient safety officers and safety-steward/Safety-supervisor, as per requirement given above, since initial stage and add more in proportion to the added strength in work force. Any delay in deployment will attract a penalty of Rs.30,000/- per man month for the delayed period.

**7.1 QUALIFICATION FOR HSE PERSONNEL**

| Sl.no | Designation                             | Qualification                                                                                                                | Experience                                                                                                                          |
|-------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 1     | Safety officer<br>(Construction Agency) | Degree or Diploma in Engineering with full time diploma in Industrial Safety with construction safety as one of the subjects | Minimum two years for degree holder and five years for diploma holder in the field of Construction of power plant/ major industries |



## HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 9 of 43

### POWER SECTOR

|   |                               |                       |                                                                                                                                 |                   |
|---|-------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 2 | Safety-Steward/<br>Supervisor | Safety-<br>Supervisor | Degree or diploma in any discipline with full time diploma in Industrial Safety with construction safety as one of the subjects | Minimum two years |
|---|-------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------|

## 7.2 RESPONSIBILITIES

### 7.2.1 SITE IN -CHARGE OF SUBCONTRACTOR

- ☐ Shall sign Memorandum of Understanding (MoU) for compliance to BHEL's HSE Plan for Site Operations as per clause 5.0
- Shall engage qualified safety officer(s) and steward (s) as per clause 7.0
- Shall adhere to the rules and regulations mentioned in this code, practice very strictly in his area of work in consultation with his concerned engineer and the safety coordinator.
- Shall screen all workmen for health and competence requirement before engaging for the job and periodically thereafter as required.
- Shall not engage any employee below 18 years.
- Shall arrange for all necessary PPEs like safety helmets, belts, full body harness, shoes, face shield, hand gloves etc. before starting the job. Shall ensure that no working men/women carry excessive weight more than stipulated in Factory Rule Regulation R57.
- Shall ensure that all T&Ps engaged are tested for fitness and have valid certificates from competent person.
- Shall ensure that provisions stipulated in contract Labour Regulation Act 1970, Chapter V C.9, canteen, rest rooms/washing facilities to contracted employees at site.
- Shall adhere to the instructions laid down in Operation Control Procedures (OCPs) available with the site management.
- Shall ensure that person working above 2.0 meter should use Safety Harness tied to a life line/stable structure.
- Shall ensure that materials are not thrown from height. Cautions to be exercised to prevent fall of material from height.
- Shall report all incidents (Fatal/Major/Minor/Near Miss) to the Site engineer /HSE officer of BHEL.
- Shall ensure that Horseplay is strictly forbidden.
- Shall ensure that adequate illumination is arranged during night work.
- Shall ensure that all personnel working under subcontractor are working safely and do not create any Hazard to self and to others.
- Shall ensure display of adequate signage/posters on HSE.
- Shall ensure that mobile phone is not used by workers while working.
- Shall ensure conductance of HSE audit, mockdrill, medical camps, induction training and training on HSE at site.
- Shall ensure full co-operation during HQ/External /Customer HSE audits.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 10 of 43

- ☐ Shall ensure submission of look-ahead plan for procurement of HSE equipment's and PPEs as per work schedule.
- Shall ensure good housekeeping.
- Shall ensure adequate valid fire extinguishers are provided at the work site.
- Shall ensure availability of sufficient number of toilets /restrooms and adequate drinking water at work site and labour colony.
- Shall ensure adequate emergency preparedness.
- Shall be member of site HSE committee and attend all meetings of the committee
- Power source for hand lamps shall be maximum of 24 v.
- ☐ Temporary fencing should be done for open edges if Hand – railings and Toe-guards are not available.

**7.2.2 HEALTH, SAFETY AND ENVIRONMENT OFFICER OF SUBCONTRACTOR**

- Carry out safety inspection of Work Area, Work Method, Men, Machine & Material, P&M and other tools and tackles.
- Facilitate inclusion of safety elements into Work Method Statement.
- Highlight the requirements of safety through Tool-box / other meetings.
- Help concerned HOS to prepare Job Specific instructions for critical jobs.
- Conduct investigation of all incident/dangerous occurrences & recommend appropriate safety measures.
- Advice & co-ordinate for implementation of HSE permit systems, OCPs & MPs.
- Convene HSE meeting & minute the proceeding for circulation & follow-up action.
- Plan procurement of PPE & Safety devices and inspect their healthiness.
- Report to PS Region/HQ on all matters pertaining to status of safety and promotional program at site level.
- Facilitate administration of First Aid
- Facilitate screening of workmen and safety induction.
- Conduct fire Drill and facilitate emergency preparedness
- Design campaigns, competitions & other special emphasis programs to promote safety in the workplace.
- ☐ Apprise PS– Region on safety related problems.
- Notify site personnel non-conformance to safety norms observed during site visits / site inspections.
- Recommend to Site In charge, immediate discontinuance of work until rectification, of such situations warranting immediate action in view of imminent danger to life or property or environment.
- To decline acceptance of such PPE / safety equipment that do not conform to specified requirements.
- Encourage raising Near Miss Report on safety along with, improvement initiatives on safety.
- Shall work as interface between various agencies such customer, package-in-charges, subcontractors on HSE matters



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 11 of 43

## **8.0 PLANNING BY SUBCONTRACTOR**

Monthly planning and review of HSE activities shall be carried out by subcontractor as per format No. HSEP:14-F30 jointly along with BHEL.

## **8.1 MOBILISATION OF MACHINERY/EQUIPMENT/TOOLS BY SUBCONTRACTOR**

- As a measure to ensure that machinery, equipment and tools being mobilized to the construction site are fit for purpose and are maintained in safe operating condition and complies with legislative and owner requirement, inspection shall be arranged by in-house competent authority for acceptance as applicable.
- The machinery and equipment to be embraced for this purpose shall include but not limited to the following:
  - Mobile cranes.
  - Side Booms.
  - Forklifts.
  - Grinding machine.
  - Drilling machine.
  - Aircompressors.
  - Welding machine.
  - Generator sets.
  - Dump Trucks.
  - Excavators.
  - Dozers
  - Grit Blasting Equipment.
  - Hand tools.
- Subcontractor shall notify the engineer, of his intention to bring on to site any equipment or any container, with liquid or gaseous fuel or other substance which may create a hazard. The Engineer shall have the right to prescribe the condition under which such equipment or container may be handled and used during the performance of the works and the subcontractor shall strictly adhere to such instructions. The Engineer shall have the right to inspect any construction tool and to forbid its use, if in his opinion it is unsafe. No claim due to such prohibition will be entertained.

## **8.2 MOBILISATION OF MANPOWER BY SUBCONTRACTOR**

- The subcontractor shall arrange induction and regular health check of their employees as per schedule VII of BOCW rules by a registered medical practitioner.
- The subcontractor shall take special care of the employees affected with occupational diseases under rule 230 and schedule II of BOCW Rules. The employees not meeting the fitness requirement should not be engaged for such job.
- Ensure that the regulatory requirements of excessive weight limit (to carry/lift/ move weights beyond prescribed limits) for male and female workers are complied with.
- Appropriate accommodation to be arranged for all workmen in hygienic condition.



## HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS

### POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 12 of 43

### 8.3 PROVISION OF PPEs

- Personnel Protective Equipment (PPEs), in adequate numbers, will be made available at site & their regular use by all concerned will be ensured
- The following matrix recommends usage of minimum PPEs against the respective job.

| Sl. No | Type of work                  | PPEs                                                                                                                                                     |
|--------|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | Concrete and asphalt mixing   | Nose mask, hand glove, apron and gum boot                                                                                                                |
| 2      | Welders/Grinders/ Gas cutters | Welding/face screen, apron, hand gloves, nose mask and ear muffs if noise level exceeds 90dB. Helmet fitted with welding shield is preferred for welders |
| 3      | Stone/ concrete breakers      | Ear muffs, safety goggles, hand gloves                                                                                                                   |
| 4      | Electrical Work               | Rubber hand glove, Electrical Resistance shoes                                                                                                           |
| 5      | Insulation Work               | Respiratory mask, Hand gloves, safety goggles                                                                                                            |
| 6      | Work at height                | Double lanyard full body harness, Fall arrestor (specific cases)                                                                                         |
| 7      | Grit/Sand blasting            | Blast suit, blast helmet, respirator, leather gloves                                                                                                     |
| 8      | Painting                      | Plastic gloves, Respirators (particularly for spray painting)                                                                                            |
| 9      | Radiography                   | As per BARC guidelines                                                                                                                                   |

- The PPEs shall conform to the relevant standards as below and bear ISI mark.

#### Relevant is-codes for personal protection

|                                       |                                                                        |
|---------------------------------------|------------------------------------------------------------------------|
| IS: 2925 – 1984                       | Industrial Safety Helmets.                                             |
| IS: 4770 – 1968                       | Rubber gloves for electrical purposes.                                 |
| IS: 6994 – 1973 (Part-I)              | Industrial Safety Gloves (Leather & Cotton Gloves).                    |
| IS: 1989 – 1986 (Part-I-II)           | Leather safety boots and shoes.                                        |
| IS: 5557 – 1969                       | Industrial and Safety rubber knee boots.                               |
| IS: 6519 – 1971                       | Code of practice for selections care and repair of Safety footwear.    |
| IS: 11226 – 1985                      | Leather Safety footwear having direct molding sole.                    |
| IS: 5983 – 1978                       | Eye protectors.                                                        |
| IS: 9167 – 1979                       | Ear protectors.                                                        |
| IS: 1179-1967                         | Eye & Face protection during welding                                   |
| IS: 3521 – 1983                       | Industrial Safety Belts and Harness                                    |
| IS: 8519 -1977                        | Guide for selection of industrial Safety equipment for body protection |
| IS: 9473-2002, 14166-1994, 14746-1999 | Respiratory Protective Devices                                         |

The list is not exhaustive. The safety officer may demand additional PPEs based on specific requirement.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 13 of 43

- Where workers are employed in sewers and manholes, which are in use, the subcontractor shall ensure that the manhole covers are opened and ventilated at least for an hour before the workers are allowed to get into manhole, and the manholes so opened shall be cordoned off with suitable railing and provided with warning signals or boards to prevent incident to the public
- Besides the PPEs mentioned above, the persons shall use helmet and safety shoe. The visitors shall use Helmet and any other PPEs as deemed appropriate for the area of work.

Colour scheme for Helmets:

1. Workmen: Yellow
  2. Safety staff: Green or white with green band
  3. Electrician: Red
  4. Others including visitors: White
- All the PPEs shall be checked for its quality before issue and the same shall be periodically checked. The users shall be advised to check the PPEs themselves for any defect before putting on. The defective ones shall be repaired/ replaced.
  - The issuing agency shall maintain register for issue and receipt of PPEs.
  - The Helmets shall have logo or name (abbreviation of agency name permitted) affixed or printed on the front.
  - The body harnesses shall be serial numbered.

#### **8.4 ARRANGEMENT OF INFRASTRUCTURE**

##### **8.4.1 DRINKING WATER**

- Drinking water shall be provided and maintained at suitable places at different elevations.
- Container should be labeled as " Drinking Water"
- Cleaning of the storage tank shall be ensured atleast once in 3 months indicating date of cleaning and next due date.
- Potability of water should be tested as per IS10500 at least once in a year.

##### **8.4.2 WASHING FACILITIES**

- In every workplace, adequate and suitable facilities for washing shall be provided and maintained.
- Separate and adequate cleaning facilities shall be provided for the use of male and female workers. Such facilities shall be conveniently accessible and shall be kept in clean and hygienic condition and dully illuminated for night use.
- Overalls shall be supplied by the subcontractor to the workmen and adequate facilities shall be provided to enable the painters and other workers to wash during the cessation of work.

##### **8.4.3 LATRINES AND URINALS**

- Latrines and urinals shall be provided in every work place.
- Urinals shall also be provided at different elevations.
- They shall be adequately lighted and shall be maintained in a clean and sanitary condition at all times, by appointing designated person.
- Separate facilities shall be provided for the use of male and female worker if any.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 14 of 43

**8.4.4 PROVISION OF SHELTER DURING REST**

~~Proper Shed & Shelter shall be provided for rest during break~~

**8.4.5 MEDICAL FACILITIES**

**8.4.5.1 MEDICAL CENTRE (As per Schedule V, X and XI of BOCW central Rules, 1998)**

- A medical centre shall be ensured/identified at site with basic facilities for handling medical emergencies. The medical center can be jointly developed on proportionate sharing basis with permission from BHEL
- A qualified medical professional, not less than MBBS, shall be deployed at the medical centre
- The medical centre shall be equipped with one ambulance, with trained driver and oxygen cylinder.
- Medical waste shall be disposed as per prevailing legislation (Bio-Medical Waste –Management and Handling Rules, 1998)

**8.4.5.2 FIRST AIDER**

- Ensure availability of Qualified First-aider throughout the working hours.
- Every injury shall be treated, recorded and reported.
- Refresher course on first aid shall be conducted as necessary.
- List of Qualified first aiders and their contact numbers should be displayed at conspicuous places.

**8.4.5.3 FIRST AID BOX (as per schedule III of BOCW)**

- The subcontractor shall provide necessary first aid facilities as per schedule III of BOCW. At every work place first aid facilities shall be provided and maintained.
- The first aid box shall be kept by first aider who shall always be readily available during the working hours of the work place. His name and contact no to be displayed on the box.
- The first aid boxes should be placed at various elevations so as to make them available within the reach and at the quickest possible time.
- The first aid box shall be distinctly marked with a Green Cross on white background.
- Details of contents of first aid box is given in Annexure No. 01
- Monthly inspection of First Aid Box shall be carried out by the owner as per format no. HSEP:14-F01
- The subcontractor should conduct periodical first –aid classes to keep his supervisor and Engineers properly trained for attending to any emergency.

**8.4.5.4 HEALTH CHECK UP (As per schedule VII and Form XI)**

The persons engaged at the site shall undergo health checkup as per the format no. HSEP:14-F02 before induction. The persons engaged in the following works shall undergo health checkup at least once in a year:

- a. Height workers
- b. Drivers/crane operators/riggers



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 15 of 43

- c. Confined space workers
- d. Shot/sand blaster
- e. Welding and NDE personnel

**8.4.6 PROVISION OF CANTEEN FACILITY**

- ~~Canteen facilities shall be provided for the workmen of the project inside the project site.~~
- ~~Proper cleaning and hygienic condition shall be maintained.~~
- ~~Proper care should be taken to prevent biological contamination.~~
- ~~Adequate drinking water should be available at canteen.~~
- ~~Fire extinguisher shall be provided inside canteen.~~
- ~~Regular health check-up and medication to the canteen workers shall be ensured.~~

**8.4.7 PROVISION OF ACCOMODATION/LABOUR COLONY**

- ☐ The subcontractor shall arrange for the accommodation of workmen at nearby localities or by making a labour colony.
- ☐ Regular housekeeping of the labour colony shall be ensured.
- ☐ Proper sanitation and hygienic conditions to be maintained.
- ☐ Drinking water and electricity to be provided at the labour colony.
- ☐ Bathing/ washing bay
- ☐ Room ventilation and electrification.

**8.4.8 PROVISION OF EMERGENCY VEHICLE**

- ~~Dedicated emergency vehicle shall be made available at workplace by each subcontractor to handle any emergency~~

**8.4.9 PEST CONTROL**

~~Regular pest control should be carried out at all offices, mainly laboratories, canteen, labour colony and stores.~~

**8.4.10 SCRAPYARD**

- ~~In consultation with customer, scrapyard shall be developed to store metal scrap, wooden scrap, waste, hazardous waste.~~
- ~~Scrap/Waste shall be segregated as Bio-degradable and non-bio-degradable and stored separately.~~

**8.4.11 ILLUMINATION**

- The subcontractor shall arrange at his cost adequate lighting facilities e.g. flood lighting, hand lamps, area lighting etc. at various levels for safe and proper working operations at dark places and during night hours at the work spot as well as at the pre-assembly area.
- Adequate and suitable light shall be provided at all work places & their approaches including passage ways as per IS: 3646 (Part-II). Some recommended values are given below:



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 16 of 43

**POWER SECTOR**

| S. No.                      | Location                                                | Illumination (Lux) |
|-----------------------------|---------------------------------------------------------|--------------------|
| <b>A. Construction Area</b> |                                                         |                    |
| 1.                          | Outdoor areas like store yards, entrance and exit roads | 20                 |
| 2.                          | Platforms                                               | 50                 |
| 3.                          | Entrances, corridors and stairs                         | 100                |
| 4.                          | General illumination of work area                       | 150                |
| 5.                          | Rough work like fabrication, assembly of major items    | 150                |
| 6.                          | Medium work like assembly of small machined parts       | 300                |
|                             | rough measurements etc.                                 |                    |
| 7.                          | Fine work like precision assembly, precision            | 700                |
|                             | measurements etc.                                       |                    |
| 8.                          | Sheet metal works                                       | 200                |
| 9.                          | Electrical and instrument labs                          | 450                |
| <b>B. Office</b>            |                                                         |                    |
| 1.                          | Outdoor area like entrance and exit roads               | 20                 |
| 2.                          | Entrance halls                                          | 150                |
| 3.                          | Corridors and lift cars                                 | 70                 |
| 4.                          | Lift landing                                            | 150                |
| 5.                          | Stairs                                                  | 100                |
| 6.                          | Office rooms, conference rooms, library reading tables  | 300                |
| 7.                          | Drawing table                                           | 450                |
| 8.                          | Manual telephone exchange                               | 200                |

- Lamp (hand held) shall not be powered by mains supply but either by 24V or dry cells.
- Lamps shall be protected by suitable guards where necessary to prevent danger, in case of breakage of lamp.
- Emergency lighting provision for night work shall be made to minimise danger in case of main supply failure.

If the subcontractor fails to take appropriate safety precautions or to provide necessary safety devices and equipment or to carry out instructions issued by the authorized BHEL official, BHEL shall have the right to take corrective steps at the risk and cost of the subcontractor

## **9.0 HSE TRAINING& AWARENESS**

### **9.1 HSE INDUCTION TRAINING**

All persons entering into project site shall be given HSE induction training by the HSE officer of BHEL /subcontractor before being assigned to work.

In-house induction training subjects shall include but not limited to:

- Briefing of the Project details.
- Safety objectives and targets.
- Site HSE rules.
- Site HSE hazards and aspects.
- First aid facility.
- Emergency Contact No.
- Incident reporting.
- Fire prevention and emergency response.
- Rules to be followed in the labour colony (if applicable)



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 17 of 43

- Proper safety wear & gear must be issued to all the workers being registered for the induction (i.e., Shoes/Helmets/Goggles/Leg guard/Apron etc.)
- They must arrive fully dressed in safety wear & gear to attend the induction.
- Any one failing to conform to this safety wear& gear requirement shall not qualify to attend.
- On completing attending subcontractor's in-house HSE induction, each employee shall sign an induction training form (format no. HSEP:14-F03) to declare that he had understood the content and shall abide to follow and comply with safe work practices. They may only then be qualified to be issued with a personal I.D. card, for access to the work site.

## **9.2 HSE TOOLBOX TALK**

- HSE tool Box talk shall be conducted by frontline foreman/supervisor of subcontractor to specific work groups prior to the start of work. The agenda shall consist of the followings:
  - Details of the job being intended for immediate execution.
  - The relevant hazards and risks involved in executing the job and their control and mitigating measures.
  - Specific site condition to be considered while executing the job like high temperature, humidity, unfavorable weather etc.
  - Recent non-compliances observed.
  - Appreciation of good work done by any person.
  - Any doubt clearing session at the end.
- Record of Tool box talk shall be maintained as per format no. HSEP:14-F04
- Tool box talk to be conducted at least once a week for the specific work.

## **9.3 TRAINING ON HEIGHT WORK**

Training on height work shall be imparted to all workers working at height by in-house/external faculty at least twice in a year. The training shall include following topics:

- Use of PPEs
- Use of fall arrester, retractable fall arrester, life line, safety nets etc.
- Safe climbing through monkey ladders.
- Inspection of PPEs.
- Medical fitness requirements.
- Mock drill on rescue at height.
- Dos & Don'ts during height work.

## **9.4 HSE TRAINING DURING PROJECT EXECUTION**

- Other HSE training shall be arranged by BHEL/ subcontractor as per the need of the project execution and recommendation of HSE committee of site.
- The topics of the HSE training shall be as follows but not limited to:
  - Hazards identification and risk analysis (HIRA)
  - Work Permit System
  - Incident investigation and reporting
  - Fire fighting
  - First aid
  - Fire-warden training
  - EMS and OHSMS
  - T & Ps fitness and operation



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 18 of 43

- Electrical safety
- Welding, NDE & Radiological safety
- Storage, preservation & material handling.
- A matrix shall be maintained to keep an up-to-date record of attendance of training sessions carried out.

**9.5 HSE PROMOTION-SIGNAGE, POSTERS, COMPETITION, AWARDS ETC**

**9.5.1 Display of HSE posters and banners**

- Site shall arrange appropriate posters, banners, slogans in local/Hindi/English languages at work place

**9.5.2 Display of HSE signage**

- Appropriate HSE signage shall be displayed at the work area to aware workmen and passersby about the work going on and do's and don'ts to be followed

**9.5.3 Competition on HSE and award**

- Site will arrange different competition (slogan, poster, essay etc.) on HSE time to time (Safety day, BHEL day, World Environment Day etc.) and winners will be suitably awarded.

**9.5.4 HSE awareness programme**

- Subcontractor shall arrange HSE awareness programme periodically on different topics including medical awareness for all personnel working at site

**10.0 HSE COMMUNICATION**

**10.1 INCIDENT REPORTING**

- The subcontractor shall submit report of all incidents, fires and property damage etc to the Engineer immediately after such occurrence, but in any case not later than 24 hours of the occurrence. Such reports shall be furnished in the manner prescribed by BHEL. ( Refer HSE procedure for incident investigation, analysis and reporting for details)
- In addition, periodic reports on safety shall also be submitted by the subcontractor to BHEL from time to time as prescribed by the Engineer. Compiled monthly reports of all kinds of incidents, fire and property damage to be submitted to BHEL safety officer as per prescribed formats.
- HSE incidents of site shall be reported to BHEL site Management as per Procedure for Incident Investigation and Reporting in format no. HSEP:14-F15. Corrective action shall be immediately implemented at the work place and compliance shall be verified by BHEL HSE officer and until then, work shall be put on hold by Construction Manager.

**10.2 HSE EVENT REPORTING**

- Important HSE events like HSE training, Medical camp etc. organized at site shall be reported to BHEL site management in detail with photographs for publication in different in-house magazines
- Celebration of important days like National Safety Day, World Environment Day etc. shall also be reported as mentioned above.

**10.3 DAILY HSE ACTIVITY REPORTING**

Daily HSE activities shall be reported by subcontractor to BHEL as per Format No. HSEP:14-F31A



## HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS

POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 19 of 43

### 11.0 OPERATIONAL CONTROL

All applicable OCPs (Operational control procedures) will be followed by subcontractor as per BHEL instructions. This will be done as part of normal scope of work. List of such OCPs is given below. In case any other OCP is found to be applicable during the execution of work at site, then subcontractor will follow this as well, within quoted rate. These OCPs (applicable ones) will be made available to subcontractor during work execution at site. However for reference purpose, these are kept with Safety Officer of BHEL at the Power Sector Regional HQ, or available in downloadable format in the website, which may be refereed by subcontractor, if they so desire.

#### LIST OF OCPs

|                                                           |                                             |                                     |
|-----------------------------------------------------------|---------------------------------------------|-------------------------------------|
| Safe handling of chemicals                                | Safety in use of cranes                     | Hydraulic test                      |
| Electrical safety                                         | Storage and handling of gas cylinders       | Spray insulation                    |
| Energy conservation                                       | Manual arc welding                          | Trial run of rotary equipment       |
| Safe welding and gas cutting operation                    | Safe use of helmets                         | Stress relieving                    |
| Fire safety                                               | Good house keeping                          | Material preservation               |
| Safety in use of hand tools                               | Working at height                           | Cable laying/tray work              |
| First aid                                                 | Safe excavation                             | Transformer charging                |
| Food safety at canteen                                    | Safe filling of hydrogen in cylinder        | Electrical maintenance              |
| Illumination                                              | Vehicle maintenance                         | Safe handling of battery system     |
| Handling and erection of heavy metals                     | Safe radiography                            | Computer operation                  |
| Safe acid cleaning                                        | Waste disposal                              | Storage in open yard                |
| Safe alkali boil out                                      | Working at night                            | For sanitary maintenance            |
| Safe oil flushing                                         | Blasting                                    | Batching                            |
| Steam blowing                                             | DG set                                      | Piling rig operation                |
| Safe working in confined area                             | Handling & storage of mineral wool          | Gas distribution test               |
| Safe operation of passenger lift, material hoists & cages | Drilling, reaming and grinding(machining)   | Cleaning of hotwell / deaerator     |
| Electro-resistance heating                                | Compressor operation                        | O&M of control of AC plant & system |
| Air compressor                                            | Passivation                                 | Safe Loading of Unit                |
| Safe EDTA Cleaning                                        | Safe Chemical cleaning of Pre boiler system | Safe Boiler Light up                |
| Safe Rolling and Synchronization                          |                                             |                                     |

### 11.1 HSE ACTIVITIES

HSE activities shall be conducted at site based on the HSEMSM developed by Power Sector and issued to site by Regions.

While planning for any activity the following documents shall be referred for infrastructural requirements to establish control measures:

- 1) HSE Procedure for Register of OHS Hazards and Risks
- 2) HSE Procedure for Register of Environmental Aspects and Impacts
- 3) HSE Procedure for Register of Regulations



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 20 of 43

- 4) Operational Control Procedures
- 5) HSE Procedure for Emergency Preparedness and Response Plan
- 6) Contract documents

## **11.2 WORK PERMIT SYSTEM**

- ☐ The following activities shall come under Work Permit System
  - a. Height working above 2 metres
  - b. Hot working at height
  - c. Confined space
  - d. Radiography
  - e. Excavation more than 4 meter depth
  - f. Heavy lifting above 50 tonRefer Annexure 05 for Work permit formats.
- "HSE Procedure for Work Permit System" shall be followed while implementing permit system. Where customer is having separate Work Permit System the same shall be followed.
- ☐ Permit applicant shall apply for work permit of particular work activity at particular location before starting of the work with Job Hazard Analysis.
- ☐ Permit signatory shall check that all the control measures necessary for the activity are in place and issue the permit to the permit holder.
- ☐ Permit holder shall implement and maintain all control measures during the period of permit .He will close the permit after completion of the work. The closed permit shall be archived in HSE Department of site.

## **11.3 SAFETY DURING WORK EXECUTION**

Respective OCPS are to be followed and adherence to the same would be contractually binding

### **11.3.1 WELDING SAFETY**

All safety precautions shall be taken for welding and cutting operations as per IS-818. All safety precautions shall be taken for foundation and other excavation marks as per IS-3764.

### **11.3.2 RIGGING**

Rigging equipment shall not be loaded in excess of its recommended safe working load. Rigging equipment, when not in use, shall be removed from the original work area so as not to present a hazard to employees.

### **11.3.3 CYLINDERS STORAGE AND MOVEMENT**

All gas cylinders shall be stored in upright position. Suitable trolley shall be used. There shall be flash-back arrestors conforming to IS-11006 at both cylinder and burner ends. Damaged tube and regulators must be immediately replaced. No of cylinders shall not exceed the specified quantity as per OCP

Cylinders shall be moved by tilting and rolling them on their bottom edges. They shall not be intentionally dragged, struck or permitted to strike each other violently.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 21 of 43

When cylinders are transported by powered vehicle they shall be secured in a vertical position.

#### **11.3.4 DEMOLITION WORK**

Before any demolition work is commenced and also during the process of the work the following shall be ensured:

- All roads and open areas adjacent to the work site shall either be closed or suitably protected.
- No electric cable or apparatus which is liable to be a source of danger nor a cable or an apparatus used by the operator shall remain electrically charged.
- All practical steps shall be taken to prevent danger to persons employed from the risks of fire or explosion or flooding. No floor, roof or other part of the building shall be so overloaded with debris or materials as to render them unsafe.

#### **11.3.5 T&Ps**

All T&Ps/ MMEs should be of reputed brand/appropriate quality & must have valid test/calibration certificates bearing endorsement from competent authority of BHEL..Subcontractor to also submit monthly reports of T&Ps deployed and validity test certificates to BHEL safety Officer as per the format/procedure of BHEL.

#### **11.3.6 CHEMICAL HANDLING**

~~Displaying safe handling procedures for all chemicals such as lube oil, acid, alkali, sealing compounds etc, at work place. Where it is necessary to provide and/or store petroleum products or petroleum mixture & explosives, the subcontractor shall be responsible for carrying out such provision / storage in accordance with the rules & regulations laid down in the relevant petroleum act, explosive act and petroleum and carbide of calcium manual, published by the chief inspector of explosives of India. All such storage shall have prior approval if necessary from the chief inspector of explosives or any other statutory authority. The subcontractor shall be responsible for obtaining the same.~~

#### **11.3.7 ELECTRICAL SAFETY**

- Providing adequate no. of 24 V sources and ensure that no hand lamps are operating at voltage level above 24 Volts.
- Fulfilling safety requirements at all power tapping points.
- High/ Low pressure welders to be identified with separate colour clothings. No welders will be deployed without passing appropriate tests and holding valid welding certificates. Approved welding procedure should be displayed at work place.
- The subcontractor shall not use any hand lamp energized by Electric power with supply voltage of more than 24 volts in confined spaces like inside water boxes, turbine casings, condensers etc.
- All portable electric tools used by the subcontractor shall have safe plugging system to source of power and be appropriately earthed. Only electricians licensed by appropriate statutory authority shall be employed by the subcontractor to carry out all types of electrical works. Details of earth resource and their test date to be given to BHEL safety officer as per the prescribed formats of BHEL
- The subcontractor shall use only properly insulated and armored cables which conform to the requirement of Indian Electricity Act and Rules for all wiring, electrical applications at site.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 22 of 43

- BHEL reserves the right to replace any unsafe electrical installations, wiring, cabling etc. at the cost of the subcontractor.
- All electrical appliances used in the work shall be in good working condition and shall be properly earthed.
- No maintenance work shall be carried out on live equipment.
- The subcontractor shall maintain adequate number of qualified electricians to maintain his temporary electrical installations.
- Area wise Electrical safety inspection is to be carried out on monthly basis as per "Electrical Safety Inspection checklist" and the report is to be submitted to BHEL safety officer
- Adequate precautions shall be taken to prevent danger for electrical equipment. No materials on any of the sites of work shall be so stacked or placed as to cause danger or inconvenience to any person or the public
- The subcontractor shall carefully follow the safety requirement of BHEL/ the purchaser with the regard to voltages used in critical areas.

**11.3.8 FIRE SAFETY**

- Providing appropriate fire fighting equipment at designated work place and nominate a fire officer/warden adequately trained for his job.
- Subcontractor shall provide enough fire protecting equipment of the types and numbers at his office, stores, temporary structure in labor colony etc. Such fire protection equipment shall be easy and kept open at all times.
- The fire extinguishers shall be properly refilled and kept ready which should be certified at periodic intervals. The date of changing should be marked on the Cylinders.
- All other fire safety measures as laid down in the "codes for fire safety at construction site" issued by safety coordinator of BHEL shall be followed.
- Non-compliance of the above requirement under fire protection shall in no way relieve the subcontractor of any of his responsibility and liabilities to fire incident occurring either to his materials or equipment or those of others.
- Emergency contacts nos must be displayed at prominent locations
- Tarpaulin being inflammable should not be used (instead, only non-infusible covering materials shall be used) as protective cover while preheating, welding, stress relieving etc. at site.

**11.3.9 SCAFFOLDING**

- Suitable scaffolds shall be provided for workman for all works that cannot safely be done from the ground, or from solid construction except in the case of short duration of work which can be done safely from ladders.
- When a ladder is used, it shall be of rigid construction made of steel. The steps shall have a minimum width of 45 cm and a maximum rise of 30 cm. Suitable handholds of good quality wood or steel shall be provided and the ladder shall be given an inclination not steeper than ¼ horizontal and 1 vertical.
- Scaffolding or staging more than 3.6 m above the ground floor, swung or suspended from an overhead support or erected with stationery support shall have a guard rail properly bolted, braced or otherwise secured, at least 90 cm above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such openings as may be necessary for the delivery of materials. Such scaffolding or staging shall be so fastened as to prevent it from savor, from swaying, from the building or structure.

**11.3.10 WORK AT HEIGHT:**

- Guardrails and toe-board/barricades and sound platform conforming to IS:4912-1978 should be provided.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **23 of 43**

- Wherever necessary, life-line (pp or metallic) and fall arrestor along with Polyamide rope or Retractable lifeline should be provided.
- Safety Net as per IS:11057:1984 should be used extensively for prevention/ arrest of men and materials falling from height. The safety nets shall be fire resistant, duly tested and shall be of ISI marked and the nets shall be located as per site requirements to arrest or to reduce the consequences of a possible fall of persons working at different heights.
- Reaching beyond barricaded area without lifeline support, moving with support of bracings, walking on beams without support, jumping from one level to another, throwing objects and taking shortcut must be discouraged.
- Use of Rebar steel for making Jhoola and monkey-ladder (Rods welded to vertical or inclined structural members), temporary platform etc. must be avoided.
- Monkey Ladder should be properly made and fitted with cages.
- Jhoola should be made with angles and flats and tested like any lifting tools before use.
- Lanyard must be anchored always and in case of double lanyard, each should be anchored separately.
- In case of pipe-rack, persons should not walk on pipes and walk on platforms only.
- In case of roof work, walking ladder/ platform should be provided along with lifeline and/ or fall arrestor.
- Empty drums must not be used.
- For chimney or structure painting, both hanging platform and men should be anchored separately to a firm structure along with separate fall arrestor. Rope ladder should be discouraged.

#### **11.3.11 WORKING PLATFORM**

Working platforms, gangways and stairways shall be so constructed that they do not sag unduly or unequally and if the height of the platform gangways provided is more than 3.6 m above ground level or floor level, they shall be closely boarded and shall have adequate width which shall not be less than 750 mm and be suitably fenced as described above. Every opening in the floor or a building or in a working platform shall be provided with suitable means to prevent the fall of persons or materials by providing suitable fencing or railing whose minimum height shall be 90 cm.

#### **11.3.12 EXCAVATION**

Wherever there are open excavation in ground, they shall be fenced off by suitable railing and danger signals installed at night so as to prevent persons slipping into the excavations.

#### **11.3.13 LADDER SAFETY**

Safe means of access shall be provided to all working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9 m in the length while the width between side rails in rung ladder shall in no case be less than app. 29.2 cm for ladder upto and including 3 m in length. For longer ladders this width shall be increased at least ¼" for each additional foot of length.

A sketch of the ladders and scaffolds proposed to be used shall be prepared and approval of the Engineer obtained prior to Construction.

#### **11.3.14 LIFTING SAFETY**

- It will be the responsibility of the subcontractor to ensure safe lifting of the equipment, taking due precaution to avoid any incident and damage to other equipment and personnel.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 24 of 43

- All requisite tests and inspection of handling equipment, tools & tackle shall be periodically done by the subcontractor by engaging only the Competent Persons as per law.
- Defective equipment or uncertified shall be removed from service.
- Any equipment shall not be loaded in excess of its recommended safe working load.

#### 11.3.15 HOISTING APPLIANCE

- Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances should be provided with efficient safe guards.
- Hoisting appliance should be provided with such means as will reduce to the minimum the risk of any part of a suspended load becoming incidentally displaced.
- When workers employed on electrical installations which are already energized, insulating mats, wearing apparel, such as gloves, sleeves and boots as may be necessary should be provided.
- The worker should not wear any rings, watches and carry keys or other materials which are good conductor of electricity.

#### 11.4 ENVIRONMENTAL CONTROL

Environment protection has always been given prime importance by BHEL. Environmental damage is a major concern of the principal subcontractor and every effort shall be made, to have effective control measures in place to avoid pollution of Air, Water and Land and associated life. Chlorofluorocarbons such as carbon tetrachloride and trichloroethylene shall not be used. Waste disposal shall be done in accordance with the guidelines laid down in the project specification.

Any chemical including solvents and paints, required for construction shall be stored in designated bonded areas around the site as per Material Safety Data Sheet (MSDS).

In the event of any spillage, the principle is to recover as much material as possible before it enters drainage system and to take all possible action to prevent spilled materials from running off the site. The subcontractor shall use appropriate MSDS for clean-up technique

All subcontractors shall be responsible for the cleanliness of their own areas.

The subcontractors shall ensure that noise levels generated by plant or machinery are as low as reasonably practicable. Where the subcontractor anticipates the generation of excessive noise levels from his operations the subcontractor shall inform to Construction Manager of BHEL accordingly so that reasonable & practicable precautions can be taken to protect other persons who may be affected.

It is imperative on the part of the subcontractor to join and effectively contribute in joint measures such as tree plantation, environment protection, contributing towards social upliftment, conversion of packing woods to school furniture, keeping good relation with local populace etc.

The subcontractor shall carry out periodic air and water quality check and illumination level checking in his area of work place and take suitable control measure.

#### 11.5 HOUSEKEEPING

- Keeping the work area clean/ free from debris, removed scaffoldings, scraps, insulation/sheeting wastage /cut pieces, temporary structures, packing woods etc. will be in the scope of the subcontractor. Such cleanings has to be done by



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 25 of 43

subcontractor within quoted rate, on daily basis by an identified group. If such activity is not carried out by subcontractor / BHEL is not satisfied, then BHEL may get it done by other agency and actual cost along with BHEL overheads will be deducted from contractor's bill. Such decisions of BHEL shall be binding on the subcontractor

- Proper housekeeping to be maintained at work place and the following are to be taken care of on daily basis.
- All surplus earth and debris are removed/disposed off from the working areas to identified locations.
- Unused/Surplus cables, steel items and steel scrap lying scattered at different places/elevation within the working areas are removed to identified locations.
- All wooden scrap, empty wooden cable drums and other combustible packing materials, shall be removed from workplace to identified locations. Sufficient waste bins shall be provided at
- Different work places for easy collection of scrap/waste. Scrap chute shall be installed to remove scrap from high location.
- Access and egress (stair case, gangways, ladders etc.) path should be free from all scrap and other hindrances.
- Workmen shall be educated through tool box talk about the importance of housekeeping and encourage not to litter.
- Labour camp area shall be kept clear and materials like pipes, steel, sand, concrete, chips and bricks, etc. shall not be allowed in the camp to obstruct free movement of men and machineries.
- Fabricated steel structures, pipes & piping materials shall be stacked properly.
- No parking of trucks/trolleys, cranes and trailers etc. shall be allowed in the camp, which may obstruct the traffic movement as well as below LT/HT power line.
- Utmost care shall be taken to ensure over all cleanliness and proper upkeep of the working areas

## **11.6 WASTE MANAGEMENT**

Take suitable measures for waste management and environment related laws/legislation as a part of normal construction activities. Compliance with the legal requirements on storage/ disposal of paint drums (including the empty ones), Lubricant containers, Chemical Containers, and transportation and storage of hazardous chemicals will be strictly maintained.

### **11.6.1 BINS AT WORK PLACE**

- Sufficient rubbish bins shall be provided close to workplaces.
- Bins should be painted yellow and numbered.
- Sufficient nos. of drip trays shall be provided to collect oil and grease.
- Sufficient qty. of broomsticks with handle shall be provided.
- Adequate strength of employees should be deployed to ensure daily monitoring and service for waste management.

### **11.6.2 STORAGE AND COLLECTION**

- Different types of rubbish/waste should be collected and stored separately.
- Paper, oily rags, smoking material, flammable, metal pieces should be collected in separate bins with close fitting lids.
- Rubbish should not be left or allowed to accumulate on construction and other work places.
- Do not burn construction rubbish near working site.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 26 of 43

#### **11.6.3 SEGREGATION**

- Earmark the scrap area for different types of waste.
- Store wastes away from building.
- Oil spill absorbed by non-combustible absorbent should be kept in separate bin.
- Clinical and first aid waste stored and incinerated separately.

#### **11.6.4 DISPOSAL**

- Sufficient containers and scrap disposal area should be allocated.
- All scrap bin and containers should be conveniently located.
- Provide self-closing containers for flammable/spontaneously combustible material.
- Keep drainage channels free from choking.
- Make schedule for collection and disposal of waste.

#### **11.6.5 WARNING AND SIGNS**

- Appropriate sign to be displayed at scrap storage area
- No toxic, corrosive or flammable substance to be discarded into public sewage system.
- Waste disposal shall be in accordance with best practice.
- Comply with all the requirements of Pollution Control Board (PCB) for storage and disposal of hazardous waste.

#### **11.7 TRAFFIC MANAGEMENT SYSTEM**

##### **11.7.1 SAFE WORKPLACE TRANSPORT SYSTEM**

- Traffic routes in a work place shall be suitable for the persons or vehicles using them. This shall be sufficient in number and of sufficient size. This shall reflect the suitability of traffic routes for vehicles and pedestrians.
- Where vehicles and pedestrians use the same traffic routes there shall be sufficient space between them. Where necessary all traffic routes must be suitably indicated. Pedestrians or vehicles must be able to use traffic routes without endangering those at work. There must be sufficient separation of traffic routes from doors, gates and pedestrian traffic routes.
- For internal traffic, lines marked on roads / access routes and between buildings shall clearly indicate where vehicles are to pass.
- Temporary obstacles shall be brought to the attention of drivers by warning signs or hazard cones.
- Speed limits shall be clearly displayed. Speed ramps preceded by a warning signs or marker are necessary.
- The traffic route should be wide enough to allow vehicles to pass and re-pass oncoming or parked traffic and it may be advisable to introduce on-way system or parking restrictions.
- Safest route shall be provided between places where vehicles have to call or deliver.
- Avoid vulnerable areas/items such as fuel or chemicals tanks or pipes, open or unprotected edges and structures likely to collapse



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 27 of 43

- Safe areas shall be provided for loading and unloading.
- Avoid sharp or blind bends. If this is not possible hazards should be indicated e.g. blind corner.
- Ensure road crossings are minimum and clearly signed.
- Entrance and gateways shall be wide enough to accommodate a second vehicle without causing obstruction.
- Set sensible speed limits which are clearly sign posted.
- Where necessary ramps should be used to retard speed. This shall be preceded by a warning sign or mark on the road.
- Forklift trucks shall not pass over road hump unless of a type capable of doing so.
- Overhead electric cable, pipes containing flammable hazardous chemical shall be shielded by using goal posts height gauge posts or barriers.
- Road traffic signs shall be provided on prominent locations for prevention of incidents and hazards and for quick guidance and warning to employees and public. Safety signs shall be displayed as per the project working requirement and guideline of the state in which project is done. Vehicles hired or used shall not be parked within the 15m radius of any working area. Any vehicle, that is required to be at the immediate/near the vicinity, shall be approved by the person in-charge of the site.

#### 11.7.2 TRAFFIC ROUTE FOR PEDESTRIANS

- Where traffic routes are used by both pedestrians and vehicles road shall be wide enough to allow vehicles and pedestrians safely.
- Separate routes shall be provided for pedestrians to keep them away from vehicles. Provide suitable barriers/guard at entrances/exit and the corners or buildings.
- Where pedestrian and vehicle routes cross, appropriate crossing shall be provided.
- Where crowd is likely to use roadway e.g. at the end of shift, stop vehicles from using them at such times.
- Provide high visibility clothing for people permitted in delivery area.

#### 11.7.3 WORK VEHICLE

Work vehicle shall be as safe stable efficient and roadworthy as private vehicles on public roads. Site management shall ensure that drivers are suitably trained. All vehicle e.g. heavy motor vehicle forklift trucks dump trucks mobile cranes shall ensure that the work equipment conforms to the following:

- A high level of stability.
- A safe means of access/egress.
- Suitable and effective service and parking brakes.
- Windscreens with wipers and external mirrors giving optimum all round visibility.
- Provision of horn, vehicle lights, reflectors, reversing lights, reversing alarms.
- Provision of seat belts.
- Guards on dangerous parts.
- Driver protection - to prevent injury from overturning and from falling objects/materials.
- Driver protection from adverse weather.
- No vehicle shall be parked below HT/LT power lines.
- Valid Pollution Under Control certification for all vehicles



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 28 of 43

**11.7.4 DAILY CHECK BY DRIVER**

- There should also be daily safety checks containing below mentioned points by the driver before the vehicle is used.
  - Brakes.
  - Tires.
  - Steering.
  - Mirrors.
  - Windscreen waters.
  - Wipers.
  - Warning signals.
  - Specific safety system i.e. control interlocks
- Management should ensure that drivers carry out these checks.

**11.7.5 TRANSPORTATION OF PERSONNEL AND MATERIALS BY VEHICLES**

- All drivers shall hold a valid driving License for the class of vehicle to be driven and be registered as an authorized BHEL driver with the Administration Department.
  - Securing of the load shall be by established and approved methods, i.e. chains with patented tightening equipment for steel/heavy loads. Sharp corners on loads shall be avoided when employing ropes for securing.
  - All overhangs shall be made clearly visible and restricted to acceptable limits
  - Load shall be checked before moving off and after traveling a suitable distance.
  - On no account is construction site to be blocked by parked vehicles Drivers of vehicles shall only stop or park in the areas designate by the stringing foreman.
  - Warning signs shall be displayed during transportation of material.
- All vehicles used by BHEL shall be in worthy condition and in conformance to the Land Transport requirement.

**11.7.6 MAINTENANCE**

All Vehicles used for transportation of man and material shall undergo scheduled inspections on frequent intervals to secure safe operation. Such inspections shall be conducted in particular for steering, brakes, lights, horn, doors etc. Site management shall ensure that work equipment is maintained in an efficient, working order and in good repair. Inspections and services carried out at regular intervals of time and or mileage. No maintenance shall be carried below HT/LT power lines.

**11.8 EMERGENCY PREPAREDNESS AND RESPONSE**

- Emergency preparedness and response capability of site shall be developed as per Emergency Preparedness and Response plan issued by Regional HQ
- Availability of adequate number of first aiders and fire warden shall be ensured with BHEL and its subcontractors
- All the subcontractor's supervisory personnel and sufficient number of workers shall be trained for fire protection systems. Enough number of such trained personnel must be available during the tenure of contract. Subcontractor should nominate his supervisor to coordinate and implement the safety measures.
- Assembly point shall be earmarked and access to the same from different location shall be shown
- Fire exit shall be identified and pathway shall be clear for emergency escape.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 29 of 43

- Appropriate type and number of fire extinguisher shall be deployed as per Fire extinguisher deployment plan and validity shall be ensured periodically through inspection
- Adequate number of first aid boxes shall be strategically placed at different work places to cater emergency need. Holder of the first aid box shall be identified on the box itself who will have the responsibility to maintain the same.
- First aid center shall be developed at site with trained medical personnel and ambulance
- Emergency contact numbers (format given in EPRP) of the site shall be displayed at prominent locations.
- Tie up with fire brigade shall be done in case customer is not having fire station.
- Tie up with hospital shall be done in case customer is not having hospital.
- Disaster Management group shall be formed at site
- Mock drill shall be arranged at regular intervals. Monthly report of the above to be given to BHEL safety Officer as per prescribed BHEL formats
- Mock drill shall be conducted on different emergencies periodically to find out gaps in emergency preparedness and taking necessary corrective action

## **12.0 HSE INSPECTION**

Inspection on HSE for different activities being carried out at site shall be done to ensure compliance to HSEMS requirements. The subcontractor shall maintain and ensure necessary safety measures as required for inspection and tests HV test, Pneumatic test, Hydraulic test, Spring test, Bend test etc. as applicable, to enable inspection agency for performing Inspection. If any test equipment is found not complying with proper safety requirements then the Inspection Agency may withhold inspection, till such time the desired safety requirements are met.

## **12.1 DAILY HSE CHECKS**

Both the Site Supervisors and safety officer of Subcontractor are to conduct daily site Safety inspection around work activities and premises to ensure that work methods and the sites are maintained to an acceptable standard. The following are to form the common subjects of a daily safety inspection:

- Personal Safety wears & gear compliance.
- Complying with site safety rules and permit-to-work (PTW).
- Positions and postures of workers.
- Use of tools and equipment etc. by the workers.

The inspection should be carried out just when work starts in beginning of the day, during peak activities period of the day and just before the day's work ends.

## **12.2 INSPECTION OF PPE**

- PPEs shall be inspected by HSE officer at random once in a week as per format no. HSEP:14-F06 for its compliance to standard and compliance to use and any adverse observation shall be recorded in the PPE register.
- The applicable PPEs for carrying out particular activities are listed below.

|                                                                                   |                                                                                         |                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------|
|  | <b>HEALTH, SAFETY AND ENVIRONMENT<br/>PLAN FOR<br/>SITE OPERATION by SUBCONTRACTORS</b> | Doc no.: HSEP: 14     |
|                                                                                   |                                                                                         | REV: 01               |
|                                                                                   | <b>POWER SECTOR</b>                                                                     | Date: 20.01.2020      |
|                                                                                   |                                                                                         | Page: <b>30 of 43</b> |

### 12.3 INSPECTION OF T&Ps

- A master list of T&Ps shall be maintained by each subcontractor.
- All T&Ps being used at site shall be inspected by HSE officer once in a month as per format no. HSEP:14-F07 for its healthiness and maintenance.
- The T&Ps which require third party inspection shall be checked for its validity during inspection. The third party test certificate should be accompanied with a copy of the concerned competent person's valid qualification record.
- The validity of T&P shall be monitored as per "Status of T&Ps" format no. HSEP:14-F08

### 12.4 INSPECTION OF CRANES AND WINCHES

- Cranes and winches shall be inspected by the operator through a daily checklist for its safe condition (as provided by the equipment manufacturer) before first use of the day.
- Cranes and Winches shall be inspected by HSE officer once in a month as per format no. HSEP:14-F09 for healthiness, maintenance and validity of third party inspection.
- The date of third party inspection and next due date shall be painted on cranes and winches.
- The operators/drivers shall be authorized by sub-contractor based on their competency and experience and shall carry the I-card.
- The operator should be above 18 years of age and should be in possession of driving license of HMV man & goods), vision test certificate and should have minimum qualification so that he can read the instructions and check list.

### 12.5 INSPECTION ON HEIGHT WORKING

- Inspection on height working shall be conducted daily by supervisors before start of work to ensure safe working condition including provision of
  - Fall arrestor
  - Lifelines
  - Safety nets
  - Fencing and barricading
  - Warning signage
  - Covering of opening
  - Proper scaffolding with access and egress.
  - Illumination
- Inspection on height working shall be conducted once in a week by HSE officer as per format no. HSEP:14-F10.
- Medical fitness of height worker shall be ensured.
- Height working shall not be allowed during adverse weather.

### 12.6 INSPECTION ON WELDING AND GAS CUTTING OPERATION

- Supervisor shall ensure that no flammable items are available in near vicinity during welding and gas cutting activity.
- Gas cylinders shall be kept upright.
- Use of Flash back arrestor shall be ensured at both ends.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 31 of 43

- Inspection during welding and gas cutting operations shall be carried out by HSE officer once a month as per format no. HSEP:14-F11.
- Use of fire blanket to be ensured to avoid falling of splatters during welding or gas cutting operation at height.
- Availability of fire extinguisher at vicinity shall be ensured.

**12.7 INSPECTION ON ELECTRICAL INSTALLATION / APPLIANCES**

- Ensure proper earthing in electrical installation
- Use ELCB at electrical booth
- Electrical installation shall be properly covered at top where required
- Use appropriate PPEs while working
- Use portable electrical light < 24 V in confined space and potentially wet area.
- Monthly inspection shall be carried out as per format no. HSEP:14-F12.

**12.8 INSPECTION OF ELEVATOR**

- Elevators shall be inspected by concerned supervisors once in a week as per format no. HSEP:14-F13.
- All elevators shall be inspected by competent person and validity shall be ensured.
- The date of third party inspection and next due date shall be painted on elevator.

**12.9 INSPECTION OF EXCAVATION**

Excavation activities shall be inspected as per Format HSEP:14-F13A

**13.0 HSE PERFORMANCE**

- Contractor shall be assessed on monthly basis for HSE Compliance by BHEL Safety In-charge at site. The HSE compliance shall be based on Online HSE Evaluation System of BHEL as per Format No. HSEP:14-F33.
- BHEL shall reserve the right to use this assessment for evaluating bidder's capacity for future tenders
- Suitable HSE reward system shall be developed at site level to promote HSE compliance amongst workmen by the subcontractor.  
To decide HSE reward, performance towards HSE shall be evaluated for workmen and it shall be awarded regularly in public gathering.
- If safety record of the subcontractor in execution of the awarded job is to the satisfaction of safety department of BHEL, issue of an appropriate certificate to recognize the safety performance of the subcontractor may be considered by BHEL after completion of the job.

|                                                                                   |                                                                                         |                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------|
|  | <b>HEALTH, SAFETY AND ENVIRONMENT<br/>PLAN FOR<br/>SITE OPERATION by SUBCONTRACTORS</b> | Doc no.: HSEP: 14 |
|                                                                                   |                                                                                         | REV: 01           |
|                                                                                   | POWER SECTOR                                                                            | Date: 20.01.2020  |
|                                                                                   |                                                                                         | Page: 32 of 43    |

#### 14.0 HSE PENALTIES

- As per contractual provision HSE penalties shall be imposed on subcontractors for non-compliance on HSE requirement as per format no. HSEP:14-F14. The list in the format is only indicative. For any other violation, not listed in the format, the minimum penalty amount is to be decided as per BOCW act.
- If principal customer/statutory and regulatory bodies impose some penalty on HSE due to the non-compliance of the subcontractor the same shall be passed on to them.
- The penalty amount shall be recovered by Site Finance department from subcontractors from the RA/Final bill.

#### 15.0 OTHER REQUIREMENTS

- In case of any delay in completion of a job due to mishaps attributable to lapses by the subcontractor, BHEL shall have the right to recover cost of such delay from the payments due to the subcontractor, after notifying the subcontractor suitably.
- If the subcontractor fails to improve the standards of safety in its operation to the satisfaction of BHEL after being given reasonable opportunity to do so and/or if the subcontractor fails to take appropriate safety precautions or to provide necessary safety devices and equipment or to carry out instruction regarding safety issued by BHEL, BHEL shall have the right to take corrective steps at the risk and cost of the subcontractor after giving a notice of not less than 7 days indicating the steps that would be taken by BHEL.
- If the subcontractor succeeds in carrying out its job in time without any fatal or disabling injury incident and without any damage to property BHEL may, at its sole discretion, favorably consider to reward the subcontractor suitably for the performance.
- In case of any damage to property due to lapses by the subcontractor, BHEL shall have the right to recover the cost of such damages from the subcontractor after holding an appropriate enquiry.
- The subcontractor shall take all measures at the sites of the work to protect all persons from incidents and shall be bound to bear the expenses of defense of every suit, action or other proceeding of law that may be brought by any persons for injury sustained or death owing to neglect of the above precautions and to pay any such persons such compensation or which may with the consent of the subcontractor be paid to compromise any claim by any such person, should such claim proceeding be filed against BHEL, the subcontractor hereby agrees to indemnify BHEL against the same.
- The subcontractor shall not employ men below the age of 18 years and women on the work of painting with products containing lead in any form. Wherever men above the age of 18 are employed on the work of lead painting, overalls shall be supplied by the subcontractor to the workmen and adequate facilities shall be provided to enable the working painters to wash during the cessation of work.
- The subcontractor shall notify BHEL of his intention to bring to site any equipment or material which may create hazard.
- BHEL shall have the right to prescribe the conditions under which such equipment or materials may be handled and the subcontractor shall adhere to such instructions.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 33 of 43

- BHEL may prohibit the use of any construction machinery, which according to the organization is unsafe. No claim for compensation due to such prohibition will be entertained by BHEL.

**16. NON COMPLIANCE**

NONCONFORMITY OF SAFETY RULES AND SAFETY APPLIANCES WILL BE VIEWED SERIOUSLY AND BHEL HAS RIGHT TO IMPOSE FINES ON THE SUBCONTRACTOR AS UNDER FOR EVERY INSTANCE OF VIOLATION NOTICED:

| SN  | Violation of Safety Norms                                                                                  | Fine (in Rs)                               |
|-----|------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 01  | Not Wearing Safety Helmet                                                                                  | 200/- *                                    |
| 02. | Not wearing Safety Belt or not anchoring life line                                                         | 500/-*                                     |
| 03  | Not wearing safety shoe                                                                                    | 200/-*                                     |
| 04  | Not keeping gas cylinders vertically                                                                       | 200/-                                      |
| 05  | Not using flash back arrestors                                                                             | 100/-                                      |
| 06  | Not wearing gloves                                                                                         | 50/- *                                     |
| 07. | Grinding Without Goggles                                                                                   | 50/- *                                     |
| 08. | Not using 24 V Supply For Internal Work                                                                    | 500/-                                      |
| 09. | Electrical Plugs Not used for hand Machine                                                                 | 100/-                                      |
| 10. | Not Slings properly                                                                                        | 200/-                                      |
| 11. | Using Damaged Sling                                                                                        | 200/-                                      |
| 12. | Lifting Cylinders Without Cage                                                                             | 500/-                                      |
| 13. | Not Using Proper Welding Cable With Lot of Joints And Not Insulated Property.                              | 200/-                                      |
| 14. | Not Removing Small Scrap From Platforms                                                                    | 500/-                                      |
| 15. | Gas Cutting Without Taking Proper Precaution or Not Using Sheet Below Gas Cutting                          | 500/-                                      |
| 16. | Not Maintaining Electric Winches Which are Operated Dangerously                                            | 500/-                                      |
| 17. | Improper Earthing Of Electrical T&P                                                                        | 500/-                                      |
| 18  | No or improper barricading                                                                                 | 500/-                                      |
| 19. | Activity carried out without Safety work permit (Height work, Lifting activity, Hot work-each person/case) | 1000/-                                     |
| 20. | Incident Resulting in Partial Loss in Earning Capacity                                                     | 25,000/- per victim                        |
| 21. | Fatal Incident Resulting in total loss in Earning Capacity                                                 | 1,00,000/- per victim for first instance # |

• Legend:-

\*: per head. For repeated violation by the same person, the penalty would be double of the previous penalty. Date of "Repeated violation" will be counted from subsequent days.

#: or as deducted by customer, whichever is higher. For repeated fatal incident in the same Unit incremental penalty to be imposed. The subcontractor will pay 2 times the penalty compared to previously paid in case there are repeated cases of fatal incidents under the same subcontractor for the same package in the same unit.

Any other non-conformity noticed not listed above will also be fined as deemed fit by BHEL. The decision of BHEL engineer is final on the above. The amount will be deducted from running bills of the subcontractor. The amount collected above will be utilized for giving award to the employees who could avoid incident by following safety rules. Also the amount will be spent for purchasing the safety appliances and supporting the safety activity at site.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **34 of 43**

**17.0 HSE AUDIT/INSPECTION**

- Regular HSE Audit/inspection shall be carried out by Subcontractor as per Site HSE audit calendar.
- HSE checklist (**Annexure 02**) shall be used for carrying out audit/inspection and report shall be submitted to BHEL site management
- All non-conformities and observations on HSE identified during internal or external HSE audit shall be disposed off by site in a time bound manner and reported back the implementation status
- Corrective action and Preventive action on HSE issues raised by certification body issued by Regional HQs shall be implemented by site and reported to Site management.

**18.0 MONTHLY HSE REVIEW MEETING**

- ☐ Site shall hold HSE review meeting every month to discuss and resolve HSE issues of site and improve HSE performance. It will also discuss the incidents occurred since previous meeting, its root cause and Corrective action and Preventive action. The agenda is given below:
  - Implementation of earlier MOM
  - HSE performance
  - HSE inspection
  - HSE audit and CAPA
  - HSE training
  - Health check-up camp
  - HSE planning for the erection and commissioning and installation activities in the coming month
  - HSE reward and promotional activities
- ☐ The meeting shall be chaired by Construction Manager, convened by HSE coordinator and attended by all HOS, Site Incharge of Subcontractors and HSE officer of Subcontractors.
- ☐ MOM on the discussion will be circulated to the concerned for implementation.

**19.0 FORMATS USED (Details available in Annexure-04)**

| SL. No. | Format Name                 | Format No.           | Rev No. |
|---------|-----------------------------|----------------------|---------|
| 01      | Inspection of First Aid Box | HSEP:14-F01          | 00      |
| 02      | Health Check Up             | HSEP:14-F02          | 00      |
| 03      | HSE Induction Training      | HSEP:14-F03          | 00      |
| 04      | Tool Box Talk               | HSEP:14-F04          | 00      |
| 05      | Monthly Site HSE Report     | As specified by BHEL | 00      |
| 06      | Inspection of PPE           | HSEP:14-F06          | 00      |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **35 of 43**

|    |                                                            |             |    |
|----|------------------------------------------------------------|-------------|----|
| 07 | Inspection of T&Ps                                         | HSEP:14-F07 | 00 |
| 08 | Status of T&Ps                                             | HSEP:14-F08 | 00 |
| 09 | Inspection of Cranes and Winches                           | HSEP:14-F09 | 00 |
| 10 | Inspection on Height Working                               | HSEP:14-F10 | 00 |
| 11 | Inspection on Welding & Gas Cutting                        | HSEP:14-F11 | 00 |
| 12 | Inspection on Electrical Installation                      | HSEP:14-F12 | 00 |
| 13 | Inspection on Elevator                                     | HSEP:14-F13 | 00 |
| 14 | HSE Penalty                                                | HSEP:14-F14 | 00 |
| 15 | Accident /incident / property damage /fire incident report | HSEP:14-F15 | 00 |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 36 of 43

**20.0 ANNEXURES**

**ANNEXURE 01**

**As per Contract Labour (Regulation & Abolition Act), Central Rules, 1971,**

- (1) The first-aid box shall be distinctively marked with a Red Cross on a white background and shall contain the following items, namely:

**(a) For establishments in which the number of contract labour employed does not exceed fifty, each first aid box shall contain the following equipment:**

|         |                                                                                                                                    |
|---------|------------------------------------------------------------------------------------------------------------------------------------|
| (i)     | 6 small sterilized dressings                                                                                                       |
| (ii)    | 3 medium size sterilized dressings                                                                                                 |
| (iii)   | 3 large size sterilized dressings                                                                                                  |
| (iv)    | 6 pieces of sterilized eye pads in separate sealed packets.                                                                        |
| (v)     | 6 roller bandages 10 cm wide.                                                                                                      |
| (vi)    | 6 roller bandages 5 cm wide.                                                                                                       |
| (vii)   | One tourniquet                                                                                                                     |
| (viii)  | A supply of suitable splints                                                                                                       |
| (ix)    | Three packets of safety pins.                                                                                                      |
| (x)     | Kidney tray.                                                                                                                       |
| (xi)    | 3 large sterilized burn dressings.                                                                                                 |
| (xii)   | 1 (30ml) bottle containing a two percent alcoholic solution of iodine                                                              |
| (xiii)  | 1 (30 ml) bottle containing Sal volatile having the dose and mode of administration indicated on the label                         |
| (xiv)   | 1 snake bite lancet                                                                                                                |
| (xv)    | 1 (30gms) bottle of potassium permanganate crystals.                                                                               |
| (xvi)   | 1 pair scissors                                                                                                                    |
| (xvii)  | 1 copy of the First-Aid leaflet issued by the Director General, Factory Advice Service and Labour Institutes, Government of India. |
| (xviii) | A bottle containing 100 tablets (each of 5 grains) of aspirin                                                                      |
| (xix)   | Ointment for burns                                                                                                                 |
| (xx)    | A bottle of suitable surgical anti-septic solution                                                                                 |

**(b) For establishment in which the number of contract labour exceeds fifty each first-aid box shall contain the following equipment:**

|       |                                                              |
|-------|--------------------------------------------------------------|
| (i)   | 12 small sterilized dressings                                |
| (ii)  | 6 medium size sterilized dressings                           |
| (iii) | 6 large size sterilized dressings.                           |
| (iv)  | 6 large size sterilized burn dressings                       |
| (v)   | 6 (15 grams) packets sterilized cotton wool                  |
| (vi)  | 12 pieces of sterilized eye pads in separate sealed packets. |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 37 of 43

|         |                                                                                                                                                                     |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (vii)   | 12 roller bandages 10 cm wide.                                                                                                                                      |
| (viii)  | 12 roller bandages 5 cm wide.                                                                                                                                       |
| (ix)    | One tourniquet.                                                                                                                                                     |
| (x)     | A supply of suitable splints.                                                                                                                                       |
| (xi)    | Three packets of safety pins.                                                                                                                                       |
| (xii)   | Kidney tray.                                                                                                                                                        |
| (xiii)  | Sufficient number of eye washes bottles filled with distilled water or suitable liquid clearly indicated by a distinctive sign which shall be visible at all times. |
| (xiv)   | 4 per cent Xylocaine eye drops, and boric acid eye drops and soda by carbonate eye drops.                                                                           |
| (xv)    | 1 (60ml) bottle containing a two percent alcoholic solution of iodine                                                                                               |
| (xvi)   | One (two hundred ml) bottle of mercurochrome (2 per cent) solution in water.                                                                                        |
| (xvii)  | 1 (120ml) bottle containing Sal volatile having the dose and mode of administration indicated on the label.                                                         |
| (xviii) | 1 roll of adhesive plaster (6 cmX1 meter)                                                                                                                           |
| (xix)   | 2 rolls of adhesive plaster (2 cmX1 meter)                                                                                                                          |
| (xx)    | A snake bite lancet.                                                                                                                                                |
| (xxi)   | 1 (30 grams) bottle of potassium permanganate crystals.                                                                                                             |
| (xxii)  | 1 pair scissors                                                                                                                                                     |
| (xxiii) | 1 copy of the First-Aid leaflet issued by the Director-General, Factory Advice service and labour Institutes, Government of India.                                  |
| (xxiv)  | a bottle containing 100 tablets (each of 5 grains) of aspirin                                                                                                       |
| (xxv)   | Ointment for burns                                                                                                                                                  |
| (xxvi)  | A bottle of a suitable surgical anti septic solution.                                                                                                               |

(2) Adequate arrangement shall be made for immediate recoupment of the equipment when necessary.



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 38 of 43

**ANNEXURE 02**

**HSE AUDIT/INSPECTION CHECKLIST CUM COMPLIANCE REPORT**

PROJECT: \_\_\_\_\_

SUBCONTRACTOR: \_\_\_\_\_

DATE : \_\_\_\_\_

OWNER : \_\_\_\_\_

INSPECTION BY: \_\_\_\_\_

Note : write 'NA' wherever the items is not applicable

| Item                                    | Y<br>e<br>s | N<br>o | Remarks | Action |
|-----------------------------------------|-------------|--------|---------|--------|
| <b>HOUSEKEEPING</b>                     |             |        |         |        |
| Waste containers provided and used      |             |        |         |        |
| Passageways and walkways clear          |             |        |         |        |
| General neatness of working area        |             |        |         |        |
| Other                                   |             |        |         |        |
| <b>PERSONNEL PROTECTIVE EQUIPMENTS</b>  |             |        |         |        |
| Goggles; shields                        |             |        |         |        |
| Face protection                         |             |        |         |        |
| Hearing protection                      |             |        |         |        |
| Respiratory masks etc.                  |             |        |         |        |
| Safety belts                            |             |        |         |        |
| Other                                   |             |        |         |        |
| <b>EXCAVATIONS / OPENINGS</b>           |             |        |         |        |
| Openings properly covered or barricaded |             |        |         |        |
| Excavations shored                      |             |        |         |        |
| Excavations barricaded                  |             |        |         |        |
| Overnight lighting provided             |             |        |         |        |
| Other                                   |             |        |         |        |
| <b>WELDING, CUTTING</b>                 |             |        |         |        |
| Gas cylinders chained upright           |             |        |         |        |
| Cable and hoses not obstructing         |             |        |         |        |
| Fire extinguisher (s) accessible        |             |        |         |        |
| Others                                  |             |        |         |        |
| <b>SCAFFOLDING</b>                      |             |        |         |        |
| Fully decked platforms                  |             |        |         |        |
| Guard and intermediate rails in place   |             |        |         |        |
| Toe boards in place                     |             |        |         |        |
| Adequate shoring                        |             |        |         |        |
| Adequate access                         |             |        |         |        |
| Others                                  |             |        |         |        |
| <b>LADDER</b>                           |             |        |         |        |
| Extension side rails 1 m above          |             |        |         |        |
| Top of landing                          |             |        |         |        |
| Properly secured                        |             |        |         |        |



# HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS

POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 39 of 43

|                                            |  |  |  |  |
|--------------------------------------------|--|--|--|--|
| Angle + 70° from horizontal                |  |  |  |  |
| Other                                      |  |  |  |  |
| <b>HOISTS, CRANES AND DERRICKS</b>         |  |  |  |  |
| Condition of cables and sheaf OK           |  |  |  |  |
| Condition of slings, chains, hooks OK      |  |  |  |  |
| Inspection & maintenance log maintained    |  |  |  |  |
| Outriggers used                            |  |  |  |  |
| Signals observed and understood            |  |  |  |  |
| Qualified operators                        |  |  |  |  |
| Others                                     |  |  |  |  |
| <b>MACHINERY, TOOLS &amp; EQUIPMENT</b>    |  |  |  |  |
| Proper instruction                         |  |  |  |  |
| Safety devices                             |  |  |  |  |
| Proper cords                               |  |  |  |  |
| Inspection and maintenance                 |  |  |  |  |
| Other                                      |  |  |  |  |
| <b>VEHICLE AND TRAFFIC</b>                 |  |  |  |  |
| Rules and regulations observed             |  |  |  |  |
| Inspection and maintenance                 |  |  |  |  |
| Licensed drivers                           |  |  |  |  |
| Other                                      |  |  |  |  |
| <b>TEMPORARY FACILITIES</b>                |  |  |  |  |
| Emergency instructions posted              |  |  |  |  |
| Fire extinguishers provided                |  |  |  |  |
| Fire-aid equipment available               |  |  |  |  |
| General neatness                           |  |  |  |  |
| Others                                     |  |  |  |  |
| <b>FIRE PREVENTION</b>                     |  |  |  |  |
| Personnel instructed                       |  |  |  |  |
| Fire extinguishers checked                 |  |  |  |  |
| No smoking in prohibited areas.            |  |  |  |  |
| Hydrants                                   |  |  |  |  |
| Clearance                                  |  |  |  |  |
| Others                                     |  |  |  |  |
| <b>ELECTRICAL</b>                          |  |  |  |  |
| Proper wiring                              |  |  |  |  |
| ELCB's provided                            |  |  |  |  |
| Ground fault circuit interrupters          |  |  |  |  |
| Protection against damage                  |  |  |  |  |
| Prevention of tripping hazards             |  |  |  |  |
| Other                                      |  |  |  |  |
| <b>HANDLING &amp; STORAGE OF MATERIALS</b> |  |  |  |  |
| Properly stored or stacked                 |  |  |  |  |
| Passageways clear                          |  |  |  |  |
| Other                                      |  |  |  |  |
| <b>FLAMMABLE GASES AND LIQUIDS</b>         |  |  |  |  |
| Containers clearly identified              |  |  |  |  |
| Proper storage                             |  |  |  |  |
| Fire extinguisher nearby                   |  |  |  |  |



# HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS

POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 40 of 43

|                                                                                                                       |  |  |  |  |
|-----------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Other                                                                                                                 |  |  |  |  |
| <b>WORKING AT HEIGHT</b>                                                                                              |  |  |  |  |
| Safety nets                                                                                                           |  |  |  |  |
| Safety belts                                                                                                          |  |  |  |  |
| Safety helmets                                                                                                        |  |  |  |  |
| Anchoring of safety belt to the life line rope                                                                        |  |  |  |  |
| <b>ENVIRONMENT</b>                                                                                                    |  |  |  |  |
| Lubricant waste/engine oils properly dispose.                                                                         |  |  |  |  |
| Waste from Canteen, offices, sanitation etc. disposed properly.                                                       |  |  |  |  |
| Disposal of surplus earth, stripping materials, expired batteries, oily rags and combustible materials done properly. |  |  |  |  |
| <b>HEALTH CHECKS</b>                                                                                                  |  |  |  |  |
| Hygienic conditions at labor camps O.K.                                                                               |  |  |  |  |
| Availability of first-aid facilities                                                                                  |  |  |  |  |
| Proper sanitation at site, office & labor camps.                                                                      |  |  |  |  |
| Arrangement of medical facilities.                                                                                    |  |  |  |  |
| Measures for dealing with illness.                                                                                    |  |  |  |  |
| Availability of potable drinking water for workmen & staff.                                                           |  |  |  |  |
| Provision of crèches for children.                                                                                    |  |  |  |  |
|                                                                                                                       |  |  |  |  |



# **HEALTH, SAFETY AND ENVIRONMENT PLAN FOR SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: 41 of 43

## **ANNEXURE 03**

### **REFERENCES**

- Contract documents
- Relevant legislations
- HSEMSM
- Relevant Indian standards as listed below (illustrative only):

| SL NO | CODE NAME                                     | TITLE                                                                                                                     |
|-------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| (1)   | IS : 818-1888<br>(Reaffirmed 2003)            | Code of Practice for safety and health requirements in Electric and Gas Welding and Cutting operations.                   |
| (2)   | IS: 1179-1967<br>(Reaffirmed 2003)            | Specification for Equipment for Eye & Face protection during welding.                                                     |
| (3)   | IS : 1989 (Part 2):1986<br>(Reaffirmed 1997)  | Specification for Leather Safety Boots & Shoes                                                                            |
| (4)   | IS:2925 – 1984<br>(Reaffirmed 2010)           | Specification for Industrial Safety Helmets                                                                               |
| (5)   | IS:3521 : 1999<br>(Reaffirmed 2002)           | Industrial Safety Belts & Harnesses-Specification                                                                         |
| (6)   | IS:3646(Part II) – 1966<br>(Reaffirmed 2003)  | Code of Practice for Interior Illumination                                                                                |
| (7)   | IS:3696 (Part I) – 1987<br>(Reaffirmed 2002)  | Safety Code for Scaffolds and Ladders                                                                                     |
| (8)   | IS: 3696(Part 2) : 1991<br>(Reaffirmed 2002 ) | Scaffolds and Ladders-Code of Safety                                                                                      |
| (9)   | IS:3786 – 1983<br>(Reaffirmed 2002)           | Method for Computation of Frequency and Severity Rates for Industrial Injuries and Classification of Industrial Incidents |
| (10)  | IS:4770 : 1991<br>(Reaffirmed 2006)           | Rubber Gloves – Electricals purposes-Specification                                                                        |
| (11)  | IS:4912 : 1978<br>(Reaffirmed 2002)           | Safety Requirements for Floor and Wall Openings, Railings and Toe Boards                                                  |
| (12)  | IS: 5983 – 1980<br>(Reaffirmed 2002)          | Specification for Eye-Protectors                                                                                          |
| (13)  | IS:6519 – 1971<br>(Reaffirmed 1997)           | Code of Practice for Selection, Care and Repair of Safety Footwear                                                        |
| (14)  | IS:9167:1979                                  | Specification for Ear-Protectors                                                                                          |
| (15)  | IS:6994(Part I)-1973<br>(Re affirmed 1996)    | Specification for Industrial Safety Gloves<br>Leather and Cotton Gloves                                                   |
| (16)  | IS:8519 – 1977<br>(Reaffirmed 1983)           | Guide for Selection of Industrial Safety Equipment for Body Protection.                                                   |
| (17)  | IS 11006 : 2011                               | Flash Back(Flame Arrestor) Specification                                                                                  |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

**POWER SECTOR**

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **42 of 43**

|      |                                            |                                                                                                 |
|------|--------------------------------------------|-------------------------------------------------------------------------------------------------|
| (18) | IS:8520 – 1977<br>(Reaffirmed 2002)        | Guide for Selection of Industrial Safety Equipment for Eye, Face and Ear Protection.            |
| (19) | IS:9473:2002                               | Respiratory Protective Devices-Filtering Half Masks to protect against Particles-Specification. |
| (20) | IS:9944:1992<br>(Reaffirmed 2003)          | Natural and Man-made Fiber Rope Slings-Recommendations on Safe working loads.                   |
| (21) | IS:11057 – 1884<br>(Reaffirmed 2001)       | Specification for Industrial Safety Nets                                                        |
| (22) | IS:12254:1993<br>(Reaffirmed 2002)         | Polyvinyl Chloride (PVC) Industrial Boots-Specification                                         |
| (23) | IS:13367(Part 1):1992<br>(Reaffirmed 2003) | Safe Use of Cranes-Code of Practice                                                             |
| (24) | IS:14166:1994<br>(Reaffirmed 2002)         | Respiratory Protective Devices-Full Face Masks Specification                                    |
| (25) | IS:14746 : 1999<br>(Reaffirmed 2003)       | Respiratory Protective Devices-Half Masks and Quarter Masks - Specification                     |
| (26) | IS : 15397 :2003<br>(Reaffirmed 2008)      | Portable Extinguisher Mechanical Foam Type(Stored Pressure)-Specification                       |
| (27) | IS: 19011:2002                             | Guidelines for Quality and/or Environmental Management Systems Auditing                         |



**HEALTH, SAFETY AND ENVIRONMENT  
PLAN FOR  
SITE OPERATION by SUBCONTRACTORS**

POWER SECTOR

Doc no.: HSEP: 14

REV: 01

Date: 20.01.2020

Page: **43 of 43**

**ANNEXURE 04 : SAFETY FORMATS  
&  
ANNEXURE 05 : WORK PERMIT FORMATS**

**POWER SECTOR****INSPECTION OF FIRST AID BOX**

FORMAT NO: HSEP:14-F01

REV NO.: 00

PAGE NO. 01 OF 02

|                          |  |
|--------------------------|--|
| Name of Site :           |  |
| Name of Sub-Contractor : |  |
| Inspected by :           |  |
| Date of Inspection :     |  |

Number of employees on the site: - \_\_\_\_\_

| Sl.No. | Item                                                                                                                                                                                   | No.<br>Available | Remarks |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------|
| 1      | No. of small sterilized dressings                                                                                                                                                      |                  |         |
| 2      | No of medium sized sterilized dressings                                                                                                                                                |                  |         |
| 3      | No of large sized sterilized dressings.                                                                                                                                                |                  |         |
| 4      | No of large sized sterilized burn dressings                                                                                                                                            |                  |         |
| 5      | No of (15 grams) packets sterilized cotton wool                                                                                                                                        |                  |         |
| 6      | No of pieces of sterilized eye pads in separate sealed packets.                                                                                                                        |                  |         |
| 7      | No of roller bandages 10 cm wide.                                                                                                                                                      |                  |         |
| 8      | No of roller bandages 5 cm wide.                                                                                                                                                       |                  |         |
| 9      | Whether tourniquet available                                                                                                                                                           |                  |         |
| 10     | Whether supply of Suitable splints available.                                                                                                                                          |                  |         |
| 11     | No of packets of safety pins.                                                                                                                                                          |                  |         |
| 12     | Whether kidney tray available                                                                                                                                                          |                  |         |
| 13     | Whether sufficient number of eye wash bottles, filled with distilled water or suitable liquid, clearly indicated by a distinctive sign which shall be visible at all times, available. |                  |         |
| 14     | Whether 4%-xylocaine eye drops, and boric acid eye drops and soda by carbonate eye drops available.                                                                                    |                  |         |
| 15     | Whether (60ml) bottle containing a two percent alcoholic solution of iodine available                                                                                                  |                  |         |
| 16     | Whether (two hundred ml) bottle of mercurochrome (2 per cent) solution in water available.                                                                                             |                  |         |

**POWER SECTOR****INSPECTION OF FIRST AID BOX**

FORMAT NO: HSEP:14-F01

REV NO.: 00

PAGE NO. 02 OF 02

| Sl.No. | Item                                                                                                                                               | No.<br>Available | Remarks |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------|
| 17     | Whether 120ml bottle containing Sal volatile having the dose and mode of administration indicated on the label, available.                         |                  |         |
| 18     | Whether roll of adhesive plaster (6 cmX1 meter) available                                                                                          |                  |         |
| 19     | No of rolls of adhesive plaster (2 cmX1 meter)                                                                                                     |                  |         |
| 20     | Whether snake bite lancet available.                                                                                                               |                  |         |
| 21     | Whether (30 grams) bottle of potassium permanganate crystals available.                                                                            |                  |         |
| 22     | Whether a pair scissors available                                                                                                                  |                  |         |
| 23     | Whether copy of the First-Aid leaflet issued by the Director-General, Factory Advice service and labour Institutes, Government of India available. |                  |         |
| 24     | Whether bottle containing 100 tablets (each of 5 grains) of aspirin available                                                                      |                  |         |
| 25     | Whether Ointment for burns available                                                                                                               |                  |         |
| 26     | Whether bottle of a suitable surgical anti-septic solution available                                                                               |                  |         |

Signature of Subcontractor's Site I/C:

|                                                                                   |                        |                                                           |
|-----------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------|
|  | <b>POWER SECTOR</b>    | FORMAT NO: HSEP:14-F02<br>REV NO.: 00<br>PAGE NO. 1 OF 02 |
|                                                                                   | <b>HEALTH CHECK UP</b> |                                                           |

|                                 |  |
|---------------------------------|--|
| <b>Name of Site :</b>           |  |
| <b>Name of Sub-Contractor :</b> |  |
| <b>Name of Employee :</b>       |  |

**NAME:**

|                                            |                             |                       |
|--------------------------------------------|-----------------------------|-----------------------|
| History Of Past Illness                    | H/O Epilepsy                |                       |
|                                            | H/O Drug Allergy            |                       |
|                                            | H/O Diabetics/ Hypertension |                       |
|                                            | H/O Unconsciousness         |                       |
| Personal History                           |                             |                       |
| <b>EXAMINATION</b>                         |                             | <b>OBSERVATION</b>    |
| <b><u>General Physical Examination</u></b> |                             |                       |
| Height                                     | :                           |                       |
| Weight                                     | :                           |                       |
| BMI                                        | :                           |                       |
| Built And nourishment                      | :                           |                       |
| Pallor                                     | :                           |                       |
| Temperature                                | :                           |                       |
| Chest Expansion                            | :                           | Inspiration Expansion |
| Lymph Node Enlargement                     | :                           |                       |
| <b><u>Ear, Nose, Throat</u></b>            | :                           |                       |
| Ear                                        | :                           |                       |
| Nose                                       | :                           |                       |
| Throat                                     | :                           |                       |

**POWER SECTOR****HEALTH CHECK UP**

FORMAT NO: HSEP:14-F02

REV NO.: 00

PAGE NO. 2 OF 02

| EXAMINATION                                       | OBSERVATION      |
|---------------------------------------------------|------------------|
| <b><u>Cardiovascular System Examination :</u></b> |                  |
| Inspection :                                      |                  |
| Palpation :                                       | Pulse BP         |
| Auscultation (Heart Sounds) :                     |                  |
| <b><u>Respiratory System :</u></b>                |                  |
| Inspection :                                      | Respiratory Rate |
| Palpation:                                        |                  |
| Percussion :                                      |                  |
| Auscultation (Breath Sounds) :                    |                  |
| <b><u>Examination of Abdomen :</u></b>            |                  |
| Inspection :                                      |                  |
| Palpation :                                       |                  |
| Auscultation (Bowel Sounds) :                     |                  |
| <b>Any Other :</b>                                |                  |
| <b>Clinical Impression</b>                        |                  |

Signature of the examining doctor

**POWER SECTOR****HSE INDUCTION TRAINING**

FORMAT NO: HSEP:14-F03

REV NO.: 00

PAGE NO. 01 OF 01

|                               |  |
|-------------------------------|--|
| Name of Site :                |  |
| Name of Sub-Contractor :      |  |
| Date :                        |  |
| Name of Training Co-ordinator |  |

| Sl No. | Name | Designation | Organisation | Signature |
|--------|------|-------------|--------------|-----------|
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |
|        |      |             |              |           |

Signature of Training co-ordinator :

|                                                                                   |                      |                                                            |
|-----------------------------------------------------------------------------------|----------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>  | FORMAT NO: HSEP:14-F04<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>TOOL-BOX TALK</b> |                                                            |

|                               |  |
|-------------------------------|--|
| <b>Name of Site :</b>         |  |
| <b>Sub-Contractors Name :</b> |  |
| <b>Date :</b>                 |  |

| Topic | Name of person delivered Tool Box Talk | No. of Participants attended | Remarks |
|-------|----------------------------------------|------------------------------|---------|
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |
|       |                                        |                              |         |

**Signature of Site I/C of Subcontractor :**

|                                                                                   |                                       |                                                            |
|-----------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>                   | FORMAT NO: HSEP:14-F06<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>PERSONAL PROTECTIVE EQUIPMENTS</b> |                                                            |

|                                 |  |
|---------------------------------|--|
| <b>Name of Site :</b>           |  |
| <b>Name of Sub-Contractor :</b> |  |
| <b>Inspected by :</b>           |  |
| <b>Date of Inspection :</b>     |  |

| Item              | Issued this Month | Nos. Issued up to the Month | Percentage of usage at site |
|-------------------|-------------------|-----------------------------|-----------------------------|
| Safety Helmet     |                   |                             |                             |
| Safety Shoes      |                   |                             |                             |
| Full Body Harness |                   |                             |                             |
| Fall Arrestor     |                   |                             |                             |
| Safety Nets       |                   |                             |                             |
| Other PPEs.       |                   |                             |                             |

Signature of Site I/C of Subcontractor :

|                                                                                   |                               |                                                            |
|-----------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>           | FORMAT NO: HSEP:14-F07<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>INSPECTION OF T&amp;Ps</b> |                                                            |

|                                 |  |
|---------------------------------|--|
| <b>Name of Site :</b>           |  |
| <b>Name of Sub-Contractor :</b> |  |
| <b>Date of Inspection :</b>     |  |

| Sl.No. | Description                                                    | Remarks                          |
|--------|----------------------------------------------------------------|----------------------------------|
| 1.0    | Name of equipment                                              |                                  |
| 2.0    | Basic Information of equipment                                 |                                  |
| 2.1    | Specification                                                  |                                  |
| 2.2    | Sr. No. of equipment                                           |                                  |
| 2.3    | Make                                                           |                                  |
| 2.4    | Year of manufacture                                            |                                  |
| 3.0    | Major repairs / overhauls(Furnish details of work carried out) | Date(s) of major repair/overhaul |
| 3.1    |                                                                |                                  |
| 3.2    |                                                                |                                  |
| 3.3    | Repairs carried out at site                                    |                                  |
|        |                                                                |                                  |
| 4.0    | Any performance test conducted                                 | Yes/No                           |
| 5.0    | Document Submitted                                             | Yes/No                           |
| 6.0    | Manufacturer's test / guarantee certificate                    | Available/ Not available         |
| 7.0    | Performance test                                               | Done/ Not Done                   |
| 8.0    | Acceptance Norms                                               |                                  |
| 9.0    | Committee Observations                                         |                                  |
| 10.0   | Date of next review (if accepted)                              |                                  |

|                                              |                                                                |
|----------------------------------------------|----------------------------------------------------------------|
| <b>Signature-Site Safety Officer ( BHEL)</b> | <b>Signature-Subcontractor/ Subcontractor's Safety Officer</b> |
|----------------------------------------------|----------------------------------------------------------------|

|                                                                                   |                           |                                                            |
|-----------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>       | FORMAT NO: HSEP:14-F08<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>STATUS OF T&amp;Ps</b> |                                                            |

|                               |  |
|-------------------------------|--|
| <b>Name of Site</b>           |  |
| <b>Name of Sub-Contractor</b> |  |
| <b>Date of Inspection</b>     |  |

| Item             | Nos. Deployed | Identification No. | Nos. Tested by competent person | Validity of Test Certificate |
|------------------|---------------|--------------------|---------------------------------|------------------------------|
| Winches          |               |                    |                                 |                              |
| Chain Blocks     |               |                    |                                 |                              |
| Wire Rope Slings |               |                    |                                 |                              |
| Man Cages        |               |                    |                                 |                              |
| D-Shackles       |               |                    |                                 |                              |
| Air Compressors  |               |                    |                                 |                              |
| Crawler Cranes   |               |                    |                                 |                              |
| Mobile Cranes    |               |                    |                                 |                              |
| Hydra Cranes     |               |                    |                                 |                              |
| Others           |               |                    |                                 |                              |

Signature of Site I/C of subcontractor:

**POWER SECTOR****INSPECTION OF CRANES AND WINCHES**

FORMAT NO: HSEP:14-F09

REV NO.: 00

PAGE NO. 01 OF 03

|                          |  |
|--------------------------|--|
| Name of Site :           |  |
| Name of Sub-Contractor : |  |
| Inspected by :           |  |
| Date of Inspection:      |  |

Crane Reg. No (Make/Model) \_\_\_\_\_

Name of Driver/Operator \_\_\_\_\_

| Sl.no. | Description                      | Observation | Measures |
|--------|----------------------------------|-------------|----------|
| 1      | Valid Driving license            |             |          |
| 2      | Hook & Hook Latch                |             |          |
| 3      | Over Hoist limit switch          |             |          |
| 4      | Boom limit switch                |             |          |
| 5      | Boom Angle Indicator             |             |          |
| 6      | Boom limit cutoff switch         |             |          |
| 7      | Condition of Boom                |             |          |
| 8      | Condition of ropes               |             |          |
| 9      | Number of load lines             |             |          |
| 10     | Size and condition of the slings |             |          |
| 11     | Stability of the cranes          |             |          |
| 12     | Soil Condition                   |             |          |
| 13     | Swing Break And Lock             |             |          |
| 14     | Proper Break And Lock            |             |          |
| 15     | Hoist Break And Lock             |             |          |
| 16     | Boom Break And Lock              |             |          |
| 17     | Main Clutch                      |             |          |
| 18     | Leakage in Hydraulic Cylinders   |             |          |
| 19     | Out riggers fully extendable     |             |          |
| 20     | Tyre pressure                    |             |          |
| 21     | Condition of Battery And Lamps   |             |          |

**POWER SECTOR****INSPECTION OF CRANES AND WINCHES**

FORMAT NO: HSEP:14-F09

REV NO.: 00

PAGE NO. 2 OF 03

| Sl.no. | Description                            | Observation | Measures |
|--------|----------------------------------------|-------------|----------|
| 22     | Guards of moving and rotating parts    |             |          |
| 23     | Load chart provided                    |             |          |
| 24     | Number and position of pedant ropes    |             |          |
| 25     | Reverse Horn                           |             |          |
| 26     | Load Test Details                      |             |          |
| 27     | Operator's fitness                     |             |          |
| 28     | Pollution under control certificate    |             |          |
| 29     | Fire extinguisher of appropriate type. |             |          |
| 30     | Training of the operator               |             |          |

**WINCH**

| Sl. No. | Description                                                                             | YES | NO | NA | Remarks |
|---------|-----------------------------------------------------------------------------------------|-----|----|----|---------|
| 1       | Has the copy of Third Party Inspection certificate been provided in winch machine shed? |     |    |    |         |
| 2       | Is winch machine operator experienced enough to operate the winch machine?              |     |    |    |         |
| 3       | Is the winch machine operated by someone other than the winch machine operator?         |     |    |    |         |
| 4       | Is there guard provided in all moving parts like wheel and motor's shaft?               |     |    |    |         |
| 5       | Will it protect against unforeseen operational contingencies?                           |     |    |    |         |
| 6       | Are brakes, clutch and locking arrangement working properly?                            |     |    |    |         |
| 7       | Has it been ensured that the guard does not constitute a hazard by itself?              |     |    |    |         |
| 8       | Are the cranks and the connecting rods protected by guardrails?                         |     |    |    |         |
| 9       | Is there provision for fully covered shed with wooden plank roof?                       |     |    |    |         |
|         |                                                                                         |     |    |    |         |

**POWER SECTOR****INSPECTION OF CRANES AND WINCHES**

FORMAT NO: HSEP:14-F09

REV NO.: 00

PAGE NO. 3 OF 03

| Sl. No. | Description                                                                                      | YES | NO | NA | Remarks |
|---------|--------------------------------------------------------------------------------------------------|-----|----|----|---------|
| 10      | Is wire rope free from any kind of damage or wear and tear?                                      |     |    |    |         |
| 11      | Is split pin provided for the protection of clutch and brake locking arrangement?                |     |    |    |         |
| 12      | Is pulley inspected by competent person and certified before use?                                |     |    |    |         |
| 13      | Is pulley free from any wear and tear visually?                                                  |     |    |    |         |
| 14      | Is winch rope barricaded with clipsheet for the protection of rope and person?                   |     |    |    |         |
| 15      | Is the wire rope lubricated by cardium oil?                                                      |     |    |    |         |
| 16      | Is there any friction in wire rope which may damage the wire rope rather than the rolling parts? |     |    |    |         |
| 17      | Is there any oil leakage in the hydraulic system of the winch machine?                           |     |    |    |         |
| 18      | Has it been ensured that the guard will not cause discomfort or inconvenience to operator?       |     |    |    |         |
|         | <b>Total Number of NO:</b>                                                                       |     |    |    |         |
|         | <b>Total Number of NA:</b>                                                                       |     |    |    |         |
|         | <b>% Compliance :</b>                                                                            |     |    |    |         |

Signature of Site I/C of subcontractor :

|                                                                                   |                                     |                                                            |
|-----------------------------------------------------------------------------------|-------------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>                 | FORMAT NO: HSEP:14-F10<br>REV NO.: 00<br>PAGE NO. 01 OF 02 |
|                                                                                   | <b>INSPECTION OF HEIGHT WORKING</b> |                                                            |

|                                 |  |
|---------------------------------|--|
| <b>Name of Site :</b>           |  |
| <b>Name of Sub-Contractor :</b> |  |
| <b>Inspected by :</b>           |  |
| <b>Date of Inspection:</b>      |  |

| Sl. No. | Descriptions                                                                                           | Observation (Yes/No) | Remarks |
|---------|--------------------------------------------------------------------------------------------------------|----------------------|---------|
| 1       | All the workers have been explained safe work method?                                                  |                      |         |
| 2       | An established communication system has been established and explained to the workers.                 |                      |         |
| 3       | Adequate illumination has been ensured.                                                                |                      |         |
| 4       | Work area inspected prior to the start of the work.                                                    |                      |         |
| 5       | Area below the work place barricaded, particularly below hot work.                                     |                      |         |
| 6       | Workers provided with bags /box to carry bolts, nuts and hand tools                                    |                      |         |
| 7       | Arrangement for fastening hand tools made.                                                             |                      |         |
| 8       | All work platforms ensured to be of adequate strength and ergonomically suitable.                      |                      |         |
| 9       | Fabricated makeshift arrangements are checked for quality and type of material welding, anchoring etc. |                      |         |
| 10.     | Work at more than one elevation at the same segment is restricted.                                     |                      |         |
|         | <b>ACCESS/EGRESS</b>                                                                                   |                      |         |
| 1       | Walkways provided with handrail, mid-rail and toe guard?                                               |                      |         |
| 2       | All checkered plates, gratings properly welded/ bolted?                                                |                      |         |
| 3       | Are ladders inspected and they are in good condition?                                                  |                      |         |
| 4       | Are ladders spliced?                                                                                   |                      |         |
| 5       | Are ladders properly secured to prevent slipping, sliding or falling?                                  |                      |         |
| 6       | Do side rails extend 36" above top landing?                                                            |                      |         |
| 7       | Are built up ladders constructed of sound materials?                                                   |                      |         |

**POWER SECTOR****INSPECTION OF HEIGHT WORKING**

FORMAT NO: HSEP:14-F10

REV NO.: 00

PAGE NO. 02 OF 02

| Sl. No. | Descriptions                                                                  | Observation<br>(Yes/No) | Remarks |
|---------|-------------------------------------------------------------------------------|-------------------------|---------|
| 8       | Are rugs and cleats not over 12" on center?                                   |                         |         |
| 9       | Metal ladders not used around electrical hazards.                             |                         |         |
| 10      | Proper maintenance and storage.                                               |                         |         |
| 11      | Ladders placed at right slope.                                                |                         |         |
| 12      | Ladders / staircases welded/ bolted properly.                                 |                         |         |
| 13      | Any obstruction in the stairs.                                                |                         |         |
| 14      | Are landing provided with handrails, knee rails, toe boards etc.?             |                         |         |
| 15      | Whether ramp is provided with proper slope.                                   |                         |         |
| 16      | Proper hand rails / guards provided in ramps.                                 |                         |         |
|         | <b>Housekeeping</b>                                                           |                         |         |
| 1       | Walkways, aisles & all overhead workplaces cleared of loose material.         |                         |         |
| 2       | Flammable materials, if any, are cleared.                                     |                         |         |
| 3       | All the de shuttering materials are removed after de shuttering is done.      |                         |         |
| 4       | Platforms and walkways free from oil/grease or other slippery material.       |                         |         |
| 5       | Collected scrap are brought down or lowered down and not dropped from height. |                         |         |
|         | <b>PPE And Safety Devices</b>                                                 |                         |         |
| 1       | Use of safety helmet, safety belts ensured for all workers                    |                         |         |
| 2       | Anchoring points provided at all places of work.                              |                         |         |
| 3       | Common lifeline provided wherever linear movement at height is required.      |                         |         |
| 4       | Safety nets are use wherever required.                                        |                         |         |
| 5       | Proper fall arrest system is deployed at critical workplaces.                 |                         |         |
| 6       | Crawler boards/Safety system or works on fragile roof are used.               |                         |         |

Signature of Site I/C of subcontractor :

**POWER SECTOR****INSPECTION OF WELDING AND GAS  
CUTTING**

FORMAT NO: HSEP:14-F11  
REV NO.: 00  
PAGE NO. 1 OF 02

|                        |  |
|------------------------|--|
| Name of Site           |  |
| Name of Sub-Contractor |  |
| Inspected by           |  |
| Date of Inspection     |  |

| Welding |                                                                             |             |        |         |
|---------|-----------------------------------------------------------------------------|-------------|--------|---------|
| Sl.no.  | Description                                                                 | Y<br>e<br>s | N<br>o | Remarks |
| 1       | Is electric connection given through 30 mA ELCB/RCCB to welding m/c?        |             |        |         |
| 2       | Is electric cable fitted properly in junction box on m/c?                   |             |        |         |
| 3       | Is electrical cable free from joints?                                       |             |        |         |
| 4       | Are the joints attached firmly & insulated with tape?                       |             |        |         |
| 5       | Is double earthing given to body of m/c?                                    |             |        |         |
| 6       | Is the physical condition of the m/c good?                                  |             |        |         |
| 7       | Is ON/OFF switch connected to the m/c is working and in good condition?     |             |        |         |
| 8       | Are indication lamps on m/c working?                                        |             |        |         |
| 9       | Is the electrode holder in good condition?                                  |             |        |         |
| 10      | Are the cables of the welding m/c lugged & tight properly?                  |             |        |         |
| 11      | Are return lead connected properly (Rod, Angle, Channels shall not be used) |             |        |         |
|         | Total No of NO                                                              |             |        |         |
|         | Total No of YES                                                             |             |        |         |

**POWER SECTOR****INSPECTION OF WELDING AND GAS  
CUTTING**

FORMAT NO: HSEP:14-F11  
REV NO.: 00  
PAGE NO. 2 OF 02

| Gas Cutting |                                                                            |     |    |         |
|-------------|----------------------------------------------------------------------------|-----|----|---------|
| Sl. no      | Description                                                                | Yes | No | Remarks |
| 1           | Are Cylinders kept on trolleys?                                            |     |    |         |
| 2           | Physical condition of Gas cylinders Good?                                  |     |    |         |
| 3           | Is there Oil/Grease on valve of the cylinder?                              |     |    |         |
| 4           | Are pressure regulators in good condition?                                 |     |    |         |
| 5           | Condition of hose pipe OK?                                                 |     |    |         |
| 6           | Are hose pipe clamped with hose clip?                                      |     |    |         |
| 7           | Is flash back arrestor & NRV fitted on torch both for O2 and LPG cylinder? |     |    |         |
| 8           | Is nozzle of the torch cleaned?                                            |     |    |         |
|             | Total Number of NO                                                         |     |    |         |
|             | Total No of YES                                                            |     |    |         |
|             | % Compliance                                                               |     |    |         |

Signature of Site I/C of subcontractor :

|                                                                                   |                                              |                                                            |
|-----------------------------------------------------------------------------------|----------------------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>                          | FORMAT NO: HSEP:14-F12<br>REV NO.: 00<br>PAGE NO. 01 OF 02 |
|                                                                                   | <b>INSPECTION OF ELECTRICAL INSTALLATION</b> |                                                            |

|                               |  |
|-------------------------------|--|
| <b>Name of Site</b>           |  |
| <b>Name of Sub-Contractor</b> |  |
| <b>Inspected by</b>           |  |
| <b>Date of Inspection:</b>    |  |

| Sr. No.  | Contents                                                                                             | Yes/No | Remarks |
|----------|------------------------------------------------------------------------------------------------------|--------|---------|
| <b>A</b> | <b>Cable</b>                                                                                         |        |         |
| 1.       | Whether the condition of cable is checked?                                                           |        |         |
| 2.       | Are cables received from other sites checked for insulation resistance before putting them into use? |        |         |
| 3.       | Are all main cables taken either underground / overhead?                                             |        |         |
| 4.       | Are welding cables routed properly above the ground?                                                 |        |         |
| 5.       | Are welding and electrical cables overlapping?                                                       |        |         |
| 6.       | Is any improper joining of cables/wires prevailing at site?                                          |        |         |
| <b>B</b> | <b>DBs/SDBs</b>                                                                                      |        |         |
| 1.       | Is earth conductor continued up to DB / SDB?                                                         |        |         |
| 2.       | Whether DBs and extension boards are protected from rain / water?                                    |        |         |
| 3.       | Is there any overloading of DBs / SDBs?                                                              |        |         |
| 4.       | Are correct / proper fuses & CBs provided at main boards and sub-boards?                             |        |         |
| 5.       | Is energized wiring in junction boxes, CB panels & similar places covered all times?                 |        |         |
| <b>C</b> | <b>ELCB</b>                                                                                          |        |         |
| 1.       | Whether the connections are routed through ELCB?                                                     |        |         |
| 2.       | Is ELCB sensitivity maintained at 30 mA?                                                             |        |         |

**POWER SECTOR****INSPECTION OF ELECTRICAL INSTALLATION**

FORMAT NO: HSEP:14-F12

REV NO.: 00

PAGE NO. 02 OF 02

| Sr. No.  | Contents                                                                                                                | Yes/No | Remarks |
|----------|-------------------------------------------------------------------------------------------------------------------------|--------|---------|
| 3.       | Are the ELCB numbered and tested periodically & test results recorded in a logbook countersigned by a competent person? |        |         |
| <b>D</b> | <b>Grounding</b>                                                                                                        |        |         |
| 1.       | Is natural earthing ensured at the source of power (main DB at Generator or Transformer)?                               |        |         |
| 2.       | Whether the continuity and tightness of the earth conductor are checked?                                                |        |         |
| 3.       | Mention the gauge of the earth conductor used at the site.                                                              |        |         |
| 4.       | Mention the value of Earth Resistance.                                                                                  |        |         |
| <b>E</b> | <b>Electrically operated Machines or Accessories.</b>                                                                   |        |         |
| 1.       | Whether the plug top is provided everywhere.                                                                            |        |         |
| 2.       | Are all metal parts of electrical equipment and light fittings / accessories grounded?                                  |        |         |
| 3.       | Is there any shed or cover for welding machines?                                                                        |        |         |
| 4.       | Are halogen lamps fixed at proper places?                                                                               |        |         |
| 5.       | Are portable power tools maintained as per norms?                                                                       |        |         |
| 6.       | Any other information:                                                                                                  |        |         |

Signature of Site I/C of subcontractor :

|                                                                                   |                               |                                                            |
|-----------------------------------------------------------------------------------|-------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR</b>           | FORMAT NO: HSEP:14-F13<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>INSPECTION OF ELEVATOR</b> |                                                            |

|                               |  |
|-------------------------------|--|
| <b>Name of Site</b>           |  |
| <b>Name of Sub-Contractor</b> |  |
| <b>Inspected by</b>           |  |
| <b>Date of Inspection</b>     |  |

| Sr. No.                                                        | Description                                                  | Remarks                                      |
|----------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------|
| 1.0                                                            | Name of equipment                                            |                                              |
| 2.0                                                            | Basic Information of equipment                               |                                              |
| 2.1                                                            | Specification                                                |                                              |
| 2.2                                                            | Sr. No. of equipment                                         |                                              |
| 2.3                                                            | Make                                                         |                                              |
| 2.4                                                            | Year of manufacture                                          |                                              |
| 3.0                                                            | Major repairs/overhauls(Furnish details of work carried out) | Date(s) of major repair/overhaul             |
| 3.1                                                            |                                                              |                                              |
| 3.2                                                            |                                                              |                                              |
| 3.3                                                            | Repairs carried out at site                                  |                                              |
| 4.0                                                            | Any performance test conducted                               | Yes/No                                       |
| 5.0                                                            | Document Submitted                                           | Yes/No                                       |
| 6.0                                                            | Manufacturer's test / guarantee certificate                  | Available/ Not available                     |
| 7.0                                                            | Performance test                                             | Done/ Not Done                               |
| 8.0                                                            | Acceptance Norms                                             |                                              |
| 9.0                                                            | Committee Observations                                       |                                              |
| 10.0                                                           | Date of next review (if accepted)                            |                                              |
| <b>Signature-Subcontractor/ Subcontractor's Safety Officer</b> |                                                              | <b>Signature-Site Safety Officer ( BHEL)</b> |

|                                                                                   |                                 |                                                             |
|-----------------------------------------------------------------------------------|---------------------------------|-------------------------------------------------------------|
|  | <b>POWER SECTOR</b>             | FORMAT NO: HSEP:14-F13E<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>Inspection of Excavation</b> |                                                             |

|                                 |  |
|---------------------------------|--|
| <b>Name of Site :</b>           |  |
| <b>Name of Sub-Contractor :</b> |  |
| <b>Inspected by :</b>           |  |
| <b>Date of Inspection :</b>     |  |

| Sl.no. | Description                                                                                                                        | Yes | No | Remarks |
|--------|------------------------------------------------------------------------------------------------------------------------------------|-----|----|---------|
| 1      | Precautions taken for Underground Electrical Cable                                                                                 |     |    |         |
| 2      | Precautions taken for Under / Above ground sewer/ Drinking Water Line                                                              |     |    |         |
| 3      | Precautions taken for Underground Telecommunication Line                                                                           |     |    |         |
| 4      | Precautions taken for Underground Product/Utility Line                                                                             |     |    |         |
| 5      | Precautions taken for Underground Fire Water Line                                                                                  |     |    |         |
| 6      | Shoring / Shuttering / Sheet piling done to prevent collapse of excavation walls. Strength of Excavation wall ensured at all times |     |    |         |
| 7      | Slope Cutting / Angle Maintained                                                                                                   |     |    |         |
| 8      | Hard Barricading & Edge Protection provided                                                                                        |     |    |         |
| 9      | Separate Safe Access for Man and Vehicle                                                                                           |     |    |         |
| 10     | Lighting arrangement                                                                                                               |     |    |         |
| 11     | Banksman Provided                                                                                                                  |     |    |         |
| 12     | Required basic PPEs provided                                                                                                       |     |    |         |
| 13     | Excavated soil / Construction Material / equipment kept away from the edge.                                                        |     |    |         |
| 14     | First aid in attendance.                                                                                                           |     |    |         |
| 15     | Other:                                                                                                                             |     |    |         |
|        |                                                                                                                                    |     |    |         |
|        | Total No of YES                                                                                                                    |     |    |         |

Signature-Subcontractor/ Subcontractor's Safety Officer

Signature-Site Safety Officer ( BHEL)

**POWER SECTOR****HSE PENALTY**

FORMAT NO: HSEP:14-F14

REV NO.: 00

PAGE NO. 1 OF 02

**Sub: MEMO for Penalty for non-compliances in Safety**

Following lapse (tick marked) was observed and penalty is imposed as stated at the bottom of this memo. It is requested that such occurrences be please avoided in future.

**Safety Area**

| SN  | Violation of Safety Norms                                                                                  | Fine (in Rs)                               |
|-----|------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| 01  | Not Wearing Safety Helmet                                                                                  | 200/- *                                    |
| 02. | Not wearing Safety Belt or not anchoring life line                                                         | 500/-*                                     |
| 03  | Not wearing safety shoe                                                                                    | 200/-*                                     |
| 04  | Not keeping gas cylinders vertically                                                                       | 200/-                                      |
| 05  | Not using flash back arrestors                                                                             | 100/-                                      |
| 06  | Not wearing gloves                                                                                         | 50/- *                                     |
| 07. | Grinding Without Goggles                                                                                   | 50/- *                                     |
| 08. | Not using 24 V Supply For Internal Work                                                                    | 500/-                                      |
| 09. | Electrical Plugs Not used for hand Machine                                                                 | 100/-                                      |
| 10. | Not Slings properly                                                                                        | 200/-                                      |
| 11. | Using Damaged Sling                                                                                        | 200/-                                      |
| 12. | Lifting Cylinders Without Cage                                                                             | 500/-                                      |
| 13. | Not Using Proper Welding Cable With Lot of Joints And Not Insulated Property.                              | 200/-                                      |
| 14. | Not Removing Small Scrap From Platforms                                                                    | 500/-                                      |
| 15. | Gas Cutting Without Taking Proper Precaution or Not Using Sheet Below Gas Cutting                          | 500/-                                      |
| 16. | Not Maintaining Electric Winches Which are Operated Dangerously                                            | 500/-                                      |
| 17. | Improper Earthing Of Electrical T&P                                                                        | 500/-                                      |
| 18  | No or improper barricading                                                                                 | 500/-                                      |
| 19. | Activity carried out without Safety work permit (Height work, Lifting activity, Hot work-each person/case) | 1000/-                                     |
| 20. | Incident Resulting in Partial Loss in Earning Capacity                                                     | 25,000/- per victim                        |
| 21. | Fatal Incident Resulting in total loss in Earning Capacity                                                 | 1,00,000/- per victim for first instance # |

**Legend: -**

\*: per head. For repeated violation by the same person, the penalty would be double of the previous penalty. Date of "Repeated violation" will be counted from subsequent days.

#: or as deducted by customer, whichever is higher. For repeated fatal incident in the same Unit incremental penalty to be imposed. The subcontractor will pay 2 times the penalty compared to previously paid in case there are repeated cases of fatal incidents under the same subcontractor for the same package in the same unit.

1 Copy to Site Construction Manager (BHEL)

|                                                                                   |                                                                                 |                                                            |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------|------------------------------------------------------------|
|  | <b>POWER SECTOR- HQ</b>                                                         | FORMAT NO: HSEP:14-F15<br>REV NO.: 00<br>PAGE NO. 01 OF 01 |
|                                                                                   | <b>Incident Report</b><br>(To be submitted within 24 hours of time of incident) |                                                            |

Type of incident: Fatal/Major/ Minor/Fire/Property Damage/Near-miss

|                                                                                                   |                                                                                                                              |                  |                                         |                                         |             |
|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------|-----------------------------------------|-------------|
| 1                                                                                                 | NAME OF SITE                                                                                                                 |                  | 3                                       | ACTIVITY AREA                           |             |
| 2                                                                                                 | SCOPE OF WORK                                                                                                                |                  | 4                                       | NAME OF CONTRACTOR                      |             |
|                                                                                                   |                                                                                                                              |                  | 5                                       | NAME & DESIGNATION OF BHEL ACTIVITY I/C |             |
| 6                                                                                                 | DATE & TIME OF ACCIDENT                                                                                                      |                  | 7                                       | DATE RESUMED                            |             |
| 8                                                                                                 | NO. OF WORK-DAYS LOST BY VICTIM<br>(If duty not resumed, give estimated figure)                                              |                  |                                         |                                         |             |
| 9                                                                                                 | NO. OF MANHOURS LOST BY OTHERS                                                                                               |                  |                                         |                                         |             |
| 10                                                                                                | PERSONAL DETAILS OF INJURED AND / OR DETAILS OF MATERIALS / EQUIPMENT / PROPERTY DAMAGED                                     |                  |                                         |                                         |             |
| NAME                                                                                              |                                                                                                                              |                  | NAME OF MATERIAL / EQUIPMENT / PROPERTY |                                         |             |
| PERIOD OF EMPLOYMENT                                                                              |                                                                                                                              |                  |                                         |                                         |             |
| AGE                                                                                               | YRS                                                                                                                          | SEX              | MALE/ FEMALE                            | ESTIMATED COST                          | ACTUAL COST |
| MARITAL STATUS                                                                                    |                                                                                                                              | SINGLE / MARRIED |                                         |                                         |             |
| OCCUPATION                                                                                        |                                                                                                                              | NATURE OF DAMAGE |                                         |                                         |             |
| PART OF BODY INJURED                                                                              |                                                                                                                              |                  |                                         |                                         |             |
| NATURE OF INJURY                                                                                  |                                                                                                                              |                  |                                         |                                         |             |
| AGENCY ( OBJECT / EQUIPMENT / SUBSTANCE ) MOST RESPONSIBLE FOR CAUSING ACCIDENT / INJURY / DAMAGE |                                                                                                                              |                  |                                         |                                         |             |
| 12                                                                                                | PERSON (NAME & DESIGNATION) WITH MOST CONTROL OVER AGENCY (OBJECT / EQUIPMENT / SUBSTANCE ) CAUSING ACCIDENT INJURY / DAMAGE |                  |                                         |                                         |             |
| 13                                                                                                | DESCRIBE CLEARLY HOW THE ACCIDENT OCCURRED (USE ADDITIONAL SHEET, IF REQUIRED)                                               |                  |                                         |                                         |             |
|                                                                                                   |                                                                                                                              |                  |                                         |                                         |             |
| ANALYSIS                                                                                          |                                                                                                                              |                  |                                         |                                         |             |
| 14                                                                                                | WHAT ACTS AND / OR CONDITIONS CONTRIBUTED MOST DIRECTLY TO THIS ACCIDENT                                                     |                  |                                         |                                         |             |
| 15                                                                                                | WHAT ARE THE BASIC REASON FOR THE EXISTENCE OF THESE ACTS AND / OR CONDITION ?                                               |                  |                                         |                                         |             |
| 16                                                                                                | WHAT CORRECTIVE ACTIONS HAVE BEEN TAKEN TO PREVENT ACCIDENT RECURRENCE ?                                                     |                  |                                         |                                         |             |
|                                                                                                   | DATE :                                                                                                                       |                  | SIGNATURE OF SITE HSE COORDINATOR       |                                         |             |
| 17                                                                                                | COMMENTS OF HEAD / SOX                                                                                                       |                  |                                         |                                         |             |
|                                                                                                   | DATE:                                                                                                                        |                  | SIGNATURE OF HEAD/SOX                   |                                         |             |

|                                                                                 |                                                     |                                                           |
|---------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------|
|  | <b>POWER SECTOR</b>                                 | FORMAT NO: HSEP:14-F30<br>REV NO.: 00<br>PAGE NO. 01 OF 3 |
|                                                                                 | <b>Format for Monthly HSE Planning &amp; Review</b> |                                                           |

|                                                                               |                                                                                            |                                                                                                                             |                                |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| <b>Note: This is a template and can be modified in consultation with BHEL</b> |                                                                                            |                                                                                                                             |                                |
| <b>Name of the Site</b>                                                       |                                                                                            | <b>Name of the Subcontractor</b>                                                                                            |                                |
| <b>Scope of Work</b>                                                          |                                                                                            | <b>Date</b>                                                                                                                 |                                |
| <b>PART- A: PLAN OF HSE ACTIVITIES FOR THE MONTH OF.....</b>                  |                                                                                            |                                                                                                                             | <b>PART-B: REVIEW ON .....</b> |
| <b>SN.</b>                                                                    | <b>Description of HSE Activity &amp; Formats</b>                                           | <b>Plan &amp; Targets for the month</b>                                                                                     | <b>Review</b>                  |
| 1                                                                             | Availability of First Aid Box at Required Places and Inspection thereof as per Format: Fo1 | Areas<br>1. ...<br>...                                                                                                      |                                |
| 2                                                                             | Health check-up as per Format: Fo2                                                         | Health check-up for Nos<br>1. New inductees<br>2. Drivers & Operators<br>3. Workers in following high risk areas:<br>a. ... |                                |
| 3                                                                             | Induction training of newly joined workers as per Format: Fo3                              | Minimum No. of workers:                                                                                                     |                                |
| 4                                                                             | Toolbox talks (TBT) conducted before start of work as per Format: Fo4                      | Locations of TBTs & No. of workers<br><b>1.</b> ...                                                                         |                                |
| 5                                                                             | PPE usage and issue as per Format: Fo6                                                     |                                                                                                                             |                                |
| 6                                                                             | Inspection of T&Ps as per Format: Fo7                                                      | List of T&Ps to be inspected<br>1.                                                                                          |                                |
| 7                                                                             | Identification & Inspection Status of T&Ps as per Format: Fo8                              |                                                                                                                             |                                |
| 8                                                                             | Inspection of Cranes & Winches as per Format: Fo9                                          | List of Cranes & Winches & Nos.<br>1. ...                                                                                   |                                |
| 9                                                                             | Inspection of Height Working as per Format: F10                                            | Areas:<br>1. ...                                                                                                            |                                |
| 10                                                                            | Inspection of Welding & Gas Cutting operations as per Format: F11                          | Areas:<br>1. ...                                                                                                            |                                |
| 11                                                                            | Inspection of Electrical Installations as per Format: F12                                  | Locations:<br>1. ...                                                                                                        |                                |
| 12                                                                            | Inspection of Elevators (as applicable) as per Format: F13                                 | Locations:<br>1. ...                                                                                                        |                                |
| 13                                                                            | Inspection of Excavation as per Format: F13E                                               | <b>Locations:</b><br><b>1.</b> ...                                                                                          |                                |



## POWER SECTOR

### Format for Monthly HSE Planning & Review

FORMAT NO: HSEP:14-F30

REV NO.: 00

PAGE NO. 02 OF 3

| SN. | Description of HSE Activity & Formats                                                                                             | Plan & Targets for the month                                                                                                         | Review |
|-----|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------|
| 14  | Job Safety Analysis as per Format F32B                                                                                            | Activities:<br>1. ...                                                                                                                |        |
| 15  | Regular Job Specific Training (Re-training) for workers involved in hazardous activities                                          | Topics/ Hazards & No. of workers<br>1. ...                                                                                           |        |
| 16  | Mass housekeeping (HK) drive in work areas                                                                                        | Areas<br>1. ...                                                                                                                      |        |
| 17  | Vertigo Test of Height workers                                                                                                    | Minimum No. of workers:                                                                                                              |        |
| 18  | Deployment of qualified HSE Officers as per contract                                                                              | Location(s) & Nos.<br>1. ...                                                                                                         |        |
| 19  | Deployment of qualified HSE Stewards as per contract                                                                              | Location(s) & Nos.<br>1. ...                                                                                                         |        |
| 20  | Deployment of Safety tools & Equipment (Safety Nets, Lifelines, Fall arrestors, Man-cages, flashback arrestors, scaffolding etc.) | Tool/ Equipment & Location<br>1. ...                                                                                                 |        |
| 21  | Safety Walks by site in charge of agency (4 -Weekly once)                                                                         | Dates:                                                                                                                               |        |
| 22  | Safety walks by departmental head (8-Weekly twice)                                                                                | Dates:                                                                                                                               |        |
| 23  | Availability/ deployment of Safety posters/ placards/ signage at strategic locations                                              | Locations: Nos.<br>1. ...                                                                                                            |        |
| 24  | Provision of clean drinking water sources for workers                                                                             | Locations: Nos.<br>1. ...                                                                                                            |        |
| 25  | Provision of toilets for workers (separate for male & female workers)                                                             | Locations: Nos.<br>1. ...                                                                                                            |        |
| 26  | Rest sheds for workers during lunchtime, rain, dust storm etc.                                                                    | Locations: Nos.<br>1. ...                                                                                                            |        |
| 27  | Availability of following in Labor colony                                                                                         | 1. Clean drinking water<br>2. Toilets<br>3. Cleanliness & Hygiene<br>4. Grass cutting,<br>5. Fogging<br>6. Electrical Inspection ... |        |

|  | <b>POWER SECTOR</b>                                                          |                                               | FORMAT NO: HSEP:14-F30<br>REV NO.: 00<br>PAGE NO. 03 OF 3 |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------|
|                                                                                  | <b>Format for Monthly HSE Planning &amp; Review</b>                          |                                               |                                                           |
| SN.                                                                              | Description of HSE Activity & Formats                                        | Plan & Targets for the month                  | Review                                                    |
| 28                                                                               | Availability of dust/ waste bins at various locations                        | Locations:<br><b>1.</b> ...                   |                                                           |
| 29                                                                               | Availability of Ambulance (individual/ joint) in each shift                  | Ambulance No.                                 |                                                           |
| 30                                                                               | Availability of emergency vehicle in each shift                              | Emergency vehicle                             |                                                           |
| 31                                                                               | Deployment/ Availability of tested Fire Extinguishers                        | Locations & Nos.<br><b>1.</b> ...             |                                                           |
| 32                                                                               | Tree plantation                                                              | Locations & Nos.<br><b>1.</b> ...             |                                                           |
| 33                                                                               | Waste disposal & Scrap Bins                                                  | Locations<br><b>1.</b> ...                    |                                                           |
| 34                                                                               | Illumination checks                                                          | Locations<br><b>1.</b> ...                    |                                                           |
| 35                                                                               | Safety award function:<br>1. Display of good practices<br>Award presentation | Minimum 1 per month                           |                                                           |
| 36                                                                               | <b>Submission of Daily Reports as per Format No.F31A</b>                     | <b>Daily Reports (Night &amp; Day Shifts)</b> |                                                           |

| <b>PLAN</b>            |                      | <b>REVIEW</b>          |                      |
|------------------------|----------------------|------------------------|----------------------|
| <u>Agency</u><br>Name: | <u>BHEL</u><br>Name: | <u>Agency</u><br>Name: | <u>BHEL</u><br>Name: |
| Sign:                  | Sign:                | Sign:                  | Sign:                |
| Date:                  | Date:                | Date:                  | Date:                |



## POWER SECTOR

### Format for Daily HSE Reporting

FORMAT NO: HSEP:14-F31 A  
REV NO.: 00  
PAGE NO. 01 OF 1

Note: Following format to be submitted (preferably) in excel/ soft copy by subcontractor daily at the end of each shift. Any photographs/ records to be attached

| Site  |       | Subcontractor                                                                   |  |  |  |  |  |  |  |  |  |  |  |
|-------|-------|---------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|--|--|
| Year  | Month | Day                                                                             |  |  |  |  |  |  |  |  |  |  |  |
| Night | Day   | SHIFT                                                                           |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Submitted By                                                                    |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Work Area(s)                                                                    |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Staff                                                                           |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Man-Power                                                                       |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Safety Officers                                                                 |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Safety Stewards                                                                 |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Tool Box (Topics and No. of Participants)                                       |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Induction Training (No. of Participants)                                        |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Vertigo Test (Numbers Tested)                                                   |  |  |  |  |  |  |  |  |  |  |  |
|       |       | On-the-Job Training (Topic & participants)                                      |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Work Permits                                                                    |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Job Safety Analyses conducted                                                   |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Height Work Inspection                                                          |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Other Hazardous Activities Inspection                                           |  |  |  |  |  |  |  |  |  |  |  |
| NA    |       | T&P Inspection (Names & Nos. Inspected)                                         |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Safety Walk (Designation, Areas)                                                |  |  |  |  |  |  |  |  |  |  |  |
| NA    |       | HSE Meeting                                                                     |  |  |  |  |  |  |  |  |  |  |  |
| NA    |       | Safety Reward (Details)                                                         |  |  |  |  |  |  |  |  |  |  |  |
| NA    |       | Housekeeping/ Dust Suppression/ Tree Plantation Activities (Locations/ Details) |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Lost time Accident                                                              |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Restricted Work Case                                                            |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Medical Treatment Case                                                          |  |  |  |  |  |  |  |  |  |  |  |
|       |       | First Aid Case                                                                  |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Near miss                                                                       |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Property Damage/ Fire                                                           |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Non-Compliances Submitted by BHEL                                               |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Complied by Agency                                                              |  |  |  |  |  |  |  |  |  |  |  |
|       |       | Any other Remarks/ Inputs                                                       |  |  |  |  |  |  |  |  |  |  |  |



## POWER SECTOR

### Job Safety Analysis Format

FORMAT NO: HSEP:14-F32B

REV NO.: 00

PAGE NO. 01 OF 1

|                           |  |
|---------------------------|--|
| Name of the Site          |  |
| Name of the Subcontractor |  |
| Activity, Area            |  |

| HAZARDS |  |  |  | PRECAUTIONS |  |
|---------|--|--|--|-------------|--|
|         |  |  |  |             |  |
|         |  |  |  |             |  |
|         |  |  |  |             |  |

|        |                              |  |                                    |  |                           |  |
|--------|------------------------------|--|------------------------------------|--|---------------------------|--|
| (Name) | Submitted By<br>(Agency HSE) |  | Reviewed By<br>(BHEL<br>Execution) |  | Approved By<br>(BHEL HSE) |  |
| (Sign) |                              |  |                                    |  |                           |  |
| (Date) |                              |  |                                    |  |                           |  |

**POWER SECTOR- HQ**

FORMAT NO: HSEP:14-F33

REV NO.: 00

PAGE NO. 01 OF 3

**Checklist for Evaluation of HSE Performance**

| SL   | Parameter for Measurement                                                                                        | M/<br>O | Wt | Supporting Documents                                     |
|------|------------------------------------------------------------------------------------------------------------------|---------|----|----------------------------------------------------------|
| 1a   | Induction training for new workers conducted through audio-visual medium & documented ?                          | M       | 1  | Induction Training Records                               |
| 1b   | Tool box talk conducted regularly as per plan, and documented?                                                   | M       | 1  | Toolbox Talk Records                                     |
| 1c   | Contractor in charge and safety in charge attended safety meetings?                                              | M       | 2  | Minutes of Meeting                                       |
| 1d   | Whether observations in safety meetings are complied before next meeting?                                        | M       | 2  | -do-                                                     |
| 1e   | Preparation and submission of Monthly HSE report within stipulated time                                          | M       | 1  | Report submission date                                   |
| 1f   | Preparation and submission of Incident/near-miss report and RCA Report (as applicable) within stipulated time    | M       | 1  | Incident/ Near Miss Records                              |
| 1g   | Carrying out Inspections and submission of Inspection reports within stipulated time                             | M       | 1  | Inspection Records                                       |
| 1h   | Regular Job Specific Training ensured for High Risk Workers (through audio-visual medium) as per plan            | M       | 1  | Training & Attendance Records                            |
| 2a   | Whether the contractor is registered under BOCW                                                                  | M       | 2  | BOCW Registration Certificate                            |
| 2b   | Availability of Qualified safety officer (1 for every 500 labour)                                                | M       | 2  | Safety Officer qualification & experience records        |
| 2c   | Availability of Qualified safety supervisor (1 for every 100 labour )                                            | M       | 2  | Safety Officer qualification & experience records        |
| 2d   | All the workers are provided and using safety helmets and safety shoes/gum boots                                 | M       | 2  | PPE Issue Records, Inspection/ non-conformity records    |
| 2e   | Housekeeping done on regular basis and scrap removal at site                                                     | M       | 1  | Housekeeping records, Inspection/ non-conformity records |
| 2f   | Usage of Goggles/Face shields and Hand gloves for gas cutter and grinders                                        |         | 1  | PPE Issue Records, Inspection/ non-conformity records    |
| 2g   | Wall openings & floor openings are guarded?                                                                      |         | 1  | Inspection/ non-conformity records                       |
| 2h   | Adequate illumination provided in all working area?                                                              |         | 1  | Inspection/ non-conformity records                       |
| 2i   | Safety posters, sign boards and emergency contact numbers in all prominent location are displayed?               |         | 1  | Inspection/ non-conformity records                       |
| 2j   | Availability of automatic reverse horns, Main horn, hook latches for Vehicles, mobile cranes, Hydras             |         | 1  | Inspection/ non-conformity records                       |
| 2k   | Ban of carrying mobile phones to work place is implemented for workers                                           |         | 1  | Inspection/ non-conformity records                       |
| 2l   | Availability of Tags & Inspection Certificates for Cranes of all capacities                                      |         | 1  | Master T&P List with internal & external test details    |
| 2l.2 | Availability of Tags & Inspection Certificates for Winches of all capacities                                     |         | 1  | Master T&P List with internal & external test details    |
| 2l.3 | Availability of Tags & Inspection Certificates, color coding for Chain pulley blocks                             |         | 1  | Master T&P List with internal & external test details    |
| 2l.4 | Availability of Tags & Inspection Certificates for Vehicles - Trailers, Dozers, Dumpers, Excavators. Mixers etc. |         | 1  | Master T&P List with internal & external test details    |
| 2l.5 | Availability of Tags & Inspection Certificates for Welding machines, grinders, Drilling machines, etc.           |         | 1  | Master T&P List with internal & external test details    |
| 2l.6 | Availability of Tags & Inspection Certificates, colour coding for Wire rope slings etc.                          |         | 1  | Master T&P List with internal & external test details    |
| 2l.7 | Availability of Tags & Inspection Certificates for Batching plants                                               |         | 1  | Master T&P List with internal & external test details    |

**POWER SECTOR- HQ**

FORMAT NO: HSEP:14-F33

REV NO.: 00

PAGE NO. 02 OF 3

**Checklist for Evaluation of HSE Performance**

| SL    | Parameter for Measurement                                                                                             | M/<br>O | Wt | Supporting Documents                              |
|-------|-----------------------------------------------------------------------------------------------------------------------|---------|----|---------------------------------------------------|
| 2m.1  | Use of Lifting Permit as per requirement                                                                              |         | 1  | Permit Records                                    |
| 2m.2  | Use of Height Permit as per requirement                                                                               |         | 1  | Permit Records                                    |
| 2m.3  | Use of Hot Work Permit as per requirement                                                                             |         | 1  | Permit Records                                    |
| 2m.4  | Use of Excavation permit as per requirement                                                                           |         | 1  | Permit Records                                    |
| 2m.5  | Use of Confined space work permit as per requirement                                                                  |         | 1  | Permit Records                                    |
| 2m.6  | Use of Grating removal and safety net removal permit as per requirement                                               |         | 1  | Permit Records                                    |
| 2m.7  | Use of Lockout-Tag out permit as per requirement                                                                      |         | 1  | Permit Records                                    |
| 2m.8  | Use of Radiography permit as per requirement                                                                          |         | 1  | Permit Records                                    |
| 2m.9  | Use of Night/ Holiday Work Permit as per requirement                                                                  |         | 1  | Permit Records                                    |
| 2m.10 | Use of Any other Applicable Permit as per requirement                                                                 |         | 1  | Permit Records                                    |
| 3a    | Material safety data sheet(MSDS) available for all chemicals and displayed in usage and storage area?                 |         | 1  | Inspection/ non-conformity records                |
| 3b    | Spillages of oil/concrete and other chemical is controlled and cleaned by proper method in case of spill?             |         | 1  | Inspection/ non-conformity records                |
| 3c    | Availability of adequate number of urinals in workplace and in elevations and maintained                              | M       | 1  |                                                   |
| 3d    | Availability of rest rooms for workers at site                                                                        | M       | 1  |                                                   |
| 3e    | Availability of Drinking water facility at work spot                                                                  |         | 1  |                                                   |
| 3f    | Hygienic Labour colony is provided for workers.                                                                       |         | 1  |                                                   |
| 4a    | Is heavy/complex critical lifting permit obtained for heavy, complex materials before handling/erection activity?     |         | 1  | Work Permit records                               |
| 4b    | Whether area below lifting activities barricaded                                                                      |         | 1  | Inspection/ non-conformity records                |
| 4c    | Availability of experienced rigging foreman                                                                           |         | 1  | Experience details of rigging foreman             |
| 4d    | Is agency is following proper storage and handling procedure as per manufacturer standard for all hazardous material? |         | 1  | Procedure for storage & handling                  |
| 4e    | Are oxygen and acetylene cylinders are transported to work place from storage area in trolleys                        |         | 1  |                                                   |
| 5a    | Whether all deep excavation has been protected by barrier                                                             |         | 1  | Inspection/ non-conformity records                |
| 5b    | Sloping/benching & shoring provided for excavation as per requirement?                                                |         | 1  | -do-                                              |
| 5c    | Proper access and egress provided for excavations?                                                                    |         | 1  | -do-                                              |
| 5d    | Blasting is done in controlled manner?                                                                                |         | 2  | -do-                                              |
| 6a    | Whether Electrical booth is equipped with Co <sub>2</sub> fire extinguishers and fire buckets filled with sand?       |         | 2  | Inspection/ non-conformity records                |
| 6b    | Availability of Illumination lamp in electric booth?                                                                  |         | 1  | -do-                                              |
| 6c    | whether Caution Boards have been displayed?                                                                           |         | 1  | -do-                                              |
| 6d    | Usage of Metal Plug top for all hand power tools ?                                                                    |         | 1  | -do-                                              |
| 6e    | Usage of Insulated welding cables.                                                                                    |         | 1  | -do-                                              |
| 6f    | Electrical Booth/Distribution Board to be covered by proper Canopy.                                                   |         | 1  | -do-                                              |
| 6g    | Availability of functional & individual 3oma ELCB / RCCB and MCB for protection and conducting periodical check-up?   |         | 1  | -do-                                              |
| 6h    | Double earthing for panel boards and all machinery & proper earth pit with regular inspection available?              |         | 1  | -do-                                              |
| 6i    | Whether Electrician is qualified and experienced                                                                      |         | 1  | Qualification & Experience records of electrician |
| 6j    | Availability and usage of Rubber hand gloves by electrician?                                                          |         | 1  | Inspection/ non-conformity records                |

|                                                                                 |                                                    |                                 |
|---------------------------------------------------------------------------------|----------------------------------------------------|---------------------------------|
|  | <b>POWER SECTOR- HQ</b>                            | FORMAT NO: HSEP:14-F33          |
|                                                                                 | <b>Checklist for Evaluation of HSE Performance</b> | REV NO.: 00<br>PAGE NO. 03 OF 3 |

| SL  | Parameter for Measurement                                                                                                                                     | M/<br>O  | Wt | Supporting Documents                                  |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----|-------------------------------------------------------|
| 7a  | Whether Scaffolding pipes made with steel or aluminum, are being used and checked periodically by experienced/ certified scaffolder?                          |          | 2  | Inspection/ non-conformity records                    |
| 7b  | 8mm Stainless Steel wire rope with plastic cladding is provided for life line (Vertical / Horizontal) during height work?                                     |          | 2  | -do-                                                  |
| 7c  | Availability of emergency lighting in case of power failure                                                                                                   |          | 1  | -do-                                                  |
| 7d  | Whether all the openings are covered with Safety Nets made of fire proof Nylon?                                                                               |          | 1  | -do-                                                  |
| 7e  | Whether MS pipe rails around staircases & platforms in usage are provided with top, middle rails and toe guard ?                                              |          | 1  | -do-                                                  |
| 7f  | Whether Ladder with vertical life line /Fall arrestor is available to climb?                                                                                  |          | 1  | -do-                                                  |
| 7g  | Whether all workers deployed for working at height have been issued height pass after undergoing vertigo test?                                                |          | 1  | Height Pass records                                   |
| 7h  | Whether all workers deployed for height work / climbing ladder are provided and using Double lanyard safety belt?                                             |          | 1  | PPE Issue records, inspection/ non-conformity reports |
| 7i  | Is all hand tools/Small material used by height workers is tied firmly to prevent fall?                                                                       |          | 1  | -do-                                                  |
| 8a  | Flash back arrestors for all gas cutting sets is available on Torch side and cylinder side                                                                    |          | 1  | Inspection/ non-conformity records                    |
| 8b  | Oxygen/Acetylene/LPG cylinders not in use have caps in place and stored separately?                                                                           |          | 1  | -do-                                                  |
| 8c  | Availability of Face screen, Hand gloves, and Apron, for welders                                                                                              |          | 1  | -do-                                                  |
| 8d  | Protection from falling hot molten metal during metal cutting / welding at height by providing GI sheet below the cutting area especially in fire prone areas |          | 1  | -do-                                                  |
| 9a  | Pre-employment medical check-up done for all workers and submitted?                                                                                           |          | 1  | Medical check records                                 |
| 9b  | Availability of first aid center, with MBBS doctor(Own or Sharing basis)                                                                                      | <b>M</b> | 2  | Attendance records                                    |
| 9c  | Availability of Ambulance facility 24 hours (Own or sharing basis)                                                                                            | <b>M</b> | 2  | -do-                                                  |
| 9d  | Is First aid trained personnel's are available and their names are displayed at site?                                                                         | <b>M</b> | 1  | -do-                                                  |
| 9e  | Availability of Emergency vehicle at site                                                                                                                     |          | 1  |                                                       |
| 9f  | Periodical medical check-up is conducted for all the workers and submitted?                                                                                   |          | 1  | Medical check records                                 |
| 9g  | Availability of sufficient number of first aid box as per standard list and maintaining record                                                                |          | 1  | Inspection records                                    |
| 10a | Availability of Fire extinguishers, buckets at all vulnerable points                                                                                          |          | 2  | Fire extinguisher records                             |
| 10b | Periodic fire mock drill conducted?                                                                                                                           |          | 1  | Fire, Mock drill records                              |
| 10c | Are all flammable materials are stored separately?                                                                                                            |          | 1  |                                                       |
| 10d | Periodic grass cutting is done in material storage area?                                                                                                      |          | 1  |                                                       |
| 10e | Availability of 24V DC lighting in confined space work area                                                                                                   |          | 1  |                                                       |
| 10f | Availability of exhaust fan in confined space work area                                                                                                       |          | 1  |                                                       |

**Note:**

- **M: Mandatory; O: Optional.** Points other than mandatory can be excluded with appropriate justification (scope etc.) by BHEL
- Additionally: 30 Marks for each Fatal Accident and 10 mark for each major accident shall be deducted.



# SAFETY WORK CLEARANCE

Permit no. \_\_\_\_\_

Project: \_\_\_\_\_

Emergency Contact Nos: \_\_\_\_\_

Subcontractor: \_\_\_\_\_

## BURNING/WELDING /HOT WORK PERMIT

Area : \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engineer (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_

Name of Work Performing Contractor: \_\_\_\_\_

Name of Package In charge: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_

Description of Work: \_\_\_\_\_

Work Execution Date: \_\_\_\_\_ Time Valid from: \_\_\_\_\_ to \_\_\_\_\_

The above signing person(s) will be responsible to ensure that the above described work will be done under all the safety precautions mentioned on the permit to work.

The following precautions are to be taken:

| No. | Item                                                                                                                                                               | Yes | Not required |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------|
| 1.  | Proper Access/Exit available                                                                                                                                       |     |              |
| 2.  | Proper ventilation and /or lighting provided.                                                                                                                      |     |              |
| 3.  | Proper and safe scaffolding, platform, ladder provided.                                                                                                            |     |              |
| 4.  | Welding machine located in a clean and dry area.                                                                                                                   |     |              |
| 5.  | Welding machine grounded at the equipment and proper leakage current protection device (ELCB) provided for welding machine.                                        |     |              |
| 6.  | Emergency STOP buttons are in working condition. Welder /Helper knows how to operate it.                                                                           |     |              |
| 7.  | Welding machine input/output cables, welding holder and weld return clamp (Holder) are insulated and in good condition.                                            |     |              |
| 8.  | Welder & Fitter trained to connect ground/work return clamps (Holder) to work place prior to energization of welding machine.                                      |     |              |
| 9.  | Gas cylinders are stacked vertically and not below the welding / cutting area. Regulator key is available with cylinder.                                           |     |              |
| 10. | Pressure gauges/Flash back arrestor provided and in working condition.                                                                                             |     |              |
| 11. | Personal Protective equipment Minimum applicable: safety helmet, safety goggles, welding helmet, safety shoes, leather gloves, long sleeve and nose mask -provided |     |              |
| 12. | In case of pits, water removed from the pit and wood/rubber insulation provided.                                                                                   |     |              |
| 13. | Safety signboards are in place.                                                                                                                                    |     |              |
| 14. | Adequate and Suitable nos. of fire fighting extinguisher provided.                                                                                                 |     |              |
| 15. | Nearby combustible material removed. Housekeeping done.                                                                                                            |     |              |
| 16. | Other                                                                                                                                                              |     |              |

Name of Contractor Safety Officer: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

**Reviewed and approved by BHEL Site Engineer (Permit Issuing Authority):**

Name: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Safety Representative: \_\_\_\_\_ Sign: \_\_\_\_\_

I understand the precaution to be taken as described above and as per project requirement and hereby confirm that work will be executed under my supervision by following all precaution and Safety Rules.

**Name of Work Performing Authority:** \_\_\_\_\_ **Sign:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_**Permit Cancellation:**

I hereby declare that the work is complete, all workers under my control have been withdrawn and the site restored to safe tidy condition.

Name of Work performing Authority: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engr. (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Site Engr. (Permit Issuing Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

(This permit is valid only for the date it is issued)

Original at BHEL site

Second Copy – BHEL SAFETY

Third Copy : Contractor



# SAFETY WORK CLEARANCE

Permit no. \_\_\_\_\_

Project: \_\_\_\_\_

Emergency Contact Nos: \_\_\_\_\_

Subcontractor: \_\_\_\_\_

## LIFTING ACTIVITY PERMIT

Area : \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engineer (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Name of Work

Performing Contractor: \_\_\_\_\_

Name of Package In charge: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_

Description of Work: \_\_\_\_\_

Work Execution Date: \_\_\_\_\_ Time Valid from: \_\_\_\_\_ to \_\_\_\_\_

*The above signing person(s) will be responsible to ensure that the above described work will be done under all the safety precautions mentioned on the permit to work.*

The following precautions are to be taken:

| No. | Item                                                                                                            | Yes | Not required |
|-----|-----------------------------------------------------------------------------------------------------------------|-----|--------------|
| 1.  | Crane used for lifting activity tested, certified and approved for rated lifting                                |     |              |
| 2.  | All lifting tackles, gears/appliances are tested and certified for lifting works.                               |     |              |
| 3.  | Crane operator is trained and competent for lifting operation.                                                  |     |              |
| 4.  | Lifting sling/ belt is protected against sharp edge of the jobs to be lifted.                                   |     |              |
| 5.  | Access and exit marked and without obstruction.                                                                 |     |              |
| 6.  | Lifting arrangement adequate.                                                                                   |     |              |
| 7.  | Unwanted rubbish material removed from work platform.                                                           |     |              |
| 8.  | Minimum 2 guidelines have been provided for balancing and guiding jobs to be lifted.                            |     |              |
| 9.  | Periphery area of crane booms as well as lifting job is barricaded and unauthorized/no-entry sign board posted. |     |              |
| 10. | Rigger and signal man is trained and competent for lifting work.                                                |     |              |
| 11. | No lifting activity to be carried out during lightening, heavy wind/rain.                                       |     |              |
| 12. | If scaffolding to be used during lift, scaffolding with valid tag available for use.                            |     |              |
| 13. | Double lanyards safety harness/belt checked and in working condition.                                           |     |              |
| 14. | Safety shoes (non-slip), helmet with chin strap available with employees.                                       |     |              |
| 15. | Others.                                                                                                         |     |              |

Name of Contractor Safety Officer: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

**Reviewed and approved by BHEL Site Engineer (Permit Issuing Authority):**

Name: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Safety Representative: \_\_\_\_\_ Sign: \_\_\_\_\_

*I understand the precaution to be taken as described above and as per project requirement and hereby confirm that work will be executed under my supervision by following all precaution and Safety Rules.*

**Name of Work Performing Authority:** \_\_\_\_\_ **Sign:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_**Permit Cancellation:**

*I hereby declare that the work is complete, all workers under my control have been withdrawn and the site restored to safe tidy condition.*

Name of Work performing Authority: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engr. (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Site Engr. (Permit Issuing Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

(This permit is valid only for the date it is issued)

**Original at BHEL site****Second Copy – BHEL SAFETY****Third Copy : Contractor**



# SAFETY WORK CLEARANCE

Permit no. \_\_\_\_\_

Project: \_\_\_\_\_

Emergency Contact Nos: \_\_\_\_\_

Subcontractor: \_\_\_\_\_

## WORKING AT HEIGHT PERMIT

Area : \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engineer (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Name of Work

Performing Contractor: \_\_\_\_\_

Name of Package In charge: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_

Description of Work: \_\_\_\_\_

Work Execution Date: \_\_\_\_\_ Time Valid from: \_\_\_\_\_ to \_\_\_\_\_

*The above signing person(s) will be responsible to ensure that the above described work will be done under all the safety precautions mentioned on the permit to work.*

The following precautions are to be taken:

| No. | Item                                                                                                   | Yes | Not required |
|-----|--------------------------------------------------------------------------------------------------------|-----|--------------|
| 1.  | All workers on job are medically fit for working at height (Person should not have vertigo)            |     |              |
| 2.  | Scaffolding with valid tag available for use                                                           |     |              |
| 3.  | Safety harness with life line support/ fall arrester are checked and in working condition              |     |              |
| 4.  | Safety shoes ( non-slip), Helmet with chin strip available with employees                              |     |              |
| 5.  | Safety nets are provided as per design and provided 25 ft. below working area & extending 8 ft beyond. |     |              |
| 6.  | Horizontal life lines are provided to cater to design specification of 2300kg per person.              |     |              |
| 7.  | Ladders have been inspected and provided as per BHEL standard/contract.                                |     |              |
| 8.  | All lifting / tightening tools, hand tools/equipment checked and in good condition                     |     |              |
| 9.  | Access and exit marked and without obstruction.                                                        |     |              |
| 10. | Lighting arrangement adequate.                                                                         |     |              |
| 11. | Unwanted and rubbish material removed from working platform.                                           |     |              |
| 12. | Electrical cable, welding Hose/Compressed air hose properly secured and lay down without obstruction.  |     |              |
| 13. | Signboards provided on working platforms                                                               |     |              |
| 14. | Hazards in the vicinity are identified and communicated to the worker.                                 |     |              |
| 15. | Other                                                                                                  |     |              |

Name of Contractor Safety Officer: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

**Reviewed and approved by BHEL Site Engineer (Permit Issuing Authority):**

Name: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Safety Representative: \_\_\_\_\_ Sign: \_\_\_\_\_

*I understand the precaution to be taken as described above and as per project requirement and hereby confirm that work will be executed under my supervision by following all precaution and Safety Rules.*

**Name of Work Performing Authority:** \_\_\_\_\_ **Sign:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Time:** \_\_\_\_\_**Permit Cancellation:**

*I hereby declare that the work is complete, all workers under my control have been withdrawn and the site restored to safe tidy condition.*

Name of Work performing Authority: \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of Site Engr. (Permit Requesting Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Name of BHEL Site Engr. (Permit Issuing Authority): \_\_\_\_\_ Sign: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

(This permit is valid only for the date it is issued)

**Original at BHEL site****Second Copy – BHEL SAFETY****Third Copy : Contractor**



Rev 01

1<sup>st</sup> June  
2012

# FORMS & PROCEDURES

(Document No. PS:MSX:F&P)

BHARAT HEAVY ELECTRICALS  
LIMITED



# FORMS & PROCEDURES

## INDEX

| SN         | Description                                                     | Form No                  | Remarks           |
|------------|-----------------------------------------------------------------|--------------------------|-------------------|
| <b>1.0</b> | <b>Forms</b>                                                    |                          |                   |
| 1.1        | Offer forwarding Letter/Submission of Tender                    | F-1 (Rev 00)             |                   |
| 1.2        | Declaration by Authorised Signatory                             | F-2 (Rev 00)             |                   |
| 1.3        | No Deviation Certificate                                        | F-3 (Rev 00)             |                   |
| 1.4        | Declaration confirming knowledge about Site Conditions          | F-4 (Rev 00)             |                   |
| 1.5        | Declaration for relation in BHEL                                | F-5 (Rev 00)             |                   |
| 1.6        | Non Disclosure Certificate                                      | F-6 (Rev 00)             |                   |
| 1.7        | Bank Account Details for E-Payment                              | F-7 (Rev 00)             |                   |
| 1.8        | Form for seeking clarifications                                 | F-8 (Rev 00)             |                   |
| 1.9        | Capacity Evaluation of Bidder for current Tender                | F-9 (Rev 00)             |                   |
| 1.10       | Contract Agreement                                              | F-10 (Rev 00)            |                   |
| 1.11       | Bank Guarantee for Security Deposit                             | F-11 (Rev 00)            |                   |
| 1.12       | Bank Guarantee for Interest Bearing Refundable Advance          | F-12 (Rev 00)            |                   |
| 1.13       | Extension of Validity of Bank Guarantee                         | F-13 (Rev 00)            |                   |
| 1.14       | Monthly Plan & Review with Contractors                          | F-14 (Rev 00)            |                   |
| 1.15       | Monthly Performance Evaluation of Contractor                    | F-15 (Rev 03)            | Revised           |
| 1.16       | <del>Evaluation of Contractor Performance (Quarterly)</del>     | <del>F-16 (Rev 00)</del> | Deleted           |
| 1.17       | Evaluation of Contractor Performance (Annual)                   | F-17 (Rev 01)            | Under revision ## |
| 1.18       | Evaluation of Contractor Performance for the Contract (Overall) | F-18 (Rev 01)            | Under revision ## |

## FORMS & PROCEDURES

| SN         | Description                                                                      | Form No               | Remarks |
|------------|----------------------------------------------------------------------------------|-----------------------|---------|
| 1.19       | Milestone Completion Certificate                                                 | F-19 (Rev 00)         |         |
| 1.20       | Completion Certificate                                                           | F-20 (Rev 01)         | Revised |
| 1.21       | Indemnity Bond                                                                   | F-21 (Rev 00)         |         |
| 1.22       | Consortium Agreement                                                             | F-22 (Rev 00)         |         |
| 1.23       | Refund of Security Deposit                                                       | F-23 (Rev 00)         |         |
| 1.24       | Refund of Guarantee Money                                                        | F-24 (WAM-11)         |         |
| 1.25       | Power of Attorney for Submission of Tender/Signing Contract Agreement            | F-25 (Rev 00)         |         |
| 1.26       | Analysis of Unit Rates Quoted                                                    | F-26 (Rev 00)         |         |
| 1.27       | RA Bill Format                                                                   | WAM-6                 |         |
| 1.28       | Final Bill Submission format with No Claim Certificate and No Demand Certificate | WAM-7                 |         |
| 1.29       |                                                                                  |                       |         |
| 1.30       |                                                                                  |                       |         |
|            |                                                                                  |                       |         |
| <b>2.0</b> | <b>Procedures</b>                                                                |                       |         |
| 2.1        | Procedure and Business Rules for Reverse Auction                                 | As per Company Policy |         |
| 2.2        | Integrity Pact                                                                   | As per Company Policy |         |
|            |                                                                                  |                       |         |
| <b>3.0</b> | <b>Customer specific procedures</b>                                              |                       |         |
| 3.1        |                                                                                  |                       |         |

## : will be released later

**OFFER FORWARDING LETTER / TENDER SUBMISSION LETTER**  
(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

Offer Reference No:.....

Date:.....

To,

(Write Name &amp; Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : Submission of Offer against Tender Specification No: .....

I/We hereby offer to carry out the work detailed in the Tender Specification issued by Bharat Heavy Electricals Limited, Power Sector-....., in accordance with the terms and conditions thereof.

I/We have carefully perused the following listed documents connected with the above work and agree to abide by the same.

1. Amendments/Clarifications/Corrigenda/Errata/etc issued in respect of the Tender documents by BHEL
2. Notice Inviting Tender (NIT)
3. Price Bid
4. Technical Conditions of Contract
5. Special Conditions of Contract
6. General Conditions of Contract
7. Forms and Procedures

Should our Offer be accepted by BHEL for Award, I/we further agree to furnish 'Security Deposit' for the work as provided for in the Tender Conditions within the stipulated time as may be indicated by BHEL.

I/We further agree to execute all the works referred to in the said Tender documents upon the terms and conditions contained or referred to therein and as detailed in the appendices annexed thereto.

I/We have deposited/depositing herewith the requisite Earnest Money Deposit (EMD) as per details furnished in the Check List.

**Authorised Representative of Bidder**

Signature :

Name :

Address :

Place:

Date:

**DECLARATION BY AUTHORISED SIGNATORY OF BIDDER**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **Declaration by Authorised Signatory**

Ref : 1) NIT/Tender Specification No: .....,

2) All other pertinent issues till date

I/We, hereby certify that all the information and data furnished by me with regard to the above Tender Specification are true and complete to the best of my knowledge. I have gone through the specifications, conditions, stipulations and all other pertinent issues till date, and agree to comply with the requirements and Intent of the specification.

I further certify that I am authorised to represent on behalf of my Company/Firm for the above mentioned tender and a valid Power of Attorney to this effect is also enclosed.

Yours faithfully,

(Signature, Date & Seal of Authorized  
Signatory of the Bidder)

Date:

Enclosed : Power of Attorney

**DECLARATION BY AUTHORISED SIGNATORY OF BIDDER**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **Declaration by Authorised Signatory regarding Authenticity of submitted documents.**

Ref : 1) NIT/Tender Specification No: .....  
2) All other pertinent issues till date

I/We, hereby certify that all the documents submitted by us in support of possession of “Qualifying Requirements” are true copies of the original and are fully compliant required for qualifying / applying in the bid and shall produce the original of same as and when required by Bharat Heavy Electricals Limited.

I / We hereby further confirm that no tampering is done with documents submitted in support of our qualification as bidder. I / We understand that at any stage (during bidding process or while executing the awarded works) if it is found that fake / false / forged bid qualifying / supporting documents / certificates were submitted, it would lead to summarily rejection of our bid / termination of contract. BHEL shall be at liberty to initiate other appropriate actions as per the terms of the Bid / Contract and other extant policies of Bharat Heavy Electricals Limited.

Yours faithfully,

(Signature, Date & Seal of Authorized  
Signatory of the Bidder)

Date:

## NO DEVIATION CERTIFICATE

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **No Deviation Certificate**

Ref : 1) NIT/Tender Specification No: .....,

2) All other pertinent issues till date

We hereby confirm that we have not changed/ modified/materially altered any of the tender documents as downloaded from the website/ issued by BHEL and in case of such observance at any stage, it shall be treated as null and void.

We also hereby confirm that we have neither set any Terms and Conditions and nor have we taken any deviation from the Tender conditions together with other references applicable for the above referred NIT/Tender Specification.

We further confirm our unqualified acceptance to all Terms and Conditions, unqualified compliance to Tender Conditions, Integrity Pact (if applicable) and acceptance to Reverse Auctioning process.

We confirm to have submitted offer in accordance with tender instructions and as per aforesaid references.

Thanking you,

Yours faithfully,

(Signature, date & seal of authorized  
representative of the bidder)

**DECLARATION CONFIRMING KNOWLEDGE ABOUT SITE CONDITIONS**  
(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **Declaration confirming knowledge about Site conditions**

Ref : 1) NIT/Tender Specification No: .....  
2) All other pertinent issues till date

I/We, \_\_\_\_\_ hereby declare and confirm that we have visited the Project Site as referred in BHEL Tender Specifications and acquired full knowledge and information about the Site conditions including Wage structure, Industrial Climate, the Law & Order and other conditions prevalent at and around the Site. We further confirm that the above information is true and correct and we shall not raise any claim of any nature due to lack of knowledge of Site conditions.

I/We, hereby offer to carry out work as detailed in above mentioned Tender Specification, in accordance with Terms & Conditions thereof.

Yours faithfully,

(Signature, Date & Seal of Authorized  
Representative of the Bidder)

Date :

Place:

### **DECLARATION FOR RELATION IN BHEL**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder failing which the offer of Bidder is liable to be summarily rejected)

-----

To,

(Write Name & Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **Declaration for relation in BHEL**

Ref : 1) NIT/Tender Specification No: .....,

I/We hereby submit the following information pertaining to relation/relatives of Proprieter/Partner(s)/Director(s) employed in BHEL

**Tick(✓) any one as applicable:**

1. The Proprieter, Partner(s), Director(s) of our Company/Firm DO NOT have any relation or relatives employed in BHEL

OR

2. The Proprieter, Partner(s), or Director(s) of our Company/Firm HAVE relation/relatives employed in BHEL and their particulars are as below:

(i)

(ii)

Signature of the Authorised Signatory

Note:

1. Attach separate sheet, if necessary.
2. If BHEL Management comes to know at a later date that the information furnished by the Bidder is false, BHEL reserves the right to take suitable against the Bidder/Contractor.

## NON DISCLOSURE CERTIFICATE

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

---

## NON DISCLOSURE CERTIFICATE

I/We understand that BHEL PS \_\_ is committed to Information Security Management System as per their Information Security Policy.

Hence, I/We M/s.....  
who are submitting offer for providing services to BHEL PS \_\_ against  
Tender Specification No:\_\_\_\_\_,  
hereby undertake to comply with the following in line with Information  
Security Policy of BHEL PS \_\_, \_\_\_\_\_

- To maintain confidentiality of documents & information which shall be used during the execution of the Contract.
- The documents & information shall not be revealed to or shared with third party which shall not be in the business interest of BHEL PS\_\_.

(Signature, date & seal of Authorized  
Signatory of the bidder)

Date:

### **BANK ACCOUNT DETAILS FOR E-PAYMENT**

(To be given on Letter head of the Company /Firm of Bidder, and **ENDORSED (SIGNED & STAMPED) BY THE BANK** to enable BHEL release payments through Electronic Fund Transfer (EFT/RTGS))

---

1. Beneficiary Name :
2. Beneficiary Account No. :
3. Bank Name & Branch :
4. City/Place :
5. 9 digit M ICR Code of Bank Branch :
6. IFSC Code of Bank Branch :
7. Beneficiary E-mail ID :  
(for payment confirmation)

NOTE: In case Bank endorsed certificate regarding above has already been submitted earlier, Kindly submit photocopy of the same

**FORMAT FOR SEEKING CLARIFICATION**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

To,

(Write Name &amp; Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : **Request for Clarification**Ref : 1) NIT/Tender Specification No: .....  
2) All other pertinent issues till date

| Sl no | Reference clause of Tender Document | Existing provision | Bidder's query | BHEL's clarification |
|-------|-------------------------------------|--------------------|----------------|----------------------|
| 1     |                                     |                    |                |                      |
| 2     |                                     |                    |                |                      |
| 3     |                                     |                    |                |                      |
| 4     |                                     |                    |                |                      |
| 5     |                                     |                    |                |                      |
| 6     |                                     |                    |                |                      |

Yours faithfully,

(Signature, date & seal of Authorized  
Representative of the Bidder)

**CAPACITY EVALUATION OF BIDDERS FOR CURRENT TENDER**

| SL NO. | DESCRIPTION OF WORK<br>(Similar to Tendered Scope) | WORK ORDER REF &<br>DATE | CONTRACT<br>VALUE<br>(Rs. LACS) | CUSTOMER NAME &<br>ADDRESS | CURRENT<br>STATUS OF THE<br>JOB ALONG<br>WITH LATEST<br>MILE STONE<br>COMPLETED | %AGE OF<br>WORK<br>COMPLETE<br>D | VALUE OF<br>BALANCE<br>WORK<br>(Rs. Lacs) |
|--------|----------------------------------------------------|--------------------------|---------------------------------|----------------------------|---------------------------------------------------------------------------------|----------------------------------|-------------------------------------------|
| 1      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 2      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 3      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 4      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 5      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 6      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 7      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 8      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 9      |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |
| 10     |                                                    |                          |                                 |                            |                                                                                 |                                  |                                           |

**NOTES:**

1. BIDDERS ARE REQUIRED TO FURNISH ALL THE JOBS OF SIMILAR NATURE WHICH THEY ARE EXECUTING (IN PROGRESS) AT THE TIME OF SUBMISSION OF TENDER, AS PER ABOVE FORMAT.

2. BIDDERS HEREBY UNDERTAKE THAT THEY HAVE FURNISHED THE DETAILS SOUGHT AS PER POINT NO. 1 IN TOTALITY AND THAT THE DETAILS FURNISHED IS COMPLETE IN ALL RESPECT.

3. BHEL WILL TAKE APPROPRIATE ACTION AS DEEMED FIT , IN CASE, IT IS FOUND AT A LATER DATE THAT THE CONTRACTOR HAD SUPPRESSED THE FACTS AND HAVE NOT FURNISHED THE CORRECT & COMPLETE INFORMATIONS.

DATE :  
PLACE:

Signature

Name, Designation &amp; Seal of Bidder

## **CONTRACT AGREEMENT**

Form No: F-10 (Rev 00)

### **BHARAT HEAVY ELECTRICALS LIMITED**

*(A Government of India Undertaking)*

Power Sector – ..... Region

.....

.....

### **CONTRACT AGREEMENT**

AGREEMENT NO. \_\_\_\_\_

|                                                            |  |
|------------------------------------------------------------|--|
| NAME OF WORK                                               |  |
| NAME OF THE CONTRACTOR WITH FULL ADDRESS                   |  |
| VALUE OF WORK AWARDED                                      |  |
| LETTER OF AWARD NO.                                        |  |
| TIME ALLOTTED FOR COMPLETING THE WORK (DATE OF COMPLETION) |  |

\_\_\_\_\_  
SIGNATURE OF CONTRACTOR

\_\_\_\_\_  
(SIGNATURE OF BHEL OFFICER )

**CONTRACT AGREEMENT**

THIS AGREEMENT MADE THIS \_\_\_\_\_ DAY OF \_\_\_\_\_ between BHARAT HEAVY ELECTRICALS LIMITED (A Government of India Enterprise) a Company incorporated under the Companies Act, 1956, having its Registered Office at BHEL House, Siri Fort New Delhi-110049 (herein after called BHEL) of the ONE PART.

AND

M/S \_\_\_\_\_  
\_\_\_\_\_ (hereinafter called the 'Contractor') of the  
SECOND PART.

WHEREAS M/s -----state that they  
have acquired and possess extensive experience in the field of -----  
-----

And Whereas in response to an Invitation to Tender No. ----- issued by BHEL for  
execution of ----- the contractor submitted their offer  
No.-----dated -----And whereas BHEL has accepted the  
offer of the Contractor on terms and conditions specified in the Letter of Award No.-----  
-----dated -----read with the references cited therein.

THIS AGREEMENT WITNESSES AND it is hereby agreed by and between the parties as follows:

1. That the contractor shall execute the work of -----and more particularly described in Tender Specification No -----including Drawings and Specifications (hereinafter called the said works) in accordance with and subject to terms and conditions contained in these presents, instructions to Tenderers, General Conditions of Contract, Special Conditions, Annexures, Letter of Award dated ----- and such other instructions, Drawings, Specifications given to him from time to time by BHEL.
2. The Contractor is required to furnish to BHEL Security deposit in the form of cash/ approved securities/ Bank Guarantee valid upto ----- for a sum of Rs.----- towards satisfactory performance and completion of the Contract.
3. The Contractor has furnished a Bank Guarantee bearing no.-----dated ----- for a sum of Rs.-----executed by ----- in favour of BHEL towards Security Deposit valid upto -----

OR

The Contractor has furnished to BHEL an initial Security Deposit of Rs.-----in the form of cash / approved Securities/ B.G No.----- dated ----- for Rs.-----executed by ----- in favour of BHEL valid upto ----- and has agreed for recovery of the balance security deposit by BHEL @ 10% of the value of work done from each running bill till the entire Security Deposit is recovered.

OR

The contractor has furnished to BHEL an initial Security Deposit of Rs.-----(Rs.----- vide Bank draft No.-----dated -----and by adjusting EMD of Rs.----- submitted vide Bank draft No.----- dt.-----) and has agreed for recovery of balance Security Deposit by BHEL @ 10% of the value of work done from each running bill till the entire security deposit is recovered.

4. The Contractor hereby agrees to extend the validity of the Bank Guarantee for such further period or periods as may be required by BHEL and if the Contractor fails to obtain such extension(s) from the Bank, the Contractor, shall pay forthwith or accept recovery of Rs.----- from the bills in one installment and the contractor further agrees that failure to extend the validity of the Bank Guarantee or failure to pay the aforesaid amount in the manner specified above shall constitute breach of contract. In addition to above, BHEL shall be entitled to take such action as deemed fit and proper for recovering the said sum of Rs.-----

OR

In case the contractor furnishes the bank guarantee at a later date the contractor hereby agrees to extend the validity of bank guarantee for such further period or periods as may be required by BHEL and if the contractor fails to obtain such extension(s) from the bank, the contractor shall pay forthwith or accept recovery of the amount of bank guarantee given in lieu of security deposit from the bills in one installment and the contractor further agrees that failure to extend the validity of bank guarantee or failure to pay the aforesaid amount in the manner specified above shall constitute breach of contract. In addition to above, BHEL shall be entitled to take such action as deemed fit and proper for recovering the said sum.

5. That in consideration of the payments to be made to the Contractor by BHEL in accordance with this Agreement the Contractor hereby covenants and undertakes with BHEL that they shall execute, construct, complete the works in conformity, in all respects, with the terms and conditions specified in this Agreement and the documents governing the same.
6. That the Contractor shall be deemed to have carefully examined this Agreement and the documents governing the same and also to have satisfied himself as to the nature and character of the Works to be executed by him.
7. That the Contractor shall carry out and complete the execution of the said works to the entire satisfaction of the Engineer or such other officer authorised by BHEL, within the agreed time schedule.
8. That BHEL shall, after proper scrutiny of the bills submitted by the Contractor; pay to him during the progress of the said works such sum as determined by BHEL in accordance with this Agreement.
9. That this Agreement shall be deemed to have come into force from ----- the date on which the letter of Award has been issued to the Contractor.
10. That whenever under this contract or otherwise, any sum of money shall be recoverable from or payable by the Contractor, the same may be deducted in the manner as set out in the General Conditions of Contract or other conditions governing this Agreement.
11. That all charges on account of Octroi, Terminal and other taxes including sales tax or other duties on material obtained for execution of the said works shall be borne and paid by the Contractor.
12. That BHEL shall be entitled to deduct from the Contractor's running bills or otherwise Income Tax as per prevailing Income Tax Act.
13. That BHEL shall be further entitled to recover from the running bills of the Contractor or otherwise such sum as may be determined by BHEL from time to time in respect of

## **CONTRACT AGREEMENT**

Form No: F-10 (Rev 00)

consumables supplied by BHEL, hire charges for tools and plants issued (Where applicable) and any other dues owed by the Contractor.

14. That it is hereby agreed by and between the parties that non-exercise, forbearance or omission of any of the powers conferred on BHEL and /or any of its authorities will not in any manner constitute waiver of the conditions hereto contained in these presents and the liability of the Contractor with respect to compensation payable to BHEL or Contractor's obligations shall remain unaffected.
15. It is clearly understood by and between the parties that in the event of any conflict between the Letter of Award and other documents governing this Agreement, the provisions in the Letter of Award shall prevail.

16. The following documents

1. Invitation to Tender No-----  
and the documents specified therein.
2. Contractor's Offer No-----  
dated-----.
3. \_\_\_\_\_
4. \_\_\_\_\_
5. \_\_\_\_\_
6. Letter of Award No. \_\_\_\_\_ dated \_\_\_\_\_.
7. \_\_\_\_\_

shall also form part of and govern this Agreement.

IN WITNESS HEREOF, the parties hereto have respectively set their signatures in the presence of

WITNESS

1.

2.

(CONTRACTOR)  
(to be signed by a person holding  
a valid Power of Attorney)

WITNESS

1.

2.

(For and on behalf of BHEL)

## PROFORMA OF BANK GUARANTEE (in lieu of SECURITY DEPOSIT)

In consideration of Bharat Heavy Electricals Limited (hereinafter referred to as the 'Employer' which expression shall unless repugnant to the context or meaning thereof, include its successors and permitted assigns) incorporated under the Companies Act, 1956 and having its registered office at BHEL House, Siri Fort, Asiad, New Delhi – 110049 through its Unit at Bharat Heavy Electricals Limited, Power Sector Northern Region, HRDI & PSNR Complex, Plot no. 25, Sector – 16 A, Noida - 201301 having agreed to exempt (Name of the Vendor / Contractor / Supplier) with its registered office at \_\_\_\_\_<sup>1</sup> (hereinafter called the said "Contractor" which term includes supplier), from demand under the terms and conditions of the Contract reference No. \_\_\_\_\_ dated \_\_\_\_\_<sup>2</sup> valued at Rs. ....<sup>3</sup> (Rupees -----)<sup>3</sup> (hereinafter called the said Contract), of Security Deposit for the due fulfilment by the said Contractor of the terms and conditions contained in the said Contract, on production of a Bank Guarantee for Rs. \_\_\_\_\_<sup>4</sup> (Rupees \_\_\_\_\_ only),

We \_\_\_\_\_ (indicate the name and address of the Bank) having its Head Office at \_\_\_\_\_ (address of the head Office) (hereinafter referred to as the Bank), at the request of \_\_\_\_\_ [Contractor(s)], being the Guarantor under this Guarantee, do hereby irrevocably and unconditionally undertake to forthwith and immediately pay to the Employer, an amount not exceeding Rs. \_\_\_\_\_ without any demur, immediately on demand from the Employer and without any reservation, protest, and recourse and without the Employer needing to prove or demonstrate reasons for its such demand.

Any such demand made on the bank, shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. \_\_\_\_\_.

We undertake to pay to the Employer any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any Court or Tribunal or Arbitrator or any other authority, our liability under this present being absolute and unequivocal.

The payment so made by us under this guarantee shall be a valid discharge of our liability for payment hereunder and the Contractor(s) shall have no claim against us for making such payment.

We, further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Contract and that it shall continue to be enforceable till all the dues of the Employer under or by virtue of the said Contract have been fully paid and its claims satisfied & the Employer certifies that the terms and conditions of the said Contract have been fully and properly carried out by the said contractor(s) or acceptance of the final bill or discharge of this guarantee by the Employer, whichever is earlier. This guarantee shall initially remain in force upto and including \_\_\_\_\_<sup>5</sup> and shall be extended from time to time for such period as may be desired by the Employer. Unless a demand or claim under this guarantee is made on us in writing on or before the \_\_\_\_\_<sup>6</sup>, we shall be discharged from all the liability under this guarantee thereafter.

We, \_\_\_\_\_ (indicate the name of the Bank) \_\_\_\_\_ further agree with the Employer that the Employer shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Contract or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or

## PROFORMA OF BANK GUARANTEE (in lieu of SECURITY DEPOSIT)

from time to time any of the powers exercisable by the Employer against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said Contract and we shall not be relieved from our liability by any reason of any such variation or extension being granted to the said contractor(s) or for any forbearance, act or omission on the part of the Employer or any indulgence by the Employer to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.

The Bank also agrees that the Employer at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor, in the first instance without proceeding against the Contractor and notwithstanding any security or other guarantee that the Employer may have in relation to the Contractor's liabilities.

This Guarantee shall not be determined or affected by liquidation or winding up, dissolution or change of constitution or insolvency of the Contractor but shall in all respects and for all purposes be binding and operative until payment of all money payable to the Employer in terms thereof. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).

We,..... Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Employer in writing.

Notwithstanding anything to the contrary contained hereinabove:

- a) The liability of the Bank under this Guarantee shall not exceed..... <sup>4</sup>
- b) This Guarantee shall be valid up to .....<sup>5</sup>
- c) Unless the Bank is served a written claim or demand on or before .....<sup>6</sup> all rights under this guarantee shall be forfeited and the Bank shall be relieved and discharged from all liabilities under this guarantee irrespective of whether or not the original bank guarantee is returned to the Bank.

We, \_\_\_\_\_ Bank, have power to issue this Guarantee under law and the undersigned as a duly authorized person has full powers to sign this Guarantee on behalf of the Bank.

Date \_\_\_\_\_ Day of \_\_\_\_\_  
for \_\_\_\_\_ (indicate the name of the Bank) \_\_\_\_\_

(Signature of Authorised signatory)

- <sup>1</sup> ADDRESS OF THE VENDOR/ CONTRACTOR/ SUPPLIER.
- <sup>2</sup> DETAILS ABOUT THE NOTICE OF AWARD/ CONTRACT REFERENCE
- <sup>3</sup> CONTRACT VALUE
- <sup>4</sup> BG AMOUNT IN FIGURES AND WORDS
- <sup>5</sup> VALIDITY DATE
- <sup>6</sup> DATE OF EXPIRY OF CLAIM PERIOD

## PROFORMA OF BANK GUARANTEE (in lieu of SECURITY DEPOSIT)

**Note:**

1. Bidders are advised that expiry of claim period may be kept 3-6 months after validity date..
2. The BG should be on Non-Judicial Stamp paper/ e-stamp paper of appropriate value as per Stamp Act prevailing in the State(s) where the BG is submitted or is to be acted upon or the rate prevailing in the State where the BG was executed, whichever is higher. The Stamp Paper/ e-stamp paper shall be purchased in the name of Vendor/ Contractor/ Supplier/ Bank issuing the guarantee.

**3. In Case of Bank Guarantees submitted by Foreign Vendors.**

**a. From Nationalized/ Public Sector/ Private Sector/ Foreign Banks (BG issued by Branches in India)** can be accepted subject to the condition that the Bank Guarantee should be enforceable in the town/ city or at nearest branch where the Unit is located i.e. Demand can be presented at the Branch located in the town/city or at nearest branch where the Unit is located.

**b. From Foreign Banks (wherein Foreign Vendors intend to provide BG from local branch of the Vendor country's Bank)**

**b.1** In such cases, Bank Guarantee issued by **any of the Consortium Banks only** will be accepted by BHEL. As such, Foreign Vendor needs to make necessary arrangements for issuance of Counter- Guarantee by Foreign Bank in favour of the Indian Bank's (BHEL's Consortium Bank) branch in India. All charges for issuance of Bank Guarantee/ counter-Guarantee should be borne by the Foreign Vendor.

**b.2** In case, Foreign Vendors intend to provide BG from Overseas Branch of our Consortium Bank (e.g. if a BG is to be issued by SBI Frankfurt), the same is acceptable. However, the procedure at **sl.no. b.1** will required to be followed.

**b.3** The BG issued may preferably be subject to Uniform Rules for Demand Guarantees (URDG) 758 (as amended from time to time).

**BANK GUARANTEE FOR INTEREST BEARING REFUNDABLE ADVANCE**

B.G. No.

Date

This deed of Guarantee made this \_\_\_\_\_ day of \_\_\_\_\_ two thousand \_\_\_\_\_ by < **Name and Address of Bank** > hereinafter called the "The Guarantor" (which expression shall unless repugnant to the context or meaning thereof be deemed to include its successors and assigns) in favour of M/S Bharat Heavy Electricals Limited a Company incorporated under the Companies Act, 1956, having its registered office at BHEL House, Siri Fort, New Delhi - 110049 through its unit at Bharat Heavy Electricals Limited, Power Sector Northern Region, HRDI & PSNR Complex, Plot no. 25, Sector - 16 A, Noida - 201301, hereinafter called "The Company" (which expression shall unless repugnant to the context or meaning thereof be deemed to include its successors and assigns).

WHEREAS M/s. \_\_\_\_\_ (hereinafter referred to as the Contractor) have entered into a Contract arising out of Letter of Intent no. \_\_\_\_\_ dtd \_\_\_\_\_ (hereinafter referred to as "the Contract") for the < **Name of work** > with the Company.

AND WHEREAS the Contract inter-alia provides that the Company will pay to the Contractor interest bearing advance of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) on certain terms and conditions specified in the Contract subject to the Contractor furnishing a Bank Guarantee for Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) in favour of the Company.

AND WHEREAS the Company has agreed to accept a Bank Guarantee from a Bank to cover the said advance.

AND WHEREAS the Contractor has approached the Guarantor and in consideration of the arrangement arrived at between the Contractor and the Guarantor, the Guarantor has agreed to give the Guarantee as hereinafter mentioned in favour of the Company.

**NOW THIS DEED WITNESSES AS FOLLOWS:-**

- (1) In consideration of the Company having agreed to advance a sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) to the Contractor, the Guarantor do hereby guarantee the due recovery by the Company of the said advance with interest thereon as provided according to the terms and conditions of the Contract. If the said Contractor fails to utilise the said advance for the purpose of the Contract and /or the said advance together with interest as aforesaid is not fully recovered by the Company the Guarantor do hereby unconditionally and irrevocably undertake to pay to the Company without demur and merely on a demand, to the extent of the said sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_ only) any claim made by the Company on them for the loss or damage caused to or suffered by the Company by reasons of the Company not being able to recover in full the advance with interest as aforesaid.

**BANK GUARANTEE FOR INTEREST BEARING REFUNDABLE ADVANCE**

- 
- (2) The decision of the Company whether the Contractor has failed to utilise the said advance or any part thereof for the purpose of the Contract and / or as to the extent of loss or damage caused to or suffered by the Company by reason of the Company not being able to recover in full the said sum of Rs. \_\_\_\_\_ with interest if any shall be final and binding on the Guarantor, irrespective of the fact whether the Contractor admits or denies the default or questions the correctness of any demand made by the Company in any Court Tribunal or Arbitration proceedings or before any other Authority.
  - (3) The Company shall have the fullest liberty without affecting in any way the liability of the Guarantor under this Guarantee, from time to time to vary any of the terms and conditions of the Contract or extend time of performance by the Contractor or to postpone for any time and from time to time any of the powers exercisable by it against the Contractor and either enforce or forbear from enforcing any of the terms and conditions governing the Contract or securities available to the Company and the Guarantor shall not be released from its liability under these presents by any exercise by the Company of the liberty with reference to the matters aforesaid or by reasons of time being given to the Contractor or any other forbearance, act or commission on the part of the Company or any indulgence by the Company to the Contractor or of any other matter or thing whatsoever which under the law relating to sureties would, but for this provision have the effect of so releasing the Guarantor from its liability under this guarantee.
  - (4) The Guarantor further agrees that the Guarantee herein contained shall remain in full force and effect during the period till the Company discharges this Guarantee, subject to however, that the Company shall have no claim under this Guarantee after \_\_\_\_\_ i.e. (the present date of validity of Bank Guarantee unless the date of validity of this Bank Guarantee is further extended from time to time, as the case may be) unless a notice of the claim under this Guarantee has been served on the Guarantor before the expiry of the said period in which case the same shall be enforceable against the Guarantor notwithstanding the fact that the same is enforced after the expiry of the said period.
  - (5) The Guarantor undertakes not to revoke this Guarantee during the period it is in force except with the previous consent of the Company in writing and agrees that any liquidation or winding up or insolvency or dissolution or any change in the constitution of the Contractor or the Guarantor shall not discharge the Guarantor's liability hereunder.
  - (6) It shall not be necessary for the Company to proceed against the Contractor before proceeding against the Guarantor and the Guarantee herein contained shall be enforceable against them notwithstanding any security which the Company may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the Guarantor hereunder be outstanding or unrealised.
  - (7) Notwithstanding anything contained herein before, our liability under the Guarantee is restricted to Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_). Our guarantee shall remain in force until \_\_\_\_\_, i.e. the present date of validity of Bank Guarantee unless the date of validity of this Bank Guarantee is further extended from time to time. Unless a claim or demand under this guarantee is made against us on or before-----, we shall be discharged from our liabilities under this Guarantee thereafter.

**BANK GUARANTEE FOR INTEREST BEARING REFUNDABLE ADVANCE**

- (8) Any claim or dispute arising under the terms of this document shall only be enforced or settled in the courts at New Delhi/ Delhi only.
- (9) The Guarantor hereby declares that it has power to execute this Guarantee under its Memorandum and Articles of Association and the executant has full powers to do so on its behalf under the Power of Attorney dated\_\_\_\_\_ (To be incorporated by the Bank) granted to him by the proper authorities of the Guarantor.

IN WITNESS whereof the \_\_\_\_\_(Bank) has hereunto set and subscribed its hand the day, month and year first, above written.

(Name of the Bank)

Signed for and on behalf of the Bank  
(Designation of the Authorized Person Signing the Guarantee)

(Signatory No.-----)

DATED:

SEAL

=====

Notes :

1. The BG shall be executed on non-judicial stamp papers of adequate value procured in the name of the Bank in the State where the Bank is located.
2. The BG is required to be sent by the executing Bank directly to BHEL at the address where tender is submitted / accepted, under sealed cover.

**FORM for EXTENSION OF VALIDITY OF BANK GUARANTEE**

1. To be typed on non judicial Stamp Papers of value as applicable in the State of India from where the BG has been issued or the State of India where the BG shall be operated
2. The non judicial stamp papers shall be purchased in the name of the Party on whose behalf the BG is being issued or the BG issuing Bank

BANK GUARANTEE No:

Date:.....

To

(Write Designation and Address of Officer of BHEL inviting the Tender)

Dear Sir

Sub : Validity of Bank Guarantee No:..... Dated ..... for  
 ..... Rs ..... in favour of yourself, expiry date  
 ....., on account of M/s ..... in respect of  
 Contract Number....., (herein after called the Original bank Guarantee)

At the request of M/s....., we ..... Bank,  
 having its branch Office at ..... and having Head office  
 at ....., do hereby extend our liability under the above mentioned Bank Guarantee  
 number..... dated ..... for a further period of .....Months/years  
 from ..... to expire on .....

Except as provided above, all other terms and conditions of the Original Bank Guarantee No  
 ..... Dated..... shall remain unaltered and binding on us.

Kindly treat this extension as an integral part of the original Bank Guarantee to which it  
 would be attached.

Yours faithfully

Signature.....

Name &amp; Designation.....

Power of Attorney/Signing Power No

Seal of Bank



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 1 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

**PART- A: PLAN/ REVIEW OF WORK FOR THE MONTH OF .....**

Date of Plan/ Review.....

| SN.   | Description of Work                                                               | Unit of Measurement | Unit Rate | Planned                                                  |           | Cumulative Shortfall attributable to contractor upto last month (Refer Note 1) |           | Achieved |           | Shortfall attributable to BHEL w.r.t Plan (as per Col. 3 of Part-D) |           | Cumulative Shortfall attributable to Contractor upto & including this month |           | REMARKS<br>(Reasons for Shortfall attributable to Contractor. Supporting documents to be kept as record.) |
|-------|-----------------------------------------------------------------------------------|---------------------|-----------|----------------------------------------------------------|-----------|--------------------------------------------------------------------------------|-----------|----------|-----------|---------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------|
|       |                                                                                   |                     |           | (QTY Planned for the month as per Part –C of last month) |           |                                                                                |           |          |           |                                                                     |           |                                                                             |           |                                                                                                           |
| (a)   | (b)                                                                               | (c)                 | (d)       | A                                                        |           | B                                                                              |           | C        |           | D                                                                   |           | E=A+B-C-D                                                                   |           |                                                                                                           |
|       |                                                                                   |                     |           | Phy.                                                     | Financial | Phy                                                                            | Financial | Phy.     | Financial | Phy.                                                                | Financial | Phy.                                                                        | Financial |                                                                                                           |
|       |                                                                                   |                     |           |                                                          |           |                                                                                |           |          |           |                                                                     |           |                                                                             |           |                                                                                                           |
|       |                                                                                   |                     |           |                                                          |           |                                                                                |           |          |           |                                                                     |           |                                                                             |           |                                                                                                           |
|       | Value of Other Items not mentioned above but planned to be executed in this month |                     |           |                                                          |           |                                                                                |           |          |           |                                                                     |           |                                                                             |           |                                                                                                           |
| Total |                                                                                   |                     |           |                                                          | ΣA        |                                                                                | ΣB        |          | ΣC        |                                                                     | ΣD        |                                                                             | ΣE        |                                                                                                           |

BHEL

(Sign with name, designation and date)

CONTRACTOR

(Sign with name, designation and date)



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 2 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

**PART- A: Contd.....**

Note 1: In addition to the work planned as per Col. 'A', Contractor shall also make full efforts to minimize the 'Cumulative shortfall attributable to contractor upto the month' as mentioned in Col. 'B' by enhancing its resources, so as to achieve the completion of activities as per agreed schedule. In case contractor is not able to execute the entire shortfall, then BHEL 'Engineer in-charge', shall decide the priority of work to be executed and it shall be binding on the contractor.

Note 2: Percentage Shortfall attributable to contractor w.r.t. "Plan - Shortfall attributable to BHEL" for the month =  $[(\Sigma E - \Sigma B) / (\Sigma A - \Sigma D)] \times 100$   
In case,  $(\Sigma E - \Sigma B)$  is negative, then it shall be treated as zero percent."

Note 3: Form 14 should include all items being planned in the current month, and all items against which shortfall was attributable to contractor till previous month. However, for practical reason, if it is not possible to mention some of the items in Form-14 being planned to be executed in this month, then also value of such items shall necessarily be included in calculation of Total Value.

Note 4: In case reason for shortfall attributable to contractor is w.r.t. T&P and Manpower, it should be in conformity with Part B1 and B2.

BHEL

(Sign with name, designation and date)

CONTRACTOR

(Sign with name, designation and date)



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 3 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

**PART – B-1: PLAN/REVIEW OF DEPLOYMENT OF MAJOR T&Ps FOR THE MONTH OF .....**

Date of Plan/ Review.....

**CONTRACTOR'S SCOPE: -**

| SN. | PLAN                                                       |     |                             |                                                                           | DEPLOYMENT STATUS        |                                    |                                            |                                                        |
|-----|------------------------------------------------------------|-----|-----------------------------|---------------------------------------------------------------------------|--------------------------|------------------------------------|--------------------------------------------|--------------------------------------------------------|
|     | Major T&P to be deployed as per work planned for the month | QTY | Deployment Period (in days) | Weightage assigned to planned T&P (in fraction such that $\Sigma C = 1$ ) | Actual Deployed Quantity | Actual Deployment Period (in days) | Weighted T&P Deployed                      | REMARKS (Works affected due to non-deployment of T&Ps) |
|     |                                                            | A   | B                           | C                                                                         | D                        | E                                  | $F = (C \times D \times E) / (A \times B)$ |                                                        |
|     |                                                            |     |                             |                                                                           |                          |                                    |                                            |                                                        |

Note: In case,  $E > B$ , it shall be considered as  $E = B$ . Similarly, in case  $D > A$ , it shall be considered as  $D = A$ .Percentage of T&P Deployed =  $\Sigma F \times 100$ **BHEL SCOPE: -**

| SN. | PLAN                                                       |     |                             | DEPLOYMENT STATUS        |                                    |                                                        |
|-----|------------------------------------------------------------|-----|-----------------------------|--------------------------|------------------------------------|--------------------------------------------------------|
|     | Major T&P to be deployed as per work planned for the month | QTY | Deployment Period (in days) | Actual Deployed Quantity | Actual Deployment Period (in days) | REMARKS (Works affected due to non-deployment of T&Ps) |
|     |                                                            |     |                             |                          |                                    |                                                        |

BHEL

(Sign with name, designation and date)

CONTRACTOR

(Sign with name, designation and date)



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 4 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

PART – B-2: PLAN/ REVIEW OF DEPLOYMENT OF MANPOWER FOR THE MONTH OF .....

Date of Plan/ Review.....

## CONTRACTOR'S SCOPE: -

| SN. | Area of Work | Category of Labour | No. of Labour required as per category | Deployment Period (in days) | No. of Labour actually deployed | Actual Deployment Period (in days) | REMARKS<br>(Works affected due to non-availability of labour) |
|-----|--------------|--------------------|----------------------------------------|-----------------------------|---------------------------------|------------------------------------|---------------------------------------------------------------|
|     |              |                    | A                                      | B                           | C                               | D                                  |                                                               |
|     |              |                    |                                        |                             |                                 |                                    |                                                               |

$$\text{Percentage of Manpower Deployed} = 100 \times \frac{\sum(C \times D)}{\sum(A \times B)}$$

BHEL

(Sign with name, designation and date)

CONTRACTOR

(Sign with name, designation and date)



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 5 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

**PART – C: PLAN(PHYSICAL) FOR THE NEXT MONTH i.e. ....**

Date of Plan .....

| SN. | Description of work | Original Planned Quantity | Planned Quantity (excluding shortfalls attributable to contractor till date) | Unit of Measurement | T&Ps Required                                              |          |                                                            |          | Manpower Required  |                                        | REMARKS<br>(Reasons for difference in Original Planned Quantity w.r.t. Planned quantity to be given) |
|-----|---------------------|---------------------------|------------------------------------------------------------------------------|---------------------|------------------------------------------------------------|----------|------------------------------------------------------------|----------|--------------------|----------------------------------------|------------------------------------------------------------------------------------------------------|
|     |                     |                           |                                                                              |                     | Contractor Scope                                           |          | BHEL Scope                                                 |          | Category of Labour | No. of Labour required as per Category |                                                                                                      |
|     |                     |                           |                                                                              |                     | Major T&P to be deployed as per work planned for the month | Quantity | Major T&P to be deployed as per work planned for the month | Quantity |                    |                                        |                                                                                                      |
|     |                     |                           |                                                                              |                     |                                                            |          |                                                            |          |                    |                                        |                                                                                                      |

Note 1: Planned quantity should be based on available/ expected fronts/ inputs in the next month

Note 2: “Original Planned Quantity” shall be as per latest jointly agreed programme between BHEL and Contractor before commencement of work or at the time of latest Time Extension, as the case may be.

BHEL

(Sign with name, designation and date)

CONTRACTOR

(Sign with name, designation and date)



PS-

## MONTHLY PLAN &amp; REVIEW WITH CONTRACTOR

Page 6 of 6

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| Name of Project |  | Contract No.       |  |
| Name of Work    |  | Name of Contractor |  |

**PART – D: REASONS FOR SHORTFALL ATTRIBUTABLE TO BHEL IN RESPECT OF PLAN FOR THE MONTH.....**

| SN. | Description of Work<br>(from Part-A) | Quantities Affected    |                             | Reasons for Shortfall attributable to<br>BHEL | Agency responsible for<br>reasons for Shortfall | Remarks (Supporting Documents in respect of<br>agency responsible) |
|-----|--------------------------------------|------------------------|-----------------------------|-----------------------------------------------|-------------------------------------------------|--------------------------------------------------------------------|
|     |                                      | (Physical<br>Quantity) | Unit of<br>Measu-<br>rement |                                               |                                                 |                                                                    |
| 1   | 2                                    | 3                      | 4                           | 5                                             | 6                                               | 7                                                                  |
|     |                                      |                        |                             |                                               |                                                 |                                                                    |

Note1: Reasons for shortfall shall include non-availability of fronts/ drawings/ materials/ T&P (BHEL Scope)/ clearances etc. and other hindrances for which contractor is not responsible.

Note2: Agency responsible may be BHEL Site/ MUs/ Design Centre/ BHEL Customer/ other Contractors etc.

BHEL

(Sign with name, designation and date)

| Project |                                                                                                                                                                                                                                                                                                                                    | Vendor         |           |                | Package/Unit                                                                                                                               |                                                           |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Sl. No. | Parameter for Measurement                                                                                                                                                                                                                                                                                                          | Classification | Max Score | Score Obtained | Measurement Key/Scheduled date                                                                                                             | Supporting Documents                                      |
| #1.01   | Cumulative number of days in the month, the nominated Quality Officer or his authorised nominee was not available                                                                                                                                                                                                                  | QUALITY        | 1.5       |                | Quality Officer or his authorised nominee should be available for all the days of working at site                                          | Daily Log Book entry/Incident Registers/letter references |
| #1.02   | Number of instances of non- compliance wrt FQP, Standard Drawings, Specifications, E&C Manuals etc.                                                                                                                                                                                                                                | QUALITY        | 1.5       |                | No deviation from FQP, Standard Drawings, Specifications, E&C Manuals etc. is allowed without BHEL Engineer's approval.                    | Daily Log Book entry/Incident Registers/letter references |
| #1.03   | Percentage submission of test certificates for batches of welding electrodes, cement, sand, aggregate, consumable, Paints etc. as applicable for this month OR In case of MM & MH package, monthly checks for Storage/Preservation of material.                                                                                    | QUALITY        | 1         |                | Submission of 100% Test certificates for materials as per FQP is mandatory. MM & MH package: Storage/Preservation as per manual/procedure. | Daily Log Book entry/Incident Registers/letter references |
| #1.04   | Number of incidences of improper storage & preservation (not in accordance to the guidelines of BHEL MUs or approved FQP) of materials, consumables (viz. gases, welding electrodes & fluxes, fuel etc.) & bought-out items (paints, fasteners etc.) under the custody of the contractor                                           | QUALITY        | 1         |                | Total number of non-compliances                                                                                                            | Daily Log Book entry/Incident Registers/letter references |
| #1.05   | Rework/ Rejection instances in a month necessitated due to deviation from Standard Drawings /Specifications /Manuals /E&C procedures /FQPs or due to Poor Workmanship by contractor                                                                                                                                                | QUALITY        | 2         |                | Reworks/ Rejection should be as minimum as possible. Total number of reworks/ rejections due to reasons attributable to contractor.        | Daily Log Book entry/Incident Registers/letter references |
| #1.06   | Delay in preparation & submission of signed protocols / log sheets / site register / NDT test reports as per approved FQP/ Qualified Welder List along with photocopies of Welder ID cards / Welder Performance Evaluation records etc. in the month OR in case of MM / MH package reconciliation statement / verification report. | QUALITY        | 1         |                | Within 2 days of measurements taken or within first 3 working days of next month, as advised by BHEL Engineer                              | Daily Log Book entry/Incident Registers/letter references |
| #1.07   | Number of instances for Major equipment/product failure due to negligence/improper work/poor workmanship by contractor                                                                                                                                                                                                             | QUALITY        | 1         |                | No such event should happen                                                                                                                | Daily Log Book entry/Incident Registers/letter references |
| #1.08   | Total number of complaints received in the month on the quality of finish / aesthetics                                                                                                                                                                                                                                             | QUALITY        | 1         |                | Total number of non-compliances                                                                                                            | Daily Log Book entry/Incident Registers/letter references |

Name and Signature of BHEL Package In-charge

Name and Signature of Contractor

| Project |                                                                                                                                                                                                                                                                                                                                                                                                             | Vendor         |           |                | Package/Unit                                                                                         |                                                           |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------|----------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Sl. No. | Parameter for Measurement                                                                                                                                                                                                                                                                                                                                                                                   | Classification | Max Score | Score Obtained | Measurement Key/Scheduled date                                                                       | Supporting Documents                                      |
| #2.01   | Cumulative number of days of delay in submission of Plan FOR THE MONTH supported by deployment plan of Major T&Ps and Manpower (as per Form F-14) and relevant construction/layout drawings - like A4 plan / elevation views of plan status for structures / pressure parts/Civil Works, Piping isometrics for piping, Layout / PID / System reference sketch, Unloading / storage plans etc.as applicable. | PERFORMANCE    | 5         |                | Number of days delayed from second working day of the month                                          | Daily Log Book entry/Incident Registers/letter references |
| #2.02   | Percentage of timely submission of Daily Reports for Progress of work, Resources, Consumables etc.                                                                                                                                                                                                                                                                                                          | PERFORMANCE    | 1.5       |                | Percentage of timely submission of daily reports/ Scheduled date is successive next day for each day | Daily Log Book entry/Incident Registers/letter references |
| #2.03   | Number of days delayed for submission of FQP log sheets / protocols / Monthly Progress Reports for the work executed during the month under measurement                                                                                                                                                                                                                                                     | PERFORMANCE    | 1.5       |                | Number of days delayed/Scheduled date is first 2 working days of next month                          | Daily Log Book entry/Incident Registers/letter references |
| #2.04   | Percentage Shortfall attributable to contractor w.r.t. "Plan - Shortfall attributable to BHEL" for the month as per Form-14                                                                                                                                                                                                                                                                                 | PERFORMANCE    | 35        |                | As per Part-A of Form-14                                                                             | Progress review formats                                   |
| #2.05   | Number of days delayed in submission of Running bills with complete supporting documents (including updated reconciliation statement of BHEL issued material) for the month                                                                                                                                                                                                                                 | PERFORMANCE    | 2         |                | Number of days delayed / Scheduled date is 7th day of next month                                     | Daily Log Book entry/Incident Registers/letter references |
| #2.06   | Number of times the Top Management of contractor did not respond to critical issues of site, for the month                                                                                                                                                                                                                                                                                                  | PERFORMANCE    | 1         |                | Total number of instances                                                                            | Daily Log Book entry/Incident Registers/letter references |
| #2.07   | Cumulative number of days in the month the works were stopped / refused on interpretation of contract clauses/scope due to tendency of taking undue advantage by interpreting contract clauses in their favour                                                                                                                                                                                              | PERFORMANCE    | 2         |                | Cumulative number of days lost                                                                       | Daily Log Book entry/Incident Registers/letter references |
| #2.08   | Number of times rework was refused by contractor                                                                                                                                                                                                                                                                                                                                                            | PERFORMANCE    | 1         |                | Total number of non-compliances                                                                      | Daily Log Book entry/Incident Registers/letter references |

Name and Signature of BHEL Package In-charge

Name and Signature of Contractor

| Project |                                                                                                                                                                                                                                                                                                             | Vendor                        |           |                | Package/Unit                                                                        |                                                           |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Sl. No. | Parameter for Measurement                                                                                                                                                                                                                                                                                   | Classification                | Max Score | Score Obtained | Measurement Key/Scheduled date                                                      | Supporting Documents                                      |
| #2.09   | Cumulative number of days in the month recording / logging was not done in daily log / history register / hindrance register / soft form in a PC maintained at BHEL Site Office                                                                                                                             | PERFORMANCE                   | 1         |                | Cumulative number of days recording or logging was not done / all days of the month | Daily Log Book entry/Incident Registers/letter references |
| #3.01   | Percentage of Manpower Deployed w.r.t. Plan for the month as per Form-14.                                                                                                                                                                                                                                   | RESOURCES                     | 7         |                | As per Part-B2 of Form-14                                                           | Daily Log Book entry/Incident Registers/letter references |
| #3.02   | Percentage of T&P Deployed w.r.t. Plan for the month as per Form-14.                                                                                                                                                                                                                                        | RESOURCES                     | 7         |                | As per Part-B1 of Form-14                                                           | Daily Log Book entry/Incident Registers/letter references |
| #3.03   | Cumulative number of major instances in the month hampering / affecting progress of work due to breakdown or non-availability of major T&P and MME for the work, under the scope of Contractor                                                                                                              | RESOURCES                     | 3         |                | Cumulative number of instances                                                      | Daily Log Book entry/Incident Registers/letter references |
| #3.04   | Cumulative number of major instances in the month hampering / affecting progress of work due to non-availability of Consumables/ use of improper consumables under the scope of contractor                                                                                                                  | RESOURCES                     | 3         |                | Cumulative number of instances                                                      | Daily Log Book entry/Incident Registers/letter references |
| #4.01   | Number of non-compliances during the month for Statutory requirements like validity of Labour Licence, Insurance Policy, Labour Insurance, PF, BOCW Compliance etc. and any other applicable laws/ Regulation, Electrical Licence, T&P fitness certificate, Contractors' All Risk Policy etc. as applicable | SITE INFRASTRUCTURE & SERVICE | 1         |                | Total number of non-compliances                                                     | Daily Log Book entry/Incident Registers/letter references |
| #4.02   | Cumulative number of days in a month poor illumination is reported at storage area, erection area, pre-assembly area and other designated areas by BHEL site.                                                                                                                                               | SITE INFRASTRUCTURE & SERVICE | 0.5       |                | Total number of non-compliances/random checks                                       | Daily Log Book entry/Incident Registers/letter references |
| #4.03   | Cumulative number of days of non-availability of well-maintained toilets facilities for workers (separate for men and women) and non-availability of potable drinking water stations for workers in specified areas.                                                                                        | SITE INFRASTRUCTURE & SERVICE | 1         |                | Total number of non-compliances/random checks                                       | Daily Log Book entry/Incident Registers/letter references |

Name and Signature of BHEL Package In-charge

Name and Signature of Contractor

| Project      |                                                                                                                                                                                                                                                                                                                                                                       | Vendor                        |            |                | Package/Unit                                                         |                                                           |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------|----------------|----------------------------------------------------------------------|-----------------------------------------------------------|
| Sl. No.      | Parameter for Measurement                                                                                                                                                                                                                                                                                                                                             | Classification                | Max Score  | Score Obtained | Measurement Key/Scheduled date                                       | Supporting Documents                                      |
| #4.04        | Total number of instances in the month, Housekeeping NOT attended to in spite of instructions by BHEL -i.e. removal / disposal of surplus earth / debris / scrap / unused / surplus cable drums / other electrical items / surplus steel items / packing materials, thrown out scrap like weld butts, cotton waste etc. from the working area to identified locations | SITE INFRASTRUCTURE & SERVICE | 2          |                | Total number of non-compliances/random checks                        | Daily Log Book entry/Incident Registers/letter references |
| #4.05        | Total number of instances in a month, Site Office with reasonably good facilities including enough nos. of computers and printers etc. for use by office and supporting staff was not made available/maintained.                                                                                                                                                      | SITE INFRASTRUCTURE & SERVICE | 0.5        |                | No discrepancy during regular or surprise visits                     | Photograph and report of the Engineer                     |
| #5.01        | Number of days delayed in making labour payments for the last month                                                                                                                                                                                                                                                                                                   | SITE FINANCE                  | 2          |                | Number of days delayed / Scheduled date is 7th day of next month     | Daily Log Book entry/Incident Registers/letter references |
| #5.02        | Number of complaints from labour/ sub supplier/ sub-contractor for non-receipt of payments from contractor                                                                                                                                                                                                                                                            | SITE FINANCE                  | 1.5        |                | Total number of complaints or reporting                              | Daily Log Book entry/Incident Registers/letter references |
| #5.03        | Number of times the site operations were hampered for want of funds at the disposal of site-in-charge.                                                                                                                                                                                                                                                                | SITE FINANCE                  | 1.5        |                | Total number of non-compliances                                      | Daily Log Book entry/Incident Registers/letter references |
| #6.0         | Performance against HSE Parameters (as per Annexure-AA)                                                                                                                                                                                                                                                                                                               | HSE                           | 10         |                | Score as per Safety Performance Evaluation System, scaled down to 10 | Safety Performance Evaluation System                      |
| <b>Total</b> |                                                                                                                                                                                                                                                                                                                                                                       |                               | <b>100</b> |                |                                                                      |                                                           |

|                                                                                                                                                                                                                                                                            |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Less Deduction in Score Due to Fatal Accidents attributable to the Contractor @ 20 points/ accident                                                                                                                                                                        |  |
| Less Deduction in Score Due to Major Accidents (Permanent Disability or bodily injury by which person injured is prevented to resume to work within 48 hours or more after accident,, Major Damage to Equipment etc.) attributable to the contractor @ 15 points/ accident |  |
| Less Deduction in Score Due to Minor Accidents attributable to the contractor @ 2 points/ accident                                                                                                                                                                         |  |
| Less Deduction in Score Due to not Maintaining of Labour Colony (if applicable) as per BHEL HSE policy @3 points in a month on verification any day                                                                                                                        |  |
| <b>Final Score</b>                                                                                                                                                                                                                                                         |  |

Name and Signature of BHEL Package In-charge

Name and Signature of Contractor

| Project |                                                | Vendor             |                       |                | Package/Unit                   |                      |
|---------|------------------------------------------------|--------------------|-----------------------|----------------|--------------------------------|----------------------|
| Sl. No. | Parameter for Measurement                      | Classification     | Max Score             | Score Obtained | Measurement Key/Scheduled date | Supporting Documents |
|         | <b>Performance Score Summary for the Month</b> | <b>Total Score</b> | <b>Score Obtained</b> |                |                                |                      |
|         | QUALITY                                        | 10                 |                       |                |                                |                      |
|         | PERFORMANCE                                    | 50                 |                       |                |                                |                      |
|         | RESOURCES                                      | 20                 |                       |                |                                |                      |
|         | SITE INFRASTRUCTURE & SERVICE                  | 5                  |                       |                |                                |                      |
|         | SITE FINANCE                                   | 5                  |                       |                |                                |                      |
|         | HSE                                            | 10                 |                       |                |                                |                      |
|         | OTHERS (deductions if any)                     | 0                  | -                     |                |                                |                      |
|         | <b>TOTAL</b>                                   | <b>100</b>         |                       |                |                                |                      |

Note:

- 1) It is only indicative and shall be as per the online format issued by BHEL time to time.
- 2) No request will be entertained after specified date of current month w.r.t. changes requested in the scores of immediate previous month.

Name and Signature of BHEL Package In-charge

Name and Signature of Contractor

**Monthly Safety Performance Evaluation of Contractor**

| SL   | Parameter for Measurement                                                                                        | M/O | Wt | Supporting Documents                                     |
|------|------------------------------------------------------------------------------------------------------------------|-----|----|----------------------------------------------------------|
| 1a   | Induction training for new workers conducted through audio-visual medium & documented ?                          | M   | 1  | Induction Training Records                               |
| 1b   | Tool box talk conducted regularly as per plan, and documented?                                                   | M   | 1  | Toolbox Talk Records                                     |
| 1c   | Contractor in charge and safety in charge attended safety meetings?                                              | M   | 2  | Minutes of Meeting                                       |
| 1d   | Whether observations in safety meetings are complied before next meeting?                                        | M   | 2  | -do-                                                     |
| 1e   | Preparation and submission of Monthly HSE report within stipulated time                                          | M   | 1  | Report submission date                                   |
| 1f   | Preparation and submission of Incident/near-miss report and RCA Report (as applicable) within stipulated time    | M   | 1  | Incident/ Near Miss Records                              |
| 1g   | Carrying out Inspections and submission of Inspection reports within stipulated time                             | M   | 1  | Inspection Records                                       |
| 1h   | Regular Job Specific Training ensured for High Risk Workers (through audio-visual medium) as per plan            | M   | 1  | Training & Attendance Records                            |
| 2a   | Whether the contractor is registered under BOCW                                                                  | M   | 2  | BOCW Registration Certificate                            |
| 2b   | Availability of Qualified safety officer (1 for every 500 labour)                                                | M   | 2  | Safety Officer qualification & experience records        |
| 2c   | Availability of Qualified safety supervisor (1 for every 100 labour )                                            | M   | 2  | Safety Officer qualification & experience records        |
| 2d   | All the workers are provided and using safety helmets and safety shoes/gum boots                                 | M   | 2  | PPE Issue Records, Inspection/ non-conformity records    |
| 2e   | Housekeeping done on regular basis and scrap removal at site                                                     | M   | 1  | Housekeeping records, Inspection/ non-conformity records |
| 2f   | Usage of Goggles/Face shields and Hand gloves for gas cutter and grinders                                        |     | 1  | PPE Issue Records, Inspection/ non-conformity records    |
| 2g   | Wall openings & floor openings are guarded?                                                                      |     | 1  | Inspection/ non-conformity records                       |
| 2h   | Adequate illumination provided in all working area?                                                              |     | 1  | Inspection/ non-conformity records                       |
| 2i   | Safety posters, sign boards and emergency contact numbers in all prominent location are displayed?               |     | 1  | Inspection/ non-conformity records                       |
| 2j   | Availability of automatic reverse horns, Main horn, hook latches for Vehicles, mobile cranes, Hydras             |     | 1  | Inspection/ non-conformity records                       |
| 2k   | Ban of carrying mobile phones to work place is implemented for workers                                           |     | 1  | Inspection/ non-conformity records                       |
| 2l   | Availability of Tags & Inspection Certificates for Cranes of all capacities                                      |     | 1  | Master T&P List with internal & external test details    |
| 2l.2 | Availability of Tags & Inspection Certificates for Winches of all capacities                                     |     | 1  | Master T&P List with internal & external test details    |
| 2l.3 | Availability of Tags & Inspection Certificates, colour coding for Chain pulley blocks                            |     | 1  | Master T&P List with internal & external test details    |
| 2l.4 | Availability of Tags & Inspection Certificates for Vehicles - Trailers, Dozers, Dumpers, Excavators, Mixers etc. |     | 1  | Master T&P List with internal & external test details    |
| 2l.5 | Availability of Tags & Inspection Certificates for Welding machines, grinders, Drilling machines, etc.           |     | 1  | Master T&P List with internal & external test details    |

|       |                                                                                                                       |   |   |                                                       |
|-------|-----------------------------------------------------------------------------------------------------------------------|---|---|-------------------------------------------------------|
| 2l.6  | Availability of Tags & Inspection Certificates, colour coding for Wire rope slings etc.                               |   | 1 | Master T&P List with internal & external test details |
| 2l.7  | Availability of Tags & Inspection Certificates for Batching plants                                                    |   | 1 | Master T&P List with internal & external test details |
| 2m.1  | Use of Lifting Permit as per requirement                                                                              |   | 1 | Permit Records                                        |
| 2m.2  | Use of Height Permit as per requirement                                                                               |   | 1 | Permit Records                                        |
| 2m.3  | Use of Hot Work Permit as per requirement                                                                             |   | 1 | Permit Records                                        |
| 2m.4  | Use of Excavation permit as per requirement                                                                           |   | 1 | Permit Records                                        |
| 2m.5  | Use of Confined space work permit as per requirement                                                                  |   | 1 | Permit Records                                        |
| 2m.6  | Use of Grating removal and safety net removal permit as per requirement                                               |   | 1 | Permit Records                                        |
| 2m.7  | Use of Lockout-Tag out permit as per requirement                                                                      |   | 1 | Permit Records                                        |
| 2m.8  | Use of Radiography permit as per requirement                                                                          |   | 1 | Permit Records                                        |
| 2m.9  | Use of Night/ Holiday Work Permit as per requirement                                                                  |   | 1 | Permit Records                                        |
| 2m.10 | Use of Any other Applicable Permit as per requirement                                                                 |   | 1 | Permit Records                                        |
| 3a    | Material safety data sheet(MSDS) available for all chemicals and displayed in usage and storage area?                 |   | 1 | Inspection/ non-conformity records                    |
| 3b    | Spillages of oil/concrete and other chemical is controlled and cleaned by proper method in case of spill?             |   | 1 | Inspection/ non-conformity records                    |
| 3c    | Availability of adequate number of urinals in workplace and in elevations and maintained                              | M | 1 |                                                       |
| 3d    | Availability of rest rooms for workers at site                                                                        | M | 1 |                                                       |
| 3e    | Availability of Drinking water facility at work spot                                                                  |   | 1 |                                                       |
| 3f    | Hygienic Labour colony is provided for workers.                                                                       |   | 1 |                                                       |
| 4a    | Is heavy/complex critical lifting permit obtained for heavy, complex materials before handling/erection activity?     |   | 1 | Work Permit records                                   |
| 4b    | Whether area below lifting activities barricaded                                                                      |   | 1 | Inspection/ non-conformity records                    |
| 4c    | Availability of experienced rigging foreman                                                                           |   | 1 | Experience details of rigging foreman                 |
| 4d    | Is agency is following proper storage and handling procedure as per manufacturer standard for all hazardous material? |   | 1 | Procedure for storage & handling                      |
| 4e    | Are oxygen and acetylene cylinders are transported to work place from storage area in trolleys                        |   | 1 |                                                       |
| 5a    | Whether all deep excavation has been protected by barrier                                                             |   | 1 | Inspection/ non-conformity records                    |
| 5b    | Sloping/benching & shoring provided for excavation as per requirement?                                                |   | 1 | -do-                                                  |
| 5c    | Proper access and egress provided for excavations?                                                                    |   | 1 | -do-                                                  |
| 5d    | Blasting is done in controlled manner?                                                                                |   | 2 | -do-                                                  |
| 6a    | Whether Electrical booth is equipped with CO <sub>2</sub> fire extinguishers and fire buckets filled with sand?       |   | 2 | Inspection/ non-conformity records                    |
| 6b    | Availability of Illumination lamp in electric booth?                                                                  |   | 1 | -do-                                                  |
| 6c    | whether Caution Boards have been displayed?                                                                           |   | 1 | -do-                                                  |
| 6d    | Usage of Metal Plug top for all hand power tools ?                                                                    |   | 1 | -do-                                                  |
| 6e    | Usage of Insulated welding cables.                                                                                    |   | 1 | -do-                                                  |
| 6f    | Electrical Booth/Distribution Board to be covered by proper Canopy.                                                   |   | 1 | -do-                                                  |
| 6g    | Availability of functional & individual 30mA ELCB / RCCB and MCB for protection and conducting periodical check-up?   |   | 1 | -do-                                                  |
| 6h    | Double earthing for panel boards and all machinery & proper earth pit with regular inspection available?              |   | 1 | -do-                                                  |
| 6i    | Whether Electrician is qualified and experienced                                                                      |   | 1 | Qualification & Experience records of electrician     |
| 6j    | Availability and usage of Rubber hand gloves by electrician?                                                          |   | 1 | Inspection/ non-conformity records                    |

|     |                                                                                                                                                               |   |   |                                                       |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|-------------------------------------------------------|
| 7a  | Whether Scaffolding pipes made with steel or aluminium, are being used and checked periodically by experienced/ certified scaffolder?                         |   | 2 | Inspection/ non-conformity records                    |
| 7b  | 8mm Stainless Steel wire rope with plastic cladding is provided for life line (Vertical / Horizontal) during height work?                                     |   | 2 | -do-                                                  |
| 7c  | Availability of emergency lighting in case of power failure                                                                                                   |   | 1 | -do-                                                  |
| 7d  | Whether all the openings are covered with Safety Nets made of fire proof Nylon?                                                                               |   | 1 | -do-                                                  |
| 7e  | Whether MS pipe rails around staircases & platforms in usage are provided with top, middle rails and toe guard ?                                              |   | 1 | -do-                                                  |
| 7f  | Whether Ladder with vertical life line /Fall arrestor is available to climb?                                                                                  |   | 1 | -do-                                                  |
| 7g  | Whether all workers deployed for working at height have been issued height pass after undergoing vertigo test?                                                |   | 1 | Height Pass records                                   |
| 7h  | Whether all workers deployed for height work / climbing ladder are provided and using Double lanyard safety belt?                                             |   | 1 | PPE Issue records, inspection/ non-conformity reports |
| 7i  | Is all hand tools/Small material used by height workers is tied firmly to prevent fall?                                                                       |   | 1 | -do-                                                  |
| 8a  | Flash back arrestors for all gas cutting sets is available on Torch side and cylinder side                                                                    |   | 1 | Inspection/ non-conformity records                    |
| 8b  | Oxygen/Acetylene/LPG cylinders not in use have caps in place and stored separately?                                                                           |   | 1 | -do-                                                  |
| 8c  | Availability of Face screen, Hand gloves, and Apron, for welders                                                                                              |   | 1 | -do-                                                  |
| 8d  | Protection from falling hot molten metal during metal cutting / welding at height by providing GI sheet below the cutting area especially in fire prone areas |   | 1 | -do-                                                  |
| 9a  | Pre-employment medical check-up done for all workers and submitted?                                                                                           |   | 1 | Medical check records                                 |
| 9b  | Availability of first aid centre, with MBBS doctor(Own or Sharing basis)                                                                                      | M | 2 | Attendance records                                    |
| 9c  | Availability of Ambulance facility 24 hours (Own or sharing basis)                                                                                            | M | 2 | -do-                                                  |
| 9d  | Is First aid trained personnel's are available and their names are displayed at site?                                                                         | M | 1 | -do-                                                  |
| 9e  | Availability of Emergency vehicle at site                                                                                                                     |   | 1 |                                                       |
| 9f  | Periodical medical check-up is conducted for all the workers and submitted?                                                                                   |   | 1 | Medical check records                                 |
| 9g  | Availability of sufficient number of first aid box as per standard list and maintaining record                                                                |   | 1 | Inspection records                                    |
| 10a | Availability of Fire extinguishers, buckets at all vulnerable points                                                                                          |   | 2 | Fire extinguisher records                             |
| 10b | Periodic fire mock drill conducted?                                                                                                                           |   | 1 | Fire, Mock drill records                              |
| 10c | Are all flammable materials are stored separately?                                                                                                            |   | 1 |                                                       |
| 10d | Periodic grass cutting is done in material storage area?                                                                                                      |   | 1 |                                                       |
| 10e | Availability of 24V DC lighting in confined space work area                                                                                                   |   | 1 |                                                       |
| 10f | Availability of exhaust fan in confined space work area                                                                                                       |   | 1 |                                                       |

**Note:**

- M: Mandatory; O: Optional. Points other than mandatory can be excluded with appropriate justification (scope etc.) by BHEL. Score obtained in selected parameters divided by maximum possible score of selected parameters shall be multiplied by 10 for use in as per point Sl. no. # 6.0 as detailed at page 4 of Form F-15.
- There shall be deduction of marks from overall score for Fatal/ Major/ Minor Accidents and for not maintaining labour colony, as detailed at page 4 of Form F-15.

**MILESTONE COMPLETION CERTIFICATE**  
**(issued by BHEL on the specific request of Contractor)**

-----  
Ref :

Date:

To,

(Name & address of Contractor)

Dear Sir,

References

1. Contract No:
2. Job Description:

This is to hereby confirm that the following Milestone Activity has been achieved in respect of the Contract /Job under reference

| Sl No | Milestone Activity | Remarks |
|-------|--------------------|---------|
|       |                    |         |
|       |                    |         |

This certificate is issued as per your request vide letter no .....  
without any prejudice to the rights of BHEL in line with the terms and conditions of the  
above referred Contract

Yours faithfully,

For and on behalf of Bharat Heavy Electricals Limited

Construction Manager/Head (Subcontracts)

**CONTRACT COMPLETION CERTIFICATE**  
**(Issued by BHEL/HQ on the specific request of Contractor)**

Ref :

Date:

**To Whom so ever it may concern**

|   |                                    |                                        |
|---|------------------------------------|----------------------------------------|
| 1 | DESCRIPTION OF WORK                |                                        |
| 2 | NAME AND ADDRESS OF THE CONTRACTOR |                                        |
| 3 | CONTRACT NO                        |                                        |
| 4 | CONTRACT VALUE                     |                                        |
| 5 | LETTER OF INTENT/ AWARD NO. & DATE |                                        |
| 6 | CONTRACT PERIOD//CONTRACT DURATION |                                        |
| 7 | DATE OF START/COMPLETION           |                                        |
| 8 | FINAL EXECUTED VALUE               |                                        |
| 9 | PERFORMANCE                        | GOOD<br>SATISFACTORY<br>UNSATISFACTORY |

This certificate is issued as per your request vide letter no .....  
without any prejudice to the rights of BHEL to use this certificate for evaluation of your offers for future tenders

Yours faithfully,

For and on behalf of Bharat Heavy Electricals Limited

Head (Subcontracts)

**INDEMNITY BOND**

(To be executed on a Non Judicial Stamp Paper of the requisite value as per Stamp Duty prevalent in the respective State)

-----  
 This Indemnity Bond executed by <name of company> having their Registered Office at <xxxxxxxxxxx> in favour of M/s Bharat Heavy Electricals Limited, a Company incorporated under the Companies Act, 1956, having its Registered Office at BHEL House, Siri Fort, Asiad, New Delhi - 110049 through its Unit at Power Sector-\_\_\_\_\_ Region, \_\_\_\_\_, \_\_\_\_\_ State. (Hereinafter referred to as the Company)

And whereas the Company has entered into a Contract with M/s xxxxxxxxx, the executants of this Deed (hereinafter referred to as the Contractor) as its contractor in respect of the work of "xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx".

AND WHEREAS under the provisions of GCC further stipulates that the Contractor shall indemnify the Company against all claims of whatever nature arising during the course of execution of Contract including defects liability period of <xx Months > i.e till <xx xx xxxx>

Now this deed witness that in case the Company is made liable by any Authority including Court to pay any claim or compensation etc. in respect of all labourers or other matters at any stage under or relating to the Contract with the Contractor, the Contractor hereby covenants and agrees with the Company that they shall indemnify and reimburse the Company to the extent of such payments and for any fee, including litigation charges, lawyers' fees, etc, penalty or damages claimed against the Company by reason of the Contractor falling to comply with Central/States Laws, Rules etc, or his failure to comply with Contract (including all expenses and charges incurred by the Company).

The Contractor further indemnifies the Company for the amount which the Company may be liable to pay by way of penalty for not making deductions from the Bills of the Contractor towards such amount and depositing the same in the Government Treasury.

**INDEMNITY BOND**

**(To be executed on a Non Judicial Stamp Paper of the requisite value as per Stamp Duty prevalent in the respective State)**

-----

The Contractor further agree that the Company shall be entitled to with hold and adjust the Security Deposit and/or with hold and adjust payment of Bills of Contractor pertaining to this Contract against any payment which the Company has made or is required to make for which the Contractor is liable under the Contract and that such amount can be withheld, adjusted by the Company till satisfactory and final settlement of all pending matters and the Contractor hereby gives his consent for the same.

The Contractor further agrees that the terms of indemnity shall survive the termination or completion of this contract.

The contractor further agrees that the liability of the contractor shall be extended on actual basis notwithstanding the limitations of liability clause, in respect of :

1. breach of terms of contract by the contractor
2. breach of laws by the contractor
3. breach of Intellectual property rights by the contractor
4. breach of confidentiality by the contractor

Nothing contained in this deed, shall be construed as absolving or limiting the liability of the Contractor under said Contract between the Company and the Contractor. That this Indemnity Bond is irrevocable and the condition of the bond is that the Contractor shall duly and punctually comply with the terms and the conditions of this deed and contractual provisions to the satisfaction of the Company.

In witness where of M/s xxxxxxxxxxxxxx these presents on the day, month and year first, above written at xxxxxxxx by the hand of its signatory Mr. xxxxxxxxxxxx.

Signed for and on behalf of  
M/s xxxxxxxxxxxxxxxx

Witness:

1  
2

**CONSORTIUM AGREEMENT**

(To be executed on Rs. 50/- Non – Judicial Stamp Paper)

THIS AGREEMENT is made and executed on this \_\_\_\_\_ day of \_\_\_\_\_, by and between (1) M/s \_\_\_\_\_, ( The First Party, i.e, the Bidder) a company incorporated under the Company's Act 1956, having its registered office at \_\_\_\_\_ (herein after called the "Bidder", which expression shall include its' successors, administrators, executors and permitted assigns) and (2) M/s \_\_\_\_\_, (The Second Party, i.e, the associates), a company incorporated under the Company's Act 1956, having its registered office at \_\_\_\_\_ (herein after called the " Associates", which expression shall include its' successors, administrators, executors and permitted assigns).

WHEAEAS the Owner, Bharat Heavy Electricals Ltd, a Government of India Undertaking, proposes to issue / issued an NIT (herein after referred to as the said NIT) inviting bids from the individual Bidders for undertaking the work of \_\_\_\_\_, at \_\_\_\_\_ (herein after referred to as the said works).

WHEREAS the said NIT enables submission of a bid by a Consortium subject to fulfillment of the stipulations specified in the said NIT.

AND WHEREAS M/s \_\_\_\_\_ ( The First Party, i.e, the Bidder) will submit its proposal in response to the aforesaid invitation to bid by the Owner for \_\_\_\_\_ as detailed in the Bid doc. no. < TENDER REF----->

AND WHEREAS M/s \_\_\_\_\_ (The First Party, i.e the Bidder) itself is meeting all the qualifying requirements except the qualifying requirements of \_\_\_\_\_ (as detailed in the NIT) and in order to fully meet the qualifying requirements of NIT, this tie-up agreement is being entered into with M/s \_\_\_\_\_ (The Second Party, the Associates) , who fully meet the balance part of the said works ( \_\_\_\_\_).

WHEREAS the First Party and the Second Party are contractors engaged in the business of carrying out various items of works. WHEREAS the two parties have agreed to constitute themselves into a consortium for the purpose of carrying out the said works, and that the consortium will be continued till the completion of the works in all respects.

WHEREAS the parties have agreed to certain terms and conditions in this regard:

## **CONSORTIUM AGREEMENT**

---

NOW THEREFORE THIS AGREEMENT WITNESSETH AS FOLLOWS :

1. First and Second parties hereby constitute themselves into a Consortium for the purpose of bidding and undertaking the said works pursuant to the said NIT as hereinafter stated.
2. The First Party will be the leader (Lead Partner) and will be responsible for the entire works.

## **CONSORTIUM AGREEMENT**

3. The First Party shall undertake the following part(s) of work detailed in the NIT namely \_\_\_\_\_  
\_\_\_\_\_
4. The Second Party shall undertake the following part(s) of work detailed in the said NIT namely \_\_\_\_\_  
\_\_\_\_\_
5. The parties hereby declare and confirm that each of them will fulfill the required minimum qualifying requirements as prescribed in the said NIT for the works agreed to be undertaken by them as stated here-in-above.
6. It is also agreed between the parties hereto that all of them shall be individually and severally responsible for the completion of the said works as per the schedule. Further, if the Employer/Owner sustains any loss or damage on account of any breach of the Contracts, we the, Consortium partners individually and severally undertake to promptly indemnify and pay such losses / damages caused to the Employer/Owner on its written demand without any demur, reservation, contest or protest in any manner whatsoever.
7. The parties hereby agree and undertake that they shall provide adequate finances, suitable Tools, Plants, Tractors, Trailers, other transportation equipment, other Tools & Plants, Measuring & Monitoring Equipments (MMEs), Men and Machinery etc. for the proper and effective execution of the works to be undertaken by them as specified here-in-above.
8. It is agreed interse between the parties hereto that all the consequences liabilities etc., arising out of any default in the due execution of the said works shall be borne by the party in default, that is by party in whose area of works default has occurred, provided however, so far as M/s Bharat Heavy Electricals Limited is concerned, all the parties shall be liable jointly and severally.

**CONSORTIUM AGREEMENT**

---

IN WITNESS HEREOF the parties above named have signed this agreement on the day month and year first above written at \_\_\_\_\_(Place) .

WITNESS

For

1. NAME  
2. OFFICIAL ADDRESS

(FIRST PARTY)

WITNESS

For

1. NAME  
2. OFFICIAL ADDRESS

(SECOND PARTY)

[The successful bidder shall have to execute the " JOINT DEED OF UNDERTAKING " in the format to be made available by BHEL at the time of awarding].

**BHARAT HEAVY ELECTRICALS LIMITED**  
**DIVISION.....**  
**Claim for Refund of Security Deposit**  
**(Para 4.7.4 of Works Accounts Manual)**

Ref No.:

Date:

- 1 Name and address of the contractor
- 2 Contract Agreement/Work Order No.
- 3 Date of contract agreement/work order
- 4 Name of the work undertaken
- 5 Date of commencement of the work
- 6 Date of completion of the work
- 7 Period of Maintenance
- 8 Date on which the final bill was paid
- 9 Last date of making good the defect, if any, during maintenance period
- 10 Expenditure incurred by BHEL during maintenance period, if any, recoverable
- 11 Date on which security deposit refund falls due as per contract

- 12 Amount deposited/recovered

| Details | Mode | Amount |
|---------|------|--------|
|         |      |        |
|         |      |        |
|         |      |        |

- 13 LESS amounts recoverable (with details)

- (i) Amount spent by BHEL on maintenance :
- (ii) Payments made on behalf of contractor :
- (iii) Court dues / penalties / compensation :
- (iv) Other recoveries for services etc. :
- (v) Security deposit released with final bill (%) :

- 14 Net amount recommended for release (12-13)

| Details | Mode | Amount |
|---------|------|--------|
|         |      |        |
|         |      |        |
|         |      |        |

Date:

Signature of Engineer in Charge

**CERTIFICATE TO BE FURNISHED BY THE CONTRACTOR**

I/We have no claim or demand outstanding against BHEL .....for the work done or for labor or material supplied or any other account arising out of or connected with the contract agreement/work order (No.....dated .....) and the payment of this bill shall be in full and final

**Date:**

**Signature of Contractor**

**CERTIFICATE TO BE FURNISHED BY SENIOR ENGINEER**

Certified that

- The payment recommended for release is in order and there are no demands other than those included in the claim outstanding from the contractor;
- The maintenance period as per the contract agreement is over and the contractor has carried out the works required to be carried out by him during the period of maintenance to our satisfaction, and all expenses incurred by the company on carrying out such works have been included for adjustment;
- All the objections raised so far have been settled;
- A note of refund of security deposit has been made in the measurement book and contract agreement/work order.

**Date:**

**Signature of Senior Engineer**

**FOR USE IN FINANCE DEPARTMENT**

Passed for

Rs.....(Rupees.....  
.....only)

**Accountant**

**Accounts Officer**

**REFUND OF GUARANTEE MONEY**

**BHARAT HEAVY ELECTRICALS LIMITED**  
**POWER SECTOR, \_\_\_\_\_ REGION**

---

Ref No:

Date:

1. Name and Address of Contractor :
2. Contract Agreement/LOI/ LOA No. :
3. Date of Contract Agreement/LOI/ LOA :
4. Name of the Work undertaken :
5. Date of commencement of the Work :
6. Date of Completion of the Work :
7. Period of Maintenance :  
(Guarantee Period)
8. Date on which the Final Bill was paid :
9. Last date of making good the defect :  
during Maintenance Period
10. Expenditure incurred by BHEL during :  
Maintenance Period, if any, recoverable
11. Date on which Guarantee Money refund:  
falls due as per Contract
12. Amount of Guarantee Money to be refunded:
13. Less Amounts recoverable (with details)
  - a. Amount spent by BHEL on maintenance :
  - b. Payments made by BHEL on behalf of Contractor:
  - c. Court dues/penalties/compensation :
  - d. Other recoveries for Services, etc :
  - e. Total of 'a' to 'd' :
14. Net Amount recommended for release (12-13) :

Signature of BHEL Engineer

Date: \_\_\_\_\_

**REFUND OF GUARANTEE MONEY**

**BHARAT HEAVY ELECTRICALS LIMITED**  
**POWER SECTOR, \_\_\_\_\_ REGION**

**CERTIFICATE TO BE FURNISHED BY THE CONTRACTOR**

I/We have no claim or demand outstanding against BHEL \_\_\_\_\_, for the work done or for labour or material supplied or any other account arising out of or connected with the Contract Agreement/LOI/ LOA (No \_\_\_\_\_ dated \_\_\_\_\_) and the payment of this bill shall be in full and final settlement of all my/our claims and demands including the 'Deposits' of the Contract Agreement/LOI/ LOA referred to.

Signature of Contractor

Date:

**CERTIFICATE TO BE FURNISHED BY SENIOR ENGINEER/CONSTRUCTION MANAGER**

1. Certified that
  - a. The payment recommended for release is in order and there are no demands other than those included in the claim outstanding from the Contractor
  - b. Maintenance period (Contract Guarantee period) is over and the Contractor has carried out the works required to be carried out by him during the period of maintenance (Guarantee) to our satisfaction, and all expenses incurred by the Company on carrying out such works have been included for adjustment
  - c. All objections raised so far have been settled
  - d. A note for refund of Guarantee Amount has been made in the Measurement Book and Contract Agreement/Work Order

Signature of BHEL Engineer

Construction Manager

Date:-----

**FOR USE IN ACCOUNTS DEPARTMENT**

Passed for Rs \_\_\_\_\_ ( Rupees \_\_\_\_\_ only)

Accountant

Accounts Officer

**ACKNOWLEDGE BY THE CONTRACTOR**

Received Rs \_\_\_\_\_ in full and final settlement of my/our claim

Signature of Contractor

Date:

**POWER OF ATTORNEY for SUBMISSION OF TENDER/SIGNING CONTRACT  
AGREEMENT (To be typed on non-judicial stamp paper of minimum Rs. 100/- and  
Notarized)**

KNOW ALL MEN BY THESE PRESENTS, that I/We do hereby make, nominate, constitute and appoint Mr ..... , whose signature given below herewith to be true and lawful Attorney of M/s..... hereinafter called 'Company', for submitting Tender/entering into Contract and inter alia, sign, execute all papers and to do necessary lawful acts on behalf of Company with M/s Bharat Heavy Electricals Ltd, Power Sector \_\_\_\_\_ Region, \_\_\_\_\_, in connection with  
.....  
.....  
..... vide Tender Specification No : \_\_\_\_\_, dated \_\_\_\_\_.

And the Company do hereby agree to ratify and confirm all acts, deeds, things or proceedings as may be lawfully done by the said attorney and by or on behalf of the company and in the name of the company, by virtue of the powers conferred herein and the same shall be binding on the company and shall have full force and effect.

IN WITNESS WHEREOF the common seal of the company has been hereunto affixed in the manner hereinafter appearing on the document.

Dated at \_\_\_\_\_, this \_\_\_\_\_ day of \_\_\_\_\_

Director/CMD/Partner/Proprietor

Signature of Mr.....(Attorney)

Attested by: Director/CMD/Partner/Proprietor

Witness

Notary Public

**ANALYSIS OF UNIT RATES QUOTED**

(To be typed and submitted in the Letter Head of the Company/Firm of Bidder)

Offer Reference No:.....

Date:.....

To,

(Write Name &amp; Address of Officer of BHEL inviting the Tender)

Dear Sir,

Sub : Analysis of Unit Rates Quoted

Ref : Tender Specification No: .....

Analysis of Unit Rates quoted by us in respect of above Tender is as detailed

| SN | DESCRIPTION                                                    | % OF QUOTED RATE | REMARKS |
|----|----------------------------------------------------------------|------------------|---------|
| 01 | SITE FACILITIES VIZ., ELECTRICITY, WATER OTHER INFRASTRUCTURE. |                  |         |
| 02 | SALARY AND WAGES + RETRENCHMENT BENEFITS                       |                  |         |
| 03 | CONSUMABLES                                                    |                  |         |
| 04 | T&P DEPRECIATION & MAINTENANCE                                 |                  |         |
| 05 | ESTABLISHMENT & ADMINISTRATIVE EXPENSES                        |                  |         |
| 06 | OVERHEADS                                                      |                  |         |
| 07 | PROFIT                                                         |                  |         |
|    | <b>TOTAL</b>                                                   | <b>100%</b>      |         |

Yours faithfully,

(Signature, Date &amp; Seal of Authorized Representative of the Bidder)

**BHARAT HEAVY ELECTRICALS LIMITED**  
**DIVISION.....**  
**Running Account Bill**  
**(Para 4.3.1 of Works Accounts Manual)**

Name of the Contractor

Name of the Work:

Sanctioned Estimate:

Code No.:

Contract Agreement No.:

Dated:

Division:

Date of written order to  
commence the Work:

Date of commencement  
of work:

Due date of completion as per  
agreement

Date of approval of Competent Authority for time extension as applicable  
(copy to be enclosed).

Departmental Bill No.

Date:

Sub-Division:

Period of work covered in this  
bill:

**I. ACCOUNT OF WORK EXECUTED**

| Adhoc payment for work not previously<br>measured ** |                                       |                    | Item No. of<br>work | Description of<br>work | Quantity as<br>per<br>agreement | Quantity<br>executed<br>upto date | Rate | Unit | Payment on the basis of<br>actual measurement upto<br>date | Quantity executed<br>since last RA bill | Payment on the basis of<br>actual measurement since last<br>running account bill | Remarks |
|------------------------------------------------------|---------------------------------------|--------------------|---------------------|------------------------|---------------------------------|-----------------------------------|------|------|------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------|---------|
| Total as<br>per last<br>running<br>account<br>bill   | Since last<br>running<br>account bill | Total upto<br>date |                     |                        |                                 |                                   |      |      |                                                            |                                         |                                                                                  |         |
| 1                                                    | 2                                     | 3                  | 4                   | 5                      | 6                               | 7                                 | 8    | 9    | 10                                                         | 11                                      | 12                                                                               | 13      |

\*\* 1. Whenever payment is made on adhoc basis without actual measurements the amount in whole rupees should be entered in columns 1 to 3 only and not in columns 7 to 12  
2. Whenever there is an entry in column 12 on the basis of actual measurement, the whole of the amount previously paid without detailed measurement should be adjusted by a minus entry in column 2 equivalent to the amount shown in column 1, so that the total upto date in column 3 may become nil.

Total value of work done upto date (A) -----

Deduct value of work shown on the last Running Account Bill (B) -----

Net value of work done since last Running Account Bill (C) -----

Rupees (in words) ..... Only

Note :  
Wherever adhoc payments to contractors against running bills are made in accordance with the extant Works Policy, the amount so paid shall be adjusted.

## II. MEMORANDUM OF PAYMENTS

|    |                                                                                                                                                        | I         | II    |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
| 1. | Total value of work actually measured as per Account No. I, Column 10                                                                                  | (A) ----- | ----- |
| 2. | Total upto date adhoc payment for work covered by approximate or plan measurements as per Account I, Col. 3                                            | (B) ----- | ----- |
| 4. | Total upto date payments [(A)+(B)]                                                                                                                     | (C) ----- | ----- |
|    | Total amount of payments already made as per entry (D) of last Running Account Bill No. .... dated ..... forwarded to the Accounts Department on ..... | (D) ----- | ----- |
| 6. | Balance [(C) - (D)]                                                                                                                                    |           | ----- |
| 7. | Payments now to be made:                                                                                                                               | -----     |       |
|    | a) by cash / cheque                                                                                                                                    | -----     |       |
|    | b) by deduction for value of materials supplied by BHEL vide Annexure A attached                                                                       | -----     |       |
|    | c) by deduction for hire of tools and plant vide Annexure B attached                                                                                   | -----     |       |
|    | d) by deduction for other charges vide Annexure C attached                                                                                             | -----     |       |
|    | e) by deduction on account of security deposit                                                                                                         | -----     |       |
|    | f) by deduction on account of Income Tax                                                                                                               |           | ----- |

Note : Amounts relating to items 4 to 6 above should be entered in column II and those relating to item 7 in column I. The amount shown against item 6 and the total of item 7 should agree with each other.

## III. CERTIFICATE OF THE ENGINEER IN CHARGE

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | The measurements on which the entries in column 7 to 12 of Part I of this Bill (Account of work executed) are based were made by ----- and are reorded at pages - ----- of Measurement Book No. ----- (Name and Designation)                                                                                                                                                                                                                                                             |
| 2 | Certified that the methods of measurement are correct and the work has been carried out in accordance with the terms and conditions, schedules, specifications and drawings etc. forming part of the contract agreement, subject to deviations included in the deviation statement (Annexure D)                                                                                                                                                                                          |
| 3 | Certified that in addition to and quite apart from the quantities of work actually executed as shown in column 10 of Part I, some work has actually been done in connection with several items and the value of the such work is, in no case, less than the adhoc payments as per column 3 of Part I, made or proposed to be made, for the convenience of the contractor in anticipation of, and subject to the results of, detailed measurement which will be made as soon as possible. |
| 4 | Certified that measurements by Engineer-incharge and test check of prescribed percentage of measurements by the concerned superior authorities has been carried out.                                                                                                                                                                                                                                                                                                                     |
| 5 | Certified that there are no pending recoveries from the contractor on account of chargeable items (e.g T&P, consumables, material, etc.) issued either by BHEL or by the customer and other recoveries like power, water, quarter, tax liability towards declaration forms etc.                                                                                                                                                                                                          |
| 6 | Certified that with regard to the free issues, regular reconciliation is being done, completed upto ----- and there are no recoveries pending from the contractor on account of such issues in excess of requirement for execution of work as per contract.                                                                                                                                                                                                                              |
| 7 | Certified that there is no pending recovery for damaged material issued free of cost.                                                                                                                                                                                                                                                                                                                                                                                                    |
| 8 | Certified that the contractor has fulfilled all the requirements as per contract with reference to statutory obligations (PF, ESI, Minimum Wages, BOCW, Insurance etc.), support services such as service manpower, computer system , T&P etc                                                                                                                                                                                                                                            |

Signature of Contractor

Signature of Engineer in Charge

Designation:

Date:

Date:

## IV. CERTIFICATE OF THE SENIOR ENGINEER

|   |                                                                                                                                                                                                                                                   |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Certified that the measurements have been check measured to the prescribed extent by ..... at site and also by the undersigned and the relevant entries have been initialed in the Measurement Book. (vide pages .....)<br>(Name and Designation) |
| 2 | Certified that all the measurements recorded in the measurement book have been correctly billed for                                                                                                                                               |
| 3 | Certified that all recoverable amounts in respect of materials tools and plant etc. and other charges have been correctly made vide annexures A to C attached.                                                                                    |

Certified for payment \* of Rs. .... (Rupees ..... only)

\* Here specify the net amount payable.

Date:

Signature of Senior Engineer

## V. ENTRIES TO BE MADE IN THE FINANCE DEPARTMENT

Accounts Bill No. .... dated .....

Entered in Journal Book vide entry No. .... dated .....

Passed for ..... Rs. ....

Less Deductions ..... Rs. ....

Net amount payable ..... Rs. ....

(Rupees ..... only)

Payable to Shri / M/s ..... by cheque / cash

Entered in Contractors ledger No. .... Page .....

Estimate No :

Debit

Credit

(Gross amount)

(Deductions)

Name of Work :

Account code head

Total

Code No.:

ALLOCATION

Assistant

Date:

Accountant

Date:

Finance Executive

Date:

## ANNEXURE A

Statement showing details of materials issued to the contractor Shri / M/S..... in respect of Contract Agreement / Work Order No.....Dated..... and covered by the agreement

| Sl.No. | Stores Issue Voucher No. and date | Issue voucher No. and date allotted by stores to the SIV | Description of material issued issued to the contractor | Quantity issued |            | Quantity actually incorporated in the work | Balance quantity with contractor |            | If recoverable from the contractor |                    |                                     |                       |         |
|--------|-----------------------------------|----------------------------------------------------------|---------------------------------------------------------|-----------------|------------|--------------------------------------------|----------------------------------|------------|------------------------------------|--------------------|-------------------------------------|-----------------------|---------|
|        |                                   |                                                          |                                                         | Free            | Chargeable |                                            | Free                             | Chargeable | Rate at which recoverable          | Amount recoverable | Amount recovered upto previous bill | Balance now recovered | Remarks |
| 1      | 2                                 | 3                                                        | 4                                                       | 5               | 6          | 7                                          | 8                                | 9          | 10                                 | 11                 | 12                                  | 13                    | 14      |
|        |                                   |                                                          |                                                         |                 |            |                                            |                                  |            |                                    |                    |                                     |                       |         |
|        |                                   |                                                          |                                                         |                 |            |                                            |                                  |            |                                    |                    |                                     |                       |         |
|        |                                   |                                                          |                                                         |                 |            |                                            |                                  |            |                                    |                    |                                     |                       |         |
|        |                                   |                                                          |                                                         |                 |            |                                            |                                  |            |                                    |                    |                                     |                       |         |
|        |                                   |                                                          |                                                         |                 |            |                                            |                                  |            |                                    |                    |                                     |                       |         |

Total

Certified that ..... (balance quantity of free issue material as per Col. 8 above) is physically available with the Contractor.

Signature of Contractor

Date:

Signature of Engineer in Charge

Date:

Signature of Senior Engineer

Date:

## ANNEXURE B

Statement showing tools and plant issued to the contractor Shri/M/s..... in respect of Contract Agreement No.....Dated.....

| Sl. No. | Description of Tools and Plant Issued | Period for which issued | Rate at which recovery is to be made | Amount recoverable | Amount recovered upto previous bill | Balance Recovered now | Remarks |
|---------|---------------------------------------|-------------------------|--------------------------------------|--------------------|-------------------------------------|-----------------------|---------|
| 1       | 2                                     | 3                       | 4                                    | 5                  | 6                                   | 7                     | 8       |
|         |                                       |                         |                                      |                    |                                     |                       |         |
|         |                                       |                         |                                      |                    |                                     |                       |         |
|         |                                       |                         |                                      |                    |                                     |                       |         |
|         |                                       |                         |                                      |                    |                                     |                       |         |
|         |                                       |                         |                                      |                    |                                     |                       |         |

TOTAL

Signature of Contractor

Date :

Signature of Engineer in Charge

Date :

Signature of Senior Engineer

Date:

## ANNEXURE C

Form WAM 6 (Contd.)

Statement showing details of other recoveries to be made from the contractor Shri/M/s-----in respect of contract Agreement No. ....Dated .....

| S. No. | Particulars                                                | Unit | Quantity | Rate | Amount recoverable | Amount recovered up to previous bill | Amount now recovered | Remarks |
|--------|------------------------------------------------------------|------|----------|------|--------------------|--------------------------------------|----------------------|---------|
| 1      | 2                                                          | 3    | 4        | 5    | 6                  | 7                                    | 8                    | 9       |
| 1      | Water charges                                              |      |          |      |                    |                                      |                      |         |
| 2      | Electricity charges                                        |      |          |      |                    |                                      |                      |         |
| 3      | Seignorage charges                                         |      |          |      |                    |                                      |                      |         |
| 4      | Medical charges                                            |      |          |      |                    |                                      |                      |         |
| 5      | Cost of empty gunny bags and empty containers not returned |      |          |      |                    |                                      |                      |         |
| 6      |                                                            |      |          |      |                    |                                      |                      |         |
| 7      |                                                            |      |          |      |                    |                                      |                      |         |
| 8      |                                                            |      |          |      |                    |                                      |                      |         |

TOTAL

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

Signature of Contractor

Date :

Signature of Engineer in Charge

Date :

Signature of Senior Engineer

Date:

ANNEXURE D  
DEVIATION STATEMENT

Name of the Contractor:

Contract Agreement No

Name of Work:

Date:

| S. No. | Description of Item | Unit | Quantity as per agreement | Quantity as executed | Quantity further anticipated | Total quantity anticipated on completion | Rate as per agreement | Rate as executed | Amount as per agreement | Amount as executed | Amount further anticipated | Total Amount anticipated on completion | Difference |         | Reason for deviation with authority, if any |
|--------|---------------------|------|---------------------------|----------------------|------------------------------|------------------------------------------|-----------------------|------------------|-------------------------|--------------------|----------------------------|----------------------------------------|------------|---------|---------------------------------------------|
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        | Excess     | Savings |                                             |
| 1      | 2                   | 3    | 4                         | 5                    | 6                            | 7                                        | 8                     | 9                | 10                      | 11                 | 12                         | 13                                     | 14         | 15      | 16                                          |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |
|        |                     |      |                           |                      |                              |                                          |                       |                  |                         |                    |                            |                                        |            |         |                                             |

Signature of Engineer in Charge

Date :

Signature of Senior Engineer

Date :

**BHARAT HEAVY ELECTRICALS LIMITED**  
**DIVISION.....**  
**.....And Final Bill**  
**(Para 4.3.2 of Works Accounts Manual)**

Departmental Bill No:

Date:

Name of the Contractor:

Name of the Work:

Division:

Date of Written order to commence the work:

Sub-Division:

Sanctioned Estimate:

Contract Agreement/ Work Order No:

Date of actual completion of the work:

Date of commencement of the Work:

Dated:

Due date of completion as per Agreement:

**I. ACCOUNT OF WORK EXECUTED**

| Adhoc payment for work not previously measured ** |                                 |                 | Item no. of the agreement / work order | Description of work | Quantity as per agreement | Quantity executed upto date | Rate | Unit | Payment on the basis of actual measurement upto date | Quantity since last running account bill | Payment on the basis of actual measurement since last running account bill | Remarks |
|---------------------------------------------------|---------------------------------|-----------------|----------------------------------------|---------------------|---------------------------|-----------------------------|------|------|------------------------------------------------------|------------------------------------------|----------------------------------------------------------------------------|---------|
| Total as per last running account bill            | Since last running account bill | Total upto date |                                        |                     |                           |                             |      |      |                                                      |                                          |                                                                            |         |
| 1                                                 | 2                               | 3               | 4                                      | 5                   | 6                         | 7                           | 8    | 9    | 10                                                   | 11                                       | 12                                                                         | 13      |

\*\* Whenever there is an entry in column 12 on the basis of actual measurement, the whole of the amount previously paid without detailed measurement should be adjusted by a minus entry in column 2 equivalent to the amount shown in column 1, so that the total upto date in column 3 may become nil.

Total value of work done upto date (A) -----

Deduct value of work shown on the last Running Account Bill (B) -----

Net value of work done since last Running Account Bill (C) -----

Rupees (in words) ..... Only

I/ We hereby certify that I/We have performed the work as per the terms and conditions of Contract Agreement/Work Order No.....Dated.....for which payment is claimed as above and that I/We have no further claim under this agreement/work order.

Date:

### III CERTIFICATE OF THE ENGINEER IN CHARGE

Designation:

## IV CERTIFICATE OF THE SENIOR ENGINEER

1. Certified that I have personally inspected the work and that the work has been physically completed on the due date in accordance with the terms and conditions, schedules, specifications and drawings etc., forming part of the contract agreement, subject to the deviations noted in Deviation Statement (Annexure D).
2. Certified that the measurements have been check measured to the prescribed extent by..... and by the undersigned at site and the relevant entries have been initiated in the measurement book (vide pages.....) (Name and Designation)
3. Certified that the methods of measurement are correct.
4. Certified that the measurements have been technically checked with reference to contract drawings, deviations etc.
5. Certified that the measurements recorded in the measurement book have been correctly billed for at the contract rates or approved rates.
6. Certified that all recoverable amounts in respect of stores, tools and plant, water, electricity charges etc. have been correctly made vide Annexures A to C and that there are no other demands outstanding against the contractor on this contract.
7. Certified that the issues of all stores as per statement attached (whether charged to the contractor or direct to the work) have been technically checked and represent fair and reasonable issues for the items of work executed vide Annexure E.
8. Certified that all statutory requirements including PF, ESI, Minimum wages, Insurance, GST, BOCW, etc. are complied with by the Contractor. This should be duly backed by the relevant documents.

Certified for payment of \* Rs.....(Rupees.....only).

\*Here specify the net amount payable

Signature of Senior Engineer

Date

## IV ENTRIES TO BE MADE IN THE FINANCE DEPARTMENT

|                                |
|--------------------------------|
| Passed for.....Rs.....         |
| Less Deductions.....Rs.....    |
| Net Amount Payable.....Rs..... |
| (Rupees.....only)              |

| Account code head | Debit          | Credit       |
|-------------------|----------------|--------------|
|                   | (Gross Amount) | (Deductions) |
|                   |                |              |
|                   |                |              |
|                   |                |              |
|                   |                |              |
|                   |                |              |
|                   |                |              |
| <b>TOTAL</b>      |                |              |

Assistant

Date:

Accountant

Date:

Finance Executive

Date:

ANNEXURE A  
Part I

Statement showing details of materials issued to the contractor Shri / M/S.....in respect of Contract Agreement / Work Order No.....Dated..... and covered by the agreement.

| Sl.No. | Stores Issue Voucher No. and date | Issue voucher No. and date allotted by stores to the SIV | Description of material issued issued to the contractor | Quantity issued | Quantity actually incorporated in the work | Whether recoverable from the contractor or supplied free | If recoverable from the Contractor |                    |                                     |                       |         |
|--------|-----------------------------------|----------------------------------------------------------|---------------------------------------------------------|-----------------|--------------------------------------------|----------------------------------------------------------|------------------------------------|--------------------|-------------------------------------|-----------------------|---------|
|        |                                   |                                                          |                                                         |                 |                                            |                                                          | Rate at which recoverable          | Amount recoverable | Amount recovered upto previous bill | Balance now recovered | Remarks |

|   |   |   |   |   |   |   |   |   |    |    |    |
|---|---|---|---|---|---|---|---|---|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---|---|---|---|---|---|---|---|----|----|----|

|  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |  |

Total

Signature of Contractor  
Date:

Signature of Engineer in Charge  
Date:

Signature of Senior Engineer  
Date:

ANNEXURE A  
Part II

Statement showing details of materials issued to the contractor Shri / M/S..... in respect of Contract Agreement / Work Order No.....Dated..... and not covered by the agreement

| Sl.No | Stores Issue Voucher No. and Date | Issue Voucher No. and date allotted by stores to the SIV | Description of material issued to the contractor | Quantity issued | Quantity actually incorporated in the work | Issue Rate | Amount recoverable | Amount recovered upto previous bill | Balance now recovered | Remarks |
|-------|-----------------------------------|----------------------------------------------------------|--------------------------------------------------|-----------------|--------------------------------------------|------------|--------------------|-------------------------------------|-----------------------|---------|
|-------|-----------------------------------|----------------------------------------------------------|--------------------------------------------------|-----------------|--------------------------------------------|------------|--------------------|-------------------------------------|-----------------------|---------|

|   |   |   |   |   |   |   |   |   |    |    |
|---|---|---|---|---|---|---|---|---|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
|---|---|---|---|---|---|---|---|---|----|----|

|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |

TOTAL  
Add Departmental Charges  
Add GST (Wherever applicable)

GRAND TOTAL

Signature of Contractor  
Date:

Signature of Engineer-in-Charge  
Date:

Signature of Senior Engineer  
Date:

Note: Cost of materials recovered in this bill should be shown against item 4 (a) of the memorandum of payments. The amounts of taxes and departmental charges recovered in this bill should be incorporated in Annexure C.

## ANNEXURE B

Statement showing tools and plant issued to the contractor Shri /M/S.....in respect of contract Agreement / Work Order No.....Dated.....

| Sl.No. | Description of Tools and Plant Issued | Period for which issued | Rate at which recovery is to be made | Amount recoverable | Amount recovered upto previous bill | Balance now recovered | Remarks |
|--------|---------------------------------------|-------------------------|--------------------------------------|--------------------|-------------------------------------|-----------------------|---------|
| 1      | 2                                     | 3                       | 4                                    | 5                  | 6                                   | 7                     | 8       |
|        |                                       |                         |                                      |                    |                                     |                       |         |
|        |                                       |                         |                                      |                    |                                     |                       |         |
|        |                                       |                         |                                      |                    |                                     |                       |         |
|        |                                       |                         |                                      |                    |                                     |                       |         |
|        |                                       |                         |                                      |                    |                                     |                       |         |
|        |                                       |                         |                                      |                    |                                     |                       |         |

TOTAL

Signature of Contractor

Date

Signature of Engineer-in-Charge

Date

Signature of Senior Engineer

Date

## ANNEXURE C

Statement showing details of other recoveries to be made from the contractor Shri/M/s..... In respect of Contract Agreement / Work Order No.....Dated.....

| Sl.No. | Particulars                                                | Unit | Quantity | Rate | Amount recoverable | Amount recovered upto previous bill | Amount now recovered | Remarks |
|--------|------------------------------------------------------------|------|----------|------|--------------------|-------------------------------------|----------------------|---------|
| 1      | 2                                                          | 3    | 4        | 5    | 6                  | 7                                   | 8                    | 9       |
| 1      | Water charges                                              |      |          |      |                    |                                     |                      |         |
| 2      | Electricity charges                                        |      |          |      |                    |                                     |                      |         |
| 3      | Medical charges                                            |      |          |      |                    |                                     |                      |         |
| 4      | Cost of empty gunny bags and empty containers not returned |      |          |      |                    |                                     |                      |         |
| 5      |                                                            |      |          |      |                    |                                     |                      |         |
| 6      |                                                            |      |          |      |                    |                                     |                      |         |
| 7      |                                                            |      |          |      |                    |                                     |                      |         |

TOTAL

Signature of Contractor

Date

Signature of Engineer in Charge

Date

Signature of Senior Engineer

Date

**ANNEXURE D  
DEVIATION STATEMENT**

Name of the Contractor:

Contract Agreement/Work Order No.

Name of the Work:

Date:

| SL. No. | Description of Item | Unit | Quantity as per agreement | Quantity as executed | Rate as per agreement | Rate as executed | Amount as per agreement | Amount as executed | Difference |         | Reason for the deviation with authority, if any |
|---------|---------------------|------|---------------------------|----------------------|-----------------------|------------------|-------------------------|--------------------|------------|---------|-------------------------------------------------|
|         |                     |      |                           |                      |                       |                  |                         |                    | Excess     | Savings |                                                 |
| 1       | 2                   | 3    | 4                         | 5                    | 6                     | 7                | 8                       | 9                  | 10         | 11      | 12                                              |
|         |                     |      |                           |                      |                       |                  |                         |                    |            |         |                                                 |
|         |                     |      |                           |                      |                       |                  |                         |                    |            |         |                                                 |
|         |                     |      |                           |                      |                       |                  |                         |                    |            |         |                                                 |
|         |                     |      |                           |                      |                       |                  |                         |                    |            |         |                                                 |
|         |                     |      |                           |                      |                       |                  |                         |                    |            |         |                                                 |

Signature of Engineer in Charge

Signature of Senior Engineer

Date:

Date:

**ANNEXURE E**

Statement showing the consumption of materials issued to the contractor Shri/M/s..... in respect of Contract Agreement / Work Order No.....Dated.....

Name of the Work:

**ON RECOVERY BASIS**

| SL. No. | Description of material | Unit | Quantity actually issued | Quantity actually incorporated in the work | Balance | Particulars of disposal of balance | Quantity to be issued as per approved data for work actually done | Variation in consumption (difference between column 5 & 8) |      | Rate chargeable for excess/short consumption, if any | Amount Recoverable for excess/short consumption, including materials not returned, if any | Remarks |
|---------|-------------------------|------|--------------------------|--------------------------------------------|---------|------------------------------------|-------------------------------------------------------------------|------------------------------------------------------------|------|------------------------------------------------------|-------------------------------------------------------------------------------------------|---------|
|         |                         |      |                          |                                            |         |                                    |                                                                   | More                                                       | Less |                                                      |                                                                                           |         |
| 1       | Cement                  |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 2       | Bricks                  |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 3       | Wood                    |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 4       | Asbestos Sheet          |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 5       | Iron Material           |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 6       |                         |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |
| 7       |                         |      |                          |                                            |         |                                    |                                                                   |                                                            |      |                                                      |                                                                                           |         |

Signature of Contractor

Signature of Engineer in Charge

Signature of Senior Engineer

Date:

Date:

Date:

Note

1. The quantities shown in columns 4 and 5 above should tally with those shown in columns 5 &amp; 6 respectively of Annexure A (Part I and II)

2. Data statement of theoretical consumption should be attached in support of quantity specified in column 8.

ANNEXURE F

Statement showing details of materials issued to the contractor Shri/M/s..... in respect of Contract Agreement / Work Order No.....dated.....

Name of the Work:

| FREE OF COST |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|--------------|--------------------------|-------------------------|------|-----------------|-------------------------------|-------------------------------|------------------|------------------------------------|-------------------------------------------|----------------------------------------------|---------|
| Sl.No        | Stores Issue Voucher No. | Description of material | Unit | Quantity issued | Quantity required as per data | Quantity consumed in the work | Balance (if any) | Nature of disposal for the balance | Rate chargeable for material not returned | Amount recoverable for material not returned | Remarks |
| 1            | 2                        | 3                       | 4    | 5               | 6                             | 7                             | 8                | 9                                  | 10                                        | 11                                           | 12      |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |
|              |                          |                         |      |                 |                               |                               |                  |                                    |                                           |                                              |         |

Signature of Contractor  
Date:

Signature of Engineer in Charge  
Date:

Signature of Senior Engineer  
Date:

**ANNEXURE G**  
**QUESTIONNAIRE TO BE ANSWERED BY THE ENGINEER IN CHARGE AND SENIOR ENGINEER**  
**(Correct particulars and answers to be recorded)**

1. Name of the Work:
2. Name of the Contractor:
3. Date of commencement of the Work:
4. Contract agreement /Work Order No. and date:
5. Reference to the supplementary Agreement No. if any:
6. Whether administrative approval and technical sanction has been accorded by the competent authority? If so, cite reference?
7. Whether sanction of the competent authority and financial concurrence of the Finance Department for award of the work has been accorded? If so, cite reference.
8. Whether the work has been completed in time? If not whether penalty has been levied or sanction of the competent authority for extension of time granted and communicated to the Finance Department with reasons for grant of extension? (Due and actual date of completion of the work and reference to letter No. and date granting the extension of time should be given).
9. (a) Whether the rates allowed in the bill have been checked with the contract agreement?  
 (b) Whether the rates for extra/supplemental items have been approved by the competent authority and the sanction communicated to the Finance Department together with rate analysis? If so, cite reference
10. Whether deviations have been approved by the competent authority? If yes, give reference to the approval; if not, give reasons.
11. Whether the rates of recovery of stores issued to the contractor which are not provided for in the contract agreement have been settled in consultation with Finance?
12. Whether discrepancies pointed out by the Finance department in the stores statement have been reconciled and accepted by the Finance Department?
13. Whether materials issued to the contractor in excess of the theoretical requirements have been returned to the Stores department and the No. and date of such returned stores vouchers have been shown in Stores statement? If not, whether the cost of such excess materials has been recovered at the prescribed rate? Whether consumption statements in respect of materials chargeable to the work have been attached to the bill?
14. Whether consumption of materials shown has been technically checked by Senior Engineer?
15. Whether materials issued and used in the work is not less than that required for consumption in work according to our specifications? If consumption is less, whether necessary recovery has been made in the bill?
16. Whether measurements have been checked by the Engineer and Senior Engineer to the extent required and certificates of check recorded in the measurement books?
17. Whether contractor has signed the bill and the measurement books without reservations? If not, whether reasons have been intimated to the Finance Department?
18. Whether arithmetical calculations have been checked and certificate recorded in the measurement books by a person other than the one who calculated initially?
19. Whether any work was done at the risk and cost of the contractor and whether such cost has been recovered from him? Give particulars.
20. Whether all advance payments on running accounts have been recovered?
21. Whether all the recoveries due for services given to the contractor like rent of accommodation, water charges, electricity charges have been recovered and whether payments made by the company on behalf of the contractor have been adjusted?
22. Whether the files containing abstracts from measurement books/standard measurement books have been completed/updated?
23. Whether hire charges for tools & plant have been recovered and the statement of hire charges with full details attached?
24. Whether the certificate of workmanship and completion of work according to specifications, drawings etc. is recorded by Engineer Incharge/Senior Engineer and whether recoveries have been made for defective works, if any?
25. Whether all corrections in the bill/measurement books etc. have been neatly made and attested and there are no overwriting?
26. Whether final measurements have been taken as soon as possible after completion of the work and the certificate of completion issued? If not, whether reasons for delay have been recorded and communicated to finance department?
27. In respect of quantities reduced in the final bill as compared to the running payment, whether adequate reasons have been recorded and communicated to finance department?
28. Whether the expenditure has been classified correctly according to heads of account recorded in the sanctioned estimate?
29. Whether the work has been completed within the estimated cost? If not, what is the percentage of excess over the sanctioned estimate/ administrative approval? In case the excess is beyond the competency of the Senior Engineer, what action has been taken for obtaining the approval of the authority competent to sanction the excess?
30. (a) If the contractor has furnished bank guarantee in lieu of cash security deposit towards proper execution of works and guarantee against defects during the maintenance period, whether the period of currency of the bank guarantee covers the entire maintenance period?  
 (b) If not whether security deposit has been proposed to be recovered from the final bill?
31. Whether all the previous audit objections raised on running account bills have been settled? If so, cite references.

Signature of Engineer in Charge  
 Date:

Signature of Senior Engineer  
 Date:

**PROFORMA OF BANK GUARANTEE (in lieu of EARNEST MONEY)**  
**(On non-Judicial stamp paper of appropriate value)**

Bank Guarantee No.....

Date.....

To

**BHARAT HEAVY ELECTRICALS LIMITED**  
**POWER SECTOR NORTHERN REGION,**  
**HRDI & PSNR COMPLEX, PLOT NO. 25,**  
**SECTOR – 16 A, NOIDA – 201301, U.P.**

Dear Sirs,

In accordance with the terms and conditions of Invitation for Bids/ Notice Inviting Tender No.....<sup>1</sup> (Tender Conditions), M/s. .... having its registered office at .....<sup>2</sup> (hereinafter referred to as the 'Tenderer'), is submitting its bid for the work of.....<sup>3</sup> invited by M/s Bharat Heavy Electricals Limited (A Govt. of India Undertaking) a company incorporated under the Companies Act, 1956, having its registered office at BHEL House, Siri Fort, Asiad, New Delhi – 110049 through its Unit at Bharat Heavy Electricals Limited, Power Sector Northern Region, HRDI & PSNR Complex, Plot no. 25, Sector – 16 A, Noida – 201301, U.P.

The Tender Conditions provide that the Tenderer shall pay a sum of Rs ..... as Earnest Money Deposit in the form therein mentioned. The form of payment of Earnest Money Deposit includes Bank Guarantee executed by a Scheduled Bank.

In lieu of the stipulations contained in the aforesaid Tender Conditions that an irrevocable and unconditional Bank Guarantee against Earnest Money Deposit for an amount of .....<sup>4</sup> ..... is required to be submitted by the Tenderer as a condition precedent for participation in the said Tender and the Tenderer having approached us for giving the said Guarantee,

we, the .....[Name & address of the Bank]..... having our Registered Office at .....(hereinafter referred to as the Bank) being the Guarantor under this Guarantee, hereby irrevocably and unconditionally undertake to forthwith and immediately pay to the Employer without any demur, merely on your first demand any sum or sums of Rs. <sup>4</sup> .....(in words Rupees.....) without any reservation, protest, and recourse and without the beneficiary needing to prove or demonstrate reasons for its such demand.

Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. \_\_\_\_\_.

**PROFORMA OF BANK GUARANTEE (in lieu of EARNEST MONEY)**  
**(On non-Judicial stamp paper of appropriate value)**

We undertake to pay to the Employer any money so demanded notwithstanding any dispute or disputes raised by the Vendor/ Contractor/ Supplier in any suit or proceeding pending before any Court or Tribunal, Arbitrator or any other authority, our liability under this present being absolute and unequivocal.

The payment so made by us under this Guarantee shall be a valid discharge of our liability for payment hereunder and the Tenderer shall have no claim against us for making such payment.

We ..... Bank further agree that the Employer shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Tender or to extend the time of submission of from time to time or to postpone for any time or from time to time any of the powers exercisable by the Employer against the said Tenderer and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Tenderer or for any forbearance, act or omission on the part of the Employer or any indulgence by the Employer to the said Tenderer or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision have effect of so relieving us.

The Bank also agrees that the Employer at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor, in the first instance without proceeding against the Tenderer and notwithstanding any security or other guarantee that the Employer may have in relation to the Tenderer's liabilities.

This Guarantee shall be irrevocable and shall remain in force upto and including.....<sup>5</sup> and shall be extended from time to time for such period as may be desired by the Employer.

This Guarantee shall not be determined or affected by liquidation or winding up, dissolution or change of constitution or insolvency of the Tenderer but shall in all respects and for all purposes be binding and operative until payment of all money payable to the Employer in terms hereof. However, unless a demand or claim under this Guarantee is made on us in writing on or before the .....<sup>6</sup> we shall be discharged from all liabilities under this Guarantee.

We, ..... Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Employer in writing.

Notwithstanding anything to the contrary contained hereinabove:

- a) The liability of the Bank under this Guarantee shall not exceed.....<sup>4</sup>.....
- b) This Guarantee shall be valid up to .....<sup>5</sup>
- c) Unless the Bank is served a written claim or demand on or before \_\_\_\_\_<sup>6</sup> all rights under this guarantee shall be forfeited and the Bank shall be relieved and

**PROFORMA OF BANK GUARANTEE (in lieu of EARNEST MONEY)**  
**(On non-Judicial stamp paper of appropriate value)**

discharged from all liabilities under this guarantee irrespective of whether or not the original bank guarantee is returned to the Bank.

We, \_\_\_\_\_ Bank, have power to issue this Guarantee under law and the undersigned as a duly authorized person has full powers to sign this Guarantee on behalf of the Bank.

For and on behalf of  
(Name of the Bank)

Date.....

Place of Issue.....

- <sup>1</sup> Details of the Invitation to Bid/ Notice Inviting Tender
- <sup>2</sup> Name and Address of the Tenderer
- <sup>3</sup> Details of the Work
- <sup>4</sup> BG Amount in words and Figures
- <sup>5</sup> Validity Date
- <sup>6</sup> Date of Expiry of Claim Period

**Note:**

1. Bidders are advised that expiry of claim period may be kept 3-6 months after validity date..
2. The BG should be on Non-Judicial Stamp paper/ e-stamp paper of appropriate value as per Stamp Act prevailing in the State(s) where the BG is submitted or is to be acted upon or the rate prevailing in the State where the BG was executed, whichever is higher. The Stamp Paper/ e-stamp paper shall be purchased in the name of Vendor/ Contractor/ Supplier/ Bank issuing the guarantee.

**3. In Case of Bank Guarantees submitted by Foreign Vendors.**

**a. From Nationalized/ Public Sector/ Private Sector/ Foreign Banks (BG issued by Branches in India)** can be accepted subject to the condition that the Bank Guarantee should be enforceable in the town/ city or at nearest branch where the Unit is located i.e. Demand can be presented at the Branch located in the town/city or at nearest branch where the Unit is located.

**b. From Foreign Banks (wherein Foreign Vendors intend to provide BG from local branch of the Vendor country's Bank)**

**b.1** In such cases, Bank Guarantee issued by **any of the Consortium Banks only** will be accepted by BHEL. As such, Foreign Vendor needs to make necessary arrangements for issuance of Counter- Guarantee by Foreign Bank in favour of the Indian Bank's (BHEL's Consortium Bank) branch in India. All charges for issuance of Bank Guarantee/ counter-Guarantee should be borne by the Foreign Vendor.

**PROFORMA OF BANK GUARANTEE (in lieu of EARNEST MONEY)**  
**(On non-Judicial stamp paper of appropriate value)**

- b.2** In case, Foreign Vendors intend to provide BG from Overseas Branch of our Consortium Bank (e.g. if a BG is to be issued by SBI Frankfurt), the same is acceptable. However, the procedure at **sl.no. b.1** will required to be followed.
- b.3** The BG issued may preferably be subject to Uniform Rules for Demand Guarantees (URDG) 758 (as amended from time to time).

**STATEMENT OF CLAIMS/COUNTER CLAIMS TO BE SUBMITTED TO THE  
IEC BY BOTH THE PARTIES**

1. Chronology of the Disputes
2. Brief of the Contract/MoU/Agreement/LOI/LOA
3. Brief history of the Disputes:
4. Issues:
5. Details of Claim(s)/Counter Claim(s):

| <b>SI. No.</b> | <b>Description of<br/>claim(s)/Counter Claim</b> | <b>Amount (in<br/>INR)Or currency<br/>applicable in the<br/>contract</b> | <b>Relevant<br/>contract<br/>clause</b> |
|----------------|--------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------|
|                |                                                  |                                                                          |                                         |
|                |                                                  |                                                                          |                                         |
|                |                                                  |                                                                          |                                         |

6. Basis/Ground of claim(s)/counter claim(s) (along with relevant clause of contract)

**Note**– *The Statement of Claims/ Counter Claims may ideally be restricted to maximum limit of 20 pages. Relevant documents may be compiled and submitted along with the statement of Claims/ Counter Claims. The statement of Claims/ Counter Claims is to be submitted to all IEC members and to the other party by post as well as by email.*

**FORMAT FOR NOTICE INVOKING CONCILIATION CLAUSE BY BHEL FOR REFERRING THE DISPUTES TO CONCILIATION THROUGH IEC**

To,

M/s. (Stakeholder's name)

Subject: **NOTICE FOR INVOCATION OF THE CONCILIATION CLAUSE OF THE CONTRACT BY BHEL**

Ref: Contract No/MoU/Agreement/LOI/LOA& date \_\_\_\_\_.

Dear Sir/Madam,

As you are aware, with reference to above referred Contract/MoU/Agreement/LOI/LOA, certain disputes have arisen, which, in spite of several rounds of mutual discussions and various correspondences have remained unresolved. The brief particulars of our claims which arise out of the above- referred Contract/MoU/Agreement/LOI/LOA are reproduced hereunder:

| Sl. No. | Claim description | Amount involved |
|---------|-------------------|-----------------|
|         |                   |                 |

As you are aware, there is a provision in the captioned Contract/MoU/Agreement/LOI/ LOA for referring disputes to conciliation.

In terms of Clause -----of Procedure i.e., Annexure ----- to the Contract/MoU /Agreement / LOI / LOA, we hereby seek your consent to refer the matter to Conciliation by Independent Experts Committee to be appointed by BHEL. You are invited to provide your consent in writing to proceed with conciliation into the above mentioned disputes within a period of 30 days from the date of this letter along with details of counter-claims, if any, which you might have with regard to the subject Contract/ MoU/ Agreement/ LOI/ LOA.

Please note that upon receipt of your consent in writing within 30 days of the date of receipt of this letter by you, BHEL shall appoint suitable person(s) from the BHEL Panel of Conciliators.

This letter is being issued without prejudice to our rights and contentions available under the contract and law.

Thanking you  
Yours faithfully

**Representative of BHEL**

**Note:** The Format may be suitably modified, as required, based on facts and circumstances of the case.

**FORMAT FOR NOTICE INVOKING CONCILIATION CLAUSE BY A  
STAKEHOLDER FOR REFERRING THE DISPUTES TO CONCILIATION  
THROUGH IEC**

To,

BHEL (Head of the Unit/Division/Region/Business Group)

Subject: **NOTICE FOR INVOCATION OF THE CONCILIATION CLAUSE OF THE  
CONTRACT BY A STAKEHOLDER**

Ref: Contract No/MoU/Agreement/LOI/LOA& date \_\_\_\_\_.

Dear Sir/Madam,

As you are aware, with reference to above referred Contract/MoU/Agreement/LOI/LOA, certain disputes have arisen, which, in spite of several rounds of mutual discussions and various correspondences have remained unresolved. The brief particulars of our claims which have arisen out of the above-referred Contract/MoU/Agreement/LOI/LOA are enumerated hereunder:

| Sl.<br>No. | Claim description | Amount involved |
|------------|-------------------|-----------------|
|            |                   |                 |

As you are aware, there is a provision in the captioned Contract/MoU/Agreement/LOI/ LOA for referring inter-se disputes of the Parties to conciliation.

We wish to refer the above-said disputes to Conciliation as per the said Clause of the captioned Contract/MoU/Agreement/LOI/ LOA. In terms of Clause -----of Procedure i.e., Annexure ----- to the Contract/MoU /Agreement / LOI / LOA, we hereby invite BHEL to provide its consent in writing to proceed with conciliation into the above mentioned disputes within a period of 30 days from the date of this letter along with details of counter-claims, if any, which it might have with regard to the subject Contract/ MoU/ Agreement/ LOI/ LOA and to appoint suitable person(s) as Conciliator(s) from the BHEL Panel of Conciliators.

This letter is being issued without prejudice to our rights and contentions available under the contract and law.

Thanking you  
Yours faithfully

**Representative of the Stakeholder**

**Note:** The Format may be suitably modified, as required, based on facts and circumstances of the case.

**FORMAT FOR INTIMATION TO THE STAKEHOLDER ABOUT APPOINTMENT OF CONCILIATOR/IEC**

To,

M/s. (Stakeholder's name)

Subject: **INTIMATION BY BHEL TO THE STAKEHOLDER AND CONCILIATOR(S) ABOUT APPOINTMENT OF CONCILIATOR/IEC**

Ref: Contract No/MoU/Agreement/LOI/LOA& date \_\_\_\_\_.

Sir,

This is with reference to letter dated ----- regarding reference of the disputes arising in connection with the subject Contract No /MoU/Agreement/LOI/LOA to conciliation and appointment of Conciliator(s).

In pursuance of the said letter, the said disputes are assigned to conciliation and the following persons are nominated as Conciliator(s) for conciliating and assisting the Parties to amicably resolve the disputes in terms of the Arbitration & Conciliation Act, 1996 and the Procedure ---- to the subject Contract ...../MoU/Agreement/LOI/LOA, if possible.

Name and contact details of Conciliator(s)

a) .....

b) .....

c) .....

You are requested to submit the Statement of Claims or Counter-Claims (strike off whichever is inapplicable) before the Conciliator(s) in Format 29 (enclosed herewith) as per the time limit as prescribed by the Conciliator(s).

Yours faithfully,

**Representative of BHEL**

CC: To Conciliator(s)... for Kind Information please.

Encl: As above

**Note:** The Format may be suitably modified, as required, based on facts and circumstances of the case.

**PROCEDURE FOR CONDUCT OF CONCILIATION PROCEEDINGS**

1. The proceedings of Conciliation shall broadly be governed by Part-III of the Arbitration and Conciliation Act 1996 or any statutory modification thereof and as provided herein:
2. The party desirous of resorting to Conciliation shall send an invitation/notice in writing to the other party to conciliate specifying all points of Disputes with details of the amount claimed. The party concerned shall not raise any new issue thereafter. Parties shall also not claim any interest on claims/counter-claims from the date of notice invoking Conciliation till the conclusion of the Conciliation proceedings. If BHEL is to initiate Conciliation, then, the invitation to Conciliate shall be extended to the concerned Stakeholder in **Format-30** hereto. Where the stakeholder is to initiate the Conciliation, the notice for initiation of Conciliation shall be sent in **Format-31** hereto.
3. The party receiving the invitation/notice for Conciliation shall within 30 days of receipt of the notice of Conciliation intimate its consent for Conciliation along with its counter-claims, if any.
4. The Conciliation in a matter involving claim or counter-claim (whichever is higher) up to Rs 5 crores shall be carried out by sole Conciliator nominated by BHEL while in a matter involving claim or counter-claim (whichever is higher) of more than Rs 5 crores Conciliation shall be carried out by 3 Conciliators nominated by BHEL. The appointment of Conciliator(s) shall be completed and communicated by the concerned Department/Group of BHEL Unit/Division/Region/Business Group to the other party and the Conciliator(s) within 30 days from the date of acceptance of the invitation to conciliate by the concerned party in the **Format-32**. The details of the Claim, and counter-claim, if any, shall be intimated to the Conciliator(s) simultaneously in **Format-29**.
5. The Parties shall be represented by only their duly authorized in-house executives/officers and neither Party shall be represented by a Lawyer.
6. The first meeting of the IEC shall be convened by the IEC by sending appropriate communication/notice to both the parties as soon as possible but not later than 30 days from the date of his/their appointment. The hearings in the Conciliation proceeding shall ordinarily be concluded within two (2) months and, in exceptional cases where parties have expressed willingness to settle the matter or there exists possibility of settlement in the matter, the proceedings may be extended by the IEC by a maximum of further 2 months with the consent of the Parties subject to cogent reasons being recorded in writing.

- 7.** The IEC shall thereafter formulate recommendations for settlement of the Disputes supported by reasons at the earliest but in any case within 15 days from the date of conclusion of the last hearing. The recommendations so formulated along with the reasons shall be furnished by the IEC to both the Parties at the earliest but in any case within 1 month from the date of conclusion of the last hearing.
- 8.** Response/modifications/suggestions of the Parties on the recommendations of the IEC are to be submitted to the IEC within time limit stipulated by the IEC but not more than 15 days from the date of receipt of the recommendations from the IEC.
- 9.** In the event, upon consideration, further review of the recommendations is considered necessary, whether by BHEL or by the other Party, then, the matter can be remitted back to the IEC with request to reconsider the same in light of the issues projected by either/both the Parties and to submit its recommendations thereon within the following 15 days from the date of remitting of the case by either of the Parties.
- 10.** Upon the recommendations by the Parties, with or without modifications, as considered necessary, the IEC shall be called upon to draw up the Draft Settlement Agreement in terms of the recommendations.
- 11.** When a consensus can be arrived at between the parties only in regard to any one or some of the issues referred for Conciliation the draft Settlement Agreement shall be accordingly formulated in regard to the said Issue(s), and the said Settlement Agreement, if signed, by the parties, shall be valid only for the said issues. As regards the balance issues not settled, the parties may seek to resolve them further as per terms and conditions provided in the contract.
- 12.** In case no settlement can be reached between the parties, the IEC shall by a written declaration, pronounce that the Conciliation between the parties has failed and is accordingly terminated.
- 13.** Unless the Conciliation proceedings are terminated in terms of para 22 (b), (c) & (d) herein below, the IEC shall forward his/its recommendations as to possible terms of settlement within one (1) month from the date of last hearing. The date of first hearing of Conciliation shall be the starting date for calculating the period of 2 months.
- 14.** In case of 3 members IEC, 2 members of IEC present will constitute a valid quorum for IEC and meeting can take place to proceed in the matter after

seeking consent from the member who is not available. If necessary, videoconferencing may be arranged for facilitating participation of the members. However, the IEC recommendations will be signed by all members. Where there is more than one (1) Conciliator, as a general rule they shall act jointly. In the event of differences between the Members of IEC, the decision/recommendations of the majority of the Members of IEC shall prevail and be construed as the recommendation of the IEC.

- 15.** The Draft Settlement Agreement prepared by the IEC in terms of the consensus arrived at during the Conciliation proceedings between the Parties shall be given by the IEC to both the parties for putting up for approval of their respective Competent Authority.
- 16.** Before submitting the draft settlement agreement to BHEL's Competent Authority viz. the Board Level Committee on Alternative Dispute Resolution (BLCADR) for approval, concurrence of the other party's Competent Authority to the draft settlement agreement shall be obtained by the other party and informed to BHEL within 15 days of receipt of the final draft settlement agreement by it. Upon approval by the Competent Authority, the Settlement Agreement would thereafter be signed by the authorized representatives of both the Parties and authenticated by the members of the IEC.
- 17.** In case the Draft Settlement Agreement is rejected by the Competent Authority of BHEL or the other Party, the Conciliation proceedings would stand terminated.
- 18.** A Settlement Agreement shall contain a statement to the effect that each of the person(s) signing thereto (i) is fully authorized by the respective Party(ies) he/she represents, (ii) has fully understood the contents of the same and (iii) is signing on the same out of complete freewill and consent, without any pressure, undue influence.
- 19.** The Settlement Agreement shall thereafter have the same legal status and effect as an arbitration award on agreed terms on the substance of the dispute rendered by an arbitral tribunal passed under section 30 of the Arbitration and Conciliation Act, 1996.
- 20.** Acceptance of the Draft Settlement Agreement/recommendations of the Conciliator and/or signing of the Settlement Agreement by BHEL shall however, be subject to withdrawal/closure of any arbitral and/or judicial proceedings initiated by the concerned Party in regard to such settled issues.
- 21.** Unless otherwise provided for in the agreement, contract or the Memorandum of Understanding, as the case may be, in the event of likelihood of prolonged

absence of the Conciliator or any member of IEC, for any reason/incapacity, the Competent Authority/Head of Unit/Division/Region/Business Group of BHEL may substitute the Conciliator or such member at any stage of the proceedings. Upon appointment of the substitute Conciliator(s), such reconstituted IEC may, with the consent of the Parties, proceed with further Conciliation into the matter either de-novo or from the stage already reached by the previous IEC before the substitution.

**22.** The proceedings of Conciliation under this Scheme may be terminated as follows:

- a.** On the date of signing of the Settlement agreement by the Parties; or,
- b.** By a written declaration of the IEC, after consultation with the parties, to the effect that further efforts at conciliation are no longer justified, on the date of the declaration; or,
- c.** By a written declaration of the Parties addressed to the IEC to the effect that the Conciliation proceedings are terminated, on the date of the declaration; or,
- d.** By a written declaration of a Party to the other Party and the IEC, if appointed, to the effect that the Conciliation proceedings are terminated, on the date of the declaration; or,
- e.** On rejection of the Draft Settlement Agreement by the Competent Authority of BHEL or the other Party.

**23.** The Conciliator(s) shall be entitled to following fees and facilities:

| <b>Sl No</b> | <b>Particulars</b>                       | <b>Amount</b>                                                                                                                                                                                                                             |
|--------------|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1</b>     | Sitting fees                             | Each Member shall be paid a Lump Sum fee of Rs 75,000/- for the whole case payable in terms of paragraph No. 27 herein below.                                                                                                             |
| <b>2</b>     | Towards drafting of settlement agreement | In cases involving claim and/or counter-claim of up to Rs 5crores.<br>Rs 50,000/- (Sole Conciliator)<br>In cases involving claim and/or counter-claim of exceeding Rs 5 crores but less than Rs 10 crores.<br>Rs 75,000 (per Conciliator) |

| <b>Sl No</b> | <b>Particulars</b>                                                                                                                                                          | <b>Amount</b>                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                                                                                                                                                                             | <p>In cases involving claim and/or counter-claim of more than Rs 10 crores.</p> <p>Rs 1,00,000/- (per Conciliator)</p> <p>Note: The aforesaid fees for the drafting of the Settlement Agreement shall be paid on the,</p> <p>Signing of the Settlement Agreement after approval of the Competent Authority</p> <p>or</p> <p>Rejection of the proposed Settlement Agreement by the Competent Authority of BHEL.</p> |
| <b>3</b>     | Secretarial expenses                                                                                                                                                        | <p>Rs 10,000/- (one time) for the whole case for Conciliation by a Sole Member IEC.</p> <p>Where Conciliation is by multi member Conciliators –Rs 30,000/- (one time)- to be paid to the IEC</p>                                                                                                                                                                                                                   |
| <b>4</b>     | Travel and transportation and stay at outstation Retired Senior Officials of other Public Sector Undertakings (pay scale wise equivalent to or more than E-8 level of BHEL) | As per entitlement of the equivalent officer (pay scale wise) in BHEL.                                                                                                                                                                                                                                                                                                                                             |
|              | Others                                                                                                                                                                      | <p>As per the extant entitlement of whole time Functional Directors in BHEL.</p> <p>Ordinarily, the IEC Member(s) would be entitled to travel by air Economy Class.</p>                                                                                                                                                                                                                                            |
| <b>5</b>     | Venue for meeting                                                                                                                                                           | Unless otherwise agreed in the agreement, contract or the Memorandum of Understanding, as the case may be, the venue/seat of proceedings shall be the location of the concerned Unit / Division / Region /                                                                                                                                                                                                         |

| <b>Sl No</b> | <b>Particulars</b> | <b>Amount</b>                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |                    | Business Group of BHEL. Without prejudice to the seat/venue of the Conciliation being at the location of concerned BHEL Unit / Division / Region / Business Group, the IEC after consulting the Parties may decide to hold the proceedings at any other place/venue to facilitate the proceedings. Unless, Parties agree to conduct Conciliation at BHEL premises, the venue is to be arranged by either Party alternately. |

- 24.** The parties will bear their own costs including cost of presenting their cases/evidence/witness(es)/expert(s) on their behalf. The parties agree to rely upon documentary evidence in support of their claims and not to bring any oral evidence in IEC proceedings.
- 25.** If any witness(es) or expert(s) is/are, with the consent of the parties, called upon to appear at the instance of the IEC in connection with the matter, then, the costs towards such witness(es)/expert(s) shall be determined by the IEC with the consent of the Parties and the cost so determined shall be borne equally by the Parties.
- 26.** The other expenditures/costs in connection with the Conciliation proceedings as well as the IEC's fees and expenses shall be shared by the Parties equally.
- 27.** Out of the lump sum fees of Rs 75,000/- for Sitting Fees, 50% shall be payable after the first meeting of the IEC and the remaining 50% of the Sitting Fees shall be payable only after termination of the conciliation proceedings in terms of para 22 hereinabove.
- 28.** The travelling, transportation and stay at outstation shall be arranged by concerned Unit as per entitlements as per Serial No. 4 of the Table at para 23 above, and in case such arrangements are not made by the BHEL Unit, the same shall be reimbursed to the IEC on actuals limited to their entitlement as per Serial No. 4 of the Table at Para 23 above against supporting documents. The IEC Member(s) shall submit necessary invoice for claiming the fees/reimbursements.
- 29.** The Parties shall keep confidential all matters relating to the conciliation proceedings. Confidentiality shall extend also to the settlement agreement,

except where its disclosure is necessary for purposes of its implementation and enforcement or as required by or under a law or as per directions of a Court/Governmental authority/ regulatory body, as the case may be.

- 30.** The Parties shall not rely upon or introduce as evidence in any further arbitral or judicial proceedings, whether or not such proceedings relate to the Disputes that is the subject of the Conciliation proceedings:
- a.** Views expressed or suggestions made by the other party in respect of a possible settlement of the Disputes;
  - b.** admissions made by the other party in the course of the Conciliator proceedings;
  - c.** proposals made by the Conciliator;
  - d.** The fact that the other Party had indicated his willingness to accept a proposal for settlement made by the Conciliator.
- 31.** The Parties shall not present the Conciliator(s) as witness in any Alternative Dispute Resolution or Judicial proceedings in respect of a Disputes that is/was the subject of that particular Conciliation proceeding.
- 32.** None of the Conciliators shall act as an arbitrator or as a representative or counsel of a Party in any arbitral or judicial proceeding in respect of a Disputes that is/was the subject of that particular Conciliation proceeding.
- 33.** The Parties shall not initiate, during the Conciliation proceedings, any arbitral or judicial proceedings in respect of a Disputes that is the subject matter of the Conciliation proceedings except that a Party may initiate arbitral or judicial proceedings where, in his opinion, such proceedings are necessary for preserving his rights including for preventing expiry of period of limitation. Unless terminated as per the provisions of this Scheme, the Conciliation proceedings shall continue notwithstanding the commencement of the arbitral or judicial proceedings and the arbitral or judicial proceedings shall be primarily for the purpose of preserving rights including preventing expiry of period of limitation.
- 34.** The official language of Conciliation proceedings under this Scheme shall be English unless the Parties agree to some other language.