

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	25-03-2023 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	25-03-2023 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Bharat Heavy Electricals Limited (bhel)
Office Name/कार्यालय का नाम	10110009-heep, Haridwar
Total Quantity/कुल मात्रा	378
Item Category/मद केटेगरी	Ball Bearings-IS:6455 (Q3)
MSE Exemption for Years of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover	No
Startup Exemption for Years of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
ITC available to buyer/क्रेता के लिए उपलब्ध आईटीसी	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Ball Bearings-IS:6455
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Payment Timelines	Payments shall be made to the Seller within 90 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required	No
----------	----

ePBG Detail/ईपीबीजी विवरण

Required	No
----------	----

Splitting/विभाजन

Bid splitting not applied.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1

v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Ball Bearings-is:6455	50
Schedule 2	Ball Bearings-is:6455	50
Schedule 3	Ball Bearings-is:6455	30
Schedule 4	Ball Bearings-is:6455	10
Schedule 5	Ball Bearings-is:6455	50
Schedule 6	Ball Bearings-is:6455	60
Schedule 7	Ball Bearings-is:6455	100
Schedule 8	Ball Bearings-is:6455	10
Schedule 9	Ball Bearings-is:6455	4
Schedule 10	Ball Bearings-is:6455	4
Schedule 11	Ball Bearings-is:6455	10

Ball Bearings-IS:6455 (50 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6201-ZZ(12*32*10)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6201-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403,Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			50	15	60

Ball Bearings-IS:6455 (50 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6202(15*35*11)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6202-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			50	15	60

Ball Bearings-IS:6455 (30 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6300(10*35*11)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Additional Specification Parameters - Ball Bearings-IS:6455 (30 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6300-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403,Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantity/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			30	15	60

Ball Bearings-IS:6455 (10 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6305(25*62*17)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6305-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403,Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			10	15	60

Ball Bearings-IS:6455 (50 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	608-2Z(8*22*7)
	Bearing cage material as per IS 2398	Steel
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 608-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantity/मात्रा	Delivery to start after/प्रारम्भ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			50	15	60

Ball Bearings-IS:6455 (60 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6003
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (60 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6003-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)
----------------	---	-------------	--

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____ तक पूरी कर ली जाए
			60	15	60

Ball Bearings-IS:6455 (100 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6205-ZZ, 6205(25*52*15)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6205-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantity/मात्रा	Delivery to start after/प्रारम्भ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			100	15	60

Ball Bearings-IS:6455 (10 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6214(70*125*24)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Additional Specification Parameters - Ball Bearings-IS:6455 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6214-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403,Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			10	15	60

Ball Bearings-IS:6455 (4 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6312(60*130*31)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6312-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			4	15	60

Ball Bearings-IS:6455 (4 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6314ZZ(70*150*35)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Additional Specification Parameters - Ball Bearings-IS:6455 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6314-ZZ Radial / deep groove bearing with C0 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____ तक पूरी कर ली जाए
			4	15	60

Ball Bearings-IS:6455 (10 pieces)

Brand Type/ब्रांड का प्रकार	Registered Brand
-----------------------------	------------------

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Radial contact, DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6210(50*90*20)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Shield(Z) Open
	Protecting device/ closure	Both sided
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel

Additional Specification Parameters - Ball Bearings-IS:6455 (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional terms	Confirm to supply 6210-2Z Radial / deep groove bearing with C3 radial internal clearance.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में)		
1	Paras	249403, Shipping Section, Central Plant Stores, HEEP, BHEL, Haridwar-249403 Uttarakhand	Quantit y/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____तक पूरी कर ली जाए
			10	15	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.

- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

4. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

7. **Inspection**

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NOT APPLICABLE

Post Receipt Inspection at consignee site before acceptance of stores:
CENTRAL STORE HEEP BHEL HARIDWAR

8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1) Please ensure to provide/upload the following documents and take a note of following while submitting your offer:

I. Please refer GEM GTC 4.0 (Version 1.1) Clause No. f “The participation by the Seller in e-bidding shall be construed as his / her acceptance for all the Terms and Conditions as outlined in the e-bidding including GTC, STC and ATC.” Evaluation of the bidder’s offer will also be done in consideration of this clause.

II. Signed and stamped copy of attached BHEL specification i.e. "Bid Requirement / Allowed Values" sheet as acceptance of BHEL specification.

III. Signed and stamped copy of complete “Bid Document” as acceptance of all the conditions of our bid document.

IV. Copy of PAN Card & Copy of GSTIN.

V. The tender (GeM bid document) will also be hoisted / notified on the website of BHEL-Haridwar and BHEL website for wide publicity and maximizing the participation. However, corrigendum if any, will be done only on GeM portal.

2) BHEL payment terms:

Type of Bidder	Payment Terms (Number of days)
Micro & Small Enterprises (MSEs)	45 days
Medium Enterprises	60 days
Non MSME	90 days

3) Risk Purchase:

In case of abnormal delays (beyond the maximum late delivery period as per LD clause) in supplies / defective supplies or non-fulfillment of any other terms and conditions given in Purchase Order, BHEL may cancel the Purchase Order in full or part thereof, and may also make the purchase of such material from elsewhere / alternative source at the risk and cost of the supplier. BHEL will take all reasonable steps to get the material from alternate source at optimum cost. If bidder does not agree to the above Risk Purchase Clause, BHEL reserves the right to reject the offer. In case for compelling reasons BHEL accepts the offer without acceptance of this clause by the bidder and in the eventuality of Risk Purchase, appropriate action will be taken as per BHEL extant rules. This will be without prejudice to any other right of BHEL under the contract or under General Law.

4) Action against Bidders / vendor / supplier / contractor in case of default:

In order to protect the commercial interests of BHEL, BHEL shall take action against supplies / contractors by way of suspension of business dealings, who either fail to perform or are in default without any reasonable cause, cause loss of business/ money/ reputation, indulge in malpractices, cheating, bribery, fraud or any other misconduct or formation of cartels so as to influence the bidding process or influence the price etc.

Suspension of Business Dealings could be in the form of "Hold" or "Banning" a supplier/ contractor or a bidder and shall be as per "Guidelines for Suspension of Business Dealings with Suppliers/ Contractors" available at BHEL's website "<https://www.bhel.com/guidelines-suspension-business-dealings-supplierscontractors>".

5) Additional terms:

1. Test certificate from original manufacturer shall be submitted with despatch document.
2. Guarantee certificate shall be submitted and valid for 12 months from the date of despatch of material.

Conflict of Interest among Bidders / Agents

"A bidder shall not have conflict of interest with other bidders. Such conflict of interest can lead to anti-competitive practices to the detriment of Procuring Entity's interests. **The bidder found to have a conflict of interest shall be disqualified.** A bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:

- a) They have controlling partner (s) in common; **or**
- b) They receive or have received any direct or indirect subsidy / financial stake from any of them; **or**
- c) They have the same legal representative / agent for purposes of this bid; **or**
- d) They have relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder; **or**

e) Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all bids in which the parties are involved. However, this does not limit the inclusion of the components / sub-assembly / Assemblies from one bidding manufacturer in more than one bid; or

f) In case of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorise only one agent / dealer. There can be only one bid from the following:

(1) The principal manufacturer directly or through one Indian agent on his behalf; and

(2) Indian / foreign agent on behalf of only one principal;

Or

g) A bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the contract that is the subject of the Bid; **or**

h) In case of a holding company having more than one independently manufacturing units, or more than one unit having common business ownership / management, only one unit should quote. Similar restrictions would apply to closely related sister companies. Bidders must proactively declare such sister / common business / management units in same / similar line of business."

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---