

Bid Document

Bid Details	
Bid End Date/Time	28-05-2021 14:00:00
Bid Opening Date/Time	28-05-2021 14:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Heavy Industries And Public Enterprises
Department Name	Department Of Heavy Industry
Organisation Name	Bharat Heavy Electricals Limited (bhel)
Office Name	10140027-hpbp Trichy
Total Quantity	213
Item Category	UNIVERSAL BEVEL PROTRACTOR BLADE LENGTH 300MM GRADUATION 5'(0-90-0) - MITUTOYO CODE 187-908 OR EQUIV , VERNIER DEPTH GAUGE RANGE 0-150MM- VERNIER READING= 0.02-ACCURACY+ /-0.03MM-BASE DIMENSIONS 100 X6.5 , VERNIER DEPTH GAUGE RANGE 0-300MM- VERNIER READING= 0.02-ACCURACY+ /-0.04MM-WITH FINE ADJUSTMENT-MITU , VERNIER HEIGHT GAUGE RANGE 0 - 600 MM, VERNIER READING-0.02MMACCURACY+ /- 0.05MM MITUTOYO CODE NO. 5 , OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES-RATCHET STOP - RANGE 0-25 MM GRADUATION 0.01 ACCURACY 0 , OUTSIDE MICROMETERS RANGE 25-50 GRADUATION 0.01MM ACCURACY 0.02MM CARBIDE TIPPED FACES MITUTOYO CODE , OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 150-300mm GRADUATION 0.01mm W , OUTSIDE MICROMETER RANGE 300-400MM RESOLUTION 0.01 mm WITH INTER CHANGEABLE ANVILS 0, 25, 50, 75mm M , OUTSIDE MICROMETER RANGE 400-500MM RESOLUTION 0.01 mm WITH INTERCHANGEABLE ANVILS 0, 25, 50, 75mm MI , OUTSIDE MICROMETER RANGE 500-600MM RESOLUTION 0.01 mm WITH INTER CHANGEABLE ANVILS 0, 25, 50, 75mm M , OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 600- 700MM- GRADOATION 0.01MM MITUTOYO CODE104- , OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 700- 800MM-GRADUATION 0.01MM MITUTOYO CODE104- , OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 800-900MM, GRADUATION 0.01MM , OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 900-1000MM, GRADUATION 0.01M , OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1000-1100MM, GRADUATION 0.01 , OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1100-1200MM, GRADUATION 0.01 , EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 50-1500 MM GRADUATION 0.01 MM WITH EXTENSION PIPES 13, , EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 100-2100 mm GRADUATION 0.01 mm WITH EXTENSION

Bid Details

	PIPES 25. VERNIER CALIPER WITH FINE ADJUSTMENT RANGE 0-600mm. LEAST COUNT 0.02mm-ACCURACY+ /- 0.05mm. MITUTOYO , UNIVERSAL MAGNETIC DIAL STAND WITH CENTRAL LOCKING SYSTEM AND ARTICULATED ARM NOGA CODE MG 10503/MIT , 100X95X70mm. MAGNETIC 'V' BLOCK HARDENED WITH 3- MAGNETIC SURFACE. CLAMPING DIA 5-65MM. ACCURACIES F , FEELER GAUGE 150MM (LONG LEAF) RANGE 0.05-1.0MM SIZE-13 BLADES AS PER IS 3179/1990-MITUTOYO BRAND 18 , CONCAVE AND CONVEX METRIC RADIUS GAUGE RANGE 0.5-13 MM IN INCREMENTS OF 0.5MM (26 PAIRS) 90 DEGREE A , SPIRIT LEVEL-SIZE: 150/180MM LONG-ACCURACY 0.02MM PER METRE. , MITUTOYO MAKE BORE GAUGE WITH STANDARD DIAL INDICATOR, RANGE: 18- 35MM WITH INDICATOR L. C. 0.01MM, , BORE DIAL WITH STANDARD DIAL INDICATOR RANGE 35-60MM GRADUATION 0.01MM-MITUTOYO CODE: 511-712 OR EQU , BORE GAGE WITH STANDARD DIAL INDICATOR RANGE 50-150mm- GRADUATION 0.01-PROBE DEPTH 150mm-MITUTOYO CO , VERNIER HEIGHT GAUGE RANGE: 0-300MM LEAST COUNT 0.02MM-ACCURACY+ /- 0.04MM MITUTOYO CODE 514-102 OR E , VERNIER HEIGHT GAUGE RANGE: 0-1000MM LEAST COUNT 0.02MMACCURACY+ /-0.07MM MITUTOYO CODE 514-108 OR E , DIGIMATIC CALIPERS RANGE 0-150MM ACCURACY+ /- 0.02MM LEAST COUNT 0.01MM MITUTOYO CODE: 500-151-30 / S , DIGIMATIC CALIPERS RANGE 0-300mm. RESOLUTION 0.01MM-ACCURACY 0.03MM-MITUTOYO CODE: 500-153/STARRETT , " DIAL INDICATOR WITH LUGGED BACK RANGE 0-10mm GRADUATION 0.01 DIAL READING 0-100 ACCURACY 0.013 RAN
Minimum Average Annual Turnover of the Bidder	15 Lakh (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years Of Experience	Yes
Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	Yes
Primary product category	UNIVERSAL BEVEL PROTRACTOR BLADE LENGTH 300MM GRADUATION 5
Time allowed for Technical Clarifications during technical evaluation	2 Days
Estimated Bid Value	3163050
Evaluation Method	Item wise evaluation

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

(a). The EMD % will be applicable for each schedule/group selected during Bid creation.

Splitting

Bid splitting not applied.

MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	106200	Universal Bevel Protractor Blade Length 300mm Graduation 5'(0-90-0) - Mitutoyo Code 187-908 Or Equiv	10
Schedule 2	43326	Vernier Depth Gauge Range 0-150mm- Vernier Reading= 0.02-accuracy+ /-0.03mm-base Dimensions 100 X6.5	9
Schedule 3	66267	Vernier Depth Gauge Range 0-300mm-vernier Reading= 0.02-accuracy+ /-0.04mm-with Fine Adjustment-mitu	9
Schedule 4	193520	Vernier Height Gauge Range 0 - 600 Mm, Vernier Reading- 0.02mmaccuracy+ /- 0.05mm Mitutoyo Code No. 5	5
Schedule 5	20768	Outside Micrometer With Carbide Tipped Faces-ratchet Stop - Range 0-25 Mm Graduation 0.01 Accuracy 0	8
Schedule 6	12980	Outside Micrometers Range 25-50 Graduation 0.01mm Accuracy 0.02mm Carbide Tipped Faces Mitutoyo Code	5
Schedule 7	86140	Outside Micrometer With Carbide Tipped Faces, With Ratchet Stop, Range 150-300mm Graduation 0.01mm W	5
Schedule 8	55932	Outside Micrometer Range 300-400mm Resolution 0.01 Mm With Inter Changeable Anvils 0, 25, 50, 75mm M	3
Schedule 9	61596	Outside Micrometer Range 400-500mm Resolution 0.01 Mm With Interchangeable Anvils 0, 25, 50, 75mm Mi	3
Schedule 10	78588	Outside Micrometer Range 500-600mm Resolution 0.01 Mm With Inter Changeable Anvils 0, 25, 50, 75mm M	3
Schedule 11	57584	Outside Micrometer With Inter Changeable Anvils Range 600- 700mm-graduation 0.01mm Mitutoyo Code104-	2
Schedule 12	68912	Outside Micrometer With Inter Changeable Anvils Range 700- 800mm-graduation 0.01mm Mitutoyo Code104-	2
Schedule 13	137352	Out Side Micrometer With Carbide Tipped Faces, With Ratchet Stop, Range 800-900mm, Graduation 0.01mm	2
Schedule 14	160856	Out Side Micrometer With Carbide Tipped Faces, With Ratchet Stop, Range 900-1000mm, Graduation 0.01m	2
Schedule 15	214854	Out Side Micrometer With Carbide Tipped Faces, With Ratchet Stop, Range 1000-1100mm, Graduation 0.01	2
Schedule 16	219008	Out Side Micrometer With Carbide Tipped Faces, With Ratchet Stop, Range 1100-1200mm, Graduation 0.01	2
Schedule 17	53100	Extention Pipe Type Tubular Micrometer Range 50-1500 Mm Graduation 0.01 Mm With Extension Pipes 13,	3
Schedule 18	94305	Extention Pipe Type Tubular Micrometer Range 100-2100 Mm Graduation 0.01 Mm With Extension Pipes 25,	3

Schedule 19	128856	Vernier Caliper With Fine Adjustment Range 0-600mm. Least Count 0.02mm-accuracy+ /-0.05mm. Mitutoyo	7
Schedule 20	349895	Universal Magnetic Dial Stand With Central Locking System And Articulated Arm Noga Code Mg 10503/mit	35
Schedule 21	80619	100x95x70mm. Magnetic 'v' Block Hardened With 3- Magnetic Surface. Clamping Dia 5-65mm. Accuracies F	7
Schedule 22	21945	Feeler Gauge 150mm (long Leaf) Range 0.05-1.0mm Size-13 Blades As Per Is 3179/1990-mitutoyo Brand 18	15
Schedule 23	41958	Concave And Convex Metric Radius Gauge Range 0.5-13 Mm In Increments Of 0.5mm (26 Pairs) 90 Degree A	7
Schedule 24	21666	Spirit Level-size: 150/180mm Long-accuracy 0.02mm Per Metre.	3
Schedule 25	35400	Mitutoyo Make Bore Gauge With Standard Dial Indicator, Range: 18-35mm With Indicator L. C. 0.01mm,	5
Schedule 26	21666	Bore Dial With Standard Dial Indicator Range 35-60mm Graduation 0.01mm-mitutoyo Code: 511-712 Or Equ	3
Schedule 27	24072	Bore Gage With Standard Dial Indicator Range 50-150mm- Graduation 0.01-probe Depth 150mm-mitutoyo Co	3
Schedule 28	77880	Vernier Height Gauge Range: 0-300mm Least Count 0.02mm-accuracy+ /-0.04mm Mitutoyo Code 514-102 Or E	5
Schedule 29	436600	Vernier Height Gauge Range: 0-1000mm Least Count 0.02mmaccuracy+ /-0.07mm Mitutoyo Code 514-108 Or E	5
Schedule 30	42905	Digimatic Calipers Range 0-150mm Accuracy+ /-0.02mm Least Count 0.01mm Mitutoyo Code: 500-151-30 / S	5
Schedule 31	95200	Digimatic Calipers Range 0-300mm. Resolution 0.01mm-accuracy 0.03mm-mitutoyo Code: 500-153/starrett	5
Schedule 32	53100	" Dial Indicator With Lugged Back Range 0-10mm Graduation 0.01 Dial Reading 0-100 Accuracy 0.013 Ran	30

UNIVERSAL BEVEL PROTRACTOR BLADE LENGTH 300MM GRADUATION 5'(0-90-0) - MITUTOYO CODE 187-908 OR EQUIV (10 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	10	90

VERNIER DEPTH GAUGE RANGE 0-150MM- VERNIER READING= 0.02-ACCURACY+ /- 0.03MM-BASE DIMENSIONS 100 X6.5 (9 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	9	90

VERNIER DEPTH GAUGE RANGE 0-300MM-VERNIER READING= 0.02-ACCURACY+ /- 0.04MM-WITH FINE ADJUSTMENT-MITU (9 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	9	90

VERNIER HEIGHT GAUGE RANGE 0 - 600 MM, VERNIER READING-0.02MMACCURACY+ /- 0.05MM MITUTOYO CODE NO. 5 (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES-RATCHET STOP - RANGE 0-25 MM GRADUATION 0.01 ACCURACY 0 (8 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	8	90

OUTSIDE MICROMETERS RANGE 25-50 GRADUATION 0.01MM ACCURACY 0.02MM CARBIDE TIPPED FACES MITUTOYO CODE (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 150-300mm GRADUATION 0.01mm W (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

OUTSIDE MICROMETER RANGE 300-400MM RESOLUTION 0.01 Mm WITH INTERCHANGEABLE ANVILS 0, 25, 50, 75mm M (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

OUTSIDE MICROMETER RANGE 400-500MM RESOLUTION 0.01 Mm WITH INTERCHANGEABLE ANVILS 0, 25, 50, 75mm MI (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

OUTSIDE MICROMETER RANGE 500-600MM RESOLUTION 0.01 Mm WITH INTER CHANGEABLE ANVILS 0, 25, 50, 75mm M (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 600- 700MM- GRADOATION 0.01MM MITUTOYO CODE104- (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 700- 800MM- GRADUATION 0.01MM MITUTOYO CODE104- (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 800-900MM, GRADUATION 0.01MM (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 900-1000MM, GRADUATION 0.01M (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1000-1100MM, GRADUATION 0.01 (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1100-1200MM, GRADUATION 0.01 (2 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	2	90

EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 50-1500 MM GRADUATION 0.01 MM WITH EXTENSION PIPES 13, (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 100-2100 Mm GRADUATION 0.01 Mm WITH EXTENSION PIPES 25, (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

VERNIER CALIPER WITH FINE ADJUSTMENT RANGE 0-600mm. LEAST COUNT 0.02mm- ACCURACY+ /-0.05mm. MITUTOYO (7 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	7	90

UNIVERSAL MAGNETIC DIAL STAND WITH CENTRAL LOCKING SYSTEM AND ARTICULATED ARM NOGA CODE MG 10503/MIT (35 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	35	90

100X95X70mm. MAGNETIC 'V' BLOCK HARDENED WITH 3- MAGNETIC SURFACE. CLAMPING DIA 5-65MM. ACCURACIES F (7 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	7	90

FEELER GAUGE 150MM (LONG LEAF) RANGE 0.05-1.0MM SIZE-13 BLADES AS PER IS 3179/1990-MITUTOYO BRAND 18 (15 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	15	90

CONCAVE AND CONVEX METRIC RADIUS GAUGE RANGE 0.5-13 MM IN INCREMENTS OF 0.5MM (26 PAIRS) 90 DEGREE A (7 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	7	90

SPIRIT LEVEL-SIZE: 150/180MM LONG-ACCURACY 0.02MM PER METRE. (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

MITUTOYO MAKE BORE GAUGE WITH STANDARD DIAL INDICATOR, RANGE: 18- 35MM WITH INDICATOR L. C. 0.01MM, (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

BORE DIAL WITH STANDARD DIAL INDICATOR RANGE 35-60MM GRADUATION 0.01MM-MITUTOYO CODE: 511-712 OR EQU (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

BORE GAGE WITH STANDARD DIAL INDICATOR RANGE 50-150mm- GRADUATION 0.01- PROBE DEPTH 150mm-MITUTOYO CO (3 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	3	90

VERNIER HEIGHT GAUGE RANGE: 0-300MM LEAST COUNT 0.02MM-ACCURACY+ /- 0.04MM MITUTOYO CODE 514-102 OR E (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

VERNIER HEIGHT GAUGE RANGE: 0-1000MM LEAST COUNT 0.02MMACCURACY+ /- 0.07MM MITUTOYO CODE 514-108 OR E (5 pieces)

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
-------	-----------------------------	---------	----------	---------------

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

**DIGIMATIC CALIPERS RANGE 0-150MM ACCURACY+ /-0.02MM LEAST COUNT 0.01MM
MITUTOYO CODE: 500-151-30 / S (5 pieces)**

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

**DIGIMATIC CALIPERS RANGE 0-300mm. RESOLUTION 0.01MM-ACCURACY 0.03MM-
MITUTOYO CODE: 500-153/STARRETT (5 pieces)**

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	5	90

**" DIAL INDICATOR WITH LUGGED BACK RANGE 0-10mm GRADUATION 0.01 DIAL
READING 0-100 ACCURACY 0.013 RAN (30 pieces)**

(Minimum 20% Local content required for MII compliance)

Brand Type	Unbranded
------------	-----------

Technical Specifications

Buyer Specification Document	Download
------------------------------	--------------------------

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Anoop S S	620014,HIGH PRESSURE BOILER PLANT, BHARAT HEAVY ELECTRICALS LIMITED, TIRUCHIRAPPALLI - 620014. TAMILNADU. INDIA.	30	90

Buyer added Bid Specific Additional Scope of Work

S.No.	Document Title	Description	Applicable i.r.o. Items
			UNIVERSAL BEVEL PROTRACTOR BLADE LENGTH 300MM GRADUATION 5'(0-90-0) - MITUTOYO CODE 187-908 OR EQUIV(10),VERNIER DEPTH GAUGE RANGE 0-150MM- VERNIER READING= 0.02- ACCURACY+ /-0.03MM-BASE DIMENSIONS 100 X6.5(9),VERNIER DEPTH GAUGE RANGE 0-300MM-VERNIER READING= 0.02-ACCURACY+ /- 0.04MM-WITH FINE ADJUSTMENT- MITU(9),VERNIER HEIGHT GAUGE RANGE 0 - 600 MM, VERNIER READING-0.02MMACCURACY+ /- 0.05MM MITUTOYO CODE NO. 5(5),OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES-RATCHET STOP - RANGE 0-25 MM GRADUATION 0.01 ACCURACY 0(8),OUTSIDE MICROMETERS RANGE 25-50 GRADUATION 0.01MM ACCURACY 0.02MM CARBIDE TIPPED FACES MITUTOYO CODE(5),OUTSIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 150-300mm GRADUATION 0.01mm W(5),OUTSIDE MICROMETER RANGE 300-400MM RESOLUTION 0.01 Mm WITH INTER CHANGEABLE ANVILS 0, 25, 50, 75mm M(3),OUTSIDE MICROMETER RANGE 400-500MM RESOLUTION 0.01 Mm WITH INTERCHANGEABLE ANVILS 0, 25, 50, 75mm MI(3) OUTSIDE

S.No.	Document Title	Description	Applicable Range	Items
1	Pre-Qualification Criteria (PQC) View	Bidders shall confirm the PQC and submit the supporting documents wherever applicable	MICROMETER RANGE 500-600MM RESOLUTION 0.01 Mm WITH INTER CHANGEABLE ANVILS 0, 25, 50, 75mm M(3),OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 600- 700MM-GRADOATION 0.01MM MITUTOYO CODE104- (2),OUTSIDE MICROMETER WITH INTER CHANGEABLE ANVILS RANGE 700- 800MM- GRADUATION 0.01MM MITUTOYO CODE104-(2),OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 800-900MM, GRADUATION 0.01MM(2),OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 900- 1000MM, GRADUATION 0.01M(2),OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1000-1100MM, GRADUATION 0.01(2),OUT SIDE MICROMETER WITH CARBIDE TIPPED FACES, WITH RATCHET STOP, RANGE 1100-1200MM, GRADUATION 0.01(2),EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 50-1500 MM GRADUATION 0.01 MM WITH EXTENSION PIPES 13, (3),EXTENTION PIPE TYPE TUBULAR MICROMETER RANGE 100-2100 Mm GRADUATION 0.01 Mm WITH EXTENSION PIPES 25, (3),VERNIER CALIPER WITH FINE ADJUSTMENT RANGE 0-600mm. LEAST COUNT 0.02mm- ACCURACY+ /-0.05mm. MITUTOYO (7),UNIVERSAL MAGNETIC DIAL STAND WITH CENTRAL LOCKING SYSTEM AND ARTICULATED ARM NOGA CODE MG 10503/MIT(35),100X95X70mm. MAGNETIC 'V' BLOCK HARDENED WITH 3- MAGNETIC SURFACE. CLAMPING DIA 5-65MM. ACCURACIES F(7),FEELER GAUGE 150MM (LONG LEAF) RANGE 0.05-1.0MM SIZE-13 BLADES AS PER IS 3179/1990-MITUTOYO BRAND 18(15),CONCAVE AND CONVEX METRIC RADIUS GAUGE RANGE 0.5-13 MM IN INCREMENTS OF 0.5MM (26 PAIRS) 90 DEGREE A(7),SPIRIT LEVEL-SIZE: 150/180MM LONG- ACCURACY 0.02MM PER METRE. (3),MITUTOYO MAKE BORE GAUGE WITH STANDARD DIAL INDICATOR, RANGE: 18- 35MM WITH INDICATOR 1.0-0.01MM	

S.No.	Document Title	Description	WITH INDICATOR L. C. 0.01MM, (5), BORE DIAL WITH STANDARD DIAL INDICATOR RANGE 35-60MM GRADUATION 0.01MM-MITUTOYO CODE: 511-712 OR EQU(3),BORE GAGE WITH STANDARD DIAL INDICATOR RANGE 50-150mm- GRADUATION 0.01-PROBE DEPTH 150mm-MITUTOYO CO(3),VERNIER HEIGHT GAUGE RANGE: 0-300MM LEAST COUNT 0.02MM- ACCURACY+ /-0.04MM MITUTOYO CODE 514-102 OR E(5),VERNIER HEIGHT GAUGE RANGE: 0-1000MM LEAST COUNT 0.02MMACCURACY+ /-0.07MM MITUTOYO CODE 514-108 OR E(5),DIGIMATIC CALIPERS RANGE 0-150MM ACCURACY+ /-0.02MM LEAST COUNT 0.01MM MITUTOYO CODE: 500-151-30 / S(5),DIGIMATIC CALIPERS RANGE 0-300mm. RESOLUTION 0.01MM- ACCURACY 0.03MM-MITUTOYO CODE: 500-153/STARRETT (5)," DIAL INDICATOR WITH LUGGED BACK RANGE 0-10mm GRADUATION 0.01 DIAL READING 0-100 ACCURACY 0.013 RAN(30)
-------	----------------	-------------	--

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Additional Terms and Conditions

- Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address MANAGER/STORES, WARD-19 BHARAT HEAVY ELECTRICALS LIMITED THIRUVERUMBUR TIRUCHIRAPPALLI -620 014 TAMILNADU.
- Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.
- Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.
- Bidder shall submit the following documents along with their bid for Vendor Code Creation:
 - Copy of PAN Card.
 - Copy of GSTIN.
 - Copy of Cancelled Cheque.
 - Copy of EFT Mandate duly certified by Bank.
- OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.

2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.
7. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
 - i) The Seller fails to comply with any material term of the Contract.
 - ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
 - iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
 - iv) The Seller becomes bankrupt or goes into liquidation.
 - v) The Seller makes a general assignment for the benefit of creditors.
 - vi) A receiver is appointed for any substantial property owned by the Seller.
 - vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
8. While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.
9. Scope of supply (Bid price to include all cost components) : Only supply of Goods
10. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
11. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
12. Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
13. **Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): BY VENDOR AT VENDOR WORKS
Post Receipt Inspection at consignee site before acceptance of stores: BY BHEL QC AT BHEL TRICHY
14. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
15. Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

16. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
17. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
18. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:
 - a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
 - b. Execution certificate by client with order value.
 - c. Any other document in support of order execution like Third Party Inspection release note, etc.
19. Buyer Added text based ATC clauses

Pre-Qualification Criteria (PQC)

.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---